



Antennas



Antenna Type: **Flexible PCB (FPC)**

Band Type: **Single Band**

Primary Application: **NFC**

Wireless Application: **NFC**

Mounting Location: **Internal/Embedded**

Features

Product Type Features

Antenna Termination	Solder
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Flexible PCB
Antenna Type	Flexible PCB (FPC)
Band Type	Single Band
Mounting Location	Internal/Embedded
Port Configuration	Single Port

Electrical Characteristics

Antenna Operation	Passive
-------------------	---------

Signal Characteristics

Frequency Band	13.56 MHz
Frequency Category	0 – 50

Body Features

Product Weight	.1 g[.004 oz]
----------------	---------------



Mechanical Attachment

Mounting Type	Adhesive Mount
---------------	----------------

Dimensions

Product Width	26 mm[1.02 in]
Product Length	31 mm[1.22 in]
Product Height	.28 mm[.011 in]

Operation/Application

Directionality	Omnidirectional
----------------	-----------------

Industry Standards

Primary Application	NFC
Wireless Application	NFC

Product Availability

Applicable Region	Global
-------------------	--------

Packaging Features

Packaging Method	Bag & Box
------------------	-----------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

TE Part # L000644-01
NFC ANT, ACH(F) , 28AWG.

TE Part # L000641-01
COIL ANT, SMT, 13.56MHZ NFC

TE Part # L000643-01
FPC, ANT, 13.56MHZ, FERRITE, NFC, RECT

Customers Also Bought

TE Part #CAT-D9934-A75F
DYNAMIC 3200 HDR ASSY

TE Part #L000644-01
NFC ANT, ACH(F) , 28AWG.

TE Part #350433-4
12P UMNL PIN HDR ASSY NATL LF

TE Part #2-1623788-0
SQM5 8R2 5% (WIRE)

TE Part #2311162-2
DYNAMIC D-3 FMLB REC CONT AU0. 38 M L/P

TE Part #7-2176404-5
3550 2R2 5%

TE Part #L000643-01
FPC, ANT, 13.56MHZ, FERRITE, NFC, RECT

TE Part #1879352-7
RR02 5% R56 AMMO



TE Part #1-406507-5
IMJ,1X1,P GRD,INSLT,LED(G/G)SN

Documents

Product Drawings

NFC ANT, 13.56MHZ, FERRITE, NFC, ROUND

English

CAD Files

Customer View Model

ENG_CVM_CVM_L000642-01_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_L000642-01_1.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_L000642-01_1.3d_igs.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

L000642

English