

WSJT-SWISS



Built with

GitHub Actions

License

GPLv3

Platform

Windows

Based on

WSJT-X 2.7.0

This software is installed independently of your WSJT-X software. It can be removed by simply deleting the C:\WSJTX-SWISS directory. It should import your standard WSJT-X settings

/P or /M etc. as well as 4-character callsigns like HB9HSLU do not work

1. Purpose of WSJT-SWISS

WSJT-SWISS is a fork of [WSJT-X](#) developed for the **Swiss XMAS FT8 Contest**. It enables amateur radio operators to exchange Swiss canton codes as part of the FT8 digital mode protocol.

The contest rules can be found here: <https://uska.ch/contest/schweizer-contest-kw/>

Canton Exchange Protocol

WSJT-SWISS is based on the ARRL Field Day protocol to encode canton information in the 77-bit message structure. During a contest QSO, stations exchange their two-letter canton codes (e.g., **ZH** for Zurich, **BE** for Bern).

Example QSO flow:

Station A (ZH)	Station B (BE)
CQ ZH HB9AAA JN47	
	HB9AAA HB9BBB -07
HB9BBB HB9AAA -06	
	HB9AAA HB9BBB 1A BE ← Canton exchange
HB9BBB HB9AAA 1A ZH	← Canton exchange
	HB9AAA HB9BBB RR73

The 1A before the canton can be ignored.

ADIF Logging

Swiss contest QSOs are automatically saved with additional ADIF fields:

Field	Description	Example
MY_CANTON	Own canton code	ZH
HIS_CANTON	Other station's canton code	BE

These fields can be used by contest logging software for evaluation and verification.

2. Downloads

The latest version can be found on the [Releases page](#).

Package	Description
<code>wsjtx-swiss-installer</code>	Windows installer (ZIP)

Download Issues

Your browser or antivirus software may block the download because the file is not frequently downloaded. This is a **false positive** – the software is safe.

Chrome: Click "Keep" or select "Keep dangerous file" in "Downloads".

Edge: "Keep" → "More information" → "Keep anyway".

Antivirus: Add an exception or temporarily disable real-time protection during download.

3. Installation

1. Extract `wsjtx-swiss-installer.zip`
2. Run `wsjtx-swiss-installer.exe`

Automatic Settings Import

On first installation, WSJT-SWISS automatically imports your settings from WSJT-X if:

- no existing WSJT-SWISS configuration is found and
- a WSJT-X configuration exists at `%LOCALAPPDATA%\WSJT-X\WSJT-X.ini`

This imports callsign, locator, audio settings, and rig configuration. Existing WSJT-SWISS settings are **never overwritten**.

Microsoft SmartScreen Warning

Windows may show a SmartScreen warning because the application is not signed with a commercial code-signing certificate.

How to proceed:

1. Click "**More info**"
2. Select "**Run anyway**"

This is common for open-source software outside the Microsoft Store.

Antivirus Warnings

Some antivirus programs may flag the installer as suspicious. This is usually a false positive. You can:

- add an exception for the installer
 - temporarily disable real-time protection during installation
 - verify the download against the release notes using the file hash
-


4. Starting WSJT-SWISS

After installation, you can start WSJT-SWISS in several ways:

- **Start Menu:** Entry **WSJT-X**
 - **Desktop:** Desktop shortcut (if created during installation)
 - **Installation folder:** `C:\WSJTX-SWISS\bin\wsjtx.exe`
-

5. Setup

1. Start **WSJT-SWISS**
2. **File** → **Settings** (or press **F2**)
3. Open the **Advanced** tab
4. Under **Special Operating Activity** → select **Swiss XMAS**
5. Select your canton from the dropdown list
6. Save with **OK**
7. Enter `XMAS` in the **Contest name** field



The TX messages will now automatically contain your canton code, and you will call CQ as **CQ XMAS**.

6. Operation (as usual with FT8)

Starting a QSO

1. Activate **Swiss FT8 Contest** mode (see Setup)
2. Set frequency to the contest frequency (**7.055 MHz**)
3. Click **Enable TX** to call CQ, or double-click a station to reply
4. The canton exchange happens automatically during the QSO flow

Message Flow

Step	Action
1	Station A calls CQ with canton (e.g., "CQ ZH HB9AAA JN47")

Step	Action
2	Station B responds with report
3	Station A sends report
4	Station B sends canton code
5	Station A sends canton code
6	Station B confirms with RR73

WSJT-SWISS v2.7.0 by K1JT et al. and HB9BLA

File Configurations View Mode Decode Save Tools Help

Band Activity

UTC	dB	DT	Freq	Message
005815	-3	-1.3	1122	~ V51F RA7O KN87
005815	-14	-0.2	1820	~ RV9CX XQ7IR R+02
005815	9	-0.9	1589	~ GOANS RJ6D 73
005815	-16	0.5	958	~ SM2MGQ R4AV LN28
005815	10	-1.2	1429	~ UA3ALY R2EA RR73
005815	2	-1.3	1450	~ HI3QMT RA6OB KN98

Rx Frequency

UTC	dB	DT	Freq	Message
-----	----	----	------	---------

☐ CQ only

☒ Menus

10m| 28.074 000
☒ Tx even/1st
 ☒ Hold Tx Freq
 Tx 1588 Hz

80
60
40
20
0
60 dB

H
FT8
FT4
MSK
Q65
JT65

DX Call
F4GTB

DX Grid
JN18

Az: 290 373 km

Lookup Add

2025 Dez. 05
00:58:28

☒ Tx even/1st

☒ Hold Tx Freq

Tx 1588 Hz

Rx 595 Hz

Report -15

☒ Auto Seq

CQ: None

Generate Std Msgs

Next Now

F4GTB HB9BLA JN37 ☐ Tx 1

F4GTB HB9BLA BL ☐ Tx 2

F4GTB HB9BLA R BL ☐ Tx 3

F4GTB HB9BLA RRR ☐ Tx 4

F4GTB HB9BLA 73 ☐ Tx 5

CQ XMAS HB9BLA JN37 ☒ Tx 6


Receiving FT8 6 13/15 WD:6m

Logging

Completed QSOs are automatically saved with:

- Standard FT8 fields (callsign, time, frequency, mode, reports)
- Canton fields (MY_CANTON , HIS_CANTON)

As usual with WSJT-X, you can generate a Cabrillo log and upload it to <https://contestlog.uska.ch/submit>



Before uploading, the fields must be filled in according to the following example:

Location:	DX
Contest:	XMAS
Callsign:	HB9BLA
Category-Operator:	SINGLE-OP
Category-Transmitter:	ONE
Category-Power:	HIGH
Category-Assisted:	NON-ASSISTED
Category-Band:	ALL
Claimed-Score:	12345
Operators:	HB9BLA
Club:	none
Name:	Andreas Spiess
Address:	xyz
Address:	uvw

Save Cancel

The score is calculated by USKA. Therefore, it can also be filled in with 0.

When uploading, **select Christmas Contest Digital 2 2025** and enter the following category:



Contest Log Submission

Submit your log for USKA contests here.



Step 2: Check and Correct Information

Contest

Christmas Contest Digital 2 2025

Callsign Used During Contest

HB9BLA

Your Email Address

andreas.spiess@arumba.com

Category

(choose one) ▾

(choose one)

Checklog

SOAB-Digital-HP

SWL

→

In case of questions or problems with your log submission, contact contest@uska.ch.

7. Compatibility

Scenario	Compatibility
WSJT-SWISS ↔ WSJT-SWISS	Full Swiss contest support
WSJT-SWISS ↔ WSJT-X	Standard FT8 works; canton messages are not decoded
Standard FT8/FT4/etc.	Fully compatible with all WSJT-X versions

Note: Swiss contest messages are only correctly decoded by WSJT-SWISS. Standard WSJT-X does not display these messages.