

DISASTER MANAGEMENT

Updated Value Addition Material 2020



DELHI



LUCKNOW



JAIPUR



HYDERABAD



PUNE



AHMEDABAD



CHANDIGARH



8468022022



9019066066



enquiry@visionias.in



[/c/VisionIASdelhi](https://www.youtube.com/c/VisionIASdelhi)



[/Vision_IAS](https://www.facebook.com/Vision_IAS)



[vision_ias](https://www.instagram.com/vision_ias)



www.visionias.in



[/VisionIAS_UPSC](https://www.t.me/VisionIAS_UPSC)

DISASTER MANAGEMENT

Student Notes:

Contents

1. Introduction to Disaster Management.....	2
1.1. Disasters	2
1.2. Hazards, Vulnerabilities and Risks	2
1.3. Classification of Disasters	3
2. Disaster Management Cycle.....	4
2.1. Introduction to the Disaster Management Cycle	4
2.2. Disaster Preparedness.....	5
2.3. Disaster Risk Reduction and Planning	5
2.4. Relief and Rehabilitation	6
2.5. Post-Disaster Recovery and Reconstruction	6
3. Disaster Management in India	7
3.1. Legal and Institutional Framework in India.....	7
3.2. Vulnerability Profile of India.....	11
3.3. Natural Hazards.....	12
3.3.1. Earthquake	12
3.3.2. Tsunami	14
3.3.3. Volcano.....	16
3.3.4. Floods	17
3.3.5. Urban Floods	20
3.3.6. Landslides.....	23
3.3.7. Cloudburst.....	25
3.3.8. Cyclone	26
3.3.9. Drought	28
3.3.10. Heat Wave.....	32
3.3.11. Cold Wave	34
3.3.12. Wild Fire	36
3.4. Anthropogenic Disasters	39
3.4.1. Biological Disasters.....	39
3.4.2. Industrial Chemical Disasters	41
3.4.3. Nuclear Disasters.....	43
3.5. Evolution of Global Framework on Disaster Management	45
3.6. International Cooperation on Disaster Management	47
3.7. Miscellaneous	49
4. UPSC Previous Years' Questions Years.....	50
5. Vision IAS Previous Years' Questions.....	51

Copyright © by Vision IAS

All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of Vision IAS.

1. Introduction to Disaster Management

Disaster Management can be defined as the **organization and management of resources and responsibilities** for dealing with all humanitarian aspects of emergencies in order to lessen the impact of disasters.

1.1. Disasters

A disaster is a **serious disruption** to the functioning of a community, which causes **human, material, economic and environmental losses** beyond a community's ability to cope. It results from the combination of **hazards**, conditions of **vulnerability** and insufficient capacity or measures to reduce the potential negative consequences of **risk**.

Disaster damage occurs during and immediately after the disaster. This is usually measured in **physical units** (e.g., square meters of housing, kilometers of roads, etc.), and describes the total or partial destruction of physical assets.

Disaster impact is the total effect, including negative effects (e.g., economic losses) and positive effects (e.g., economic gains), of a hazardous event or a disaster. The term includes **economic, human and environmental impacts**, and may include death, injuries, disease and other negative effects on human physical, mental and social well-being.

1.2. Hazards, Vulnerabilities and Risks

Hazards

A Hazard may be defined as “a dangerous condition or event, that **threat** or have the **potential for causing injury** to life or damage to property or the environment.” A hazard is any **source of potential damage**, harm or adverse health effects on something or someone.

Natural hazards are naturally occurring physical phenomena caused either by rapid or slow onset events which can be **geophysical** (earthquakes, landslides, tsunamis and volcanic activity) **hydrological** (avalanches and floods), **climatological** (extreme temperatures, drought and wildfires), **meteorological** (cyclones and storms/wave surges) or **biological** (disease epidemics and insect/animal plagues).

Anthropogenic hazards are hazards caused by human action or inaction. They are contrasted with natural hazards. Anthropogenic hazards may adversely affect humans, other organisms, biomes, and ecosystems. Examples of such hazards include: pollution, deforestation, use of herbicides and pesticides and chemical spillages.

Vulnerability

Vulnerability may be defined as “conditions determined by **physical, social, economic, and environmental factors or processes, which increase the susceptibility of a community** to the impact of hazards.”

Vulnerability may be of different forms, such as:

- **Economic Vulnerability:** Economic vulnerability of a community is the potential impacts of hazards on economic assets and processes. It can be assessed by determining how varied its sources of income are, the ease of access and control over means of production (e.g. farmland, livestock, irrigation, capital etc.), adequacy of economic fall back mechanisms and the availability of natural resources in the area. Poorer families with less access to resources, for example, may live in squatter settlements in flood prone areas because they cannot afford to live in safer (more expensive) areas which makes them more vulnerable.
- **Physical Vulnerability:** It is the potential for physical impact on the physical environment. The physical vulnerability of an area depends on its **geographic proximity** to the source and

origin of the disasters. Wooden homes which are less likely to collapse in an earthquake are more vulnerable to fire.

- **Social Vulnerability:** It represents the potential impact of events on certain groups such as the poor, pregnant or lactating women, disabled, children, and elderly. When flooding occurs some citizens, such as the elderly and differently abled, may be unable to protect themselves or evacuate if necessary.
- **Environmental Vulnerability:** It represents the potential impact of events on account of the environmental conditions (flora, fauna, ecosystems, biodiversity). Wetlands, for example, are sensitive to increasing salinity from sea water, and pollution from storm water runoff containing agricultural chemicals, eroded soils, etc.
- **Attitudinal Vulnerability:** It refers to the attitude of a community in response to an event or disaster. Communities which have negative attitude towards change and lack initiative in life resultantly become more and more dependent on external support. Thus, they become victims of conflicts, hopelessness and pessimism which reduce their capacity of coping with a disaster.

Risk

Risk is a **measure of the expected losses** due to a hazard event occurring in a given area over a specific time period. Disaster risk arises when hazards interact with physical, social, economic and environmental vulnerabilities.

It considers the probability of harmful consequences, or expected losses (deaths, injuries, property, livelihoods, economic activity disrupted or environmentally damaged) resulting from interactions between natural or human induced hazards and vulnerable conditions.

$$\text{Risk} = \text{Probability of Hazard} \times \text{Degree of Vulnerability}$$

There are different ways of dealing with risk, such as:

- **Risk Acceptance:** It is an informed decision to accept the possible consequences and likelihood of a particular risk.
- **Risk Avoidance:** It is an informed decision to avoid involvement in activities leading to risk realization.
- **Risk Reduction:** It refers to the application of appropriate techniques to reduce the likelihood of risk occurrence and its consequences.
- **Risk Transfer:** It involves shifting of the burden of risk to another party. One of the most common forms of risk transfer is Insurance.

1.3. Classification of Disasters

On the basis of Source:

- **Natural disasters** are disasters which are caused because of natural phenomena (meteorological, geological or even biological origin). Examples of natural disasters are cyclones, tsunamis, earthquake and volcanic eruption which are exclusively of natural origin. Landslides, floods, drought, fires are socio-natural disasters since their causes are both natural and manmade. For example flooding may be caused because of heavy rains, landslide or blocking of drains with human waste.
- **Anthropogenic disasters** are disasters which occur due to human intervention or negligence. These are associated with industries or energy generation facilities and include explosions, leakage of toxic waste, pollution, dam failure, wars or civil strife etc.

On the basis of Duration:

Disasters can also be classified as 'slow onset' disasters and 'rapid onset' disasters

- **Rapid Onset Disasters:** They are characterized by the sudden and acute intensity of the impact during a short period. Earthquakes, cyclones, floods, tsunamis would fall under the

category of rapid onset disasters.

- **Slow Onset Disasters:** Slow onset disasters, also termed as 'Creeping Emergencies', can be predicted much further in advance and unfold over months or even years. Climate change (global warming), desertification, soil degradation, and droughts, would fall under the category of slow onset disasters.

Slow onset disasters like global warming and desertification must find adequate reflection in disaster preparedness. Unlike the rapid onset disasters, their impact is not felt immediately; however societies lose their ability to derive sustenance from their surroundings, over a period of time.

2. Disaster Management Cycle

2.1. Introduction to the Disaster Management Cycle

Disaster Management includes sum total of all activities, programs and measures which can be taken up before, during and after a disaster.

A typical disaster management continuum consists of:

- **A pre-disaster Risk Management Phase** which includes prevention, mitigation and preparedness.
- **Post-disaster Crisis Management Phase** which includes relief, response, rehabilitation, reconstruction and recovery.

The **three key stages of activities** that are taken up within disaster risk management are:

➤ Before a disaster (pre-disaster)

This is the period when the potential **hazard risk** and **vulnerabilities can be assessed** and steps taken for preventing and mitigating the crisis. These include **long-term prevention measures** such as construction of embankments and earthquake resistant structures, afforestation, adoption of watershed management etc. **Short term measures** such as carrying out awareness campaigns, ensuring enforcement of building codes etc. can also assist in mitigation. Risk reduction measures taken under this stage are termed as mitigation and preparedness activities.

➤ During a disaster (disaster occurrence)

When a crisis actually occurs, those affected by it require a **speedy response** to alleviate and minimize suffering and losses. In this phase, certain 'primary activities' become indispensable. These are **evacuation, search and rescue**, followed by provision of basic needs such as food, clothing, shelter, medicines and other **relief material**.

➤ After a disaster (post-disaster)

Recovery involves a set of policies, tools and procedures to enable the recovery or continuation of vital technology infrastructure and systems following a disaster.

Rehabilitation: Rehabilitation consists of actions taken in the aftermath of a disaster to enable basic services to resume functioning, assist victims' self-help efforts to repair dwellings and community facilities, and to facilitate the revival of economic activities.

Reconstruction: Includes construction of damaged infrastructure and habitats and enabling sustainable livelihoods. It must be fully integrated into ongoing long-term development plans, taking account of future disaster risks.



In the following sections, we will assess each of the three stages of the disaster management cycle in detail.

Student Notes:

2.2. Disaster Preparedness

Disaster preparedness refers to **measures taken to prepare for and reduce the effects of disasters**. That is, to predict and, where possible, prevent disasters, mitigate their impact on vulnerable populations, and respond to and effectively cope with their consequences.

Preparedness is defined by the **United Nations International Strategy for Disaster Reduction (UNISDR)** as knowledge, capabilities, and actions of governments, organizations, community groups, and individuals “to effectively anticipate, respond to, and recover from, the impacts of likely, imminent or current hazard events or conditions.”

Preparedness efforts range from individual-level activities (such as first aid training), to household actions (e.g. stockpiling of equipment and supplies), community efforts (like training and field exercises), and governmental strategies (including early warning systems, contingency plans, evacuation routes, and public information dissemination). **The traditional 3 Rs (Rescue, Relief & Restoration) are now being replaced by 3 Ps (Prevention, Preparedness & Proofing).**

2.3. Disaster Risk Reduction and Planning

Disaster risk reduction is the concept and practice of reducing disaster risks through systematic efforts to analyse and manage factors of disasters, including through **reduced exposure to hazards, lessened vulnerability of people and property, wise management of land and the environment, and improved preparedness** for adverse events.

DRR involves analyzing and managing hazards to reduce vulnerability to disasters. It covers activities which support preparedness, prevention and mitigation from a local to an international level. The disaster risk reduction framework is composed of the following fields of action:

GUIDING PRINCIPLES FOR IMPLEMENTING DISASTER RISK REDUCTION



- **A policy framework** backed by legal and institutional mechanism that focuses on risk management must be outlined. **Risk assessment** based on hazards and community resilience must be done.
- **Risk Awareness:** Having assessed the risk the next step is to make the stakeholders and the decision makers aware of the risk enabling government and civil society to take decisions.
- **Implementation of the plan:** The plan must be implemented taking all stakeholders into account including measures like environment management, urban planning etc.
- **Early Warning Systems** are a key part of risk reduction through provision of timely and reliable information through identified institutions.
- **Use of Knowledge:** Effective disaster risk management depends on the informed participation of all stakeholders. The exchange of information and easily accessible communication practices play key roles.

The adjoining image depicts **Prime Minister's ten point agenda on Disaster Risk Reduction in India.**

Student Notes:

10- POINT AGENDA FOR DISASTER RISK REDUCTION	
1	All development sectors must imbibe the principle of disaster risk management
2	Develop a network of universities to work on disaster
3	Work towards risk coverage for all
4	Utilise the opportunities provided by social media and mobile technologies
5	Encourage greater participation and leadership of women in Disaster Risk Management
6	Build on local capacity and initiative
7	Invest in risk mapping globally
8	Ensure that the opportunity to learn from a disaster is not wasted
9	Leverage technology to enhance the efficiency of our disaster risk management efforts
10	Bring about a greater cohesion in international response to disasters


2.4. Relief and Rehabilitation

When an emergency or a disaster affects a city or a region, efforts are conducted initially to care for the wounded, to restore lifelines and basic services, and subsequently to restore livelihoods and to reconstruct communities. Such efforts can be structured in three phases:

- **The Relief phase:** In the immediate aftermath of the disaster, activities such as **search & rescue**, rapid damage and needs assessments, and the **provision of relief and first aid** are conducted. Temporary shelters are opened for those left homeless as well as humanitarian assistance is provided to those affected.
- **The Rehabilitation phase:** Rehabilitation refers to the actions taken in the aftermath of a disaster to enable basic services to resume functioning, revive economic activities and provide support for the psychological and social well-being of the survivors.

Guidelines issued by NDMA, India on Minimum Standards of Relief

- Identify sufficient number of relief shelters based on the population density
- Provide Milk and other Dairy products for children and lactating mothers
- Ensure hygiene at camps and community kitchens
- Supply food to women with minimum calorie of 2,400 Kcal/day
- Ensure minimum supply of water of 3 litres/day/person
- Proper provision of toilets and bathing facilities
- Arrange visits of mobile medical teams regularly
- Special care to be provided to widows and orphans



In this phase basic services and lifelines are restored, even on a temporary basis, including the road network and other essential facilities including bridges, airports, ports and helicopter landing sites. It focuses on enabling the affected population to resume more-or-less normal (pre-disaster) patterns of life. It may be considered as transitional phase between immediate relief and more major, long-term development.

2.5. Post-Disaster Recovery and Reconstruction

Reconstruction refers to the **full restoration of all services, and local infrastructure, replacement of damaged physical structures, the revitalization of economy** and the restoration of social and cultural life. Reconstruction must be **fully integrated into long-term development plans**, taking into account future disaster risks and possibilities to reduce such risks by incorporating appropriate measures.

The long-term recovery plans are related with Recovery and Reconstruction activities on the one side and **institutionalizing disaster management in district administration** on the other. The **Incident Command System is now deactivated** as the rehabilitation phase is over. Thereafter the normal administration shall take up the remaining reconstruction works in the disaster-affected areas.

3. Disaster Management in India

3.1. Legal and Institutional Framework in India

Disaster management in India has evolved from an **activity-based reactive setup to a proactive institutionalized structure with a holistic approach for reducing risk**. In 1990s a '**Disaster Management Cell**' was set up under the **Ministry of Agriculture** following the declaration of the decade of 1990 as the 'International Decade for Natural Disaster Reduction' (IDNDR) by the UN General Assembly.

The Government of India enacted the **Disaster Management Act, 2005**, which envisaged the creation of a three-tier structure comprising of the **National Disaster Management Authority (NDMA)**, **State Disaster Management Authorities (SDMAs)** and **District Disaster Management Authorities (DDMAs)**.

Institutional framework at the National Level

At the national level, overall coordination of disaster management vests with the **Ministry of Home Affairs (MHA)**. It coordinates with disaster affected states, line ministries, National Disaster Management Authority (NDMA), National Disaster Response Force (NDRF), National Institute of Disaster Management (NIDM), Home Guards and Civil Defence, and Armed Forces etc.

National Platform for Disaster Risk Reduction (NPDRR)

It is a multi-stakeholder and multi- decision making body on disaster management. It is **chaired by the Union Home Minister with other ministers as its members**. The minister of state in-charge of disaster management in the home ministry and the vice-chairman of the National Disaster Management Authority are the NPDRR's vice chairpersons.

The minister of each state government and UT dealing with disaster management and mayors of Delhi, Mumbai, Kolkata, Chennai, Bangalore and Hyderabad are its members too. Four Lok Sabha members (nominated by speaker) and two Rajya Sabha members (nominated by Chairman) are also its members along with ten chairpersons of urban local bodies (nominated by the Urban Development ministry).

Its **functions include to review the progress made in the field of disaster management** from time to time, appraise the extent and manner in which the **disaster management policy has been implemented by the central and state governments**, and other agencies concerned. It also advises on **coordination between central and state governments**.

National Executive Committee

Constituted under the DM Act, 2005 and **chaired by the Union Home Secretary** it acts as **the coordinating and monitoring body for disaster management in India**. It also comprises of Secretary level officers from the Ministries and departments having control of agriculture, atomic energy, defence, drinking water supply, environment and forests, finance (expenditure), health, power, rural development, science and technology, space, telecommunications, urban development and water resources. The Chief of Integrated Defence Staff of the Chiefs of Staff Committee is also its member.

The NEC may give directions to the relevant Ministries/Departments of the GoI, the State Governments, and the State Authorities regarding measures to be taken by them in response to any specific threatening disaster situation or disaster as per needs of the State.

The Cabinet Committee on Security (CCS) is involved in decision making if the disaster has serious security implications. The **National Crisis Management Committee (NCMC)** deals with major crises that have serious or national ramifications such as terrorism, hijacking which require involvement of security forces.

National Disaster Management Authority (NDMA)

It is the apex body for disaster management, constituted under the DM Act, 2005 and headed by the Prime Minister of India. It is responsible for laying down the policies, plans, and guidelines for disaster management. The guidelines of NDMA assist the Central Ministries, Departments, and States to formulate their respective Disaster Management (DM) plans.

- It approves the National Disaster Management Plans and plans of the Central Ministries / Departments.
- The general superintendence, direction, and control of the National Disaster Response Force (NDRF) are vested in and are exercised by the NDMA.
- The National Institute of Disaster Management (NIDM) works within the framework of broad policies and guidelines laid down by the NDMA.
- NDMA has the power to authorize the Departments or authorities, to make emergency procurement of materials for rescue and relief in a threatening disaster situation or disaster.
- It oversees the provision and application of funds for mitigation and preparedness measures.

National Institute of Disaster Management (NIDM)

The National Institute of Disaster Management is the nodal agency responsible for human resource development, capacity building, training, research, documentation and policy advocacy in the field of disaster management. It **provides technical support** to the state governments through the Disaster Management Centres (DMCs).

National Disaster Response Force (NDRF)

The NDRF is a **specialist response force** that can be deployed in a threatening disaster situation or disaster. The **general superintendence, direction and control** of this force is vested in and exercised by the **NDMA** and the command and supervision of the Force vests in the **Director General of National Disaster Response Force**. At present, NDRF has strength of 12 Battalions with each Battalion consisting of 1149 personnel including from ITBP, BSF, CRPF and CISF.

It also has specialist search and rescue teams comprising of engineers, technicians, paramedics and dog squads. The **“proactive availability”** of this Force to the States and its **“pre-positioning”** in threatening disaster situations has immensely helped minimise damage, caused due to calamities in the country.

Institutional Framework at State Level

State Disaster Management Authority

The DM Act, 2005 mandates the creation of a State Disaster Management Authority with Chief Minister as the ex-officio Chairperson. It is responsible for laying down the State Disaster Management Policy and approve the State DM Plans in accordance with the guidelines laid down by the Union. It is also responsible for coordinating the implementation of the plan and review the measures being taken for mitigation, capacity building and preparedness by the various state departments.

State Executive Committee

It is responsible for coordinating and monitoring of DM related activities in the state. The Chief Secretary of the state is its ex-officio chairperson. It lays down the guidelines for preparation and implementation of national and state DM plans. It coordinates response in the event of a disaster and gives directions to departments. It is also responsible for promotion of general awareness and community training.

Institutional Framework at the District Level

At the district level, District Disaster Management Authority (DDMA), headed by the District Collector/District Magistrate, is responsible for overall coordination of the disaster management efforts and planning.

- As per provisions of the Act, each State Government establishes a District Disaster Management Authority for every district in the State.
- The DDMA is **headed by the District Collector with the elected representative of the local authority as the Co-Chairperson.**
- The DDMA prepares the Disaster Management plan for the District and monitors its implementation. It also ensures that the guidelines laid down by the NDMA and the SDMA are followed by all the district-level offices. Other roles and responsibilities of the District Administration and mentioned in the adjoining infographic.

- ↳ Prepare a disaster management plan for the entire district
- ↳ Coordinate with the State Govt., local bodies and NGOs for implementation of the plans.
- ↳ Identify vulnerabilities and hazards in the district
- ↳ Review the preparedness measures at the district level
- ↳ Organize specialized training programmes for different employees and rescue workers
- ↳ Facilitate community training and awareness programmes including mock drills
- ↳ Set and maintain the mechanisms for early warning systems
- ↳ Coordinate the activities of the various departments at the district level
- ↳ Review constructions and ensure compliance with standards for disaster risk reduction
- ↳ Identify building and places which may be used as relief centres
- ↳ Establish stockpiles of relief and rescue materials
- ↳ Provide information to State Authority
- ↳ Ensure communication systems are in order

Local Authorities

Panchayati Raj Institutions (PRI), Municipalities, District and Cantonment Boards, and Town Planning Authorities, which control and manage civic services, ensure capacity building of their employees for managing disasters, carrying out relief, rehabilitation and reconstruction activities in the affected areas. They also prepare their disaster management plans as per the national and state guidelines.

Financial Arrangements under National Disaster Management Act, 2005

National Disaster Response Fund is a fund **managed by the Central Government** for meeting the **expenses for emergency response, relief and rehabilitation.** If the requirement of funds for relief operations is beyond the funds available in the State Disaster Response Fund account, additional Central assistance is provided from National Disaster Response Fund. The **National Calamity Contingency Fund (NCCF)** introduced by 11th Finance Commission was **merged with NDRF.**

The **State Disaster Response Fund** is used **only for meeting the expenditure for providing immediate relief** to the victims of disasters.

Recently the Standing Committee on Finance (Chairperson: Dr. M. Veerappa Moily) submitted its report on 'Central Assistance for Disaster Management and Relief' in 2019. Key observations made by the committee are:

- **Scale of relief:** Rates and scale of assistance under SDRF and NDRF should be enhanced to cover major heads of expenditure such as restoration of government buildings, transmission power station etc.
- **Disaster Mitigation Fund:** The Committee recommended that a separate Disaster Mitigation Fund should be operationalised for undertaking permanent mitigation measures in disaster-prone states.
- The NDRF is funded through the National Calamity Contingency Duty (NCCD) imposed on specified goods under central excise and customs. with the introduction of GST, the scope of NCCD is shrinking. The revenue collected from NCCD has decreased significantly from Rs 5,690 crore in 2015-16 to Rs 2,500 crore in 2018-19.
- **Funding Mechanism:** It recommended that an additional 10% of the allocation of the centrally sponsored schemes may be specially earmarked for permanent restoration of damaged structures.
- **Increase in Funding:** Given the wide gap between the funds sought by affected states and those released by the central government, the Committee recommended an annual increase of 15% (from the current 5%) in the total corpus of SDRF, for the period 2020-25.

Other Plans and Policies

NDMA came up with a '**National Policy on Disaster Management**' (NPDM) in 2009. It is prepared with the vision "To build a **safe and disaster resilient India** by developing a holistic, proactive, multi-disaster oriented and technology driven strategy **through a culture of prevention, mitigation, preparedness and response**".

Objectives of the National Policy on Disaster Management, 2009

- Promoting a culture of prevention, preparedness and resilience at all levels through knowledge, innovation and education.
- Encouraging mitigation measures based on technology, traditional wisdom and environmental sustainability.
- Mainstreaming disaster management into the developmental planning process.
- Establishing institutional and techno-legal frameworks to create an enabling regulatory environment and a compliance regime.
- Ensuring efficient mechanism for identification, assessment and monitoring of disaster risks.
- Developing contemporary forecasting and early warning systems backed by responsive and fail-safe communication with information technology support.
- Ensuring efficient response and relief with a caring approach towards the needs of the vulnerable sections of the society.
- Undertaking reconstruction as an opportunity to build disaster resilient structures and habitat for ensuring safer living.
- Promoting a productive and proactive partnership with the media for disaster management.

The National Disaster Management Plan, 2016

The Government of India, for the first time, released its first **National Disaster Management Plan in 2016**. It has been aligned broadly with the goals and priorities set out in the **Sendai Framework for Disaster Risk Reduction**, the Sustainable Development Goals 2015-2030 and the Paris Agreement on Climate Change at COP-21.

It provides a framework and direction to the government agencies for all phases of disaster management cycle. It, therefore, **specifies who is responsible for what at different stages** of managing disasters.

The plan **covers all phases of disaster management**: prevention, mitigation, response and recovery. For each hazard, the approach used in this national plan incorporates the four priorities enunciated in the Sendai Framework into the planning framework for Disaster Risk Reduction under the **five Thematic Areas for Actions**:

- **Understanding Risk** – This thematic area focuses on understanding disaster risk, the Priority-1 in the Sendai framework. Major action themes a) Observation Networks, Information Systems, Research, Forecasting, b) Zoning / Mapping, c) Monitoring and Warning Systems, d) Hazard Risk and Vulnerability Assessment (HRVA), and e) Dissemination of Warnings, Data, and Information.
- **Inter-Agency Coordination** - Inter-agency coordination is a key component of strengthening the disaster risk governance - Priority-2 of the Sendai Framework. The major themes for action required for improving the top level interagency coordination are a) Overall disaster governance b) Response c) Providing warnings, information, and data and d) Non-structural measures.
- **Investing in DRR – Structural Measures**- Undertaking necessary structural measures is one of the major thematic areas for action for disaster risk reduction and enhancing resilience. These consist of various physical infrastructure and facilities required to help communities cope with disasters.
- **Investing in DRR – Non-Structural Measures** - Sets of appropriate laws, mechanisms, and techno-legal regimes are crucial components in strengthening the disaster risk governance to manage disaster risk, which is Priority-2 of the Sendai Framework. These non-structural measures comprising of laws, norms, rules, guidelines, and techno-legal regime (e.g., building codes) framework and empowers the authorities to mainstream disaster risk reduction and disaster resilience into development activities.
- **Capacity Development** - Capacity development is a theme in all the thematic areas for action. The Sendai Priority-2 (Strengthening DRR governance to manage DR) and Priority-3 (Investing in DRR for resilience) are central to capacity development. The capacity development includes training programs, curriculum development, large-scale awareness creation efforts, and carrying out regular mock drills and disaster response exercises.

The **Response** part of the Plan has identified **eighteen broad activities** which have been arranged into a matrix to be served as a ready reckoner. Some of the activities include Early Warning Systems and information dissemination, Search and rescue, housing and temporary shelter, media etc.

The plan **also spells out the roles and responsibilities of all levels of Government right up to Panchayat and Urban Local Body level** in a matrix format. It is designed in such a way that it can be implemented in a scalable manner in all phases of disaster management.

Shortcomings of National Disaster Management Plan, 2016

- It is **too generic** in its identification of the activities to be undertaken by the central and states governments.
- The plan **refrains from providing a precise time frame** for undertaking these activities.
- It does not project the requirement of funds needed or **how funds shall be mobilized**.
- The plan is aligned with the Sendai Framework for Disaster Risk Reduction and Sustainable Development Goals, but **unlike in the Sendai Framework or the SDGs, the plan does not set any goals or targets**, nor does it spell out how the Sendai goals and targets shall be achieved.
- The activities mentioned in the NDMP are not new and they have already been mentioned in the Act and the guidelines issued by the NDMA.

3.2. Vulnerability Profile of India

India is one of the ten worst disaster prone countries of the world. Disasters occur in India with grim regularity causing enormous loss of life and property. According to an UN Office for Disaster Risk Reduction (UNISDR) report 2017, India has been ranked as the world's most disaster-prone country for displacement of residents.

India is vulnerable to a large number of natural, as well as, human-made disasters on account of its **unique geo-climatic and socio-economic conditions**. Out of the 36 states and union territories in the country, **28 of them are disaster prone. Almost 85% of the country is vulnerable to single or multiple disasters** and about 57% of its area lies in high seismic zones. Approximately 40 million hectares of the country's land area is prone to flood, about 8% of the total land mass is vulnerable to cyclone and 68% of the area is susceptible to drought.

The five distinctive regions of the country i.e. Himalayan region, the alluvial plains, the hilly part of the peninsula, and the coastal zone have their own specific problems. While on one hand the Himalayan region is prone to disasters like earthquakes and landslides, the plain is affected by floods almost every year. The desert part of the country is affected by droughts and famine while the coastal zone susceptible to cyclones and storms.

Besides the natural factors, various **human-induced activities** like increasing demographic pressure, deteriorating environmental conditions, deforestation, unscientific development, faulty agricultural practices and grazing, unplanned urbanization, construction of large dams on river channels etc. are also responsible for accelerated impact and increase in frequency of disasters in the country.

The Building Materials and Technology Promotion Council (BMPTC) has recently released the third edition of **the Vulnerability Atlas of India in 2019**. It contains maps and tables for each State and Union Territory of India for the following hazards: Earthquakes, Wind, Floods, Landslide, Cyclone and frequency of thunderstorms. It also contains housing stock vulnerability indicating the risk for each type of house.

3.3. Natural Hazards


3.3.1. Earthquake

An earthquake is the sudden shaking of the earth crust. The impact of an earthquake is sudden and there is hardly any warning, making it impossible to predict.

What causes an earthquake?

Earthquakes occur due to movements along the plates' boundaries. When these plates contact each other, stress arises in the crust. The movement along the plate's boundaries can be classified as:

- **Divergent:** Pulling away from each other
- **Convergent:** Pushing against one another
- **Transform:** Sliding sideways relative to each other



The areas of stress at plate boundaries which release accumulated energy by slipping or rupturing are known as 'faults'. A rupture then occurs along the fault and the rock rebounds under its own elastic stresses until the strain is relieved. The fault rupture generates vibration called seismic waves. Earthquakes can be measured by the use of two distinctively different scales of measurement demonstrating **magnitude (by Richter scale) and intensity (by Mercalli Scale)**.

Earthquake Risk in India

India falls prominently on the 'Alpine - Himalayan Belt'. This belt is the line along which the Indian plate meets the Eurasian plate. Being a **convergent plate**, the Indian plate is thrusting underneath the Eurasian plate at a speed of 5 cm per year. This makes the entire region covering fourteen states (located in western and central Himalayas, northeast, and parts of Indo-Gangetic basin) highly prone to earthquakes.

The other seismically active regions of the country include the Gulf of Khambhat and Rann of Kutch in Western Gujarat, parts of peninsular India, the islands of Lakshadweep and Andaman and Nicobar Islands

India has been divided into four seismic zones according to the maximum intensity of earthquake expected. Of these, zone V is the most active which comprises of whole of Northeast India, the northern portion of Bihar, Uttarakhand, Himachal Pradesh, J&K, Gujarat and Andaman & Nicobar Islands. Much of India lies in zone II and zone III.

Earthquakes can neither be prevented nor predicted in terms of their magnitude, or place and time of occurrence. Therefore, the most effective measures of risk reduction are pre-disaster mitigation, preparedness and preventive measures for reducing the vulnerability.

NDMA Guidelines on Earthquake Management

Guidelines issued by NDMA rest on six pillars of seismic safety for improving the effectiveness of earthquake management in India:

- 1. Earthquake Resistant Construction of New Structures:** All central ministries and departments and state governments will facilitate the implementation of relevant standards for seismically safe design and construction of buildings and other lifeline and commercially important structures falling within their administrative control such as bridges, flyovers, ports, harbours etc.
- 2. Selective Seismic strengthening & retrofitting of existing Priority structures and Lifeline Structures:** All central ministries and state governments are required to draw up programs for seismic strengthening of priority structures through ULBs and PRIs. **Buildings of national importance** such as Raj Bhavans, Legislatures, Courts, **critical buildings** like academic institutions, **public utility structures** like reservoirs, dams and **multi-storeyed buildings** with five or more floors. The responsibility to identify these structures rests with the State Governments.

The National Building Code of India (NBC) provides guidelines for regulating the building construction activities on different materials, planning, design and construction practices of buildings. It lays down provisions designed to protect the safety of the public with regard to structural sufficiency, fire hazards and health aspect of buildings.
- 3. Regulation and Enforcement:** State Governments are responsible for establishing mechanisms to implement Building Codes and other safety codes to ensure that all stakeholders like builders, architects, engineers, government departments adhere to seismic safety in all design and construction activities. The Home Ministry had constituted a **national level expert group** which recommended modifications to the town and country planning Acts, land use and zoning regulations, DCRs and building bye-laws which are technically rigorous and conform to globally accepted norms.
- 4. Awareness & Preparedness:** Sensitization of all stakeholders is one of the most challenging tasks in earthquake preparedness and mitigation. It recommends preparation of **handbooks on earthquake safety, homeowner's seismic safety manuals, a manual on structural safety audit** and video films for the general public. It also highlights the need to create vulnerability maps of land areas and streamlining of NGOs and Volunteer Groups.
- 5. Capacity Development (Education, Training, R&D, Capacity Building and Documentation):** The target groups for capacity development include elected representatives and government, officials, professionals in visual and print media, urban planners, engineers, architects and builders, NGOs, Community Based Organizations (CBOs), social activists, social scientists, schoolteachers, and school children.
- 6. Emergency Response:** All response activities are undertaken through **Incident Command System** coordinated by the local administration through the **Emergency Operations Centre network**. It includes involvement of community, corporate sector and specialized teams.

Critical Existing Challenges for Earthquake Mitigation in India

- Inadequate **enforcement of earthquake-resistant building codes** and town planning bye-laws;
- Absence of earthquake-resistant features in constructions in urban and rural areas.
- **Lack of formal training among professionals** in earthquake-resistant construction practices.
- **Lack of adequate preparedness** and **poor response capacity** of various stakeholder groups.
- **Lack of awareness** among various stakeholders about the seismic risk;
- Absence of systems of licensing of engineers and masons.


3.3.2. Tsunami

Tsunami (soo-NAH-mee) is a Japanese word meaning 'harbour' wave. A tsunami is a series of large waves of extremely **long wavelength and period** usually generated by an undersea disturbance or activity near the coast or in the ocean.

What causes a Tsunami?

Tsunamis are generated by a **large, impulsive displacement of the sea bed level**. Earthquakes generate tsunamis by **vertical movement** of the sea floor. Tsunamis can also be triggered by landslides into or under the water surface, volcanic activity and meteorite impacts. Landslide triggered tsunamis can be a possible scenario in the Bay of Bengal and the Arabian Sea due to the huge sediment deposition by the Ganges and Indus Rivers.

The effects of the tsunami can range from destruction and damage, death, diseases, injury, millions of dollars in financial loss, and long lasting psychological problems for the inhabitants of the region.



The effects of a tsunami depend on the following factors:

- Characteristics of the seismic event that generated the tsunami.
- Distance from its point of origin, its size (magnitude)
- Configuration of the bathymetry (that is the depth of water in oceans).

Indian Ocean tsunami of December 2004 along the Indian coast highlighted that the maximum damage had occurred in low-lying areas near the coast and high casualties were found in thickly populated areas. Mangroves, forests, sand dunes and coastal cliffs provided the best natural barriers to reduce the impact of the tsunami and heavy damage was reported in areas where sand dunes were heavily mined.

Tsunami Risks in India

Both East and West Indian shorelines are vulnerable to tsunami wave action. It has more than 2200 km shoreline which is heavily populated. For a tsunami to hit Indian coastline, it is necessary that a tsunamigenic earthquake of magnitude greater than 6.5 should occur. Actual tsunami hazard of a coastline depends on its bathymetry and coastal topography.

Student Notes:

Even though tsunamis occur very rarely in the Indian Ocean region, in the last 300 years, this region recorded 13 tsunamis and 3 of them occurred in the Andaman and Nicobar region. The Indian Ocean Tsunami of 26th December 2004 is one of the most destructive Tsunamis known to have hit India.

Indian Ocean tsunami of December 2004 along the Indian coast highlighted that the maximum damage had occurred in low-lying areas near the coast and high casualties were found in thickly populated areas. Mangroves, forests, sand dunes and coastal cliffs provided the best natural barriers to reduce the impact of the tsunami and heavy damage was reported in areas where sand dunes were heavily mined.

NDMA Guidelines on Management of Tsunamis in India

1. **Tsunami Risk Assessment and Vulnerability Analysis:** NDMA recommends assessment of vulnerability and risk mapping in the tsunami hazard based on coastal land use maps and coastal bathymetry. It suggests development of models to estimate the arrival and wave run up height of tsunami waves. In India, the Indian Naval Hydrographic Department (INHD) functions under the Chief Hydrographer to the Government of India. It regularly provides bathymetry information to authorized agencies for drawing the inundation maps.
2. **Tsunami Preparedness:** A 17-station **Real Time Seismic Monitoring Network (RTSMN)** is envisaged to be established by IMD and Bottom Pressure Recorders (BPRs) are used to detect the propagation of Tsunami waves in the Open Ocean. A major concern is that the unattended ocean observation platforms in sea are being vandalized either accidentally. The **National Institute of Ocean Technology (NIOT)** has implemented the **National Data Buoy Programme** for the protection of surface buoys. Tsunami Bulletins and warning systems are an important part of preparedness. "**Tsunami Escape**" direction sign boards must be set up in coastal areas. Visual and radio media also play an important role in alert and warning and Public awareness campaigns must be held more frequently.
3. **Structural Mitigation Measures:** Following are the various structural measures recommended:
 - Construction of **cyclone shelters, submerged sand barriers/dykes, sand dunes with sea weeds** and plantation of **mangroves and coastal forests** along the coast line.
 - Development of a network of **local knowledge centres** (rural/urban) along the coast lines to provide necessary training and emergency communication during crisis time (e.g. centres developed by M.S. Swaminathan Foundation in Pondicherry).
 - Construction of **location specific sea walls and coral reefs** in consultation with experts.
 - Development of **break waters** along the coast to provide necessary cushion,
 - Development of a "**Bio-Shield**" - a narrow strip of land along coastline. It can be developed as coastal zone disaster management sanctuary, which must have thick plantation and public spaces for public awareness, dissemination and demonstration.
 - Identification of vulnerable structures and appropriate retrofitting for tsunami/cyclone resistance of all such buildings along with identification of Tsunami shelters.
4. **Regulation and Enforcement of Techno-Legal Regime:** Following measures can be taken:
 - Strict implementation of the **coastal zone regulations** (within 500 m of the high tide line with elevation of less than 10 m above mean sea level)
 - Adoption the model techno-legal framework, developed by MHA, for ensuring compliance of tsunami-safe zoning, planning, design and construction practices and encourage optimum land use.
5. **Emergency Tsunami Response:** As community is the first responder, launching a series of public awareness campaign throughout the coastal area by various means can be undertaken. SHGs, NGOs, CBOs can be involved in search and rescue operations. Inflatable motorized boats, helicopters and search & rescue equipment are required immediately after a tsunami to carry out search and rescue of people trapped in inundated areas, on tree tops and hanging on to structures.

The Indian Naval Hydrographic Department plays a crucial role in disasters affecting coastal areas. During the Indian Ocean Tsunami of 26th December 2004, seven survey ships were deployed to open the sea lines of communication apart from providing the medical aid. They were engaged to urgently re-chart the area and bring out the latest bathymetry information.

6. Ensuring Implementation: Aggressive capacity building requirements for the local people and the administration for facing the disasters in wake of tsunami and cyclone, 'based on cutting edge level'.

- Awareness generation and training among the fishermen, coast guards, officials from fisheries department and port authorities and local district officials etc., in connection with evacuation and post tsunami storm surge management activities. Regular drills should be conducted to test the efficacy of the DM plans.

Existing Challenges

The critical areas of concern, with respect to Tsunami Risk management in India are:

- Lack of easily accessible tsunami documentation and paleo-tsunami studies for better understanding of past tsunami events for improved risk assessment;
- Lack of high resolution near-shore bathymetric and topographic data will prove to be a limiting factor for inundation models;
- Inadequate community awareness on tsunami risk and vulnerability.
- Lack of people's participation in strengthening disaster preparedness, mitigation and emergency response in the coastal areas.
- Lack of documentation of traditional knowledge for tsunami risk management.

3.3.3. Volcano

A volcano is a vent or chimney which transfers molten rock known as magma from depth to the Earth's surface. Magma erupting from a volcano is called lava and is the material which builds up the cone surrounding the vent.

A volcano is active if it is erupting lava, releasing gas or generates seismic activity. A volcano is dormant if it has not erupted for a long time, but could erupt again in the future. Once a volcano has been dormant for more than 10 000 years, it is termed extinct. The explosiveness of a volcanic eruption depends on how easily magma can flow and the amount of gas trapped within the magma.

Causes of Volcano

Volcanic eruptions predominantly occur in areas with vibration activities or weak zones. Magma can rise when tectonic plates slowly move away from each other. Magma also rises when these tectonic plates move toward each other.

The high heat and pressure cause the crust to melt and rise as magma.

Magma also rises over hot spots. A hot spot is an area on Earth that exists over a mantle plume. Hot spot volcanoes occur far from plate boundaries.

Volcano Risks in India

India's only live volcano is the Barren Island volcano in the Andaman and Nicobar Islands, which had started showing activity in the year 1991 after being dormant for over 150 years. It has once again started spewing ash in January 2017. The volcanic island is **uninhabited** and the northern part of the island is barren and devoid of vegetation.

List of all Volcanoes in India

Sr. No.	Volcano Name	State
1.	Barren Island (Active)	Andaman Islands
2.	Narcondam (Extinct)	Andaman Islands
3.	Baratang (Extinct)	Andaman Islands
4.	Deccan Traps (Extinct)	Maharashtra
5.	Dhinodhar Hills (Extinct)	Gujarat
6.	Dhosi Hill (Extinct)	Haryana

3.3.4. Floods

Student Notes:

What is Flood?

Flood is a state of high water level along a river channel or on the coast that leads to inundation of land. India is highly vulnerable to floods. Out of the total geographical area, the Rashtriya Barh Ayog (RBA) has assessed that **more than 40 million hectare area is flood prone.**

Causes of Floods

Inadequate capacity of the rivers to contain within their banks the high flows brought down from the upper catchment areas following heavy rainfall, leads to flooding.

Indiscriminate deforestation, unscientific agricultural practices, disturbances along the natural drainage channels and colonization of flood-plains and river-beds are some of the human activities that play an important role in increasing the intensity, magnitude and gravity of floods. Some of the causes of flood are as follows:

Natural causes

- **Heavy rainfall:** Heavy rain in the catchment area of a river causes water to over flow its banks, which results in the flooding of nearby areas.
- **Sediment deposition:** River beds become shallow due to sedimentation. The water carrying capacity of such river is reduced. As a result the heavy rainwater over flow the river banks.
- **Cyclone:** Cyclone generated sea waves of abnormal height spreads the water in the adjoining coastal areas. In October 1994 Orissa cyclone generated severe floods and caused unprecedented loss of life and property.
- **Change in the course of the river:** Meanders, erosion of river beds and banks, and obstruction of flow due to landslides also lead to changes in river courses.
- **Tsunami:** Large coastal areas are flooded by rising sea water, when a tsunami strikes the coast.
- **Lack of Lakes** - Lakes can store the excess water and regulate the flow of water. When lakes become smaller, their ability to regulate the flow become less and hence flooding.

Snowmelt and glacial melt are gradual processes and usually does not cause major floods. But sometimes glaciers hold large quantity of bounded water, which may be suddenly released with melting of ice block resulting into Glacial Lake Outburst Floods (GLOFs).

Anthropogenic causes

- **Deforestation:** Vegetation facilitates percolation of water in the ground. As a result of deforestation, the land becomes obstruction free and water flows with greater speed into the rivers and causes flood.
- **Interference in drainage system:** Drainage congestion caused by badly planned construction of bridges, roads, railway tracks, canals etc. hampers the flow of water and results in floods.
- **International dimension** - The rivers originating in China, Nepal and Bhutan cause severe floods in the states of Uttar Pradesh, Bihar, West Bengal, Arunachal Pradesh and Assam. For flood management, cooperation with the neighboring countries is essential.
- **Population pressure** - Because of large amount of people, more materials are needed, like wood, land, food, etc. This aggravates overgrazing, land encroachment, over cultivation and soil erosion which increases the risk of flooding.
- **Poor Water and Sewage Management** - Old drainage and sewerage systems in urban areas have not been overhauled. During the rainy season every year, the drainage and sewer system collapse, resulting in urban flooding.

Flood Risks in India

Floods occur in almost all the river basins of the country. Around **12 per cent (40 million hectare) of land** in India is prone to floods. Our country receives an annual rainfall of 1200 mm,

85% of which is concentrated in 3-4 months i.e. June to September. Due to the intense and periodic rain, most of the rivers of the country are fed with huge quantity of water, much beyond their carrying capacity leading to mild to severe flood situations in the region.

Distribution Pattern of Flood Areas in India

The Brahmaputra River Region

This region consists of the rivers Brahmaputra and Barak and their tributaries, and covers the states of Assam, Arunachal Pradesh, Meghalaya, Mizoram, Manipur, Tripura, Nagaland, Sikkim and the northern parts of West Bengal.

- The catchments of these rivers receive heavy rainfall during monsoons.
- These rivers originate in fragile hills susceptible to erosion leading to high silt discharge.
- The region is subject to severe and frequent earthquakes, which cause numerous landslides and upset river regime.
- Cloud bursts followed by flash floods and heavy soil erosion are also prevalent.

The Ganga River Region

The river Ganga has many tributaries, the important ones being Yamuna, Sone, Ghaghra, Raphti, Gandak, Burhi Gandak, Bagmati, Kamla Balan, Adhwara group of rivers, Kosi and the Mahananda. It covers the states of Uttarakhand, Uttar Pradesh, Jharkand, Bihar, south and central parts of West Bengal, Punjab, parts of Haryana, Himachal Pradesh, Rajasthan, Madhya Pradesh and Delhi.

- The flood problem is mostly confined to the areas on the northern bank of the river Ganga as most of the damage is caused by the northern tributaries of the Ganga.
- In general, the flood problem increases from the west to the east and from south to north.
- In recent years, the states of Rajasthan and Madhya Pradesh have also experienced some incidents of heavy floods.
- Large-scale encroachment of flood plains of the rivers for habitation and various developmental activities is one of the main causes in this region.

The North-West River Region

The main rivers in this region are the Indus, Sutlej, Beas, Ravi, Chenab and Jhelum. This region covers the states of Jammu and Kashmir, Punjab and parts of Himachal Pradesh, Haryana and Rajasthan. Compared to the Ganga and the Brahmaputra river regions, the flood problem is relatively less in this region.

- The major problem is that of inadequate surface drainage which causes inundation and water-logging over vast areas.
- Indiscriminate use of water for irrigation and development of low-lying areas and depressions has created problem of drainage congestion and water logging.
- These rivers change their courses frequently and leave behind vast tracts of sandy waste.

The Central and Deccan India

Important rivers in this region are the Narmada, Tapi, Mahanadi, Godavari, Krishna and Cauvery. These rivers have mostly well-defined and stable courses. They have adequate capacities within the natural banks to carry the flood discharge except in the delta area. The region does not have serious flood problem except that some of the rivers in Orissa State namely Mahanadi, Brahmini, Baitarni, and Subarnarekha are prone to floods every year. The delta and coastal areas of the states on the east coast periodically face flood and drainage problems in the wake of monsoon depression and cyclonic storms.

Consequences of Floods

- Frequent inundation of agricultural land and human settlement has serious consequences on the national economy and society.
- Floods destroy valuable crops and also damage physical infrastructure such as roads, rails, bridges and human settlements.
- Millions of people are rendered homeless and are also washed down along with their cattle in the floods.
- Spread of diseases like cholera, gastro-enteritis, hepatitis and other water-borne diseases spread in the flood-affected areas.
- Floods also make a few positive contributions. Every year, **flood deposit fertile silt over agricultural fields** which restores fertility of the soil.

NDMA Guidelines on Flood Management

The main thrust of the flood protection programme undertaken in India so far has been on structural measures.

Flood Prevention, Preparedness and Mitigation

Structural Measures

- **Reservoirs, Dams, Other Water Storages:** By constructing reservoirs in the courses of rivers could store extra water at the time of flood. Such measures adopted till now however, have not been successful. Dams built to control floods of Damodar could not control the flood.
- **Embankments/Flood Levees/Flood Walls:** By building flood protection embankments, flood water can be controlled from overflowing the banks and spreading in nearby areas. Building of embankments on Yamuna, near Delhi, has been successful in controlling the flood.
- **Drainage improvement:** Drainage system is generally choked by the construction of roads, canals railway tracks etc. Floods could be checked if the original form of drainage system is restored.
- **Channel Improvement/Desilting/Dredging of Rivers:** A channel can be made to carry flood discharge at levels lower than its prevailing high flood level by improving its discharge carrying capacity. It aims at increasing the area of flow or the velocity of flow (or both) to increase its carrying capacity. Selective desilting/dredging at outfalls/confluences or local reaches can, however, be adopted as a measure to tackle the problem locally.
- **Diversion of Flood Water:** Diverting all or a part of the discharge into a natural or artificially constructed channel, lying within or in some cases outside the flood plains is a useful means of lowering water levels in the river.




The flood spill channel skirting Srinagar city and the supplementary drain in Delhi are examples of diverting excess water to prevent flooding of the urbanised areas.

- **Catchment Area Treatment/Afforestation:** Watershed management measures such as developing the vegetative cover i.e. afforestation and conservation of soil cover in conjunction with structural works like check dams, detention basins etc. serve as an effective measure in reducing flood peaks and controlling the suddenness of the runoff.

Non-Structural Measures

- **Flood Plain Zoning:** It is to regulate land use in the flood plains in order to restrict the damage due to floods, while deriving maximum benefits from the same. The vulnerable areas in the districts can be identified and mapped as per past analysis of floods into extremely (red) and partially (blue) affected zones.
- **Flood Proofing:** It helps in the mitigation of distress and provides immediate relief to the population in flood prone areas. It is a combination of structural change and emergency action, not involving any evacuation. **It includes providing raised platforms** for flood shelter for men and cattle, **raising the public utility installation** especially the platforms for drinking water hand pumps and bore wells above flood level, promoting construction of double-storey buildings wherein the first floor can be used for taking shelter during floods.
- **Flood Management Plans:** All government departments and agencies must prepare their own FMPs.
- **Integrated Water Resources Management** aiming at integrating management of water resources at the basin or watershed scale must be undertaken.
- **Flood Forecasting and Warning in India:** Real time discharge and rainfall data is the basic requirements for the formulation of a flood forecast. Most of the hydro-meteorological data are observed and collected by the field formations of Central Water Commission; IMD supplies the daily rainfall data.



Aapada Mitra Scheme

The NDMA has approved a Centrally Sponsored Scheme focusing on training community volunteers in disaster response in the 30 most flood-prone districts of 25 states in India. It aims to train community volunteers with the skills that they would need to respond to their community's immediate needs and to undertake basic relief and rescue tasks from emergency situations such as floods, flash floods, and urban flooding, when emergency services are not readily available.

3.3.5. Urban Floods

What is Urban Flood?

There has been an increasing trend of urban flood disasters in India over the past several years. Urban flooding is not just flooding that happens in an urban area. It is caused by excessive runoff in urban areas due to overburdened drainage and unregulated construction.

How urban flooding is different from riverine flooding?

- Urban flooding is significantly different from rural flooding as urbanization leads to developed catchments, which **increases the flood peaks from 1.8 to 8 times and flood volumes by up to 6 times**. Consequently, flooding occurs very quickly due to faster flow times (in a matter of minutes).
- As urban areas are **densely populated**, people are more vulnerable to flooding and secondary effect of **exposure to infection**.
- Urban areas being centers of economic activities have **key infrastructure** that has a bearing on **national and global economy**.

Causes of Urban Floods

Factors contributing to urban flooding can be categorized as follows:

Meteorological Factors: Rainfall, Cyclonic Storms, Small-scale storms, snowfall and snow melt are some of the meteorological factors that contribute to urban flooding. In the Indian context, the following weather systems cause heavy rainfall in India:

- **Southwest Monsoon:** It is the main rainy season in India during which the country receives over 70 to 75 per cent of its annual rainfall in a span of 3-4 months. Heavy rainfall is a day-to-day occurrence during this season and urban flooding is common.
- **Northeast Monsoon:** It causes a significant amount of rainfall over southern parts of peninsular India. Heavy rainfall is a common occurrence over these areas during this period of northeast monsoon covering middle of October to end of December.
- **Depressions and Cyclones:** These are associated with hazards like very strong winds, very heavy rainfall and storm surges causing urban flooding in coastal areas.
- **Western disturbances** are extra-tropical weather systems (low pressure areas) which move from west to east, regularly, causing widespread rainfall over the extra-tropical areas.
- **Thunderstorms and Cloudbursts** are experienced in hilly areas due to localized weather events where rainfall occurs at a fast rate.

Anthropological Factors: Most of the urban areas have been built with little to no regard to the natural topography.

- **Land use changes** (e.g. surface sealing due to urbanization, deforestation) increase runoff and sedimentation owing to the **urban canyon topography**.
- **Occupation of the flood plains** causes obstruction of flows due to unregulated growth of infrastructure.
- **Sudden release of water from dams located upstream** of cities/towns and efficient drainage system in upstream areas increases flood peak.
- **Urban Heat Island Effect:** It has been observed that there is a significantly higher rainfall recorded over many urban areas over the years. Due to urban heat island effect, the temperature over urban areas is higher than surrounding areas. Whenever the rain bearing clouds pass over these areas, the hot air pushes the clouds up, resulting in highly localized rainfall which may sometimes be of high intensity.
- **Improper disposal of solid waste**, including domestic, commercial and industrial waste and dumping of construction debris into the drains also contributes significantly to reducing their capacities.
- **Inefficient management of religious gatherings** like Kumbh Mela also results in unwanted concretization of rivers, which narrows down their channels.
- **Climate Change:** As the incidence of climate variability and extreme weather events increases and urban flooding becomes more and more common.

Hydrological Factors:

- Synchronization of runoffs from various parts of watershed
- Natural surface infiltration rate and Presence of impervious cover
- Soil moisture level and Groundwater level prior to storm
- Presence or absence of over bank flow, channel network; Channel cross-sectional shape and roughness
- High tide impeding drainage

Urban Flood Risks in India

There has been an increasing trend of urban flood disasters in India over the past several years. Floods of Chennai (December 2015), the Kashmir Floods (2014), the Surat Floods (2006) and the Mumbai Floods (2005 & 2017) reflect the vulnerability of our Cities.

- **Early Warning System and Communication: National Hydro-meteorological Network and Doppler Weather Radars** should be integrated with the urban area planning. They provide and a lead time of 3 to 6 hours for monitoring rainfall. Automated rain gauges also communicate rainfall on a real time basis.

Once flood forecast is generated, these can be used **to characterize the flood severity and implement the associated flood management plan**. For e.g. A severe flood forecast may lead to large scale inundation and thus require complete evacuation of houses and businesses

'Nowcasting' is a technique for very short-range forecasting that maps the current weather and then uses an estimate of its speed and direction of movement to forecast the weather a short period ahead. It can even generate ultra-short term forecasts at 5 to 30 minutes.

- A Decision Support System is set in place to generate a flood warning and map the hazard accordingly. This is usually done by the Urban Local Bodies. Warning must be issued to general public only through government officials.
- **Design and Management of Urban Drainage:** Rapid urbanisation has resulted in increased impermeable surfaces in the form of pavements, roads and built-up areas, thereby reducing the infiltration and natural storage.
 - **Drainage System:** A proper **inventory of water supply system** with details of all pumping, storage etc. must be maintained, particularly of the minor drainage systems.
 - **Catchment as a basis of design:** As run off processes are independent of states and city administrative boundaries outlines of drainage divides must be depend on watershed delineation.
 - **Contour Data:** Accurate contours are necessary for determining the boundaries of a watershed/ catchment and for computing directions of flow.
 - **Design Flow:** Estimation of peak flow rates for adequate sizing and quantity control facilities.
 - **Removal of Solid Waste:** Most towns and cities have open surface drains besides the road, into which there is unauthorized public disposal of waste. Solid waste increases hydraulic roughness, causes blockage and generally reduces flow capacity.
 - **Drain Inlet Connectivity:** It is seen that the inlets to drain the water from the roads into the roadside drains are either not properly aligned or non-existent leading to severe waterlogging on the roads.
- **Vulnerability Analysis and Risk Assessment:** Identification of areas at risk, classification of structures according to function and estimation of risk for each structure and function using Hazard Risk Zoning.
- **Urban Flooding Cells:** A separate Urban Flooding Cell (UFC) will be constituted within MoUD which will coordinate all UFDM activities at the national level. ULBs will be responsible for the management of urban flooding at the local level.
- **Response:** Emergency Operation Centres, Incident Response System, flood shelters, search and rescue operations, emergency logistics are some key action areas of flood response mechanism.
- **Sanitation:** Diseases like malaria, dengue and cholera can spread if adequate sanitation and disinfection are not carried out.
- **Capacity Development, Awareness Generation and Documentation:** Participatory urban flood planning and management involving both local government and the community.

Rain gardens consist of a porous soil covered with a thin layer of mulch. Storm water runoff is directed into the facility, allowed to pond and infiltrates through the plant/mulch/soil environment.

Existing Challenges

- Less importance to **comprehensive risk assessment** of urban flooding. It includes understanding, analysis and assessment of urban flood risks, before flood mitigation measures are planned and implemented.
- **Ignorance of mapping** of different factors and risks in different cities and non-inclusion of the same in development planning
- Unsatisfactory coordination among different institutions for experience sharing for the purpose of public awareness and imparting professional training of disaster managers.
- Lack of information sharing,
- Disintegrated investment decisions, and
- Lack of consultation with stakeholders.

3.3.6. Landslides


What is a Landslide?

A landslide is defined as the movement of a mass of rock, debris, or earth down a slope. Landslides are a type of "mass wasting," which denotes any down-slope movement of soil and rock under the direct influence of gravity.

Landslides are one of the natural hazards that affect at least 15 per cent of the land area of our country. The Himalayas are formed due to collision of Indian and Eurasian plate. The northward movement of the Indian plate (@5cm/year) towards Eurasian plate causes continuous stress on the rocks rendering them friable, weak and prone to landslides and earthquakes.

Causes of Landslides

- **Heavy rain:** Heavy rain is the main cause of landslides.
- **Deforestation:** Deforestation is another major cause of landslides. Tree, brushes and grasses keep the soil particles compact. Mountain slope loses their protective cover by felling of trees. The rain water flows on such slopes with unimpeded speed.
- **Earthquakes and volcanic explosions:** Earthquake is a common feature in the Himalaya. Tremors destabilize the mountains and the rocks tumble downwards. Volcanic explosions also trigger landslides in the mountainous areas.
- **Building of roads:** Roads are built in mountainous areas for development. During the process of the construction of road, a large amount of rocks and debris has to be removed. This process dislodges the rock structure and changes the angle of slopes. Consequently landslides are triggered.
- **Shifting agriculture:** In the North Eastern part of India, the number and frequency of landslides has increased due to the practice of shifting agriculture.
- **Construction of houses and other buildings:** For giving shelter to the ever-increasing population and promotion of tourism more and more house and hotels are being built. In building processes large amount of debris created. This causes the landslides.



Landslide Risk in India

On the basis of frequency and other controlling factors like geology, geomorphic agents, slope, land-use, vegetation cover and human activities, **India has been divided into a number of vulnerability zones** as shown in table below:

Very High Vulnerability Zone	<ul style="list-style-type: none"> Highly unstable, relatively young mountainous areas in the Himalayas and Andaman and Nicobar, High rainfall regions with steep slopes in the Western Ghats and Nilgiris, the north-eastern regions, Areas that experience frequent ground-shaking due to earthquakes, etc. and Areas of intense human activities, particularly those related to construction of roads, dams, etc.
High Vulnerability Zone	<ul style="list-style-type: none"> Very high vulnerability zone are included in this category. (except the plains of Assam) The only difference between these two is the combination, intensity and frequency of the controlling factors.
Moderate to Low Vulnerability Zone	<ul style="list-style-type: none"> Areas that receive less precipitation such as- <ul style="list-style-type: none"> Trans-Himalayan areas of Ladakh and Spiti (Himachal Pradesh), undulated yet stable relief and low precipitation areas in the Aravali, rain shadow areas in the Western and Eastern Ghats and Deccan plateau Landslides due to mining and subsidence are most common in states like Jharkhand, Orissa, Chhattisgarh, Madhya Pradesh, Maharashtra, Andhra Pradesh, Karnataka, Tamil Nadu, Goa and Kerala.
Other Areas	The remaining parts of India, particularly states like Rajasthan, Haryana, Uttar Pradesh, Bihar, West Bengal (except district Darjiling), Assam (except district Karbi Anglong) and Coastal regions of the southern States are safe as far as landslides are concerned.

Landslide Hazard Mitigation NDMA guidelines

- Hazard zones have to be identified and specific slides to be stabilized and managed in addition to monitoring and early warning systems to be placed at selected sites.
- It is always advisable to adopt **area-specific measures** to deal with landslides.
- Hazard mapping** should be done to locate areas commonly prone to landslides.
- Restriction on the construction** and other developmental activities such as roads and dams, limiting agriculture to valleys and areas with moderate slopes, and control on the development of large settlements in the high vulnerability zones, should be enforced.
- Large-scale **afforestation programmes** and construction of bunds to reduce the flow of water should be encouraged.
- Terrace farming** should be promoted in the north-eastern hill states replacing Jhumming or shifting cultivation.
- Retaining walls** can be built of mountain slopes to stop land from slipping. Vulnerable slopes and existing hazardous landslides should be treated accordingly.
- Codes for excavation, construction and grading must be prepared.
- Arrangements for landslide insurance and compensation for losses must be put in place.

Existing Challenges

- Integrating landslide concerns in the development of disaster management plans at different levels i.e., national, state, district, municipal/panchayat is required.
- Switch-over from piecemeal remediation of landslides to simultaneous and holistic implementation of control measures is the need of the hour.
- Techno-legal regime for introduction of sound slope protection, planned urbanisation, regulated land use and environment friendly land management practices must be done.
- Zero tolerance against deliberate environmental violence and unhealthy construction practices must be enforced. Laws governing new constructions and alteration of existing land use on problematic slopes and in landslide prone areas must be enacted.
- Establishment of a disaster knowledge network and a mechanism for dissemination of information at the national level, mechanism for international linkages, cooperation and joint initiatives must be undertaken.

3.3.7. Cloudburst

Cloudburst is a disastrous weather event in **which heavy rainfall occurs over a localized area at a very fast rate**. If rainfall of about 10 cm or above per hour is recorded over a place that is roughly 20-30 sq km in area, it is classified as a cloudburst event.

How are cloudbursts formed?

Cloudbursts happen when saturated clouds are unable to produce rain because of the upward movement of very warm current of air. Raindrops, instead of dropping down, are carried upwards by the air current. New drops are formed and existing raindrops gain in size. After a point, the raindrops become too heavy for the cloud to hold on to, and they drop down together in a quick flash. Hilly terrains aid in heated air currents rising vertically upwards, thereby, increasing the probability of a cloudburst situation.

In India, they are likely to occur when monsoon clouds associated with low pressure area travel northward from the Bay of Bengal across the Ganges plains onto the Himalayas and 'burst' in heavy downpours. There can be individual or multiple cloudburst events in each instance. The Uttarakhand disaster of 2013, for example, had several cloudburst events, two of them big ones.

Cloudburst risks in India

Cloudburst in India occurs during the monsoon season over the orographically dominant regions like Himalayan region, north-eastern states and Western Ghats. Cloudbursts do happen in plains as well, but there is a greater probability of them occurring in mountainous zones. For example- like steep hills favour the formation of these clouds.

Events of extreme precipitation have been on the rise in the last few decades due to global warming; it is therefore expected that cloudburst events might be on the increase as well. While NDMA has not released guidelines specifically on Cloudbursts, guidelines on floods and landslides are also applicable to cloudbursts because it is the consequences of heavy rain, especially in the hilly terrain, that causes death and destruction.

Impact and Mitigation

Cloudbursts are known to frequently **trigger flash floods and landslides**. They can be especially dangerous in compact and enclosed spaces on slopes due to their suddenness. Rescue and relief and evacuations cannot be enough due to the sudden nature of the disaster.

Increasing anthropogenic activities, venturing in unsafe areas due to limited land availability and heavy localized precipitation are continuously increasing the landslide vulnerability.

While IMD provides real time rainfall situation and intensity as well as rainfall forecast for different temporal and spatial scales, it is very difficult to predict the cloud bursts due to its very small scale in space and time.

Some important measures that can be undertaken to mitigate the risk of cloudbursts are:

- People should inhabit areas on hard rock and firm ground of slopes instead of valleys and abandoned channels.
- At locations where ground fissures have developed and subsidence taken place appropriate measures for checking infiltration of water must be taken.
- People living around should be trained to remain vigilant and any physical change in the slope must be brought to the immediate notice of the authorities.
- Indiscriminate and unscientific construction should be banned especially in landslide affected areas.

A useful model in cloudburst mitigation is Copenhagen, whose municipal department has organized **a cloudburst master plan**. It aims to decouple 30 to 40 per cent of the excess storm water from the combined sewer system. The plan incorporates concretization as well as creation of canals and the greening of Copenhagen.

- Safe disposal of rainwater needs to be given due importance, therefore, surface and subsurface drainage measures should be planned and executed. Drain pipes may be provided on debris slope.
- The bioengineering technology can be successfully implemented by using specific and local vegetation along with engineering measures to reduce instability and soil erosion.
- A dense network of rain gauges particularly in the areas identified as being vulnerable to cloudburst may be put in place.

3.3.8. Cyclone

What is Cyclone?

Cyclone is a region of low atmospheric pressure surrounded by high atmospheric pressure resulting in swirling atmospheric disturbance accompanied by powerful winds. They occur mainly in the tropical and temperate regions of the world.

Within the cyclone field, strong winds blow around the low pressure center in an anti-clockwise direction in the Northern Hemisphere and clockwise in Southern Hemisphere, though the wind at the center (known as eye of the cyclone) is very little and generally free from cloud and rain. Winds increase rapidly to its peak (often exceeding 150 km/h) at about 20 to 30 km from the center and thereafter decrease gradually.

Causes of Cyclones

Cyclones are centered on areas of low atmospheric pressure, usually over warm ocean waters near the equator. The warm moist air over the ocean rises from the surface in the upward direction, resulting in the formation of the low-pressure zone over the surface. Air from the surrounding region, with higher pressure, pushes into the low-pressure area. The cool air becomes warm and moist and rises again, thus the cycle continues. As the warm air rises, the moisture in the air cools thus leading to the formation of cloud. The whole system grows gradually and becomes fast with time. As a result of this, an eye is created in the centre, which is the low-pressure center into which the high-pressure air flows from above, thus creating a cyclone.

There are six main requirements for tropical cyclogenesis: sufficiently warm sea surface temperatures, atmospheric instability, high humidity in the lower to middle levels of the troposphere, enough Coriolis force to sustain a low pressure center, a preexisting low level focus or disturbance, and low vertical wind shear.

Cyclone Risks in India

More than 8000 km of coastline in the east and the west face the hazards of tropical cyclones, and associated storm surges and heavy rainfall, before and after the monsoon. Post monsoon cyclones are usually more intense both in numbers and intensity. It has been estimated that over 58 per cent of the cyclonic storms that develop in the Bay of Bengal approach or cross the

Cyclones are known by different names in different parts of the world:

- Typhoons in the Northwest Pacific Ocean west of the dateline
- Hurricanes in the North Atlantic Ocean, the Northeast Pacific Ocean east of the dateline, or the South Pacific Ocean.
- Tropical cyclones - the Southwest Pacific Ocean and Southeast Indian Ocean.
- Severe cyclonic storm" (the North Indian Ocean)
- Tropical cyclone (the Southwest Indian Ocean)
- Willie-Willie in Australia
- Tornado in South America



east coast in October and November. Only 25 per cent of the storms that develop over the Arabian Sea hit the west coast.

Thirteen coastal states and Union Territories (UTs) in the country, encompassing 84 coastal districts, are affected by tropical cyclones and most coastal cities have high population density.

NDMA guidelines on cyclones

The NDMA had come up with its National Guidelines of Management of Cyclones in 2008. The basic premise of these guidelines is that the mitigation has to be multi-sectoral.

- **Early Warning System:** IMD in India has operationalized a satellite based communication system called Cyclone Warning Dissemination System for direct dissemination of cyclone warnings to the cyclone prone coastal areas. Cyclone warnings are provided by IMD from the Area Cyclone Warning Centers (ACWCs) at Calcutta, Chennai and Mumbai and Cyclone Warning Centers (CWCs) at Bhubaneswar, Visakhapatnam and Ahmedabad. In addition to text bulletins, the warnings in graphics bulletins have been introduced and the times of issue and frequency have been standardized. Use of Doppler radars is also extensive.
- **Aircraft Probing of Cyclone (APC) facility:** Aircraft probing and surveillance enables the observation of upper air phenomena, especially cloud aerosol interaction. The guidelines recommend the establishment of aircraft probing for cyclone (APC) facilities to understand the cyclone core environment.
- **National Disaster Communication Infrastructure:** The guidelines recommend the commissioning of the National Disaster Communication Infrastructure (NDCI) at the NDMA/MHA, State Disaster Management Authorities (SDMAs) of coastal states/UTs.
- **Structural safety** of lifeline infrastructure in coastal areas must be ensured and multi-purpose cyclone shelters and cattle mounds must be constructed and identified. All weather roads linking habitations to these shelters must be constructed.
- **Coastal flood zoning,** flood plain development and flood inundation management and regulatory plans must be implemented.
- **Saline embankments** and **coastal bio-shields** to prevent ingress of saline water associated with cyclonic storm surge must be constructed and capacity of drains and canals must be maintained.

Mitigation and Challenges

The Government of India has initiated the **National Cyclone Risk Mitigation Project (NCRMP)** with a view to address cyclone risks in the country. The overall objective of the Project is to undertake suitable structural and non-structural measures to mitigate the effects of cyclones in the coastal states and UTs of India. It aims to **reduce vulnerability of coastal communities to cyclone and other hydro meteorological hazards** through:

- improved early warning dissemination systems
- enhanced capacity of local communities to respond to disasters
- improved access to emergency shelter, evacuation, and protection against wind storms, flooding and storm surge in high areas
- Strengthening DRM capacity at central, state and local levels in order to enable mainstreaming of risk mitigation measures into the overall development agenda.

The Project has identified 13 cyclone prone States and Union Territories (UTs) classified into two categories, based on the frequency of occurrence of cyclone, size of population and the existing institutional mechanism for disaster management. These categories are:

- **Category I:** Higher vulnerability States i.e. Andhra Pradesh, Gujarat, Odisha, Tamil Nadu and West Bengal.
- **Category II:** Lower vulnerability States i.e., Maharashtra, Karnataka, Kerala, Goa, Pondicherry, Lakshadweep, Daman and Diu, Andaman and Nicobar Islands.

National Disaster Management Authority (NDMA) under the aegis of Ministry of Home Affairs (MHA) will implement the Project in coordination with participating State Governments and the National Institute for Disaster Management (NIDM). The project is partially funded by the World Bank.

Challenges


- The **failure to adequately respond to warnings stemming** from lack of planning and coordination at the national and local levels, as well as a lack of understanding by people of their risks.
- **There is a lack of grass root level participation in disaster management** to build up effective resilience to disasters.
- There is a lack of a fully automated and state-of-the-art operation centre at NDMA and MHA with all terminal-end facilities and communication connectivity both for routine activities and also during disasters.
- There is a need for integration of networks set up by various agencies to establish various types of networks in the country for disaster management.
- A comprehensive **Cyclone Disaster Management Information System (CDMIS)** covering all phases of DM to provide on-line services to the departments of Disaster Management in the states must be set up.

3.3.9. Drought

Droughts refer to a serious shortfall in availability of water, mainly, but not exclusively, due to deficiency of rains, affecting agriculture, drinking water supply and industry. It is a **slow onset disaster** which evolves over months or even years and affects a large spatial extent.

Drought is a complex phenomenon as it involves elements like precipitation, evaporation, evapotranspiration, agricultural elements like ground water, soil moisture, storage and surface run-off, agricultural practices, particularly the types of crops grown and social elements like socio-economic practices and ecological conditions.

Demand and supply of water in India
In km³ (2008 – 2030)



Types of Droughts

Meteorological Drought	<ul style="list-style-type: none"> • When there is a prolonged period of inadequate rainfall marked with mal-distribution of the same over time and space. • Rainfall less than 90 per cent of average is categorized as meteorological drought.
Agricultural Drought	<ul style="list-style-type: none"> • It is characterized by low soil moisture that is necessary to support the crops, thereby resulting in crop failures • If an area has more than 30 per cent of its gross cropped area under irrigation, the area is excluded from the drought-prone category. • An extreme agricultural drought can lead to a famine, which is a prolonged shortage of food in a restricted region causing widespread disease and death from starvation. This is why some times in Hindi language famine Akal and Anavrishtya are also used for drought. • The government also declares an area affected by drought, if more than 50 percent crop loss happens in an area due to meteorological condition.
Hydrological Drought	<ul style="list-style-type: none"> • When the availability of water in different storages and reservoirs like aquifers, lakes, reservoirs, etc. falls below what the precipitation can replenish.
Ecological Drought	<ul style="list-style-type: none"> • When the productivity of a natural ecosystem fails due to shortage of water and as a consequence of ecological distress, damages are induced in the ecosystem.

Student Notes:

Causes of Drought


Drought results from a long continued dry weather and/or insufficient rain, which causes loss of soil moisture, depletion of underground water supply and reduction of stream flow.

The causative factors are both natural and man-made. The causes for droughts are increasingly attributable to the mismatch between supply and demand. Droughts in India have their own peculiarities requiring appreciation of some basic facts. These are:

- India has an average annual rainfall of around 1150 mm, however, there is considerable annual variation.
- More than 80% of rainfall is received in less than 100 days during the South-west monsoon and the geographic spread is uneven.
- 21% area receives less than 700 mm rains annually making such areas the hot spots of drought.
- Inadequacy of rains coupled with adverse land-man ratio compels the farmers to practice rain-fed agriculture in large parts of the country.
- Per capita water availability in the country is steadily declining.
- The traditional water harvesting systems have been largely abandoned.
- Production of ill-suited, water intensive cash crops by farmers. One stark example of such practice is production of 'Mentha' crop in Bundelkhand region of Uttar Pradesh, an area known to face droughts frequently.

The IMD recognizes five drought situations:


- **'Drought Week'** when the weekly rainfall is less than half of the normal.
- **'Agricultural Drought'** when four drought weeks occur consecutively during mid-June to September.
- **'Seasonal Drought'** when seasonal rainfall is deficient by more than the standard deviation from the normal.
- **'Drought Year'** when annual rainfall is deficient by 20 per cent of normal or more.
- **'Severe Drought Year'** when annual rainfall is deficient by 25 to 40 per cent of normal or more.



Risk of Drought in India

In India, around 68% of the country is prone to drought in varying degrees. 35% which receives rainfall between 750 mm and 1125 mm is considered drought prone while 33% receiving less than 750 mm is chronically drought prone.

Recently the NITI Aayog, under the **Composite Water Management Index** report highlighted that **about two lakh people die** in India every year due to inadequate water and sanitation. It states that the **6% of GDP will be lost by 2050 due to water crisis**.



While declining per capita water availability contributes towards India's water crisis, failure to manage its water resources effectively is also a major reason. The **Composite Water Management Index (CWMI)**, to evaluate States, has been developed by the NITI Aayog and comprises 9 broad sectors with 28 different indicators covering various aspects of groundwater, restoration of water bodies, irrigation, farm practices, drinking water, policy and governance. The adjoining figure highlights the performance of the states in the index.

Approximately, 820 million people of India - living in **twelve river basins** across the country have **per capita water availability close to or lower than 1000m³** – the official threshold for water scarcity as per the **Falkenmark Index**.

Student Notes:

On the basis of severity of droughts, India can be divided into the 3 regions:

Extreme Drought Affected Areas	<ul style="list-style-type: none"> Most parts of Rajasthan, particularly areas to the west of the Aravali hills, i.e. Marusthali and Kachchh regions of Gujarat fall in this category. The districts like Jaisalmer and Barmer from the Indian desert that receive less than 90 mm average annual rainfall.
Severe Drought Affected Areas	<ul style="list-style-type: none"> Parts of eastern Rajasthan, most parts of Madhya Pradesh, eastern parts of Maharashtra, interior parts of Andhra Pradesh and Karnataka Plateau, northern parts of interior Tamil Nadu and southern parts of Jharkhand and interior Odisha.
Moderate Drought Affected Areas	<ul style="list-style-type: none"> Northern parts of Rajasthan, Haryana, southern districts of Uttar Pradesh, the remaining parts of Gujarat, Maharashtra except Konkan, Jharkhand and Coimbatore plateau of Tamil Nadu and interior Karnataka.

NDMA Guidelines Drought

The NDMA guidelines on management of drought were issued in 2010. It is observed in the guidelines that state intervention in drought management has a significant positive impact. The relief expenditure by state has been growing over the years due to increased coverage of affected areas and population. Wage employment takes a major share of the relief expenditure with fodder supply and tanker based water supply as the other major expenditures. Some of the recommendations in the guidelines are as follows:

- Separate **Drought Monitoring Cells (DMCs)** should be created at the state level under the control of State Disaster Management Authorities which **will prepare vulnerability maps** in collaboration with **National Remote Sensing Centre**.
- A **control room** should be established for drought management and specific guidelines should be issued for the use of Information and Communication Technology (ICT) for real-time information related to droughts.
- Government of India should undertake **the watershed development approach** through various programs.
- Automatic weather stations** set up by IMD to include moisture **sensors** for obtaining information about **soil moisture levels**. The **Village Resources Centers** established by **ISRO** may be used towards drought management. A **cloud seeding policy** may be considered as the national level.
- Assessment** of damage must be done in terms of agricultural production, depletion of water resources, livestock population, land degradation and deforestation as well as human health.
- To support income credit should be provided promptly including consumption loan**. Insurance products will be developed for different agro-climatic zones providing coverage against drought.
- Afforestation with subabul, seamaruba, casurina, eucalyptus and bio diesel plantation like jetropha and pongomia will be encouraged.
- A realistic national **training and capacity building programme for drought management** should be formulated and implemented. **PRIs and ULBs will ensure capacity building** of their officers and employees in DM to carry out relief, rehabilitation and reconstruction activities. They will be encouraged to take up awareness programmes.
- In case of late monsoons or dry spells, **seeds with short duration varieties** should be made available on subsidy. Inter-cropping, mulching, weeding should be promoted.

Cloud seeding also known as a **weather modification technique** is an artificial way to induce moisture in the clouds so as to cause a rainfall. In this process **silver iodide, potassium iodide or dry ice (solid carbon dioxide)** is dumped onto the clouds causing rainfall.

- For animals, creation of **fodder banks**, use of **tank bunds**, undertaking market intervention to keep **fodder prices stable** must be done.

Impact and Mitigation

Drought has direct and negative impacts on agricultural production. **Drought-prone districts account for 42 per cent of the country's cultivable lands. Rainfed crops account for 48 per cent of the total area under food crops** and 68 per cent of the area under non-food crops, according to the National Rainfed Areas Authority. Severe droughts in rainfed areas **have reduced agricultural production by 20 to 40 per cent.**

Drought in rainfed areas hits small and marginal farmers hard, threatening their food and livelihood security. Around 78 per cent of the farmers who committed suicide in the last one decade were small farmers and 76 per cent of them were dependent on rain-fed agriculture.

To tackle the complex water challenge facing India, it is imperative to take a holistic view of water, starting with the hydrological system, the interactions of this system with climate change on the one hand, and with human factors across agriculture, industrial, and energy production activity on the other.

In the early 1970s, the **Drought Prone Areas Programme (DPAP)** and the **Desert Development Programme (DDP)** were implemented to revive the ecology in hot and cold deserts. The drought in 1987 forced to shift the focus of government to long-term measures such as water shed development. The DPAP and DDP programmes were redrafted to make watershed development a unit of drought proofing. Other watershed-based programmes were also launched, including the **National Watershed Development Programme for Rain-fed Areas (NWDPA)** and the **Watershed Development Programme for Shifting Cultivation (WDPSC)**. Now rainwater harvesting – specifically revival of traditional systems – has been given priority in drought management, particularly under the Mahatma Gandhi National Rural Employment Guarantee Scheme (MGNREGA). In 2013, the Government of India announced the setting up of 50,000 groundwater monitoring wells and “embarked upon the ambitious national aquifer mapping programme towards Sustainable Water Management”

Drought mitigation efforts should be complemented with **better monsoon forecast and promotion of other drought-proofing mechanisms** such as saving on seeds and grains and easy loans to tide over the rough weather. Adoption of soil conservation measures, **water harvesting practices**, optimum use of water resources, transfer of water from surplus to deficit areas, plantation of drought resistant vegetation are some measures to reduce the vulnerability of drought prone areas.

Irrigation has proved to be the most effective drought proofing mechanism and single biggest factor in bringing about the large measure of stability in agriculture production. Construction of storage dam facilitated irrigation by making use of water at proper time of need. The drought prone areas coming under the command of irrigation project is thus provided with assured irrigation water supply throughout the year.

Institutional Framework: Ministry of Agriculture is the nodal ministry for management of drought crisis in India. Ministry of Jal Shakti is involved in drought management mainly on policy guidelines, monitoring and technical & financial assistance to schemes which are drought proofing. **Crop Weather Watch Group (CWWG)**, an inter-Ministerial mechanism of Central Govt. meets once a week during rainy season (June-September). IMD and the National Centre for Medium Range Weather Forecasting offer meteorological information support for drought preparedness and early warning.

Existing Challenges

Some of the key challenges with water and drought management in India are as follows:

- Lack of proper, reliable data on water:** Data in the water sector exists in silos, with very little horizontal and vertical data sharing across the value chain of water thereby reducing

efficiencies. For example, estimates on groundwater are mostly based on observation data from 15,640 wells, while there are 30 million groundwater structures in the country.

- **Remote sensing and geographic information system can enable real time data on water** and catalyse communities to conserve water resources. Every single water asset including borewell can be geo-tagged and groundwater levels monitored on an online platform. These need to be used extensively.
- India needs to **radically improve its farm water efficiency** which is presently amongst the lowest in the world. **Our farmers use 3-5 times more water** than Chinese, Israeli and American farmers for producing the same crop. States also need to segregate agricultural power feeders so that electricity consumption, particularly for water extraction, can be measured and monitored.
- Adoption of both short and long term measures would remain sub-optimal unless larger issues like the **National Water Budget** and a policy regime that takes cognizance of the mismatch between supply and demand are properly addressed.
- A major cause for India's groundwater crisis is **the legal framework that ties up water rights with land rights and allows landowners to extract unlimited groundwater**. Maharashtra, which has controlled extraction of groundwater through legislation. Permission for digging new wells necessitate building a groundwater recharge structure alongside.
- There is an imperative for a rational and pragmatic policy for **pricing water**. There is great willingness to pay for regular supply of water. Pricing of water will ensure adequate investment in water infrastructure.

Successful Initiatives in Drought Management

Jalyukt Shivar in Maharashtra, Mukhya Mantri Jal Swavalamban Abhiyan in Rajasthan, Mission Kakatiya in Telangana, Sujalam Sufalam in Gujarat are making a difference.

Under Jalyukt Shivar water harvesting structures made nearly 11,000 villages drought free. It also resulted in groundwater table rise by 1.5-2m.

Jabalpur, Indore and Gwalior corporations have granted rebate on property tax for rainwater harvesting facility.

In Telangana nearly 17,000 minor irrigation tanks were restored, supplying collected rainwater to 19 lakh acres of agricultural land.

3.3.10. Heat Wave

What is a Heat Wave?

A Heat Wave is a period of abnormally high temperatures that leads to physiological stress, which may sometimes cause death. The World Meteorological Organization defines a heat wave as five or more consecutive days during which the daily maximum temperature exceeds the average maximum temperature by five degree celsius. In India heat wave conditions are considered if maximum temperature of a station reaches at least 40°C or more for plains, 37°C or more for coastal areas and at least 30°C or more for hilly regions.

How do heat waves occur?

Heat waves occur when a ridge of high pressure sits over a region for an extended period of time, bringing down dry, hot air to the ground. As the air sinks, it warms and compresses and it becomes very hot by the time it reaches the surface.

This hot air quickly heats up the ground, which raises the air temperature. Since the centre of high pressure areas are usually cloud free, the direct sunlight further raises the day time temperature creating a heat wave.

Heat Wave Risks in India

Higher daily peak temperatures and longer, more intense heat waves are becoming increasingly frequent globally due to climate change.

In India, April to June is a typical heat wave season. Most of the states across northwest India, Gangetic Plains, Central India and east coast India are affected during the heat wave season. According, to NDMA, **heatwave caused 24223 deaths since 1992 to 2015 in various states**. However, it is likely that the death figure is much higher as heat related illness is often recorded

inaccurately and figures from rural areas are hard to attain. Cities are hotter than rural areas due to population density, pollution from industrial activities and presence of buildings. Mostly weaker sections of the society have to work in the extreme heat to make their ends meet and are extremely vulnerable to the adverse impacts of heat waves such as dehydration, heat and sun strokes

Criteria for Heat Wave in India

The Indian Meteorological Department (IMD) has given the following criteria for Heat Waves:

Heat wave need not be considered till maximum temperature of a station reaches at least 40°C for Plains and at least 30°C for Hilly regions.

- When normal maximum temperature of a station is less than or equal to 40°C
 - ✓ Heat Wave Departure from normal is 5°C to 6°C
 - ✓ Severe Heat Wave Departure from normal is 7°C or more
- When normal maximum temperature of a station is more than 40°C
 - ✓ Heat Wave Departure from normal is 4°C to 5°C
 - ✓ Severe Heat Wave Departure from normal is 6°C or more
- When actual maximum temperature remains 45°C or more irrespective of normal maximum temperature, heat wave should be declared.

NDMA Guidelines

The National Disaster Management Authority (NDMA) released National Guidelines for Preparation of Action Plan - Prevention and Management of Heat Wave. Heat Waves has not been notified as a Disaster as defined under the Disaster Management Act, 2005 by the Government yet. Heat wave is not even notified in the list of 12 disasters eligible for relief under National/ State Disaster Response Fund norms.

- **Government Engagement:** Mandating participation from State and district government leaders, municipal health agencies, disaster management authorities and local partners.
- **Appointing State Nodal Agency and Officer** to conduct table-top exercises, simulations and drills before the heat season as well as to ensure coordination among various stakeholders.
- **Vulnerability assessment and establishing Heat-Health threshold temperatures:** It is important in order to establish priorities and minimum threshold for heat alerts and activities. The state should coordinate with IMD to develop threshold temperatures.
- **Drafting and developing Heat Action plan:** The State Nodal Officer can coordinate with local IMD office to start receiving summer season forecasts and release early warning and daily alert system with colour codes.
- **Team Preparation and Coordination:** Government should ensure that state officials and agencies are well trained and well informed regarding pre, during and post heat season activities. This will ensure clearly defined inter agency emergency response plan with roles and information flows clearly marked out.
- **Implementation and monitoring:** Information, Education and Communication plays an important role in widely disseminating key messages to communities in advance.
 - Do's and Don'ts during a heat wave should be available in local language and disseminated through media including social media.
- **Evaluating and Updating the plan:** After every heat season, the city or state must assess the efficacy of the heat action plan, including processes, outcomes and impacts.
- **Strategies for reducing extreme heat exposures and adapting to climate change (Long Term):** States should consider mitigation strategies, such as increasing green cover in a city to reduce UHI effect or implementing cool roofs.

Heat Wave Hazard Mitigation

- Four criteria are important for prevention and mitigation of heat waves:
 - ✓ forecasting heat waves and enabling an early warning system;

- ✓ building capacity of healthcare professionals to deal with heat wave-related emergencies;
- ✓ community outreach through various media; and
- ✓ inter-agency cooperation as well as engagement with other civil society organizations in the region
- Create a list of the high-risk areas of the city vulnerable to heat waves for more focused activities on heat prevention. For example- Adoption of a 'Heat Action Plan' (HAP)
- Build on the "Green Cover" activity to establish tree-plantation campaign in hotspot areas such as roadsides and during plantation festival in June.
- Discuss establishing cooling centre facilities in high-risk areas around city.
- Public awareness- Conduct training workshops and outreach sessions with community groups and mobilizers such as Mahila Arogya Samiti, Self-Employed Women's Association (SEWA), ASHA workers, aanganwadis, and municipal councils to help inform and get vulnerable communities more actively involved, including women. Incorporate other sectors such as higher education, non-profits, and community leaders to increase reach to communities.
- Protect environment. Adopt sustainable environment practices.

Existing Challenges in Heat Wave Management

- Lack of research using sub-district level data to provide separate indices for urban and rural areas to enable more targeted geographical interventions.
- Narrow analysis of urban ward-level data to provide intra-city vulnerability patterns.
- Less active usage of available provisions of public messaging (radio, TV), mobile phone-based text messages, automated phone calls and alerts.
- Lack of Public awareness like promotion of traditional adaptation practices, such as staying indoors and wearing comfortable clothes.
- Half-hearted attempts for popularization of simple design features such as shaded windows, underground water storage tanks and insulating housing materials.
- Unavailability of provision of drinking water within housing premises and indoor toilets.

3.3.11. Cold Wave


What is a Cold Wave?

A cold wave is a weather phenomenon that is distinguished by marked cooling of air, or the invasion of very cold air, over a large area. It can also be a prolonged period of the excessively cold weather, which may be accompanied by high winds that cause excessive wind chills. Cold waves can be preceded or accompanied by significant winter weather events, such as blizzards or ice storms.

Causes of Cold Waves

Cold waves over India are primarily due to transport of cold air from higher latitudes. It is usually associated with El-Nino, cyclonic activities and Jet streams (western disturbances).

Western disturbances manifest as eastward moving well marked troughs in the upper tropospheric westerlies north of 20° N and often extend to the lower troposphere. It transports cold air from northern latitudes into India. There are also few instances of occurrence of cold waves due to a low pressure system over the North Arabian Sea. In these cases, the easterlies to the north of the low pressure system transport cold air from higher latitudes.



Cold waves Risks in India

Cold waves that occur during winter months from November to February exert considerable stress to the people of northern India. During cold wave episodes, a drop of more than 4°C is observed in minimum temperatures, and these episodes generally persist for 3–5 days and their occurrence peaks in the month of January.

Distribution pattern for Cold waves in India


Northern India:

December and January are the coldest months in the northern plain. The night temperature may go below freezing point in Punjab and Rajasthan. Reasons for the excessive cold in north India can be:

- States like Punjab, Haryana and Rajasthan being far away from the moderating influence of sea experience continental climate.
- The snowfall in the nearby Himalayan ranges creates cold wave situation; and
- Around February, the cold winds coming from the Caspian Sea and Turkmenistan bring cold wave along with frost and fog over the north western parts of India.

The peninsular region:

The Peninsular region of India does not have any well-defined cold weather season. There is hardly any seasonal change in the distribution pattern of the temperature in coastal areas because of moderating influence of the sea, and proximity to the equator.



Wind Chill	Is not the actual temperature but rather how wind and cold feel on exposed skin. As the wind increases, heat is carried away from the body at an accelerated rate, driving down the body temperature. Animals are also affected by wind chill; however, cars, plants and other objects are not.
Frostbite	Is damage to body tissue caused by extreme cold. A wind chill of -20 degrees Fahrenheit (F) will cause frostbite in just 30 minutes. Frostbite causes a loss of feeling and a white or pale appearance in extremities, such as fingers, toes, ear lobes or the tip of the nose. If symptoms are detected, get medical help immediately! If you must wait for help, slowly re-warm affected areas. However, if the person is also showing signs of hypothermia, warm the body core before the extremities.
Hypothermia	Is a condition brought on when the body temperature drops to less than 95 degrees Fahrenheit (F). It can kill. For those who survive, there are likely to be lasting kidney, liver and pancreas problems. Warning signs include uncontrollable shivering, memory loss, disorientation, incoherence, slurred speech, drowsiness and apparent exhaustion. Take the person's temperature. If below 95 degrees F, seek medical care immediately!

Cold Wave Hazard Mitigation

- In case of cold wave/frost situation, States needs to initiate location specific measures as outlined in District Crop Contingency Plans and in consultation with respective State Agricultural Universities to minimise its impact.
- Farmers are to provide light irrigation as per need, immediately prune damaged tips of branches or shoot, burn leave/waste material in the orchard to create smoke and manage rejuvenation of damaged crops through pruning of dead material, application of extra doses of fertilizer through foliar sprays.
- Plan for the potential to convert schools and other public buildings into shelters to keep vulnerable citizens out of the cold.
- Remain aware of the effects that exposure to extreme cold has on children, the elderly, as well as those already ill, and promote outreach and preparedness efforts.
- Insulate any water lines running along exterior walls so your water supply will be less likely to freeze.
- Adequate preparedness of the community and local governments can prevent deaths due to cold waves.

Existing Challenges in Cold Wave Hazard Management

- As Cold Wave/Frost is a localised disaster event, location specific mitigation plans should be drawn up by the concerned State Governments instead of a National level plan.
- Lack of participation at community level like SHGs, PRIs.
- Lack of preparedness in advance.


3.3.12. Wild Fire

What is Wild fire?

Fires in forests are not unnatural and are usually considered good for natural forest development and regeneration. A wildfire is simply an uncontrolled combustion that consumes large fields and areas of land.

MERCURIAL METER

Some of the new and cross-country benchmarks are listed below. Earlier, they used to vary from state to state

HEAT WAVES		COLD WAVES
Based on departure from normal		Based on departure from normal
Heat wave: 4.5°C to 6.4°C above normal maximum		Cold wave: 4.5°C to 6.4°C below normal minimum
Severe heat wave: More than 6.4°C above normal maximum		Severe cold wave: Anything more than 6.4°C below normal minimum
Based on actual maximum temperature		Based on actual minimum temperature
Heat wave: Temperature equal or greater than 45°C		Cold wave: Minimum temperature is 4°C or lower
Severe heat wave: Equal or greater than 47°C		Severe cold wave: Minimum temperature is 2°C or lower
Warm night: (Will apply only when maximum temperature remains 40°C or more) Minimum temperature departure is 4.5°C to 6.4°C		Cold day: (Applies when minimum temperature is 10°C or lower in plains and 0°C or lower in hilly regions) Maximum temperature departure is minus 4.5°C to minus 6.4°C
Very warm night: Minimum temperature departure is above 6.4°C		Very cold day: Maximum temperature departure is greater than minus 6.4°C

Causes of Wild fires

While wild fires are caused by both natural as well as manmade factors, more than ninety five percent forest fires are caused either by negligence or unknowingly by the human beings.

Out of three essential components of fire triangle, two components i.e. fuel and oxygen are naturally available in forest. It is the third component i.e. heat that really initiates fire in the forest. Heat may be supplied by either natural or artificial reasons.

Factors of Heat Supply in a Forest

Natural Factors: Lightning, Friction of rolling stone, Rubbing of dry bamboo clumps, volcanic explosion etc.

Anthropogenic Factors may be further be categorized into:

- **Deliberate Causes:** Shifting Cultivation, Fires induced for flush growth of tendu leaves, good growth of grass and fodder, to encroach upon the forest land, to conceal illicit felling.
- **Accidental Causes:** Burning farm residues, Camp fires by picnickers, sparks from vehicle exhaust, resin tapping, throwing burning *bidis*/cigarettes.

Topography also has a role to play in the spread of wild fires. On hill slopes, for example, if the fire starts downhill, it spreads up fast as heated air adjacent to a slope tends to flow up the slope spreading flames along with it. If the fire starts uphill, there is less likelihood of it spreading downwards.

Types of Forest Fire

There are two types of forest fire:

- **Surface Fire-** A forest fire may burn primarily as a surface fire, spreading along the ground as the surface litter (senescent leaves and twigs and dry grasses etc.) on the forest floor and is engulfed by the spreading flames.
- **Crown Fire-** The other type of forest fire is a crown fire in which the crown of trees and shrubs burn, often sustained by a surface fire. A crown fire is particularly very dangerous in a coniferous forest because resinous material given off burning logs burn furiously.

Wild fires Risks in India

Forest fires are a regular phenomenon in our country often observed during the fire season. **54.40% of forests in India are exposed to occasional fires, 7.49% to moderately frequent fires and 2.405 to high incidence levels.**

Distribution pattern for Wild fires in India

According to a report "*Strengthening Forest Fire Management in India*", jointly released by the MoEF&CC and the World Bank, **forest fires in India are both widespread and concentrated.** Every year, forest fires occur in around half of the country's 647 districts and in nearly all the states. Yet, though fires are spread throughout the country, they occur much more frequently and affect forest more in some districts than in others. Just 20 districts, representing 3 percent of the India's land area accounted for 44 percent of all forest fire detections from 2003 to 2016.

The vulnerability of the Indian forests to fire varies from place to place depending upon the type of vegetation and the climate. The coniferous forest in the Himalayan region comprising of fir, spruce, Deodar, Pine are very prone to fire. The other affected area to fire in the country happens to be in the Ganga-Yamuna watershed. The other parts of the country dominated by deciduous forests are also damaged by fire.

Impact of Wild fires

- Huge investment by the government to suppress wildfires. Increase the potential for flooding, debris flows, and landslides.
- Smoke and other emissions contain pollutants that can cause significant health problems.
- Losses in productivity of the land, impacts on regeneration of species, and deleterious impacts on water shed
- Global warming, soil erosion, loss of fuel, wood and fodder, damage to water

- **Short-term effects:** destruction of timber, forage, wildlife habitats, scenic vistas, and watersheds
- **Long-term effects:** reduced access to recreational areas; destruction of community infrastructure and cultural and economic resources

Forest Fire Prevention & Management Scheme

It's a **centrally sponsored scheme** with an **aim** to focus solely on the issue of forest fire prevention & management and related activities. It aims to prevent forest fires through awareness campaigns, improving traditional practices, encouraging community participation and imparting training.

In the long term, it seeks to institutionalize partnership with forest communities and prepare a forest fire forecasting system.

Forest Fires hazard mitigation in India

During the British period, fire was prevented in the summer through removal of forest litter all along the forest boundary. This was called Forest Fire Line, and was used to prevent fire breaking into the forest from one compartment to another.

In 2016, Forest Survey of India developed an indigenous "Pre Warning Alert System" based on parameters like Forest Cover, Forest Type, Climatic Variables (Temperature and Rainfall) and recent fire incidences over the area. In 2017, the analysis was shifted to a grid based system (5km x 5km).

In 2019, Forest Survey of India launched the beta-version of the Large Forest Fire Monitoring Programme using near real time SNPP-VIIRS (Suomi-National Polar-orbiting Partnership - Visible Infrared Imaging Radiometer Suite) data. This programme is a part of the FAST 3.0 (FSI Fire Alerts System). It will monitor continuous, large forest fires using near-real time basis.

The FAST 3.0 is a collaborative effort between the US National Aeronautics and Space Administration (NASA), Indian Space Research Organisation (ISRO) and FSI. **Working:** The NASA's active fire data is sent to ISRO's National Remote Sensing Centre in Hyderabad and from there, it is sent to FSI. Then, based on naming convention centred around forest ranges, the fire is labeled, like Dehradun I etc. Then, this update of Dehradun I fires is sent to all the 40,000 registered users—both governmental and public—of the forest alert system and gets updated in real time

Burnt Scar Assessment

It assesses forest area affected by the forest fires to assess damage. The Indian Remote Sensing (IRS) AWiFS (Advanced Wide Field Sensor)

- A full spectrum of strategies that can be used to reduce wildland fire risks in the unincorporated area are as follows:
- The fire spreads only if there is continuous supply of fuel (Dry vegetation) along its path. The best way to control a forest fire is therefore, to prevent it from spreading, which can be done by creating firebreaks in the shape of small clearings or ditches in the forests.
- Participation of the volunteers not only for firefighting but also to keep watch on the start of forest and sound an alert.
- Arrange firefighting drills frequently.
- Proper utilization of media and available technologies for dissemination of exact information to the people and the government.

Existing Challenges in Wild fires Hazard Management

The incidence of forest fires in the country is on the increase and more area is burned each year. The major cause of this failure is the piecemeal approach to the problem. Both the national focus and the technical resources required for sustaining a systematic forest fire management programme are lacking in the country.

- Inadequate research on previous wildfires, including ignition sources, burn severity patterns, season of burning, and fire size

- Half-hearted attempts to study the effects of post fire runoff and erosion on aquatic ecosystems and species
- Narrow spatial reach to monitor and provide early warnings using new technology, sensor webs, and satellite technology
- Need to develop tools and methods to minimize impacts on human life and property, especially in the wild land urban interface
- We never ask village communities to participate in managing forest resources, but expect their support at times of crisis. Such attitude and approach should be changed by making them aware of the situation and teach them what to do in case of such emergencies.
- There is a need to establish a *National Institute of Forest Fire Management* with satellite centres in different parts of the country.
- Important forest fire management elements like strategic fire centres, coordination among Ministries, funding, human resource development, fire research, fire management, and extension programmes are missing.

3.4. Anthropogenic Disasters

3.4.1. Biological Disasters

What is Biological Disaster?

Biological disasters are scenarios involving disease, disability or death on a large scale among humans, animals and plants due to toxins or disease caused by live organisms or their products.

Types of Biological Disasters

- **Natural:** An epidemic affects a disproportionately large number of individuals. It is an epidemic that is spread across a continent or worldwide.
- **Man-Made:** Biological Warfare and Bioterrorism are man-made biological disasters.

Such disasters may be natural in the form of epidemics or pandemics or man-made by the intentional use of disease causing agents in Biological Warfare (BW) operations or incidents of Bioterrorism (BT).

Causes of Epidemics

- Poor sanitary conditions leading to contamination of food and water or
- due to inadequate disposal of human or animal carcasses in post disaster situations
- They become real dangers during floods and earthquakes.
- Poor solid waste management may create epidemics like plague.

Incidence of plague is quite uncommon now but it can still occur claiming many human lives and disrupting normal life as it did in Surat in 1994.

Major sources of Epidemics in India

In India, the major sources of epidemics can be broadly categorized as follows:

- **Water-borne diseases** like cholera (and forms of gastroenteritis), typhoid, Hepatitis A, Hepatitis B etc. - major epidemics of such diseases have been recorded in the past and continue to occur;
- **Vector-borne** (often mosquito-borne) epidemics like dengue fever, chikungunya fever, Japanese encephalitis, malaria, kala-azar etc., which usually occur in certain regions of the country;
- **Person to person transmission of diseases** e.g. AIDS and other venereal diseases; and
- **Air-borne diseases** like influenza and measles that can also be transmitted through fomites (used clothes etc.).

In addition to the above, there are certain types of emerging infectious diseases such as epidemic of Severe Acute Respiratory Syndrome (SARS), which had occurred in China or the

recent outbreak of avian flu in poultry in certain parts of the country and which has the potential of being transmitted to human beings. Epidemics due to the Dengue virus have occurred in many metropolitan cities of India and outbreak of various other types of viral diseases is also a recurring phenomenon.

Trends Favours Biological Disaster

- Low cost and wide spread availability
- More efficient in terms of coverage per kilogram of payload
- Advances in biotechnology has made production easy
- Used agents are largely natural pathogens to simulate existing diseases
- Have unmatched destructive potential
- Lethal biological agents can be produced easily and cheaply
- The lag time between infection and appearance of symptoms are longer than with chemical exposure.

Consequences of Biological Disaster

- It can result into heavy mortalities in the short term leading to a depletion of population with a corresponding drop in economic activity
- It leads to diversion of substantial resources of an economy to contain the disaster.
- Bio weapons of mass destruction

Prevention and Mitigation Measures

- The general population should be educated and made aware of the threats and risks associated with it.
- Only cooked food and boiled/chlorinated/filtered water should be consumed.
- Insects and rodent control measures must be initiated immediately.
- Clinical isolation of suspected and confirmed cases is essential.
- A network of laboratories should be established for proper laboratory diagnosis.
- Existing diseases surveillance system as well as vector control measures have to be pursued more rigorously.
- Mass immunization programs in suspected areas have to be followed more rigorously.
- More focus should be given on the research of the vaccines which are not available.

Nodal Agencies for dealing with Biological Disasters in India

- The nodal agency for handling epidemics – Ministry of Health and Family Welfare. It is the chief decision-making, advisory body.
- As Health is a State Subject under Schedule VII of the Indian Constitution, the primary responsibility of dealing with biological disasters is with the State Governments.
- The nodal agency for investigating outbreaks – National Institute of Communicable Diseases (NICD)
- Nodal ministry for Biological Warfare – Ministry of Home Affairs (Biological warfare is the use of biological agents as an act of war)

Steps Required for Biological Disaster Management in India

- **Legal framework** - The Epidemic Diseases Act was enacted in 1897 and needs to be repealed. This Act does not provide any power to the centre to intervene in biological emergencies. It has to be substituted by an Act which takes care of the prevailing and foreseeable public health needs including emergencies such as BT attacks and use of biological weapons by an adversary, cross-border issues, and international spread of diseases
- **Operational framework** - At the national level, there is no policy on biological disasters. The existing contingency plan of MoH&FW is about 10 years old and needs extensive

revision. All components related to public health, namely apex institutions, field epidemiology, surveillance, teaching, training, research, etc., need to be strengthened.

- **Command, control and coordination** - One of the lessons learned during the plague outbreak in Surat in 1994 and avian influenza in 2006 is the need to strengthen coordination with other sectors like animal health, home department, communication, media, etc., on a continuous basis for the management of outbreaks of this nature
- **Augmentation in human resource** - There is a shortage of medical and paramedical staff at the district and sub-district levels. There is also an acute shortage of public health specialists, epidemiologists, clinical microbiologists and virologists. There have been limited efforts in the past to establish teaching/training institutions for these purposes.
- **Basic infrastructural setup** – Biosafety laboratories for prompt diagnosis, network of sub centres, PHCs and CHCs, dispensaries with stockpile of essential vaccines and medicines need to be expanded to handle epidemic.

COVID-19 was the first pan India biological disaster being handled by the legal and constitutional institutions of the country. The lockdown had been imposed under the Disaster Management Act, 2005 (DM Act) for the first time. The National Disaster Management Authority (NDMA) directed the ministries and departments of Government of India and State Governments along with State Disaster Management Authorities to take measures for "ensuring social distancing so as to prevent the spread of COVID-19 in the country. Though the Constitution of India is silent on the subject 'disaster', the legal basis of the DM Act, is Entry 23, Concurrent List of the Constitution "Social security and social insurance". Entry 29, Concurrent List "Prevention of the extension from one State to another of infectious or contagious diseases or pests affecting men, animals or plants," can also be used for specific law making.

(Details on the challenges presented by COVID-19 and the issues thereunder can be accessed under the Vision IAS Resources tab on the website.)

3.4.2. Industrial Chemical Disasters

What are Industrial Chemical Disasters?

Industrial hazards are threats to people and life-support systems that arise from the mass production of goods and services. Increased industrial activities and the risks associated with hazardous chemicals and enhanced vulnerability lead to industrial and chemical accidents. When these threats exceed human coping capabilities or the absorptive capacities of environmental systems they give rise to industrial disasters.

Sources and Initiators of Industrial Disasters

Industrial hazards can occur at any stage in the production process, including extraction, processing, manufacture, transportation, storage, use, and disposal. Chemical disasters in general may result from Fire, Explosion, Toxic release, Poisoning and various such combinations. Factors that may spark off chemical accidents may be categorized as follows:

1. **Process and System Failures:** Design defects, fatigue, corrosion may cause technical failure in the equipment. Human errors may include neglecting safety instructions or deviating from specified procedures. Lack of information or organizational errors such as poor emergency planning or coordination, non-compliance with mock drills are also initiators of chemical disasters.
2. **Natural Calamities:** Natural calamities may trigger chemical reactions. Release of acrylonitrile during 2001 earthquake in Kandla and damage to phosphoric acid sludge containment during 1999 Odisha cyclones are some such examples.
3. **Sabotage or Terrorist Attack:** Vulnerability to chemical disasters is further compounded by likely terrorist and warfare activities.

- The regulatory framework on chemical safety can be traced to the **Factories Act, 1948** and chemical class-specific regulations like the Explosives Act, 1884; the Insecticide Act, 1968; and The Petroleum Act, 1934. Later, an umbrella Act, **the Environment (Protection) Act, 1986**, was enacted, which also deals with chemical management and safety.
- The **Ministry of Labour and Employment** along with its technical organ - the **Directorate General Factory Advice Service and Labour Institutes (DGFASLI)** - amended the Factories Act, 1948 **notifying activities as hazardous processes**. Various Central and state ministries are responsible for the enforcement of these guidelines.
- In the aftermath of the Bhopal disaster, the environment ministry came up with the **Manufacture, Storage and Import of Hazardous Substances Rules, 1989**. In addition, the **Hazardous Wastes (Management, Handling and Trans boundary Movement) Rules, 2008**, provide for means of safe storage and disposal of "hazardous waste" (which is listed in its schedules) with the help of central and state pollution control boards.
- The **Chemical Accidents (Emergency Planning, Preparedness, and Response) Rules, 1996**, seek to address gas leaks and similar events. These rules define both "chemical accident" and a "major chemical accident". They set up a **Central Crisis Committee with the secretary of the environment ministry as chairman** "to deal with major chemical accidents and to provide expert guidance for handling major chemical accidents". It has **provisions for state-, district- and even local-level crisis groups**. The central crisis group is required to constantly monitor post-accident situations, conduct analyses of these accidents and suggest preventive steps to avoid recurrence.
- **The Public Liability Insurance Act, 1991** provides for immediate and interim relief to disaster victims till their claims of compensation are finally decided. The National Green Tribunal (NGT) was set up by an Act of Parliament in 2010 for this purpose. The Act also provides for the **"principle of no fault liability", which means that the company can be held liable even if it had done everything in its power to prevent the accident**. The compensation that is ordered to be paid by the NGT is credited to the **Environmental Relief Fund scheme, 2008**, established under Public Liability Insurance Act, 1991.

Industrial Disaster Risk in India

There are about 1861 Major Accident Hazard (MAH) units, spread across 301 districts and 25 states & 3 Union Territories, in all zones of country. Besides, there are thousands of registered and hazardous factories (below MAH criteria) and un-organized sectors dealing with numerous range of hazardous material posing serious and complex levels of disaster risks. With rapid industrialization, the threat of industrial disasters has increased.

Industrial Disaster Prevention and Mitigation Strategies

- **Design and Pre-modification review:** this involves proper layout, facilities and material selection. Research should be done try to substitute extremely toxic chemicals with safer ones. Less chemicals should be stored; a reduction in inventory will automatically mean less damage if an accident is to occur.
- **Chemical Risk Assessment:** Chemicals are assessed based on compatibility, flammability, toxicity, explosion hazards and storage.
- **Process Safety Management:** reliability assessment of process equipment, incorporating safety trips and interlocks, scrubbing system, etc. should be done before effecting major process changes. Management should try to develop a culture of safety in industrial organizations
- **Safety Audits:** Periodical assessment of safety procedures and practices, performance of safety systems and gadgets along with follow up measures should be carried out.
- **Emergency Planning:** A comprehensive risk analysis indicating the impact of consequences and specific written down and practiced emergency procedures along with suitable

facilities should be done. This can be done by communities as well as national or regional corporation authorities

- **Training:** Proper training of employees and protective services should be done.
- Special times and escorts for dangerous vehicles
- **Public Cooperation on the road:** the public should cooperate with the police and any tankers and heavy duty vehicles to avoid accidents and allow for the shortest possible on road time for dangerous vehicles.
- **Public awareness:** Everyone should be aware of potential disasters and informed of protective and safety measures. Cautions must be placed to stand out on dangerous household and car care products.
- **Proper storage of hazardous Materials:** All chemicals and hazardous materials should be kept at proper storage temperature and in locked cupboards away from children and animals. Also, if reactive substances are stored, it should be stored in a watertight container.
- Proper and safe disposal of hazardous waste to be ensured as per existing regulations.
- Transition towards the use of safer alternatives and adoption of safer, affordable and sustainable technologies and processes.
- Strict implementation of land use policy should be there. A legislation on the buffer zone (or to be referred as 'no man's' zone) should be introduced so that residential/ slum colonies are not established in proximity to industries. The already settled residential colonies need to be relocated.
- A scheme for giving good performance awards to industries for achieving exemplary safety standards and statutory compliance shall be developed and implemented.

Existing Challenges

- In spite of the existence of a large number of laws, their enforcement has left much to be desired.
- There is a lack of understanding and research towards devising a sustainable solution to the issue of industrial disasters.
- No adequate separation of parameters, awareness and preparedness for such disasters. Absence of national regulations on occupational safety and health and medical emergency management.
- Harmonization of classification and definitions in existing regulations including petroleum and petroleum products.
- Absence of regulations on storage and transportation of cryogenics. Lack of legislation on risk assessment requirements and classification, labeling and packaging for industrial chemicals.
- Non-availability of statutes for grant of compensation to chemical accident victims. Harmonisation and incorporation of international laws in chemical management.

3.4.3. Nuclear Disasters

What is a Nuclear Hazard?

Risk or danger to human health or the environment exposed by the radiation emanating from the atomic nuclei is called as nuclear hazard.

Sources of Nuclear Hazard


- **Natural Resources:** Cosmic rays from the outer space, emissions from the radioactive materials from the earth's crust.
- **Man-Made Sources:** Nuclear power plants, X-Rays, nuclear bombs, nuclear accidents, nuclear weapons, mining and processing of radioactive ores.

Nuclear emergencies can also arise due to factors beyond the control of the operating agencies; e.g., human error, system failure, sabotage, earthquake, cyclone, flood, etc.

Nuclear Hazard risk in India

India has traditionally been vulnerable to natural disasters on account of its unique geo climatic conditions.

India has a flourishing and largely indigenous nuclear power programme. It aims to supply 25% of electricity from nuclear power by 2050. Nuclear and Radiological Emergency can arise in a nuclear facility at plant level leading to plant/ site or offsite emergency depending upon the extent of its impact on the surroundings.



Nuclear Hazard Mitigation Strategies

- There are four ways in which people are protected from identified radiation sources:
 - ✓ **Limiting time:** In occupational situations, dose is reduced by limiting exposure time.
 - ✓ **Distance:** The intensity of radiation decreases with distance from its source.
 - ✓ **Shielding:** Barriers of lead, concrete or water give good protection from high levels of penetrating radiation such as gamma rays. Intensely radioactive materials are therefore often stored or handled under water, or by remote control in rooms constructed of thick concrete or lined with lead.
 - ✓ **Containment:** Highly radioactive materials are confined and kept out of the workplace and environment. Nuclear reactors operate within closed systems with multiple barriers which keep the radioactive materials contained.

Institutional and Legislative Framework in India

- The Atomic Energy Act, 1962 is the main Nuclear Legislation in India.** With increased emphasis on power generation through nuclear technology, the threat of nuclear hazards has also increased.
- The **Department of Atomic Energy (DAE)** has been identified as the nodal agency in the country in respect of manmade radiological emergencies in the public domain. A Crisis Management Group (CMG) chaired by the Additional Secretary, DAE has been set up. In the event of any nuclear/radiological emergency in the public domain, CMG is immediately

activated and it coordinates with the local authority in the affected area and all the concerning authorities at the centre (NCMC/ NEC/NDMA) to ensure that the necessary technical inputs are available to respond to the nuclear/radiological emergency.

- The **Atomic Energy Regulatory Board** is the nuclear regulatory authority in India which, as per the legal framework of Atomic Energy Act, 1962, has the mandate for issuance of licenses to nuclear and radiation facilities upon ensuring compliance with the applicable standards and codes.
 - It develops safety policies in nuclear, radiological and industrial safety areas.
 - It grants consent for siting, constructing, commissioning and decommissioning after appropriate safety review and assessment, for the nuclear and radiological facilities.
 - It develops safety codes, guides and standards for siting, designing, construction, commissioning, operation and decommissioning of different types of nuclear and radiological facilities.
 - It reviews the emergency preparedness plans for nuclear and radiological facilities and transportation of large radioactive sources, irradiated fuel and fissile material.
 - It takes such steps as necessary to keep the public informed of major issues of radiological safety significance.
 - It reviews the training programs, qualifications and licensing policies for personnel of nuclear and radiological facilities.

3.5. Evolution of Global Framework on Disaster Management

As an increasing number of people are being affected by natural hazards, there is growing recognition by governments and organizations that building resilient communities and reducing disaster risk is a core initiative. The United Nations International Strategy for Disaster Reduction was established to support and coordinate this movement. Over the decades, disaster risk reduction has moved from a narrowly perceived technical discipline, to a broad-based global movement focused on sustainable development.

During 1960s the General Assembly requested the member states to inform the secretary-general of the type of emergency assistance they are in a position to offer to the disaster struck state. In 1972, the United Nations Disaster Relief Office was set up and a Disaster Relief Coordinator was appointed.

1990-1999 was announced as the **International Decade for Natural Disaster Reduction**. The General Assembly convened in 1994 the **World Conference on Natural Disaster Reduction in Yokohama, Japan**. A Yokohama Strategy and its Plan of Action was adopted at the conference.

The World Conference on Disaster Risk Reduction is a series of United Nations conferences focusing on disaster and climate risk management in the context of sustainable development. The World Conference has been convened three times, with each edition to date having been hosted by Japan: in Yokohama in 1994, in Kobe in 2005 and in Sendai in 2015.

Yokohama Strategy for a Safer World: Guidelines for Natural Disaster Prevention, Preparedness and Mitigation and its Plan of Action were the main outcome of the mid-term review of the International Decade of Natural Disaster Reduction (IDNDR) and established 10 principles for its strategy.

The ten principles of the Yokohama Strategy for a Safer World have been outlined in the adjoining box.

YOKOHAMA STRATEGY FOR A SAFER WORLD

1. Risk assessment is a required step for the adoption of adequate and successful disaster reduction policies and measures.
2. Disaster prevention and preparedness are of primary importance in reducing the need for disaster relief.
3. Disaster prevention and preparedness should be considered integral aspects of development policy and planning at national, regional, bilateral, multilateral and international levels.
4. The development and strengthening of capacities to prevent, reduce and mitigate disasters is a top priority area to be addressed during the Decade so as to provide a strong basis for follow-up activities to the Decade.
5. Early warnings of impending disasters and their effective dissemination using telecommunications, including broadcast services, are key factors to successful disaster prevention and preparedness.
6. Preventive measures are most effective when they involve participation at all levels, from the local community through the national government to the regional and international level.
7. Vulnerability can be reduced by the application of proper design and patterns of development focused on target groups, by appropriate education and training of the whole community.
8. The international community accepts the need to share the necessary technology to prevent, reduce and mitigate disaster; this should be made freely available and in a timely manner as an integral part of technical cooperation.
9. Environmental protection as a component of sustainable development consistent with poverty alleviation is imperative in the prevention and mitigation of natural disasters.
10. Each country bears the primary responsibility for protecting its people, infrastructure, and other national assets from the impact of natural disasters. The international community should demonstrate strong political determination required to mobilize adequate and make efficient use of existing resources, including financial, scientific and technological means, in the field of natural disaster reduction, bearing in mind the needs of the developing countries, particularly the least developed countries.

The Second World Conference on Disaster Reduction conference was held in Kobe, Japan in 2005. The World Conference adopted plans to put in place an International Early Warning Programme (IEWP). **The Hyogo Framework for Action (2005–2015): Building the Resilience of Nations and Communities to Disasters** was an outcome of the 2005 conference. The Hyogo Framework (HFA) was the first plan to explain, describe and detail the work required from all different sectors and actors to reduce disaster losses. The HFA, which ran from 2005 to 2015, set five specific priorities for action:

1. Making disaster risk reduction a priority;
2. Improving risk information and early warning;
3. Building a culture of safety and resilience;
4. Reducing the risks in key sectors;
5. Strengthening preparedness for response.

The Third UN United Nations World Conference on Disaster Risk Reduction was held in Sendai, Japan in 2015. The conference adopted the **Sendai Framework for Disaster Risk Reduction 2015–2030**. The Sendai Framework is the first major agreement of the post-2015 development agenda, with seven targets and four priorities for action. It is the successor agreement to the Hyogo Framework for Action (2005–2015). The Sendai Framework sets four specific priorities for action.

- Understanding disaster risk;
- Strengthening disaster risk governance to manage disaster risk;
- Investing in disaster risk reduction for resilience;

- Enhancing disaster preparedness for effective response, and to "Building Back Better" in recovery, rehabilitation and reconstruction.

To support the assessment of global progress in achieving the outcome and goal of the Sendai Framework, seven global targets have been agreed which are depicted in the adjoining figure.

Seven Global Targets in the Sendai Framework for Disaster Risk Reduction	
(a)	Substantially reduce global disaster mortality by 2030, aiming to lower the average per 100,000 global mortality rate in the decade 2020-2030 compared to the period 2005-2015;
(b)	Substantially reduce the number of affected people globally by 2030, aiming to lower the average global figure per 100,000 in the decade 2020-2030 compared to the period 2005-2015;
(c)	Reduce direct disaster economic loss in relation to global gross domestic product (GDP) by 2030;
(d)	Substantially reduce disaster damage to critical infrastructure and disruption of basic services, among them health and educational facilities, including through developing their resilience by 2030;
(e)	Substantially increase the number of countries with national and local disaster risk reduction strategies by 2020;
(f)	Substantially enhance international cooperation to developing countries through adequate and sustainable support to complement their national actions for implementation of this Framework by 2030;
(g)	Substantially increase the availability of and access to multi-hazard early warning systems and disaster risk information and assessments to the people by 2030.

UPSC Question 2018: Describe various measures taken in India for Disaster Risk Reduction (DRR) before and after signing 'Sendai Framework for DRR (2015-2030)'. How is this framework different from 'Hyogo Framework for Action, 2005'? (250 Words, 15 Marks)

3.6. International Cooperation on Disaster Management

India plays an active role in global initiatives on disaster management. India is one of the participating countries and works closely with the United Nations International Strategy for Disaster Reduction (UNISDR) and is a signatory to the Sendai Framework for Disaster Risk Reduction. India has signed bilateral/ multilateral agreements with the several countries for cooperation in the field of disaster management. Some of them include **SAARC Agreement on Rapid Response to Natural Disasters**, Agreement between India and Russia on cooperation in the field of Emergency Management, Joint Declaration of Intent (JDI) between India and Germany on cooperation in the field of Disaster Management etc.

Government of India has partnership with various International Agencies in the field of Disaster Management such as United Nations Office for Disaster Risk Reduction (UNISDR), The World Conference on Disaster Risk Reduction (WCDRR), Global Platform for Disaster Risk Reduction (GPDRR), Asian

Ministerial Conference for Disaster Risk Reduction (AMCDRR), United Nations Office for the Coordination of Humanitarian Affairs (UNOCHA), United Nations Disaster Assessment and

Various International Meetings/Exercises hosted by India

- The South Asian Annual Disaster Management Exercise (**SAADMex**) from 23-26 November 2015, in New Delhi.
- The SAARC Disaster Management Centre was inaugurated at the Gujarat Institute of Disaster Management (GIDM) in 2017.
- The Meeting of BRICS Ministers for Disaster Management, 2016 in Udaipur, Rajasthan.
- Government of India, in collaboration with the United Nations International Strategy for Disaster Reduction (UNISDR), hosted the Asian Ministerial Conference on Disaster Risk Reduction (AMCDRR) 2016 in New Delhi.
- India hosted the first Annual Disaster Management Exercise for 'Bay of Bengal Initiative for Multi-Sectoral Technical and Economic Cooperation' (**BIMSTEC countries (BIMSTEC DMEx-2017)**) in 2017.
- National Disaster Management Authority (NDMA) in collaboration with United Nations Office for Disaster Risk Reduction (UNISDR), organized first of its kind **International Workshop on Disaster Resilient Infrastructure (IWDRI)** in January, 2018.
- Ministry of Home Affairs, Government of India, organized the first India-Japan Workshop on Disaster Risk Reduction in March, 2018.
- The Government of India hosted the Shanghai Cooperation Organization (SCO) Joint Exercise on Urban Earthquake Search and Rescue (**SCOJtEX**)-2019 in New Delhi in 2019.

Coordination (UNDAC), International Search and Rescue Advisory Group (INSARAG), Global Facility for Disaster Reduction and Recovery (GFDRR), SAARC Disaster Management Centre - Interim Unit (SDMC-IU), Asian Disaster Reduction Center (ADRC), Asian Disaster Preparedness Centre (ADPC) and ASEAN Regional Forum (ARF) etc.

GLOBAL PLATFORM FOR DISASTER RISK REDUCTION (GPDRR)

The Global Platform is the most important international forum dedicated to the disaster risk reduction agenda. The summit reviews global progress in the implementation of Sendai Framework for Disaster Risk Reduction (SFDRR) 2015-2030. Its core function is to enable governments, NGOs, scientists, practitioners, and UN organizations to share experience and formulate strategic guidance for the implementation of global disaster risk reduction agreements.

COALITION FOR DISASTER RESILIENT INFRASTRUCTURE

India announced the creation of a Coalition for Disaster Resilient Infrastructure (CDRI) after the Asian Ministerial Conference on Disaster Risk Reduction (2016), held in New Delhi. The coalition will work towards developing common standards in infrastructure building, financial and compliance mechanisms and invest in R&D that will also determine funding from multilateral banks onwards future investments by countries.

Preliminarily, four broad thematic areas have been identified for the work of the coalition. These include:

1. **Disaster Risk Assessment:** It would require good, time-series data on past hazards patterns (e.g. wind speeds, high flood levels) and capability to analyse this data to generate probabilistic risk assessments that can guide investment in disaster resilient infrastructure.
2. **Standards of design & implementation:** The national frameworks for design and construction standards must reflect the evolving understanding of natural hazards as well as advancements in engineering technologies.
3. **Financing new infrastructure and mechanisms for covering risks:** Disaster Risk Financing strategy could include budget reserve funds as well as disaster risk transfer instruments like catastrophic bonds.
4. **Reconstruction and recovery of infrastructure after disasters:** The "Build Back Better" principle must be followed not only for the structural design of the infrastructure but also in terms of management systems around it.

Disaster resilient Infrastructure: Infrastructure that can stand any huge damage from any kind of natural disaster is known as Disaster Resilient Infrastructure. It encompasses structural and non-structural measures:

- **Structural Measures** involve adjusting engineering designs and standards to reflect disaster risk such as flood control systems, protective embankments, seawall rehabilitation, and retrofitting of buildings.
- **Non-structural measures** refer to risk-sensitive planning, enabling institutional frameworks, hazard mapping, ecosystem-based management, and disaster risk financing.

SUVA EXPERT DIALOGUE ON LOSS AND DAMAGE

It is an expert dialogue decided at COP23 in Bonn due to demands of developing nations for a **separate agenda item on loss and damage**.

The **dialogue aims** for facilitating the mobilization and securing of expertise, and enhancement of support, including finance, technology and capacity-building, for addressing loss and damage associated with the adverse effects of climate change.

Warsaw International Mechanism on Loss and Damage

It was established in COP 19 under UNFCCC in 2013. It deals with Climate Change Impacts (Loss and Damage Mechanism), including extreme events and slow onset events, in vulnerable developing countries through-

- Enhancing knowledge and understanding of comprehensive risk management approaches to address L&D;
- Strengthening dialogue, coordination, coherence and synergies among relevant stakeholders;
- Enhancing action and support, including finance, technology and capacity-building.

It is also anchored in the Article 8 of the 2015 Paris agreement which emphasizes the “importance of averting, minimizing and addressing loss and damage associated with the adverse effects of climate change”.

3.7. Miscellaneous

Climate Change and Disaster Displacement

On an average 13.9 million people each year are displaced due to natural disaster with eight of the top ten most disaster prone countries being in South and South-east Asia. In this regard, investments in disaster risk reduction and climate resilience as part of overall sustainable development planning will reduce the scale of future displacement associated with disasters. Some of the issues involved with respect to such displacement are:

- **Humanitarian crisis:** The displaced often experience discrimination in the provision of assistance, as there are limited resources to share.
- **Gender violence:** Sexual abuse and rape of women is unfortunately common among women displaced by both natural disasters and conflict.
- **Breeding ground for extremism:** Displaced people are often more susceptible to recruitment by terrorist organizations.
- **Spatial variation:** Natural disasters in poorer countries have higher casualties than disasters of similar magnitude in wealthier countries.
- **Non recognition:** Those displaced due to disasters are not considered to be refugees under international law, leaving them without any basic rights of rehabilitation and compensation.

Role of community in disaster management

Disaster management can be effective only if the communities participate in it. As a community is the repository of knowledge and skills which have evolved traditionally, these needs to be integrated in the management strategy. Community is the first line of responders, thus, it is necessary to educate the community and impart skills and assign specific roles regarding disaster management to ensure a coordinated response while disaster. This can be achieved by:

- **Undertaking location specific training programmes for the community: Cascading approach** should be used to impart training as the number of people to be imparted skills is very large. Thus this responsibility can be entrusted at the local level, say, to the village panchayats.
- **Disaster management education** needs to be **integrated within the formal and informal systems of education**.
- The leaders and **personnel in critical sectors** should be given disaster management training as well.
- A **proper safety plan** including all pre-disaster planning to reduce risk should be made to enhance community preparedness.

Student Notes:

- The entire process of **damage assessment** and **distribution of the relief packages** can be conducted very smoothly with the active involvement of local community leaders and SHGs.

Community also plays an important role in recovery process including the **socio-psychological rehabilitation** of the victims of the disaster. During the recent past, it has been experienced that the capacity building of the community has been very helpful even in situations when isolated instances of drowning, burns etc. take place. With the creation of awareness generation on disaster mitigation and carrying out mock drills from time to time under the close supervision of Disaster Management Committees the community will be able to function as a well-knit unit in case of any emergency.

Role of media and social media in disaster management

The role of the media is very important. The media can influence the government to prioritize Disaster Risk Issues. For example, it may expose excessive and inefficient expenditure on disaster preparedness in a particular region. During the onslaught of the disaster, Continuous and factual coverage, particularly by local media, can assist the authorities, voluntary organizations and volunteers in reaching the affected with assistance and relief.

However, the media may exaggerate some elements of the disaster and create unnecessary panic. Biased coverage for the purposes of sensationalism by choosing to capture only small incidents of horrific devastations leads to misreporting.

Social media is different from conventional media in that it allows for one-to-one, one-to-many and many-to-many communications. It enables communication to take place in real time or asynchronously over time. It is also device indifferent and can take place via a computer, tablets and smartphones which are relatively mobile and easy to carry around. It also allows participants to create or comment on social media networks.

During disasters all the conventional communications generally stop functioning at the time while social media or networking services stay active

During the devastating Hudhud cyclone that struck Visakhapatnam, PWD officials created a WhatsApp group that acted as the main tool of communication for sharing information. No meetings and discussions were organised at the district level as the WhatsApp group helped identify and access required resources.

Online social networking services and social media like Facebook, Twitter, Google+, Etc. try to solve many problems during natural disasters by establishing link with closed ones. Concerns such as the threat of technology failure, hackers, stalkers, viruses will have to be addressed in the development of emergency online networks. Also, the spread of rumours can be quick leading to spread of panic. Therefore, social media cannot and should not supersede current approaches to disaster management communication or replace existing infrastructure, but if managed strategically, they can be used to bolster current systems.

4. UPSC Previous Years' Questions Years

1. Vulnerability is an essential element for defining disaster impacts and its threat to people. How and in what ways can vulnerability to disasters be characterized? Discuss different types of vulnerability with reference to disasters. (2019)
2. Disaster preparedness is the first step in any disaster management process. Explain how hazard zonation mapping will help disaster mitigation in the case of landslides. (2019)
3. Describe various measures taken in India for Disaster Risk Reduction (DRR) before and after signing 'Sendai Framework for DRR (2015-2030)'. How is this framework different from 'Hyogo Framework for Action, 2005'? (2018)
4. In December 2004, a tsunami brought havoc on 14 countries including India. Discuss the factors responsible for the occurrence of Tsunami and its effects on life and economy. In the

light of guidelines of NDMA (2010) describe the mechanisms for preparedness to reduce the risk during such events. (2017)

5. With reference to the National Disaster Management Authority (NDMA) guidelines, discuss the measures to be adopted to mitigate the impact of recent incidents of cloudbursts in many places of Uttarakhand. (2016)
6. The frequency of earthquakes appears to have increased in the Indian subcontinent. However, India's preparedness for mitigating their impact has significant gaps. Discuss various aspects. (2015)
7. In 2012, the longitudinal marking of the high-risk areas for piracy was moved from 65° East to 78° east in the Arabian Sea by the International Maritime organisation. What impact does this have on India's maritime security concerns? (2014)
8. Drought has been recognized as a disaster in view of its party expense, temporal duration, slow onset and lasting effect on various vulnerable sections. With a focus on the September 2010 guidelines from the National disaster management authority, discuss the mechanism for preparedness to deal with the El Nino and La Nina fallouts in India. (2014)
9. How important is vulnerability and risk assessment for pre-disaster management? As an administrator, what are key areas that you would focus on in a Disaster Management System? (2013)

5. Vision IAS Previous Years' Questions

1. *India's first National Disaster Management Plan may fulfill the legal requirement of having a plan but it may not be very effective in achieving its objective of building resilience. Critically analyse.*

Approach:

- Outline the salient provisions of the NDMP.
- Critically assess the plan and its effectiveness in addressing needs arising out of disasters.
- Suggest way forward.

Answer:

The NDMA, 2005 required to have disaster management plans at the district, state and the National levels. Each ministry is also required to prepare separate plans in accordance with the National level plan. The first National Disaster Management Plan (NDMP) has been introduced by the government to make the country disaster resilient and ensure minimization of loss of lives and assets during disasters. It has been aligned with the objectives set by the Sendai Framework for Disaster Risk Reduction. It closes a critical gap in our disaster management system- while most states and districts have prepared their plans; the national plan that was supposed to guide this process at the sub-national level was missing.

Salient features of the plan:

- It gives a **comprehensive definition** of disaster. It covers 15 natural and man-made disasters, giving responsibility to different ministries for different disasters. For e.g., Tsunamis and Cyclones under M o Earth Sciences.
- **Planning** for short (5), medium (10), and long (15 years) terms to deal with disasters.
- **Integrated approach with clarity:** Provisions for vertical and horizontal integration among government agencies have been stated, including the roles of Urban Local Bodies, Panchayats and district agencies to ensure that response during disasters is initiated at the regional level.

- It is designed in a way that it can be implemented in a scalable manner during all phases of DM.
- Community participation and building of resilience has been recognised.
- It also states ethical guidelines for the media for coverage of disasters and self-regulation to respect the dignity and privacy of the affected people.
- It is a dynamic document, which will be periodically improved keeping up with emerging global practices.

However, the plan may fall short of its stated objective of building resilience.

- Unlike the Sendai framework, it does not set targets and goals and there is no framework for monitoring and evaluation of the plan.
- A generic roadmap has been adopted for disaster management, but, division of work among tiers of government has not been specifically stated. It can lead to overlap of jurisdiction during disasters. Similarly, inter-ministerial coordination should be specified.
- Source and means of mobilization of funds have not been stated. Further, there is no avenue for pre-estimation of expenditure. Both need to be appraised for proper planning.
- Additionally, the plan does not focus on specific problems faced by women, children, elderly, disabled people etc., vulnerable groups worst hit by disasters.
- A properly demarcated time frame should be provided for undertaking the stated activities instead of a vague prescription of short, medium and long-term basis.
- While it is a step forward in tackling multifarious disasters, the drawbacks need to be addressed for coordinated response of authorities and fewer casualties during disasters.

Many of the issues mentioned above should be tackled at the state and district level. However, due to paucity of resources at these levels, the responsibility falls on the central government. Therefore, it would be better to incorporate a framework or to give guidelines to states regarding issues such as sources of funds (like CSR), care for special needs of different sections, a long term plan for providing alternative livelihoods, etc. Also, clearly mentioning the goals would help evaluation of term plans.

2. *A better prepared community is key to effective disaster risk reduction. Citing specific examples, examine the importance of the role of local government and community in dealing with disasters.*

Approach:

- Briefly discuss the importance of local government and community in the disaster management.
- Bring out specifically role of community and local government in the disaster risk reduction.
- Cite examples wherever to elaborate.

Answer:

Every hazard is unique in terms of local socio-environment factors that control it, social response it generates and the way each social group deals with it. The way a community responds to a hazard is one of the key determinants whether it will turn to a disaster or not. Being the closest institution of the state to the people, local governments have a greater responsibility to take all possible efforts in order to prepare for a disaster or to respond to it.

Its efforts clubbed with local knowledge about resources, facilities and support systems and capacity possessed by **local community** are crucial in disaster management.

Student Notes:

Role of the local community and local bodies

Pre-Disaster Phase:

- **Mapping of Resources and Facilities.** Identifying temporary locations for keeping evacuated persons, storage of food, drinking water, medicines, etc., availability of necessary equipment and its status like tractors, trolleys etc., list of professionals like doctors, nurses, electricians, plumbers, etc., and, list of emergency items to be procured.
- **Vulnerability Mapping** of locality and update vulnerability profile of area at regular intervals.
- **Evacuation Plan** with priority for children, women, sick, aged and differently abled.
- **Directory** of blood donors and youth volunteers, with contact address and ensure their status at regular intervals.
- **Disaster Management Cell (DMC)** at local level. Each member of DMC assigned with specific responsibilities.
- **Capacity building** of different stakeholders at regular intervals. In Ahmednagar, in Maharashtra in several talukas, training programme conducted in May 2006 for Panchayati Raj Members, helped them to understand nuances of disaster management especially, flood management. Importance of coordination, two-way communication, pre-flood planning, identification of safe shelters, usage of local resources, toll free district control room number, etc. This came to great use in saving lives during floods later that year.
- **Awareness** about risks through folk programmes, displays at community gatherings, slides in cinemas etc. For e.g. auto rickshaws are being used in Maharashtra as carriers for disaster awareness messages.

Disaster Phase:

- **24 x 7 emergency control rooms.**
- Collect field data from nodal persons, verify the information, collate them and communicate the same to Block and District administration.
- All communications, incoming and out-going, channelized through a single point at DMC.
- Convene an **emergency meeting** of functionaries of all political, non-political and community based organisations.
- **Community kitchen** at an appropriate place for ensuring food to all those affected.
- Co-ordinate efforts and activities of government institutions, NGOs, private sector and community based organisations.

In the coastal villages of Nallavadu and Veerampattinam in the Union Territory of Pondicherry, a Public Address System (PAS) installed in their 'Rural Knowledge Centres' saved thousands of lives when the tsunami struck on 26th December, 2004.

Post-Disaster Phase:

- **Provision of basic needs** like drinking water, food, clothes, utensils, etc.
- Construction of **temporary shelters** and **sanitary facilities** at suitable sites.
- Regular visits by Health workers to all parts of the locality.
- **Restoring livelihood assets** like roads and infrastructure in locality.
- Co-ordinate activities of government departments, NGOs and community based organisations for providing livelihood support for affected families.
- Provide **psycho-social care** to needy, to enable them to get over traumatic period.
- Restoring education and other basic services to citizens.

NDMP, 2016 especially emphasises on building community resilience and capacity building of local government to effectively deal with disaster.

Student Notes:

3. ***Discuss how drought is more of a man-made disaster than a mere deficiency of rainfall. Elaborate on the consequences of desertification that drought prone regions face. Also, bring out the preventive steps to be taken in light of targets to curb desertification as mentioned under the SDGs.***

Approach:

- For the first part, talk about how drought is a broader concept than just deficiency of rainfall. Use different types of droughts for supporting your point. However, do not base the answer on them.
- Highlight the consequences of desertification that drought prone regions face.
- For the last part, first mention the SDGs concerned with combating desertification. Then talk about the preventive steps needed.

Answer:

Any lack of water to satisfy the normal needs of agriculture, livestock, industry or human population may be termed as a drought. This condition can occur due to many reasons - deficient rainfall (less than expected), prolonged monsoon break, delay in onset or early withdrawal of monsoon, lack of irrigation facilities, improper water management leading to deficiency in availability of water etc. Therefore, it is the effectiveness of rainfall and not the amount of rainfall (which deficiency in rainfall is primarily concerned with) that is important here.

Here, it is important to note that drought occurs due to interplay between a natural event and various human factors. In practice, drought is defined in a number of ways that reflect various perspectives and interests. For instance, we have agricultural drought which focuses on impact on crop yield. What could be a drought condition for cultivating rice could be a condition of excess soil moisture for dry crops like bajra or jowar. This is the reason why India Meteorological Department (IMD) has decided to replace the word "drought" to describe poor rainfall with "deficient year" and "large deficient year".

Consequences of desertification in drought prone regions

- By impoverishing the natural potential of ecosystems, desertification also reduces agricultural yields and makes them less predictable. It therefore has a bearing on the food security of people living in affected areas.
- In order to attend to their most urgent needs, the people develop a survival strategy which, in turn, aggravates desertification and impedes development. This strategy is often accompanied by a breakdown in solidarity within the community leading to migration and suffering.
- Desertification also influences the carbon exchange mechanism. The large amount of carbon stored in the vegetation in the dry zones decreases when the vegetation is depleted or disappears. This has powerful effect on the carbon cycle and boosts the greenhouse effect as a result of the release of carbon.
- Lastly, desertification directly reduces the fresh water reserves. It has a direct impact on river flow and the level of ground water tables. The reduction of river flow rates and the lowering of ground water levels leads to the silting up of estuaries, the encroachment of salt water into water tables, and the pollution of water by suspended particles and salinization.

SDG 15 aims to “protect, restore and promote sustainable use of terrestrial ecosystems, sustainably manage forests, combat desertification, and halt and reverse land degradation and halt biodiversity loss”.

In India, nearly 30% of the country’s total geographical area is undergoing degradation as per ISRO ‘Desertification and Land Degradation Atlas’. The steps needed to curb desertification include –

- Integrating land and water management to protect soils from erosion, salinization and other forms of degradation. This requires watershed management at the local level.
- Protecting the vegetative cover can be a major instrument for soil conservation against wind and water erosion. Afforestation, improving the quality of present vegetative cover is, therefore, important.
- Focussing on activities that are less demanding on local land and natural resources, and yet provides sustainable income. This includes activities like dryland agriculture, tourism etc.
- Giving local communities the capacity to prevent desertification and to manage dryland resources effectively. This also includes awareness raising and strengthening local self-governance institutions.

4. *In view of the seriousness of heat waves and its consequences, greater attention is required for dealing with it as a natural disaster. Analyse in the context of recent developments and the actions taken by relevant government bodies.*

Approach:

- Give a brief description of Heat Waves.
- Examine the seriousness of heat waves and bring out the facts about its impact.
- Highlight the recent actions taken for prevention and management of heat waves.

Answer:

A heat wave is a period of abnormally high temperatures, more than the normal maximum temperature that occurs during the summer season. India is witnessing increased instances of heat waves, which are more intense in nature and are lasting longer with each passing year.

It is turning out to be particularly deadly with very serious consequences such as:

- 4,620 recorded deaths due to severe weather condition in the last four years.
- In 2015, the number of deaths recorded due to heat waves was higher than deaths caused by any other disaster.
- By 2030, productivity losses worth US \$450 billion may be incurred due to extreme temperatures in India.
- Crop failure, which impacts the food security.

These losses may increase further due to the interaction of heat waves with other climate extremities. According to a research from MIT, if adequate steps are not taken to control emissions level, heat waves in South Asia could be too deadly to survive by 2100.

In this background, NDMA came up with a set of guidelines for Preparation of Action Plan to manage heat waves in 2016, **outlining four key strategies:**

- Forecasting heat waves and enabling an early warning system.

- Building capacity of healthcare professionals to deal with heat wave related emergencies.
- Community outreach through various media to alert populations most at risk of heat-related illness.
- Inter-agency cooperation as well as engagement with other civil society organizations in the region.

Last year, the effective implementation of Heat Action Plans by some of the worst affected States brought down the number of heat wave-induced deaths in the country by about 50%. Local governments have also slowly started to recognise the need for preparedness. Other measures taken by various government agencies include:

- **Better warning:** IMD has started providing 15-20 day temperature forecasts every five days for improved preparedness since last year.
- **Awareness campaigns** to sensitise communities to take measures to reduce the impact of heat waves.
- **Fine-tuning Action Plans** to cater to localized needs and solutions such as cities like Ahmedabad, Nagpur and Bhubaneswar have prepared their action plans.
- **Sharing best practices:** NDMA recently conducted a workshop where states shared experiences and best practices to help other States prepare their Heat Action Plans.

However, there are various challenges faced by states while preparing or implementing action plans such as:

- Last-mile connectivity to the public to increase awareness and mobilise action.
- Unavailability of reliable and systematic health data.
- Not using Heat Index while issuing warnings of heat waves, which is the international standard used to estimate the impact of heat on the human body.

Heat waves are India's largest avoidable natural disaster. Some states like Gujarat, which are among the most vulnerable, have been able to largely mitigate the impact of heat waves with better preparedness and timely intervention.

Thus, various steps need to be taken including National Health Repository, developing Indian version of the Heat Index, implementing green building guidelines that ensure better ventilation and lower natural temperatures inside buildings, increasing access to cooling spaces like public buildings, minimising water and electricity supply cuts during heat waves, promotion of traditional adaptation practices, such as staying indoors and wearing comfortable clothes etc.

5. ***Provide an appraisal of the vulnerability of the agriculture sector to natural disasters. What can be done to strengthen the resilience of the sector in order to reduce the impact of such disasters?***

Approach:

- Analyze the vulnerability of agriculture sector to various natural disasters.
- Discuss the ways in which the resilience of agricultural sector to these disasters can be strengthened.

Answer:

Small-scale farmers, herders, fishers and forest-dependent communities which generate more than half of global agricultural production are particularly at risk from disasters such as tsunamis, hurricanes, cyclones, floods and droughts that destroy or damage harvests, equipment, supplies, livestock, seeds, crops and stored food.

A study by UN's Food and Agriculture Organization (FAO) shows that globally a quarter of the damage suffered because of natural disasters is borne by the agriculture sector in developing countries.

Vulnerability of agriculture sector is evident from the following observations:

- Disasters like heavy torrential rainfall and flood contribute to increased soil erosion, declining rangeland quality, salinization of soils, deforestation and biodiversity loss.
- Frequent frost bites in hilly regions as well as states like U.P. and Maharashtra also lead to considerable agricultural damage.
- 22% of all damage inflicted by natural hazards such as drought, floods, storms or tsunamis occurs in the agriculture sector.
- In developing countries, 83 percent of crop and livestock production losses occurred after floods and droughts.
- Fisheries & forestry cumulatively account for around 8% of the economic impact of losses caused due to disasters.
- Rural and semi-rural agricultural communities lack insurance and financial resources needed to regain lost livelihood.
- Any kind of disaster impacts agricultural trade flows.
- Wider impact of disasters on agro industries, national economies and livelihoods.
- Damage and losses to the agriculture sector accumulate as a result of recurring disasters constraining agricultural growth and development.
- Drought annually affects millions of hectares of agricultural land in India. It depletes pastures and water, especially in the arid and semi-arid land areas, resulting in the deterioration of livestock body condition and reduced immunity.

Strengthening resilience

Different disasters require different responses. Floods cause more than half of the damage to crops, livestock are disproportionately affected by droughts, Fisheries by tsunamis & storms etc. Hence, understanding the impact of different types of disasters is crucial to ensure that the most appropriate policies and practices are implemented.

- Improving information systems on disaster impact for the agriculture sector to address the significant data gaps at the global, regional, national levels.
- Making agriculture disaster risk reduction a priority for government and private sector investment in agriculture.
- Implementation and monitoring of the three main international agendas which recognize resilience as fundamental to their achievement:
 - Sustainable Development Goals (SDGs), specifically Goal 2;
 - Sendai Framework for Disaster Risk Reduction 2015–2030;
 - Universal Climate Change Agreement
- Implementation of innovative risk management tools, such as weather risk insurance schemes for agriculture and rural livelihoods.

National governments and the international community should come together to prevent and mitigate the significant impact of disasters on agriculture by implementing the National Mission on Sustainable Agriculture. Further, the crops should be grown according to the local climate to increase the resilience of the agricultural sector.

6. Explain with examples, how the changing land use pattern has increased the risks of hazards turning into disasters.

Student Notes:

Approach:

- Describe hazards and its potential to turn into a disaster.
- Describe and write about the changing land use pattern.
- Discuss the impact of changing land use pattern on the hazards.
- Conclude with suggestions.

Answer:

Hazards are natural phenomenon and they occur at regular interval. When they are uncontrollable, they turn into disasters. Recent, scientific inventions like improved hazard monitoring, early warning system etc. have helped in mitigating adverse impacts of hazards but land use changes have turned hazards into disasters.

Land use pattern has undergone transformation due to impact of urbanization and population explosion. Economic development has resulted in divergence of agricultural and forest land to industrial and infrastructural activities. These changes in land use pattern have brought associated ecological changes also.

Major population agglomerations are located in hazard-prone areas—along coasts or on floodplains etc. which increases the exposure of urban populations and physical assets to flooding, storm surges, land movement, tsunami etc.

In recent times several disasters attributed to land use have occurred:

- In coastal areas, mangroves are natural barriers against strong wind and storm surge. However, cutting of mangroves on eastern coast for aquaculture has increased the exposure to severe landfalling cyclones.
- In Mumbai, replacement of rich mangrove ecosystems with hazardous construction led to 2005 floods.
- Chennai floods of 2015 and floods in Bengaluru and Hyderabad have also shown that a haphazard land use change without appropriate attention to ever disappearing drainage system has become a major contributor to disasters.
- Unplanned development pattern and uncontrolled urban sprawl without appropriate escape routes turn minor incidents into disaster. E.g. Frequent fires in slums and urban areas of Mumbai.
- Major floods in Uttarakhand in 2014 and Kashmir were result of unregulated building practices and unplanned development encroaching the river bed.

Thus, National Disaster Management Plan, 2016 needs to be earnestly implemented for significant outcomes as it calls for vulnerability analysis along with remedial measures.

7. With rapid industrialization, the threat of industrial disasters has increased. Explain the meaning of industrial disaster with adequate examples. Also, highlight the legal and institutional framework to reduce the risk during such events.

Approach:

- First of all, briefly define the concept of industrial disaster along with some examples of major incidents regarding the same.
- Then highlight the existing legal and institutional framework in place to mitigate the risk during such incidents.

Answer:**Student Notes:**

Industrial disaster is a type of disaster originating from technological or industrial accidents, dangerous procedures, infrastructural failure or certain human activities that results in loss of life or injury, damage to property, or environmental degradation.

One of the worst examples globally, was the Methyl Iso-cyanate gas leak in 1984 from the Union Carbide factory in Bhopal which has so far claimed more than 20,000 lives and injured several lakh persons besides stunting the growth of a generation born from affected population.

With rapid industrialization, the cases of industrial disaster have been increasing steadily. From 2003-2013, 130 significant chemical accidents were reported in India, resulting in 259 deaths and 563 number of serious injuries. Chlorine gas leak in Jamshedpur (2008), mining collapses and most recently, the blast at NTPC Rae Bareilly are some examples of industrial disasters in India.

Legal Framework:

In the pre-Bhopal Gas tragedy era, industrial safety was governed by legislations like the Factories Act, 1948 and the Explosives Act, 1884. However, after Bhopal tragedy, India has taken huge leap forward in terms of setting up of legal and institutional framework to reduce the risk:

- Factories Act 1948 was amended to extend the scope of risk to cover general public in the vicinity of the factory.
- Environment Protection Act, 1986, was enacted enlisting the provisions for management of hazardous waste.
- Public Liability Insurance Act in 1991 provides for immediate and interim relief to disaster victims.
- National Environment Tribunal was set up in 1995 for effective and expeditious disposal of cases arising out of any accident occurring while handling any hazardous substance and to give relief and compensation for damages to persons, property and the environment because of such accidents.
- Chemical Accidents Rules 1996, Hazardous Wastes Rules, 2008 etc. are also aimed at mitigating the effects.
- Disaster Management Act, 2005, for effective management of natural and man-made disasters and for incidental matters is the most recent systemic reform. Setting up of National Green Tribunal under the NGT Act 2010, Civil Liability for Nuclear Damage Act, 2010 etc. further embolden the risk-related legal framework.

Institutional Framework:

A number of regulations covering safety in transportation, insurance, liability and compensations provide for institutional framework. It involves various central/state ministries/departments for enacting and supervising regulations e.g. MHA, MoEF, MoLE, MoRT&H, MoH&FW among others. The ministries are responsible for enacting respective regulations and are assisted by their state entities to monitor compliance of the same. For instance, The MoLE is responsible for enacting regulations and enforcing these through its state entities; the Inspectorate of Factories/Directorate of Industrial Safety and Health (DISH) monitors compliance of the same. The state governments through their respective departments are responsible for management of certain responsibilities.

National Disaster Management Authority, National Executive Committee, State Disaster Management Authority, District Disaster Management Authority, National Disaster

Response Force and National Institute of Disaster Management have been created under the Disaster Management Act to reduce disaster risk at all its stages.

Thus, India has the necessary legal and institutional mechanism to mitigate effects of Industrial disasters, but robust enforcement of the same is required.

Student Notes:

8. What are the priorities for action identified under the Sendai Framework for Disaster Risk Reduction? Elaborate how India's National Plan for Disaster Management has tried to integrate Sendai Framework.

Approach:

- Give a brief overview of the Sendai Framework for Disaster Risk Reduction and state its priority action areas.
- State how India's National Plan for Disaster Management has tried to integrate the Sendai Framework.
- Mention the weaknesses of NDMP in this regard.

Answer:

The Sendai Framework for Disaster Risk Reduction (2015-2030) is a 15-year, voluntary, non-binding agreement, which recognizes that the State has a primary role in reducing disaster risk. However, the responsibility should be shared with other stakeholders including local government, private sector etc.

The four priority action areas identified under the framework include:

- Understanding disaster risk.
- Strengthening disaster risk governance to manage disaster risk.
- Investing in disaster reduction for resilience.
- Enhancing disaster preparedness for effective response and to "Build Back Better" in recovery, rehabilitation and reconstruction.

India's National Disaster Management Plan (NDMP) has been aligned broadly with the goals and priorities set out in the Sendai Framework for Disaster Risk Reduction. **Some aspects of the NDMP are:**

- For each hazard, the NDMP incorporates four priorities enunciated in the Sendai Framework under five thematic action areas including:
 - Understanding risk
 - Inter-agency coordination
 - Investing in disaster risk reduction (DRR) – structural measures
 - Investing in DRR – non-structural measures
 - Capacity development
- The response part of the plan identifies eighteen broad activities arranged into a matrix to be served as a ready reckoner and includes measures such as early warning, maps, satellite inputs, evacuation and search and rescue of people and animals, medical care etc.
- It covers all phases of disaster management: prevention, mitigation, response and recovery.
- It provides for horizontal and vertical integration of all agencies and departments of the government at various levels.
- It emphasizes on the need for dissemination of disaster-related information to communities.

However, the NDMP also has some shortcomings that need to be addressed. **These include:**

- It does not set any goals or targets, or spell out how the Sendai goals and targets shall be achieved.
- It fails to lay down a clear and practical roadmap as it is too generic in its identification of the activities to be undertaken by the government agencies.
- It refrains from providing a time frame for undertaking action beyond vaguely prescribing that these must be taken up in short, medium, mid- and long-term basis.
- It does not project the requirement of funds or provide sources for mobilization of funds.
- It does not provide any framework for monitoring and evaluation of the plan.
- It fails to address the needs of vulnerable groups, which could lead to millions of women, children, disabled and elderly people, lower caste and tribal communities being put at further risk.

9. Identify and explain the importance of key elements of action in disaster management cycle during the post-disaster phase.

Approach:

- Give a brief introduction of the post-disaster phase.
- List the elements of actions during the post-disaster phase.
- State the importance of each action listed step by step.

Answer:

Post-disaster phase includes response to a disaster with a purpose to achieve early recovery and rehabilitation of affected communities, immediately after a disaster strikes. These are called as response and recovery activities.

The key elements of action in the post disaster phase of the disaster management cycle includes:



- **Response and Relief:** It is the earliest action and immediate intervention to be taken in the post-disaster phase. It includes search and rescue, ensuring security of people, providing food and water, shelter and sanitation, clothes-medical and trauma center care.

Importance:

- This response is the foremost attempt to control the situations after disaster hits, to ensure the situation does not worsen further.
- It ensures that the survivors are kept alive, healthy and safe.
- It prevents the epidemics from spreading post disasters.
- It prepares the ground for further rehabilitation of people, their animals and their property.
- **Rehabilitation:** This includes the restoration of basic services and functions after the response to the disaster.

Importance:

- After the security of people has been ensured, this process ensures that their lives return back to normal.
- It prepares the ground for further reconstruction and resorting back to the development that was either hampered or pushed back due to disaster.
- **Reconstruction:** It means full resumption of services, along with reinstatement of the preventive measures in order to stay prepared for the disasters in future.

Importance:

- The process brings back the affected area back on the path of development.
- It facilitates creation of sustainable livelihood.
- Provides people with enlarged livelihood options and improved land, water and resources.
- Normalization of economics and trade of the region.
- Prepares community for future disaster resistance.

Natural disasters can hit any region and any community but the amount of damage it causes is totally based on the amount of preparedness and resilience of that community. After the disaster hits, it is important for that community to stand back again to normalcy and develop resilience for future disasters. It is not possible to move on without post-disaster phase of management.

Copyright © by Vision IAS

All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission of Vision IAS.

Heartiest Congratulations to all successful candidates

► **7 IN TOP 10 SELECTIONS IN CSE 2019**

FROM VARIOUS PROGRAMS OF **VISION IAS**



► **9 IN TOP 10 SELECTION IN CSE 2018**



8468022022

WWW.VISIONIAS.IN



DELHI | JAIPUR | PUNE | AHMEDABAD | HYDERABAD | CHANDIGARH | LUCKNOW