Shelf UX Screen Architecture (Stage 1)

Oct 6, 2026 · @Amal Sarath

1. Product UX summary

Shelf is an operations tool, not an analytics product: its users come in to fix listings, not to admire charts. A retailer's catalogue manager uploads the latest ERP and marketplace files, sees what is out of sync across Talabat, Snoonu, Rafeeq and Keeta, and downloads ready-to-upload files that fix it. The UI is designed around that loop and the time it takes.

The core loop the whole UI serves:

1. **Upload** ERP and marketplace files (auto-detected after the first mapping).
2. **Review** the upload summary and confirm.
3. **See** stock and price mismatches per marketplace.
4. **Download** the corrected file for each marketplace and upload it to that marketplace portal.

Around the loop sit three supporting jobs: keeping the **catalogue** clean (new products, flags, Arabic names, categories), setting **markups**, and **configuring** templates once. Platform staff run a separate admin app.

Design implications:

- **Dense, scannable tables** beat cards. The main objects are product rows (5k to 50k per tenant).
- **Status is the main visual signal**: mismatch, not listed, in sync, processing. Colour is used for status only.
- **Confidence before action**: every file that changes marketplace prices goes through a preview and confirmation.
- **Bilingual data, English UI**: Arabic product names render right-to-left inside an English layout.
- **Desktop first** (1440 x 900). Mobile supports checking status and downloads, not mapping files.

Scope note: the sitemap covers Phase 1 only. Marketplace API connections, orders and checkout are not designed here; the navigation leaves room for them (Section 4).

2. User roles

Seven roles: four inside a retailer tenant and three platform roles. They match the role matrix in the architecture review; no new roles are added.

User role	Purpose	Primary goals	Main modules	Permission level
Tenant Owner	Retailer business owner or GM who signed up	Set up Shelf, control who has access, see that listings are healthy, manage plan and data	All tenant modules, Settings, Data and privacy, Support access	Full tenant control, incl. delete tenant and approve support access. MFA mandatory
Tenant Admin	Operations or e-commerce manager	Run the team and configuration, cover the daily loop when needed	All tenant modules, Settings (except billing and tenant deletion)	Manage users (not Owner), templates, settings
Catalogue Manager	Daily operator (often 1 to 3 per retailer)	Upload files, fix mismatches, list new products, set markups, download marketplace files	Dashboard, Uploads, Reports, Catalogue, New products, Markups, Category mapping, Templates	Create and edit operational data; no user or tenant settings
Analyst (read-only)	Owner's finance or category staff, auditors	See mismatch status, reports and history; export reports if allowed	Dashboard, Reports, Catalogue (view only)	Read-only; export configurable by Owner
Platform Super Admin	Client's or Globify's operator of the SaaS	Manage tenants, plans, admin users, marketplace category trees	Admin app	Full platform control; two-person rule for tenant deletion
Platform Support	Support agent	Help tenants with mapping problems and errors	Admin app: tenants (metadata), support grants	Tenant data only with an approved, time-boxed support grant
Platform Billing Admin	Finance	Plans and invoices	Admin app: plans, tenant plan	Billing data only

Not roles: an **invited user** before accepting the invite, and an **anonymous visitor** on sign-up screens. Both appear in journeys and auth screens only.

3. User journeys

Eight journeys cover every role; J2 (the daily sync) is the one to optimise hardest, because it repeats every day. Screen IDs refer to the inventory in Section 5.

ID	Journey	Role	Entry point	Steps (screens)	Decision points	Exit point	Error scenarios
J1	First-time setup	Tenant Owner	Marketing site "Start free" or sales invite link	AUTH-001 Sign up, AUTH-002 Check email, AUTH-003 Verified, ONB-001 Company, ONB-002 Marketplaces, ONB-003 ERP file + MAP-001 mapping, ONB-004 Catalogue loaded, ONB-005 Marketplace files, ONB-006 Output templates, ONB-007 Done, DASH-001	Skip a marketplace now? Map now or ask Shelf support for help?	DASH-001 with first mismatch counts	Verification link expired; file rejected (unsafe, too large); unknown layout needs mapping; more than 20% rows invalid
J2	Daily stock and price sync	Catalogue Manager	Login, AUTH-004, lands on DASH-001	DASH-001 upload ERP file (UPL-001), UPL-002 progress and summary, confirm; repeat for each marketplace file; DASH-001 tiles update; RPT-001 stock report; OUT-001 generate availability file per marketplace; download	Confirm summary or cancel? Generate files for all or one marketplace?	Files downloaded, then uploaded to marketplace portals outside Shelf	File not recognised (goes to MAP-001); marketplace data stale (banner); upload fails while applying (resumable)
J3	Price correction	Catalogue Manager	DASH-001 price tile or nav Reports	RPT-002 price report, RPT-004 row detail, PRC-001 adjust markup if the markup is wrong, OUT-001 generate price file (mismatches only) with confirmation, OUT-002 download	Is the marketplace wrong or the markup wrong?	Price file downloaded	Large price change warning; markup outside guardrails rejected

ID	Journey	Role	Entry point	Steps (screens)	Decision points	Exit point	Error scenarios
J4	List new products	Catalogue Manager	Notification "18 new products from ERP" or DASH-001 banner	CAT-004 New products, edit Arabic name, category, image inline, PRC-002 bulk markup, SET-008 category mapping if missing, activate, OUT-001 new product file per marketplace	Activate now or keep as candidate?	New product file downloaded	Missing category mapping blocks a marketplace; missing image excludes the row with reason
J5	Team and security admin	Tenant Owner or Admin	Settings	SET-009 Team, SET-010 Invite, role change, SET-012 Security (require MFA), ACT-001 Activity	Which role to grant? Require MFA for all?	Member invited, policy saved	Admin tries to grant Owner (blocked); re-auth needed for security changes
J6	Monitoring and reporting	Analyst	Login, DASH-001	DASH-001, RPT-001, RPT-002, export report	Export allowed?	Report viewed or exported	Export disabled by Owner (permission state)
J7	Support a tenant	Platform Support	Admin app login ADM-001	ADM-002 Tenants, ADM-003 Tenant detail, ADM-004 request support grant, wait for Owner approval (SET-015 on tenant side), view tenant uploads in read-only mode	Is data access needed or is metadata enough?	Issue resolved, grant expires or is revoked	Owner rejects grant; grant expires mid-session
J8	Run the platform	Platform Super Admin	ADM-001	ADM-002, ADM-003 suspend or change plan, ADM-005 category trees, ADM-007 admin users, ADM-008 platform audit	Suspend tenant?	Change saved and audited	Two-person approval required for tenant deletion

Returning-user detail for J2: after login the dashboard shows when each source was last uploaded (for example "Talabat: yesterday 18:40") so the manager knows which files to refresh without thinking.

4. Information architecture and sitemap

Six primary destinations in a left sidebar, ordered by the daily loop: Dashboard, Uploads, Reports, Catalogue, Pricing, Settings. Anything used weekly or less lives in Settings or the user menu.

Navigation layers

Layer	Contents	Pattern
Primary	Dashboard, Uploads, Reports, Catalogue, Pricing, Settings	Left sidebar, 240 px, collapsible to 64 px icons. Badges: Uploads (count needing action), Catalogue (new products count)
Secondary	Reports: Stock, Price, Generated files. Catalogue: All products, New products, Data quality. Settings: grouped list (see sitemap)	Tabs under the page header for 2 to 4 siblings; a settings sub-nav column for Settings
Utility (top bar)	Global search (products by name, barcode, SKU), "Upload file" button, Notifications bell, Help menu, Store switcher (hidden until multi-branch), Tenant switcher (only for users in 2+ tenants), User menu (profile, security, sessions, log out)	Top bar, 56 px
Contextual	Row actions (view, edit, activate), row drill-down drawer, page-level actions (Generate file, Download report), bulk action bar on selection	Kebab menu per row; right-side drawer 480 px for detail; sticky bulk bar at bottom

Future-proofing: "Marketplaces" (API connections) and "Orders" will slot in as primary items between Reports and Catalogue in Phase 2 without reordering anything else.

Sitemap (tenant app)

```
Auth (outside the app shell)
  Sign up / Check email / Email verified / Log in / MFA / Forgot / Reset /
Accept invite / Choose tenant

Onboarding (full-screen stepper)
  Company > Marketplaces > ERP catalogue > Catalogue loaded > Marketplace
files > Output templates > Done

App shell
  Dashboard ............................ DASH-001
  Uploads
    Upload history ..................... UPL-003
    Upload detail (progress, summary) .. UPL-002
      Row errors ....................... UPL-004 (drawer)
      Column mapping ................... MAP-001
  Reports
    Stock discrepancies ................ RPT-001
```

```
    Price discrepancies ..... RPT-002
      Product discrepancy detail ..... RPT-004 (drawer)
    Generated files ..... OUT-002
    Recon run history ..... RPT-003
  Catalogue
    All products ..... CAT-001
      Product detail ..... CAT-002
      Edit product ..... CAT-003 (drawer)
    New products ..... CAT-004
    Data quality ..... CAT-005
      Match marketplace row ..... CAT-006 (dialog)
  Pricing
    Markups ..... PRC-001
      Bulk markup upload ..... PRC-002 (dialog)
  Settings
    Business
      General and rules ..... SET-001
      Stores ..... SET-002
      Marketplaces ..... SET-003
    Files and templates
      Input templates ..... SET-004
        Template detail and versions ... SET-005
      Output templates ..... SET-006
    Catalogue
      Catalogue columns ..... SET-007
      Category mapping ..... SET-008
    Team and security
      Members ..... SET-009
        Invite member ..... SET-010 (dialog)
      Roles and permissions ..... SET-011
      Security policy ..... SET-012
      Support access ..... SET-015
    Notifications ..... SET-013
    Data and privacy ..... SET-014
    Plan and billing ..... SET-016
    Activity log ..... ACT-001
  User menu
    Profile ..... ACC-001
    Password and MFA ..... ACC-002
      Set up authenticator ..... ACC-003 (dialog)
    Active sessions ..... ACC-004
  Notifications panel ..... NOT-001 (popover)
  Help ..... HLP-001

System: 404, 403, 500, Maintenance, Session expired, Tenant suspended (SYS-
001 to SYS-006)
```

Sitemap (platform admin app, separate domain)

```
Admin login + MFA ..... ADM-001
Tenants ..... ADM-002
  Tenant detail ..... ADM-003
  Request support access ..... ADM-004 (dialog)
Marketplace catalogue trees ..... ADM-005
Template library ..... ADM-006
Admin users ..... ADM-007
Platform audit log ..... ADM-008
Plans and limits ..... ADM-009
Platform health ..... ADM-010
```

5. Screen inventory

76 screens: 64 full pages and 12 dialogs, drawers or popovers. IDs are permanent: a removed screen keeps its ID retired, and a new screen takes the next free number in its module. Overlays are marked (dialog), (drawer) or (popover) and inherit the page they open from.

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
AUTH-001	Sign up	Auth	Visitor	Create account and tenant	Marketing site, "Create account" link	Create account	P0
AUTH-002	Check your email	Auth	New owner	Tell user to verify; resend	After sign up; login with unverified email	Resend email	P0
AUTH-003	Email verified	Auth	New owner	Confirm verification, continue to onboarding	Email link	Continue	P0
AUTH-004	Log in	Auth	All tenant users	Sign in	App URL, session expired	Log in	P0
AUTH-005	Two-step verification	Auth	Users with MFA	Enter TOTP or recovery code	After password	Verify	P0
AUTH-006	Forgot password	Auth	All	Request reset link	Login link	Send link	P0
AUTH-007	Reset password	Auth	All	Set new password	Email link	Save password	P0

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
AUTH-008	Accept invitation	Auth	Invited user	Join tenant, set name and password	Invite email	Join	P0
AUTH-009	Choose business	Auth	Users in 2+ tenants	Pick tenant after login	After login	Open business	P1
AUTH-010	Confirm it's you (dialog)	Auth	All	Re-authenticate before sensitive action	Sensitive actions	Confirm	P0
ONB-001	Business details	Onboarding	Owner	Company name, country, currency, first store	After verification	Continue	P0
ONB-002	Choose marketplaces	Onboarding	Owner	Select Talabat, Snoonu, Rafeeq, Keeta	ONB-001	Continue	P0
ONB-003	Upload ERP catalogue	Onboarding	Owner	First ERP file upload and mapping	ONB-002	Upload and map	P0
ONB-004	Catalogue loaded	Onboarding	Owner	Show products created, rows rejected	ONB-003 after apply	Continue	P0
ONB-005	Map marketplace files	Onboarding	Owner	Upload one sample per marketplace and map	ONB-004	Continue	P0
ONB-006	Output templates	Onboarding	Owner	Upload each marketplace's upload template	ONB-005	Continue or skip	P1
ONB-007	You're set up	Onboarding	Owner	Checklist summary, invite team, go to dashboard	ONB-006	Go to dashboard	P0
DASH-001	Dashboard: stock and price check	Dashboard	All tenant roles	Upload per source, mismatch tiles, freshness	Login, nav	Upload file	P0

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
UPL-001	Upload file (dialog)	Uploads	Owner, Admin, Catalogue Mgr	Choose source, Full or Partial, file	Top bar button, dashboard source cards	Upload	P0
UPL-002	Upload detail	Uploads	Owner, Admin, Catalogue Mgr	Progress, validation summary, confirm	After UPL-001, history row, notification	Confirm and apply	P0
UPL-003	Upload history	Uploads	All tenant roles	All uploads with status and results	Nav	Upload file	P1
UPL-004	Row errors (drawer)	Uploads	Owner, Admin, Catalogue Mgr	See rejected rows and reasons	UPL-002	Download errors	P0
MAP-001	Column mapping	Uploads	Owner, Admin, Catalogue Mgr	Map an Excel layout to Shelf fields	UPL-002 needs mapping, ONB-003, ONB-005, SET-005	Save template	P0
RPT-001	Stock discrepancies	Reports	All tenant roles	Availability per product per marketplace	Dashboard stock tiles, nav	Generate availability file	P0
RPT-002	Price discrepancies	Reports	All tenant roles	ERP vs expected vs actual price	Dashboard price tiles, nav	Generate price file	P0
RPT-003	Recon run history	Reports	All tenant roles	Past runs and their counts	Reports tab	Open run	P2
RPT-004	Product discrepancy (drawer)	Reports	All tenant roles	One product across ERP and marketplaces	Report row	Edit markup / open product	P1
OUT-001	Generate marketplace file (dialog)	Reports	Owner, Admin, Catalogue Mgr	Choose marketplaces and file kind, preview, confirm	RPT-001, RPT-002, CAT-004	Generate	P0
OUT-002	Generated files	Reports	Roles with export	Download files generated in last 30 days	Nav tab, notification	Download	P0
CAT-001	All products	Catalogue	All tenant roles	Browse, search, filter the catalogue	Nav, global search	Upload ERP file	P0

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
CAT-002	Product detail	Catalogue	All tenant roles	ERP data, listings, markups, history, flags	CAT-001 row, search, RPT-004	Edit product	P1
CAT-003	Edit product (drawer)	Catalogue	Owner, Admin, Catalogue Mgr	Edit Arabic name, category, image, status	CAT-002, CAT-001 row action	Save	P1
CAT-004	New products	Catalogue	Owner, Admin, Catalogue Mgr	Complete and activate products new from ERP	Nav badge, notification, dashboard banner	Activate selected	P0
CAT-005	Data quality	Catalogue	Owner, Admin, Catalogue Mgr	Missing from ERP, name changed, unmatched marketplace rows	Nav tab, dashboard banner	Resolve	P1
CAT-006	Match marketplace row (dialog)	Catalogue	Owner, Admin, Catalogue Mgr	Link an unmatched marketplace row to a product	CAT-005	Link product	P1
PRC-001	Markups	Pricing	Owner, Admin, Catalogue Mgr	Markup per product per marketplace	Nav, RPT-004	Bulk upload markups	P1
PRC-002	Bulk markup upload (dialog)	Pricing	Owner, Admin, Catalogue Mgr	Upload markups file, see per-row results	PRC-001, CAT-004	Apply valid rows	P1
SET-001	General and rules	Settings	Owner, Admin	Business profile, stock threshold, price tolerance, stale-data window	Settings	Save	P0
SET-002	Stores	Settings	Owner, Admin	Manage branches	Settings	Add store	P2
SET-003	Marketplaces	Settings	Owner, Admin	Enable or disable marketplaces	Settings	Save	P1
SET-004	Input templates	Settings	Owner, Admin, Catalogue Mgr	Templates per source	Settings	Add template	P1

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
SET-005	Template detail	Settings	Owner, Admin, Catalogue Mgr	Fields, versions, uploads using it	SET-004	Edit mapping (new version)	P1
SET-006	Output templates	Settings	Owner, Admin, Catalogue Mgr	Marketplace upload formats	Settings, ONB-006, OUT-001 missing template	Upload template	P0
SET-007	Catalogue columns	Settings	Owner, Admin	Show or hide columns	Settings, CAT-001 column menu	Save	P2
SET-008	Category mapping	Settings	Owner, Admin, Catalogue Mgr	Map tenant categories to each marketplace tree; AI suggestions	Settings, CAT-004 missing mapping	Accept suggestions	P1
SET-009	Members	Settings	Owner, Admin	Team list, roles, status	Settings	Invite member	P0
SET-010	Invite member (dialog)	Settings	Owner, Admin	Email and role	SET-009, ONB-007	Send invite	P0
SET-011	Roles and permissions	Settings	Owner, Admin	Read-only permission matrix per role	SET-009	none (reference)	P2
SET-012	Security policy	Settings	Owner	Require MFA, session length, export permission for Analysts	Settings	Save	P1
SET-013	Notifications	Settings	All tenant roles	Email preferences per event	Settings, user menu	Save	P2
SET-014	Data and privacy	Settings	Owner	Export all data, retention, delete business	Settings	Export data	P1
SET-015	Support access	Settings	Owner	Approve or revoke platform support grants	Settings, email alert	Approve	P1

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
SET-016	Plan and billing	Settings	Owner	Plan, limits usage, invoices	Settings	Contact sales / change plan	P2
ACT-001	Activity log	Settings	Owner, Admin	Tenant audit events	Settings, product history link	Export log	P1
ACC-001	Profile	Account	All	Name, phone, email	User menu	Save	P1
ACC-002	Password and two-step verification	Account	All	Change password, MFA, recovery codes	User menu, forced MFA prompt	Set up authenticator	P0
ACC-003	Set up authenticator (dialog)	Account	All	QR code, confirm code, recovery codes	ACC-002, forced enrolment	Confirm	P0
ACC-004	Active sessions	Account	All	Devices, revoke	User menu, new-device email	Log out other sessions	P1
NOT-001	Notifications (popover)	System	All	Upload finished or failed, new products, invites, support requests	Bell	Open item	P1
HLP-001	Help	System	All	Guides, contact support, keyboard shortcuts	Help menu	Contact support	P2
SYS-001	Page not found (404)	System	All	Unknown or foreign-tenant URL	Any	Go to dashboard	P0
SYS-002	No access (403)	System	All	Lacking permission on a page	Any	Go back	P0
SYS-003	Something went wrong (500)	System	All	Server error with request ID	Any	Retry	P0
SYS-004	Maintenance	System	All	Planned downtime	Any	none	P2
SYS-005	Session expired	System	All	Idle or absolute timeout	Any	Log in again	P0

Screen ID	Screen name	Module	User role	Purpose	Entry point	Primary action	Priority
SYS-006	Business suspended	System	Tenant users	Tenant suspended by platform	Login	Contact support	P1
ADM-001	Admin login and MFA	Admin	Platform roles	Sign in to admin app	Admin URL	Log in	P1
ADM-002	Tenants	Admin	Platform roles	Search and list tenants	Admin nav	Open tenant	P1
ADM-003	Tenant detail	Admin	Platform roles	Metadata, plan, usage, status, support grants	ADM-002	Suspend / change plan	P1
ADM-004	Request support access (dialog)	Admin	Platform Support	Ask owner for time-boxed access	ADM-003	Send request	P1
ADM-005	Marketplace category trees	Admin	Super Admin	Import and version category trees	Admin nav	Import tree	P1
ADM-006	Template library	Admin	Super Admin	Shared starter templates for common ERPs and marketplaces	Admin nav	Add template	P2
ADM-007	Admin users	Admin	Super Admin	Manage platform staff and roles	Admin nav	Add admin	P1
ADM-008	Platform audit log	Admin	Super Admin	All admin and security events	Admin nav	Export	P1
ADM-009	Plans and limits	Admin	Super Admin, Billing	Define plans and limits	Admin nav	Save plan	P2
ADM-010	Platform health	Admin	Super Admin	Queue depth, failed uploads, error rates	Admin nav	Open failing item	P2

6. Screen states

States are designed inside the screen, not as extra screens. Each one below must exist in the generated designs for that screen. Y = required, - = not applicable.

State matrix

Screen	Loading	Empty	Error	Success	Partial data	No access	No results	Filtered	Bulk select	Confirm	Unsaved	Offline	Processing	Faile
DASH-001 Dashboard	Y	Y (no uploads yet)	Y	Y (upload done toast)	Y (ERP only, no marketplace files)	-	-	-	-	-	-	Y	Y (file processing)	Y (la uplo faile
UPL-002 Upload detail	Y	-	Y	Y (applied)	Y (some rows rejected)	Y	-	-	-	Y (confirm apply)	-	Y	Y (step progress)	Y (reje ed, faile
UPL-003 Upload history	Y	Y	Y	-	-	-	Y	Y	-	-	-	Y	Y (row status)	Y (r stat
MAP-001 Column mapping	Y	-	Y	Y (template saved)	Y (some fields unmapped)	Y	-	-	-	-	Y	Y	-	-
RPT-001 Stock report	Y	Y (all in sync)	Y	-	Y (some marketplaces missing data)	-	Y	Y	Y	-	-	Y	Y (recon running)	Y (rec faile
RPT-002 Price report	Y	Y (all in sync)	Y	-	Y	-	Y	Y	Y	-	-	Y	Y	Y
OUT-001 Generate file	Y	Y (nothing to fix)	Y	Y (file ready)	Y (some rows excluded)	Y	-	-	-	Y (price change preview)	-	Y	Y (generating)	Y
CAT-001 All products	Y	Y (no catalogue yet)	Y	Y (saved)	-	-	Y	Y	Y	Y (bulk deactivate)	-	Y	-	-
CAT-003 Edit product	Y	-	Y	Y	-	Y (Analyst view-only)	-	-	-	-	Y	Y	-	-
CAT-004 New products	Y	Y (none waiting)	Y	Y (activated)	Y (rows missing fields)	-	Y	Y	Y	Y (activate N)	Y (inline edits)	Y	-	-
CAT-005 Data quality	Y	Y (no issues)	Y	Y (resolved)	-	-	Y	Y	Y	-	-	Y	-	-
PRC-001 Markups	Y	Y (no markups)	Y	Y	-	Y	Y	Y	Y	-	Y (inline edits)	Y	-	-
PRC-002 Bulk markups	Y	-	Y (file invalid)	Y	Y (some rows invalid)	-	-	-	-	Y (apply valid rows)	-	Y	Y	Y

Screen	Loading	Empty	Error	Success	Partial data	No access	No results	Filtered	Bulk select	Confirm	Unsaved	Offline	Processing	Faile
SET-008 Category mapping	Y	Y (no categories)	Y	Y	Y (some unmapped)	Y	Y	Y	Y	-	Y	Y	Y (AI suggesting)	Y (A faile
SET-009 Members	Y	Y (only you)	Y	Y	-	Y	Y	-	-	Y (remove member)	-	Y	-	-
SET-014 Data and privacy	Y	-	Y	Y (export ready)	-	Y	-	-	-	Y (delete business, typed confirm + re-auth)	-	Y	Y (export building)	Y
ACC-002 Password and MFA	Y	-	Y	Y	-	-	-	-	-	Y (disable MFA + re-auth)	Y	Y	-	-
ADM-003 Tenant detail	Y	-	Y	Y	-	Y	-	-	-	Y (suspend)	-	Y	-	-

Global state patterns

State	Pattern
Loading	Skeleton rows that match the final table layout; never a full-page spinner. Buttons show inline spinner and keep their width
Empty (first use)	Short sentence on what will appear here + the single action that fills it ("Upload your ERP file"). No illustrations larger than 120 px
Empty (all good)	Positive confirmation with the data date: "All 12,480 active products are in sync with Talabat as of today 09:12"
No results	"No products match 'pepsi 2l'" + Clear filters link
Filtered	Active filter chips above the table, count "Showing 214 of 12,480", Clear all
Error (page)	Inline alert at top with what failed, retry button, and request ID in small text
Error (field)	Red text under the field, field border red, icon; summary at top of long forms

State	Pattern
Partial data	Info alert naming what is missing ("No Keeta file uploaded yet") with an action
No access	Page shell stays; content replaced by "You don't have access to Pricing. Ask an Owner or Admin." Controls the user cannot use are hidden, not disabled, except where seeing them helps (then disabled with tooltip)
Bulk select	Sticky bar at the bottom: "23 selected" + actions + Clear
Confirm	Dialog naming the object and the consequence ("Generate price file for Talabat: 214 products, largest change +4.500 QAR"). Destructive actions use red primary and typed confirmation for irreversible ones
Unsaved changes	Save bar appears at the bottom of the form; leaving the page prompts "Discard changes?"
Offline	Top banner "You're offline. Changes will not be saved."; actions disabled until reconnect
Processing	Status pill "Processing" with step text ("Checking file safety"), progress bar when measurable; user can leave the page and gets a notification
Failed	Red status pill, reason in plain words, next step ("Fix the file and upload again" / "Retry")

7. Design system

Calm, precise and dense: a neutral canvas where colour means status, one deep green brand colour for actions, and tables that hold 25+ rows on a laptop screen. The reference points are tools like Linear, Stripe Dashboard and Shopify Admin in their restraint, not their branding.

Brand direction

Attribute	Direction
Personality	Reliable, exact, quietly confident. The product that "has the numbers right"
Visual tone	Neutral warm-grey surfaces, thin borders, little shadow, no gradients, no glass effects

Attribute	Direction
Density	Compact by default (36 px table rows); comfortable mode (44 px) as a user preference
Professionalism	Plain business language, exact numbers with units (QAR, units, %), timestamps with time zone (Asia/Qatar)
Positioning	Premium regional retail-ops SaaS for GCC grocery and FMCG retailers; English UI with Arabic product data
Marketplaces	Shown as text labels in neutral chips ("Talabat"), not their logos or brand colours, unless the client confirms permission to use marks

Colour system

All text colours below meet WCAG AA (4.5:1) on Surface #FFFFFF; ratios were calculated with the WCAG 2.1 formula. Status text also passes AA on its own tinted background.

Token	HEX	Use	Contrast on white
Primary	#0F6E5C	Primary buttons, active nav, links, focus on brand elements	6.2:1
Primary hover	#0B5748	Hover and pressed	8.5:1
Primary subtle	#E7F2EF	Selected rows, active nav background	n/a (background)
Secondary	#1F2A37	Secondary emphasis, sidebar text, dark buttons	14.5:1
Accent	#5B4FD6	AI suggestions and keyboard focus ring only	5.9:1
Background	#F7F7F5	App background behind surfaces	n/a
Surface	#FFFFFF	Tables, panels, dialogs	n/a
Surface sunken	#F1F1EE	Table header, code, read-only fields	n/a
Border	#E3E3DF	Dividers, table lines, input borders (with Border strong for inputs)	n/a (non-text)

Token	HEX	Use	Contrast on white
Border strong	#8A8F94	Input borders, focused containers (3:1 for UI components)	3.3:1
Text primary	#1A1D1F	Body and headings	16.9:1
Text secondary	#5B6168	Labels, help text, metadata	6.3:1
Text disabled	#9AA0A6	Disabled labels only (not for information)	2.6:1 (disabled only)
Success	#13773A (bg #E8F5EC)	In sync, applied, available	5.6:1 (5.0:1 on its tint)
Warning	#A16207 (bg #FDF4E3)	Stale data, needs mapping, partial	4.9:1 (4.5:1 on its tint)
Error	#B42318 (bg #FDECEA)	Mismatch, failed, rejected, destructive	6.6:1 (5.8:1 on its tint)
Info	#1D5FBF (bg #E8F0FB)	Processing, informational alerts	6.1:1 (5.3:1 on its tint)

Status is never shown by colour alone: every status pill carries a word and an icon (for example a red pill "Mismatch" with an alert icon).

Typography

Style	Font	Size / line height	Weight	Use
Display	Inter	28 / 36	600	Onboarding titles only
H1 page title	Inter	22 / 30	600	One per page
H2 section	Inter	17 / 24	600	Section titles, dialog titles
H3 group	Inter	15 / 22	600	Card titles, form groups
Body	Inter	14 / 20	400	Default text, table cells
Body strong	Inter	14 / 20	500	Product names, key values
Small	Inter	13 / 18	400	Help text, metadata

Style	Font	Size / line height	Weight	Use
Label	Inter	12 / 16	500, uppercase off	Form labels, table headers (sentence case)
Numeric	Inter with tabular figures	as context	400 to 600	Prices, counts, barcodes, aligned right
Mono	JetBrains Mono	13 / 18	400	Barcodes in detail views, request IDs, column letters
Arabic	IBM Plex Sans Arabic	15 / 22	400 to 500	Arabic product names, `dir=auto`

Spacing and layout

- Base unit 4 px; scale 4, 8, 12, 16, 20, 24, 32, 40, 48, 64.
- Desktop reference 1440 x 900: sidebar 240 px, top bar 56 px, page padding 32 px, max content width 1360 px (tables use full width).
- Page header: title + description line + actions right; 24 px below header to content.
- Section spacing 32 px; component spacing 16 px; form field spacing 20 px vertical.
- Card and panel padding 20 px (dialogs 24 px). Use cards only for grouped summaries (dashboard source cards, KPI tiles); lists and reports are full-width tables, not cards.
- Table cell padding 12 px horizontal; row height 36 px compact, 44 px comfortable.
- Radius: 6 px inputs and buttons, 8 px panels and dialogs, 999 px pills only.
- Elevation: borders do the work; shadows only on dialogs, drawers, popovers and the bulk bar.
- Breakpoints: 1280+ desktop, 768 to 1279 tablet (sidebar collapses to icons), under 768 mobile (sidebar becomes a bottom sheet menu). Mobile reference 390 x 844.

Components

Component	Specification
Button	Heights 32 (sm) / 36 (md, default) / 40 (lg). Variants: Primary (green), Secondary (white with border), Tertiary (text), Destructive (red). One Primary per view region. Icons 16 px left of label
Input, Select, Multi-select	36 px, label above, help text below, error text replaces help text. Multi-select shows chips, max 3 then "+4"

Component	Specification
Search	Top bar global search (Cmd/Ctrl + K) and table search left of filters; debounced 300 ms; searches name, barcode, SKU
Filters	Filter button opens a popover; applied filters show as removable chips; saved views (P2)
Date picker	Only for history and audit ranges; presets Today, Last 7 days, Last 30 days
Tabs	Underline tabs for 2 to 5 sibling views; counts in tabs ("New products 18")
Table	See table system below
Drawer	Right side, 480 px (720 px for product detail), header with title and close, footer with actions
Modal / dialog	480 px (confirm) or 640 px (forms); title states the action; footer: Cancel left of Primary
Toast	Bottom-left, 5 s, for completed actions with Undo where possible; never for errors that need action
Alert / banner	Inline in page, four tones; page-level banners for stale data, offline, impersonation by support
Badge / status pill	Text + icon + tone. Fixed vocabulary: In sync, Mismatch, Not listed, Processing, Needs mapping, Needs review, Applied, Rejected, Failed, Candidate, Active, Inactive
Source chip	Neutral chip with source name and freshness dot (green under 24 h, amber older, grey none)
Tooltip	On hover and focus; for icon-only buttons and truncated values
Breadcrumb	Only on detail pages two levels deep (Catalogue / Product)
Pagination	Cursor based: "1 to 50 of 12,480", Previous / Next, page size 25 / 50 / 100
Stepper	Onboarding (7 steps, horizontal on desktop, vertical on mobile) and upload progress (Scan, Check, Detect, Read, Review, Apply)
Progress	Linear bar with percentage for parsing and applying; indeterminate for scanning
Empty state	Icon 40 px, one sentence, one primary action

Component	Specification
Skeleton	Matches table row and tile shapes
Confirmation dialog	Names count and consequence; typed confirmation ("DELETE") only for irreversible tenant-level actions
File drop zone	Dashed border, accepted types and size limit stated (".xlsx, .xls, .csv up to 25 MB")
Mapping row	Canonical field name, required marker, column select, sample values from the file, status icon

Table design system

- Column order: selection checkbox, identity (barcode/SKU then product name), status, values, timestamps, row actions.
- Sticky header always; sticky first two columns on horizontal scroll.
- Numbers right-aligned with tabular figures; money shows 2 decimals with "QAR" in the header, not in each cell.
- Sorting on any column with a clear arrow; default sort stated in the toolbar.
- Filters above the table; search left, filters right, density and column picker at the far right.
- Row selection with checkbox; header checkbox selects the page, with a link "Select all 12,480".
- Bulk bar sticky at bottom with count and actions.
- Row actions in a kebab menu; the most common action (View) on row click.
- Truncate long names with tooltip; Arabic name on a second line in secondary text when shown.
- Mismatch cells highlighted with a red-tinted background and bold value; in-sync values plain.
- Mobile: tables become stacked rows showing identity, status and one key value, tap for drawer.

Form design system

- Labels above fields; required fields marked with "Required" text on optional-heavy forms, or an asterisk with legend on required-heavy forms (pick per form, never both).
- Validate on blur and on submit; inline errors explain the fix ("Enter a percentage between 0 and 300").
- Group fields under H3 titles; two columns on desktop only for short related fields.
- Multi-step only in onboarding and mapping; each step saves its progress.

- Settings forms use a sticky save bar that appears on change; no autosave for settings. Inline table edits (new products, markups) autosave per cell with a saved indicator and undo.
- Leaving with unsaved changes prompts a dialog.

Data display (dashboard and reports)

- KPI tiles: count of mismatches per pair ("ERP vs Talabat: 50 mismatches"), with breakdown "32 stock, 18 price" and freshness. No trend arrows in Phase 1 (no history requirement yet).
- Charts: none in Phase 1. Exact values matter, so reports are tables. A trend chart of mismatches over time is P3.
- Export controls: "Download report" (secondary) and "Generate file" (primary) in the page header of reports.

Iconography

Lucide icons only, 1.5 px stroke, 16 px in tables and buttons, 20 px in navigation, 40 px in empty states. Icons accompany labels; icon-only buttons need a tooltip and aria-label. No emoji, no filled icon mix.

8. UX principles

Thirteen principles, each tied to a Shelf behaviour, so design reviews can cite a number instead of taste.

1. **The daily loop is four clicks deep at most.** Upload, confirm, open report, generate file. The dashboard's source cards upload directly; reports open from the tiles.
2. **Freshness is always visible.** Every number that comes from a file shows how old that file is. Stale marketplace data gets a warning, never silence.
3. **Nothing changes marketplace prices without a preview.** Price files show count, largest change and sample rows before generation.
4. **Files are the product's front door; treat them gently.** Accept the user's layout, explain rejections in plain words with the row and column, and never make them re-map a file Shelf has seen before.
5. **Status words are a fixed vocabulary.** "Mismatch", "Not listed", "In sync" mean the same thing on every screen, in every export and email.
6. **Tables over cards, numbers over charts.** Exact values drive decisions; visuals only where they speed scanning (tiles, status pills).
7. **Show the catalogue as the source of truth.** ERP files update price and stock; what users curate in Shelf (Arabic name, category, markup) is labelled as Shelf-managed and never silently overwritten.

8. **Progressive disclosure for configuration.** Templates, thresholds and tolerances have good defaults and live in Settings; daily screens never ask for them.
9. **Long work runs in the background.** Uploads and file generation continue if the user leaves; a notification brings them back.
10. **Preserve context.** After confirming an upload the user returns to where they started; filters and scroll position survive drawer open and close.
11. **Make mistakes cheap.** Undo for inline edits and status changes; confirmation only where undo is impossible.
12. **Permissions shape the interface, not error messages.** Users don't see actions they can't take; read-only users see read-only screens, not disabled forms full of grey.
13. **Bilingual by data, not by layout.** Arabic text renders right-to-left in place with the right font; the layout stays left-to-right until an Arabic UI ships.

9. Screen priority roadmap

65 screens are P0 or P1 and get design prompts after approval; 11 P2 screens follow later; P3 screens are listed only so the navigation leaves room for them.

Priority	Meaning	Screens	Count
P0 Critical	Without it the core loop does not work or the product is unsafe	AUTH-001 to AUTH-008, AUTH-010, ONB-001 to ONB-005, ONB-007, DASH-001, UPL-001, UPL-002, UPL-004, MAP-001, RPT-001, RPT-002, OUT-001, OUT-002, CAT-001, CAT-004, SET-001, SET-006, SET-009, SET-010, ACC-002, ACC-003, SYS-001, SYS-002, SYS-003, SYS-005	36
P1 Important	Needed for a complete, supportable product at launch	AUTH-009, ONB-006, UPL-003, RPT-004, CAT-002, CAT-003, CAT-005, CAT-006, PRC-001, PRC-002, SET-003, SET-004, SET-005, SET-008, SET-012, SET-014, SET-015, ACT-001, ACC-001, ACC-004, NOT-001, SYS-006, ADM-001 to ADM-005, ADM-007, ADM-008	29

Priority	Meaning	Screens	Count
P2 Supporting	Useful, not launch-critical	RPT-003, SET-002, SET-007, SET-011, SET-013, SET-016, HLP-001, SYS-004, ADM-006, ADM-009, ADM-010	11
P3 Future (not in inventory yet)	Phase 2 and later; IDs reserved	Marketplace connections (MKT-xxx), Orders (ORD-xxx), mismatch trend charts, saved table views, Arabic UI, SSO sign-in, self-serve checkout	n/a

Design order


1. **Wave 1, core loop (P0):** DASH-001, UPL-001, UPL-002, MAP-001, RPT-001, RPT-002, OUT-001, OUT-002, CAT-001, CAT-004.
2. **Wave 2, entry and setup (P0):** AUTH screens, ONB-001 to ONB-007, SET-001, SET-006, SET-009, SET-010, ACC-002, ACC-003, system pages.
3. **Wave 3, completeness (P1):** catalogue detail, data quality, pricing, templates, category mapping, security and privacy settings, activity, notifications.
4. **Wave 4, admin app (P1):** ADM-001 to ADM-008.

Wave 1 goes first because it carries the design system decisions (tables, status pills, source chips, drawers) that every other screen reuses.

10. Screen dependencies

The core loop is a single spine from Dashboard to a downloaded file; two settings screens are prerequisites that must exist before files can be generated.

Every path through Shelf ends in a downloaded marketplace file



Core screen dependencies · entry to download

Dashed boxes are configuration prerequisites: without an output template (SET-006) Shelf cannot generate a marketplace file, and without a category mapping (SET-008) a new product cannot be included in a new-product file. OUT-001 must link to them when they are missing.

Other dependencies:

- AUTH-002 and AUTH-003 sit between Sign up and Onboarding; AUTH-005 (MFA) sits after Log in when MFA is on; AUTH-009 (Choose business) after Log in for multi-tenant users.
- RPT-004, CAT-002 and PRC-001 hang off the reports and catalogue screens as drill-downs.
- SET-015 (Support access, tenant side) depends on ADM-004 (Request support access, admin side).
- ACC-003 (Set up authenticator) is forced before DASH-001 when SET-012 requires MFA.

11. Quality check and approval

Stage 1 is complete. Screen prompts (the master design prompt plus one prompt per P0 and P1 screen) wait for your approval.

Quality check

- [x] ~~Every user role considered: 4 tenant roles, 3 platform roles~~
- [x] ~~Every major workflow mapped: J1 to J8~~
- [x] ~~Major entities have list, detail and edit screens: uploads, templates, products, markups, members, tenants~~
- [x] ~~Authentication covered, including MFA, invites, re-auth and session expiry~~
- [x] ~~Onboarding covered (7 steps)~~
- [x] ~~Settings covered, including roles reference, security policy, data and privacy, support access~~
- [x] ~~Empty, loading, error, partial, no-access and processing states defined (Section 6)~~
- [x] ~~Mobile behaviour defined in the layout and table systems~~
- [x] ~~Accessibility: contrast checked, status never by colour alone, keyboard and labels in components~~
- [x] ~~Security-sensitive interactions: re-auth dialog, typed confirmation, price preview, support access approval~~
- [x] ~~Audit UX: Activity log, product history, platform audit log~~
- [x] ~~Navigation coherent and leaves room for Phase 2 modules~~
- [x] ~~Screen IDs unique and permanent~~
- [x] ~~No invented features: orders, API connections and charts deferred to P3~~

Please confirm

- [ ] Roles and journeys are right
- [ ] Screen inventory: anything to add or remove?
- [ ] Priorities: P0 and P1 set is right for launch
- [ ] Design system direction (deep green brand, neutral surfaces, Inter, dense tables) is acceptable, or the client has brand colours to use
- [ ] Marketplace names as text chips, not logos

After approval, the next deliverable is Part 8 (master design prompt) and Part 9 (prompts for all 65 P0 and P1 screens), organised by module.

Approved Oct 6, 2026 **:** use the suggested brand colours for now; marketplaces shown as text labels, no logos.