DATED SUPPLEMENT TO THE ACCEPTED PACKET

Facts through 2026-10-31 17:54 UTC: 21 dated items, 125 typed facts

It supplements the accepted packet (facts through 2026-10-31 15:05 UTC, 26 files, 9 of them baseline) and changes none of it.

HOW TO READ A CARD

status, evidence	The item's claim status and evidence class, exactly as delivered.
source	The originating record or event time, when known; otherwise unknown.
observed or checkpoint	The cited observation or frozen checkpoint time.
facts	Typed values, printed exactly. A decimal shows every delivered digit. *unknown* is a typed unknown, never zero.
text	Title, summary and limits as delivered. Reviewer, project and vendor names are replaced by roles.

Delivered supplement SHA256 **a61cb1add9fe…** · schema **c6af7ed73598…** · format **sentilab-deck-facts/1**

Accepted packet manifest SHA256 **674276ed0e93…** · commit **405332861cfc…**

ITEMS BY SLIDE

S2	Execution and evidence repairs merged	merged_source_verified
S2	CI admission and terminal accounting verified	bounded_runtime_verified
S3	Comparison withdrawal is served	bounded_runtime_verified
S3	Notice regression tests merged	merged_source_verified
S3	Temperature-label source approval carried	source_accepted
S4	Open proposal design accepted within scope	design_accepted
S4	Invitation replacement source repair accepted	source_accepted
S5	Native validation source still needs repair	repair_pending
S5	Keeper repairs remain under review	repair_pending
S6	Public loop reported stopped	observed
S6	Bounded join, post and reply flow observed	observed
S7	Actual agent rerouting and live aquarium are next	directed_pending
S7	Agent-site science packet delivered	private_content_delivered
S8	Informed peer model critique	peer_reported
S8	Seven retained wire-consistency results	retained_author_results
S9	Native gate remains an eight-plus-four proposal	proposed_not_released
S9	Scientific acceptance and full runtime remain open	open
S10	Original scope remains open	preserved
S10	Headroom history remains inconclusive	retained_inconclusive
S11	GB10 attempts are closed and charged	closed_historical
S11	Comprehensive CPU and dollars remain unknown	unknown

Merged, with the merge verified

Execution and evidence repairs merged

status `merged_source_verified` evidence `merge_binding`

source 2026-10-31 15:38 UTC observed or checkpoint 2026-10-31 15:43 UTC

PR55 repairs to cardinality, result identity, terminal state, timeout-byte retention and unsupported-method refusal were independently reviewed and merged.

- All 16 changed blobs match the reviewed head; five existing CI jobs pass on that head.
- Source and fixture acceptance supplies no profiling or scientific execution release.

PR number	55
reviewed changed blobs	16
exact head CI successes	5
merge verified	true
scientific execution released	false

CI admission and terminal accounting verified

status `bounded_runtime_verified` evidence `runtime_accounting`

source 2026-10-31 17:34 UTC observed or checkpoint 2026-10-31 17:54 UTC

PR62 merge, normal admission and terminal witness were bound. The journal contains 237 rows and 78 process chains: 77 exit-zero outcomes and one charged timeout.

- These are process outcomes, not scientifically accepted solves.
- The accounted total is 471.654559 CPU-seconds; the full 100-launch/900-CPU-second reservation remains retained without refund.
- Older consumption and the comprehensive total remain unknown. The corrected operator terminal citation is retained in the private audit.

PR number	62
journal rows	237
process chains	78
exit-zero outcomes	77
timeouts	1
accounted CPU	471.654559 CPU-s
cgroup CPU	461.303315 CPU-s
supervisor CPU	10.331244 CPU-s
helper startup debit	0.02 CPU-s
retained launch reservation	100
retained CPU reservation	900 CPU-s
refunded	false
merge verified	true

Comparison withdrawal, notice regression tests, temperature-label source

Comparison withdrawal is served

status **bounded_runtime_verified** evidence **http_observation**

source 2026-10-31 16:27 UTC observed or checkpoint 2026-10-31 16:40 UTC

The reviewed withdrawal notice was merged. Four production HTTP responses returned 200 with exact CSP and the exact module; each HTML response retained one additional 367-byte beacon insertion.

- These simulated temperatures were withdrawn from comparison with published layouts while coupling and evaluator correspondence are investigated.
- No universal correction multiplier or ranking distortion is asserted.
- The lead reviewer did not verify production browser rendering or Worker control-plane identity.

production gets	4
all HTTP 200	true
exact CSP	true
module exact	true
HTML insertion bytes each	367 bytes
production browser verified (lead review)	false
worker control plane verified	false

Notice regression tests merged

status **merged_source_verified** evidence **merge_binding**

source 2026-10-31 16:48 UTC observed or checkpoint 2026-10-31 17:54 UTC

PR61 merged two reviewed test changes. All 179 public asset leaves remained unchanged.

- This test-only merge is not a deployment or a fresh production-asset check.

PR number	61
changed test files	2
unchanged public leaves	179
merge verified	true

Temperature-label source approval carried

status **source_accepted** evidence **source_carry**

source *unknown* observed or checkpoint 2026-10-31 17:44 UTC

PR60 preserves all ten reviewed feature files in its new composition. At the 17:44 snapshot six checks were successful and container was still running.

- Actual merge and deployment were unverified at the cutoff. Later CI results are outside this supplement.
- Operator browser observations remain separate from the lead source/composition review.

PR number	60
own files preserved	10
CI successes at snapshot	6
container complete at snapshot	false
source accepted	true
merge verified	false

Accepted in design or source; merge not verified at the cutoff

Open proposal design accepted within scope

status `design_accepted` evidence `design_review`

source *unknown* observed or checkpoint 2026-10-31 17:48 UTC

PR59 carries design approval with seven green checks and three wording corrections retained. Actual merge was unverified at the cutoff.

- Settlement overrun detection is distinct from live CPU enforcement.
- The no-label qualification concerns wire-conditioned labels; a private bearer handle is not author-exclusive authentication.
- Design acceptance does not establish implemented intake, outside-account access, privacy, runtime CLI/MCP or scientific readiness.

PR number	59
CI successes	7
wording corrections	3
design accepted	true
merge verified	false
runtime accepted	false

Invitation replacement source repair accepted

status `source_accepted` evidence `finite_source_review`

source *unknown* observed or checkpoint 2026-10-31 17:47 UTC

Web PR709 at 710f50c closes the normal-close replacement repair. Forty-eight offline cases passed, and all seven required check contexts succeeded on the exact head.

- This is source and simulated-DOM evidence: application APIs were mocked and native network access was blocked.
- No live invitation was created, revoked, claimed or replaced during the lead review. Actual merge, deployment, outside-account flow, media and full-platform acceptance remain unverified at the cutoff.
- CPU and monetary cost of the offline review are unmeasured.

PR number	709
offline cases passed	48
required contexts succeeded	7
changed blobs verified	7
source accepted	true
live invitation accepted	false
merge verified	false
deployment verified	false

Repairs still pending at the cutoff

Native validation source still needs repair

status **repair_pending** evidence **finite_source_review**

source *unknown* observed or checkpoint 2026-10-31 17:34 UTC

PR56 retained earlier parser, digest, replay, default and centre-mapping repairs. Three later findings remained open at the cutoff: strict grid reconstruction, settlement after output-setup failure, and binding report values to raw evidence.

- 75 selected supplied tests and 16 independent finite controls include deliberately asserted counterexamples; they are not an all-green product decision.
- Final source composition and manifest must be reconciled before admission. No native compile or numerical execution occurred in the lead review.

PR number	**56**
open P2 findings	**3**
supplied tests	**75**
independent finite controls	**16**
source accepted	**false**
native execution (lead review)	**false**

Keeper repairs remain under review

status **repair_pending** evidence **finite_source_review**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

Historical identity/quota and frozen-receipt fixes are retained. Three queue findings remained under focused follow-up review at the cutoff: legacy migration, expiry before reads, and retrying malformed successful responses.

- No keeper service or live ticket effects were accepted. Server-produced identity remains a separate dependency.
- The earlier reviewer erratum records one send followed by three processing/read failures; it did not prove repeated remote delivery.

open round-4 P2 findings	**3**
follow-up review active	**true**
runtime accepted	**false**
live keeper effects in lead reviews	**0**

Bounded observations: the public loop and the help room

Public loop reported stopped

status **observed** evidence **http_observation**

source *unknown* observed or checkpoint 2026-10-31 16:00 UTC

A bounded HTTP read reported the loop stopped and returned 38 event rows, ending with a STOP-file reason.

- This observes the API report; no filesystem STOP inspection, complete-chain recomputation or live cleanup audit was performed.
- Historical rows and charges remain retained.

loop alive	**false**
stopped	**true**
event rows	**38**
HTTP status	**200**
service error reported clear	**true**

Bounded join, post and reply flow observed

status **observed** evidence **room_readback**

source *unknown* observed or checkpoint 2026-10-31 14:45 UTC

The retained help-room readback covers two joins, host welcomes, human and agent posts, and replies to both.

- Seven events and three actions were retained. This does not establish the full outside-account/MCP/role/media flow or keeper effects.

joins	**2**
retained events	**7**
retained actions	**3**
human and agent posts observed	**true**
replies observed	**true**
full outside account flow accepted	**false**
keeper runtime accepted	**false**

The agent-facing site: a direction and its content

Actual agent rerouting and live aquarium are next

status `directed_pending` evidence `human_direction`

source 2026-10-31 17:49 UTC observed or checkpoint 2026-10-31 17:49 UTC

The current priority is to detect agents at the edge and actually route them to an agent-facing site, with live chiplet placements and a reproducible package for engineers.

- An observer-only page does not satisfy the requested routing behavior.
- Implementation and deployment were not yet independently verified at the cutoff.

actual agent rerouting required	`true`
live aquarium required	`true`
implementation independently verified	`false`
deployment independently verified	`false`

Agent-site science packet delivered

status `private_content_delivered` evidence `publication_receipt`

source 2026-10-31 17:51 UTC observed or checkpoint 2026-10-31 17:51 UTC

Two science content files totaling 14,909 bytes were delivered privately and byte-verified for the agent-facing site work.

- This is descriptive scientific content, not a memory-system implementation, live route or deployed agent runtime.
- A new native6 identity cannot retrospectively validate withdrawn native7 history.

delivered files	`2`
delivered bytes	`14909 bytes`
remote bytes verified	`true`
memory-system implemented	`false`
site runtime accepted	`false`

Science: a peer report and retained results

Informed peer model critique

status **peer_reported** evidence **peer_model_report**

source 2026-10-31 15:21 UTC observed or checkpoint 2026-10-31 17:54 UTC

The informed peer model (v3) reports coupling-dependent temperature spread and ordering in a simplified model. The lead reviewer verified its report and source and performed static review.

- This is an informed peer claim, not a blind first report or native reproduction.
- The lead reviewer did not execute the model. Offset/rank carry and summed sampled-uncertainty bounds remain unsupported.
- Extra rank and curve diagnostics are separate future work.

report and source hashes verified	**true**
model executed (lead review)	**false**
native reproduction (lead review)	**false**

Seven retained wire-consistency results

status **retained_author_results** evidence **retained_result_review**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

Seven retained author routing results agree with the paper within 0.1%. The lead reviewer reviewed source, formulation and finite fixtures; it did not run the real optimizer.

- Agreement supports consistency, not unique absolute coordinates. Extraction and verification reuse panels.
- Raw reconstruction and legal half-millimetre variants have separate identities; sampled sensitivity is not a uniform error bound.
- At the cutoff, the pre-routing guard and launch-audit correction was still under review.

retained routing results	**7**
reported difference bound basis points	**10 bp**
real optimizer calls (lead review)	**0**
finite group checks (lead review)	**68**
final PR57 source accepted	**false**

A proposed native gate, and the science that remains open

Native gate remains an eight-plus-four proposal

status **proposed_not_released** evidence **proposed_protocol**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

The agreed design allocates eight primary combinations across two raw 45 mm references, native6/native7 and grid32/grid64, plus four fresh grid64 replays. No numerical execution release exists.

- Raw paper-match references and separate snapped engineering layouts keep distinct identities. Deferred references and separate 46-call sensitivity work are not appended.
- The latest proposed 600-CPU-second cap sits within an 1800-CPU-second envelope; the 564-second arithmetic is a forecast, not established lifecycle feasibility.
- Exact source/build/binary/input/host/supervisor/window/grant admission remains required. One kelvin is prospective engineering reproduction tolerance, not physical accuracy.

primary calls	8
replay calls	4
total proposed calls	12
raw reference size	45 mm
latest proposed CPU cap	600 CPU-s
proposed CPU envelope	1800 CPU-s
execution released	false
physical calibration established	false

Scientific acceptance and full runtime remain open

status **open** evidence **checkpoint**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

Physical TTC validation and the held-out five-arm study remain open, alongside actual scientific agents, eligible data, independent reproduction and full CLI/MCP runtime parity.

- They remain deliverables; they do not prevent a separately admitted descriptive computational comparison.
- Interfaces, fixture results, source approval and green CI do not establish model/provider/payer admission or scientific acceptance.

physical validation complete	false
held-out five-arm complete	false
full runtime parity complete	false
new scientific execution released	false

The original scope stays open; headroom history stays inconclusive

Original scope remains open

status **preserved** evidence **accepted_content**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

The original plan still contains 41 tickets, 234 requirements, 104 CLI declarations and 104 MCP declarations. All eight deliverables remain incomplete.

- Additive research and implementation tickets do not replace the original counts.
- Original chiplet simulation and visualization; no silicon-performance or generalization claim.

original tickets	41
requirements	234
CLI declarations	104
MCP declarations	104
deliverables	8
fully accepted deliverables	0

Headroom history remains inconclusive

status **retained_inconclusive** evidence **historical_record**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

The retained headroom charge is 1440.294565 CPU-seconds. Its prior remaining upper bound is 2879.705435 seconds before later charges; it is not a fresh allowance.

- Historical v3 remains INCONCLUSIVE. Raw long-search best lacks fresh reproduction.
- A 43.19-CPU-minute proportional forecast is not a proven minimum; retained history is not reset or refunded.

retained CPU	1440.294565 CPU-s
prior remaining upper bound	2879.705435 CPU-s
fresh reproduction accepted	false
allowance reset	false

Closed GB10 history, and costs that remain unknown

GB10 attempts are closed and charged

status **closed_historical** evidence **retained_runtime**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

Training/save/reload validation completed; the first serving attempt failed before requests; the later serving attempt completed 20 of 20 fixture requests. All three attempts are closed.

- Twenty requests repeat six training-source cases with labels in prompts; no held-out generalization or scientific benefit is established.
- SLAB018 retains approximately 494.189538605 seconds including a 180-second reservation; failed SLAB047 retains approximately 79.6175887260033 seconds; SLAB047b retains 148.90950332500506 seconds plus a separate 0.638011345-second non-GPU preflight.
- These are the recorded charge/lifecycle boundaries, not GPU busy time or continuous service. Exact stored decimal fields are retained; abbreviated display is explicitly approximate.
- No restart or new device/model grant follows.

closed attempts	3
successful serving fixture requests	20
fixture denominator	20
training source cases	6
labels in prompts	true
generalization established	false
SLAB-018 retained charge	494.18953860500187 s
SLAB-018 prior reservation	180 s
SLAB-047 retained charge	79.6175887260033 s
SLAB-047b retained charge	148.90950332500506 s
SLAB-047b separate non-GPU preflight	0.638011345 s
restart authorized	false

Comprehensive CPU and dollars remain unknown

status **unknown** evidence **checkpoint**

source *unknown* observed or checkpoint 2026-10-31 17:54 UTC

Known individual charges and reservations are retained. The comprehensive CPU total and current SentiLab dollar total are unknown.

- Historical/shared cloud figures have different dates and scopes and are not a current SentiLab invoice.
- Do not sum partial evidence into a claimed complete cost, refund historical failure charges or equate unmeasured cost with zero.

current total USD	unknown
comprehensive CPU	unknown
invoice verified	false