
AI agents produce engineering findings faster than anyone can check them.

Lost	Findings scatter across chats, logs and branches.
Unchecked	Nobody can see what actually ran, or on which inputs.
Uncorrectable	When an input proves wrong, nothing shows what else it broke.



Our own chiplet simulation and visuals. First domain: chiplet layouts under thermal limits.

SENTILAB A lab where every result is signed, reproduced and correctable later.

A deterministic gate decides. A signed log remembers.

Labs propose SLAB-013 · open

Several labs and a baseline submit candidate layouts.

The gate accepts SLAB-008 · open SLAB-015 · measured

Only reproduced, verified results. No model decides.


The log records SLAB-007 · measured SLAB-040 · open

Append-only. Each event hashed, chained and signed.

The Lab view shows SLAB-025 · open

Only the verified prefix. It freezes when evidence breaks.

Chips: each part's tracker ticket and its status.



Evidence breaks, the board freezes. A dropped event breaks the chain. The view stops at the last verified envelope; later envelopes are listed, never projected.

`Lab view · test-key interface fixture · illustrative values`

DATA **ticket ledger** 2026-10-31 07:50 UTC, 2026-10-31 07:59 UTC, 2026-10-31 09:20 UTC

Withdraw a measurement. See what falls and what stands.


Candidate
A lab proposes a layout.

Reproduction
Re-run in a fresh process.

Acceptance
The gate accepts it.

Withdrawal
A measurement is withdrawn in a seeded-fault drill.

Propagation
Its dependents go stale. Independently supported results stand.




03 / EVIDENCE **What still stands**

9 valid · 1 stale · 1 withdrawn

WITHDRAWN	meas-b (seq 44: drill: seeded fault in the evaluator artifact)
WENT STALE	claim-b-lower-j ← meas-b
STILL VALID	cand-b via repro · cmp-b-vs-init via repro

NODE	KIND	VALIDITY	SUPPORT SETS	WHY / TIERS
meas-b	measurement	withdrawn	-	tier replayed
claim-b-lower-j	claim	stale	~~eval ✗~~	stale because meas-b
cand-b	candidate	valid	~~eval ✗~~ repro ✓	
cmp-b-vs-init	comparison	valid	~~eval ✗~~ repro ✓	
meas-init	measurement	valid	-	

Lab view · The measurement is withdrawn, the claim built on it is stale, and the accepted candidate stays valid through its reproduction.



Package view · After the drill the accepted board keeps its values, now carried by the reproduction.

`Both views replay a test-key interface fixture: illustrative values, no solver ran.`

What we measured, scoped exactly.

GB10 FIXTURE PREFLIGHT · ATTEMPT 1

20 training steps | adapter saved | reloaded in a fresh container

40 HTTP responses | teardown recorded

20/20 ADAPTER

0/20 BASE

> Exact JSON on both evaluation paths, on **six** source cases already seen in training, with label metadata supplied in the prompts.

Plumbing, not generalization.

112 independent artifact checks passed.

AS OF GB10 attempt record · 2026-10-31 07:53 UTC GB10 artifact audit · 2026-10-31 07:58 UTC

CHARGED GB10 TIME

314.2 s

494.2 s including a 180 s conservative prior reservation, within the 60-minute cap.

AS OF GB10 attempt record · 2026-10-31 07:53 UTC

page copy (GB10 grant cap) · 2026-10-31 07:53 UTC

HEADROOM STUDY

INCONCLUSIVE

No rerun result is claimed.

AS OF headroom review · 2026-10-31 07:57 UTC

MESH STUDY · 24 LAYOUTS

Max gap to grid64: **0.79 °C** at grid32, **4.28 °C** at grid16.
At a fixed 0.01 °C tolerance: 1 and 9 ranking inversions.
A fixed-sample result, not a universal error bound.

AS OF mesh study review · 2026-10-31 07:50 UTC

None of the eight deliverables is fully accepted.

DELIVERABLES

D00	Exact chiplet layout and constraints	open
D01	Power scenarios and package assumptions	open
D02	Simulator inputs, versions and raw outputs	open
D03	Independent reproduction results	open
D04	Complete proposal-review-correction-acceptance history	open
D05	Conventional and agent baseline comparison	open
D06	Trained worker checkpoint/adapter with evaluation	measured
D07	Replayable visual demonstration	open

PROGRESS

DONE · SCOPED SLICES

- Second technical plan review recorded
- Source and stored mesh evidence slices accepted
- Dataset fixture export accepted with cleanup debt

MEASURED

- GB10 fixture train/save/reload/serve sequence passed
- Fixed-sample numerical discrepancy measured
- Headroom remains inconclusive

OPEN

- Runtime, views and scientific gates remain open

NEXT

- Close the current correctness queue
- Freeze the scientific protocol and enforce allocations
- Complete model admission and the research harness
- Assign complete CLI/MCP capability conformance
- Publish reviewable evidence and prove runtime identity

Scientific benefit **not established** | Full completion **not verified** | Public runtime **not verified**

DATA **progress record summary** 2026-10-31 07:59 UTC **deliverable ledger** 2026-10-31 07:50 UTC, 2026-10-31 07:58 UTC, 2026-10-31 09:20 UTC
progress record 2026-10-31 07:50 UTC, 2026-10-31 07:57 UTC, 2026-10-31 07:58 UTC

The evidence rules

SIGNED ENVELOPES

The core is the only writer. Each event becomes a canonical envelope: hashed, chained to the previous hash, and signed.

VERIFIED PREFIX

The view projects only the prefix that verifies. At the first gap, bad hash or conflict it stops; later envelopes are listed, never projected.

LIVE / STALE

LIVE needs verified progress, not just arrivals. A stall, a failed poll or a broken chain turns the label STALE and holds the board.

CORRECTIONS PROPAGATE

Withdrawing a measurement makes everything that depends on it stale. A result with another valid support set stays valid.

KNOWN LIMIT A server can hold back its newest envelopes while it keeps releasing older ones, and the view cannot tell. Only a later full replay shows the truth. Order is by sequence; timestamps are display only.

SOURCE the view-envelope contract and its executable vectors in this repository

41 tickets, 8 deliverables

33 open | 8 measured | **0** verified complete | **2** optional, deferred (dashed)

D00	open	005 006 028
D01	open	005 006 028
D02	open	002 006 007 028
D03	open	015 028
D04	open	007 010 028
D05	open	020 021 028 032
D06	measured	018 019 028 032 033
D07	open	025 026 027 028
Shared	cross-cutting	001 003 004 008 009 011 012 013 014 016 017 022 023 024 029 030 031 034 035 036 037 038 039 040 041

measured — Retained observations exist with the stated scope; success or scientific validity is not implied.

open — Required acceptance work remains, or no completion evidence is retained.

DATA **coverage snapshot** 2026-10-31 07:50 UTC **ticket ledger** 2026-10-31 07:50 UTC to 2026-10-31 09:20 UTC
deliverable ledger 2026-10-31 07:50 UTC, 2026-10-31 07:58 UTC, 2026-10-31 09:20 UTC