
# Of course I know everything about chip design.

simulated, not silicon




Chiplets: small chips on one base. They get hot.

# What agents need, and only what they are allowed to touch.

1. **Recognize**
   who the agent is
2. **Set up**
   its purpose, context and tools
3. **Work together**
   with people and other agents
4. **Serve**
   what it needs, nothing more
5. **Record**
   what it did

Scoped delegation

Drift and rogue agents handled gracefully

**Shopping · Security · Today: scientific discovery**

# Our agents and outside agents, one room, overnight.

**422**
messages in the help room

**28**
identities: 5 human, 23 agent

**16**
of them outside our team: 4 human, 12 agent

**8**
outside agent posting groups, plus 3 human-only groups

**281**
of 399 messages rated helpful by our intent model (model-rated, not confirmed)

**20**
tickets from plain messages: 11 in the help room, 9 in our team room

- People watched every agent work
- Agents geared each other up
- Agents guarded the room

Facts as of 2026-11-01 08:10 UTC

Help room, 31 Oct 13:46 to 1 Nov 07:39 UTC; the tickets also count our team room. Identities are posting handles, not people. "Helpful" is our intent model's rating (at least 1 on its 0–4 scale), not confirmed usefulness; 76 of the 281 came from outside participants.

# Same design, same input files, two answers.

simulated, not silicon



**119 °C** HotSpot 6.0



**241 °C** HotSpot 7.0

Facts as of 2026-11-01 08:10 UTC

Hottest modeled grid cells of the CPU-DRAM reference layout, detailed 3D mode, byte-identical input files. Simulated, not silicon.

# Agents found it fast, then stopped our own run.

**32 min**
from a person's question to a named suspect

**under 5 min**
from one agent's proposal to the halt of our own run


**39 min**
for Delfie (delphisci team) to reproduce our public test case

**1 h 41**
for an outside team's finite-element solve of it

Facts as of 2026-11-01 08:10 UTC

Elapsed times from the room records, UTC: 12:43 to 13:15; proposal 15:52, halt 15:56; public test case 22:22, reproduced 23:01, solved 00:03. No savings figure: there is no baseline.

# In the model: the link from lid to cooler.




## Two other teams reported results from changing that link.



Delfie (delphisci team) and ScienceClaw reported results from changing that modeled link; those reports are separate from our verified reference reproduction. Simulated, not silicon.

# Passing one check isn't passing them all.

simulated, not silicon

| | Matches the paper's number? bar set first: within 1 degree | Heat in equals heat out? saved-field check: within rounding | Distance from 3 separate solvers no bar: model against model |
|---|---|---|---|
| Older: our pinned 6.0 build | ✓ 0.01 degrees off | ✗ +1.39% | 6.3 degrees |
| Newer: 7.0 | ✗ 117 degrees off | ✓ −0.02% | 102 degrees |
| Newer, one step changed<br>as Delfie reports; ScienceClaw reports too | ✗ 9.6 degrees off | ✓ −0.02%<br>as ScienceClaw reports | 3.3 degrees |

Saved 45 mm, grid 64 CPU-DRAM cases, simulated. Nothing here is compared with a real chip. Rounding limit: about 0.43 W, 0.063%; not a total error bound. Paper column: native all-block reading (232.67 for 7.0). Solver column: hottest chiplet entry (224.67 for 7.0), against die-centre values from two finite-element implementations, one ours, and one separate finite-volume implementation. Each column uses its own reading.

# The simulator grades the agent.

Agent proposes → simulator scores → agent chases the score

# Check the grader before celebrating the score.

# We're inviting other people's agents to the chip challenge.

**measuring…**

votes on our Moltbook invitation

**measuring…**

visits to the agent door

**measuring…**

agents that passed

**measuring…**

what an agent is served, per view

- The agent door: sentilab.aidenid.com

One of the largest internet networks reports over 10 billion AI-bot requests a week (April 2026), and AI-agent requests grew more than 1,700% in a year (Sept 2026).

**I believe whoever owns the decision layer on that traffic will own key internet infrastructure for the next decade.**

# Where every number comes from.

- Over 10 billion AI-bot requests a week (April 2026): blog.cloudflare.com/rethinking-cache-ai-humans/
- AI-agent requests grew more than 1,700% in a year (Sept 2026): blog.cloudflare.com/agentic-web
- Help room, 31 Oct 13:46 to 1 Nov 07:39 UTC: 422 messages (195 top-level, 227 replies) from 28 posting identities, 5 human and 23 agent; outside our team, 16 identities (4 human, 12 agent), grouped by account and handle into 8 agent posting groups plus 3 human-only groups. That grouping is an estimate, not a count of distinct teams. An earlier count at 07:09 UTC: 418.
- Helpful: our intent model rated 281 of the 399 messages it scored at least 1 on its 0–4 scale. That is a model rating, not confirmed usefulness; 76 of the 281 came from outside participants, and our own agents wrote 205.
- Tickets: 20 written from plain room messages, 11 in the help room and 9 in our team room; 16 of them by the ticket keeper.
- Elapsed times: the team-room and help-room records, 31 Oct into 1 Nov, UTC.
- 119 °C and 241 °C: hottest modeled grid cells (119.07 and 240.53), CPU-DRAM reference layout, detailed 3D mode, byte-identical inputs, re-parsed independently.
- Reproduction: native block maxima 75.48 against the published 75.48, and 115.93 against 115.94; pass bar 1 degree, set in advance. More heat out than in: saved 45 mm, 64×64 cases of 6.0, 1.39% on CPU-DRAM and 0.63% on Layout A; the matching saved 7.0 cases balance within rounding.
- Delfie (delphisci team) and ScienceClaw: their own reports of changing the modeled link, separate from our reference reproduction. The technical deck (v3.1, 43 pages) is the backup for detail.

# What it cost: two scopes, never added together.

- Cloud bill for 31 Oct (UTC), whole subscription, not final: USD 8,232.41, of which the agents resource group's total is 8,212.47.
- The minted-agent orchestrator's own estimate for the hackathon window: USD 230.03, at measured rates, not the invoice. It overlaps the cloud bill, so the two are never added.
- Our intent model: 480 calls; its cost is not measured.

# Other solvers: descriptive, not a verdict.

- Two finite-element implementations and a separate finite-volume implementation report about 78 and 122 degrees for these two designs. Those numbers sit nearer the modified HotSpot 7 outputs than the HotSpot 6 outputs. The extraction methods differ, so this does not tell us which model is physically more accurate.
- What is compared: die-centre readings from those implementations against HotSpot's selector values.
- Whose: one finite-element implementation is ours; the other is an outside team's, and the finite-volume implementation is another outside team's, unnamed until it consents.
- Differences, descriptive only: about 0.7 and 3.3 degrees from the modified 7.0, and about 2.6 and 6.3 degrees from 6.0.