


Nama : Farhan Syahbana Putra
NIM : 242410101016
Kelas : A
Mata Kuliah : PWEB

Aktivitas Mandiri 3

PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app>

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer [ini saya sesuaikan dengan proyek saya]



```
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>@yield('title', 'Hunny Pet Care')</title>
7
8     {{-- Global CSS --}}
9     <link rel="stylesheet" href="{{ asset('style.css') }}">
10    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">
11
12    {{-- Style spesifik per halaman --}}
13    @stack('styles')
14 </head>
15 <body>
16
17    {{-- NAVBAR (di-include dari partial) --}}
18    @include('partials.navbar')
19
20    {{-- FLASH SESSION MESSAGE --}}
21    @if(session('success'))
22        <div class="flash-message flash-success">
23            <i class="fas fa-check-circle"></i>
24            <span>{{ session('success') }}</span>
25            <button type="button" class="flash-close" onclick="this.parentElement.remove()"><times></button>
26        </div>
27    @endif
28
29    @if(session('error'))
30        <div class="flash-message flash-error">
31            <i class="fas fa-exclamation-circle"></i>
32            <span>{{ session('error') }}</span>
33            <button type="button" class="flash-close" onclick="this.parentElement.remove()"><times></button>
34        </div>
35    @endif
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout [ini saya sesuaikan dengan proyek saya]



```
1 {{-- ===== NAVBAR PARTIAL ===== --}}
2 <nav class="app-navbar" id="appNavbar">
3     <div class="nav-container">
4         <a href="{{ url('/') }}" class="nav-brand-app">
5             
6             <span class="nav-brand-name-app">Hunny Pet Care</span>
7         </a>
8
9         <button class="nav-toggle" type="button" onclick="document.getElementById('appNavMenu').classList.toggle('open')">
10             <i class="fas fa-bars"></i>
11         </button>
12
13         <ul class="nav-menu" id="appNavMenu">
14             <li>
15                 <a href="{{ url('/dashboard') }}" class="nav-link-app {{ request()->is('dashboard') ? 'active' : '' }}">
16                     <i class="fas fa-th-large"></i> Dashboard
17                 </a>
18             </li>
19             <li>
20                 <a href="{{ url('/tentang') }}" class="nav-link-app {{ request()->is('tentang') ? 'active' : '' }}">
21                     <i class="fas fa-info-circle"></i> Tentang
22                 </a>
23             </li>
24         </ul>
25     </div>
26 </nav>
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app') [ini saya sesuaikan dengan proyek saya]

```
hunny-app > resources > views > dashboard.blade.php
1 @extends('layouts.app')
2
3 @section('title', 'Dashboard')
4
5 @push('styles')
6 <style>
7     .dashboard-head {
8         background: linear-gradient(135deg, #1a2b3c 0%, #243b52 100%);
9         color: #ffff;
10        padding: 48px 40px;
11        position: relative; overflow: hidden;
12    }
13    .dashboard-head:before {
14        content: ''; position: absolute;
15        right: -60px; top: -60px;
16        width: 260px; height: 260px;
17        border-radius: 50%;
18        border: 1px solid #8ba(201,137,74,0.2);
19    }
20    .dashboard-head h1 {
21        font-family: 'Playfair Display', serif;
22        font-size: clamp(1.6rem, 3vw, 2.2rem);
23        margin-bottom: 8px;
24    }
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif [ini saya sesuaikan dengan proyek saya]

```
hunny-app > resources > views > layouts > app.blade.php
13 <@stack('styles')>
14 </@stack('styles')>
15 <body>
16
17     {{-- NAVBAR (di-include dari partial) --}}
18     @include('partials.navbar')
19
20     {{-- FLASH SESSION MESSAGE --}}
21     @if(session('success'))
22         <div class="flash-message flash-success">
23             <i class="fas fa-check-circle"></i>
24             <span>{{ session('success') }}</span>
25             <button type="button" class="flash-close" onclick="this.parentElement.remove()"><i></i></button>
26         </div>
27     @endif
28
29     @if(session('error'))
30         <div class="flash-message flash-error">
31             <i class="fas fa-exclamation-circle"></i>
32             <span>{{ session('error') }}</span>
33             <button type="button" class="flash-close" onclick="this.parentElement.remove()"><i></i></button>
34         </div>
35     @endif
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna) [ini saya sesuaikan dengan proyek saya]

```
hunny-app > resources > views > components > stat-card.blade.php
1 <!--
2     Komponen stat-card
3     Props:
4     - $judul : string (judul/label kartu)
5     - $nilai : string|int (nilai statistik)
6     - $ikon : string (kelas icon Font Awesome, contoh: 'fas fa-users')
7     - $warna : string (warna tema: 'orange' | 'blue' | 'green' | 'red' | 'purple')
8 -->
9 @props([
10     'judul' => 'Judul',
11     'nilai' => 0,
12     'ikon' => 'fas fa-chart-line',
13     'warna' => 'orange',
14 ])
15
16 <div {{ $attributes->merge(['class' => 'stat-card']) }}>
17     <div class="stat-icon {{ $warna }}">
18         <i class="{{ $ikon }}"></i>
19     </div>
20     <div class="stat-value">{{ $nilai }}</div>
21     <div class="stat-label">{{ $judul }}</div>
22 </div>
```


6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll) [ini saya sesuaikan dengan projek saya]

```
TUGAS AKHIR PWEB LARAVEL      hunny-app > resources > views > dashboard.blade.php
└─ hunny-app
  └─ resources
    └─ views
      └─ dashboard.blade.php U
      └─ kontak.blade.php U
      └─ pembayaran.blade.php
      └─ pesanan-saya.blade.php
      └─ tentang.blade.php U
  └─ routes
  └─ console.php
  └─ web.php M
└─ storage
  └─ app
    └─ private
    └─ public
    └─ .gitignore
  └─ framework
  └─ logs
  └─ tests
  └─ vendor

84 <div class="dashboard-body">
104 @endphp
105
106 <div class="stats-grid">
107     @foreach ($statistik as $item)
108         <x-stat-card
109             :judul="$item['judul']"
110             :nilai="$item['nilai']"
111             :ikon="$item['ikon']"
112             :warna="$item['warna']"
113         />
114     @empty
115         <div class="dash-empty">
116             <i class="fas fa-inbox" style="font-size:2rem; opacity:0.3; display:block; margin-bottom:10px;"></i>
117             Belum ada data statistik untuk ditampilkan.
118         </div>
119     @endforeach
120 </div>
121
122 {{-- ===== AKTIVITAS TERBARU ===== --}}
123 <h2 class="section-title-dash" style="margin-top:32px;">Aktivitas Terbaru</h2>
124
125 <div class="recent-list">
```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama [ini saya sesuaikan dengan projek saya]

a. Tentang



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows a project structure with folders like 'resources', 'views', 'partials', 'routes', and 'storage'. The code editor shows the content of 'tentang.blade.php' with Blade template syntax and CSS classes.

```

1  @extends('layouts.app')
2
3  @section('title', 'Tentang Kami')
4
5  @push('styles')
6  <style>
7      .about-hero {
8          background: linear-gradient(135deg, #1a2b3c 0%, #243b52 100%);
9          color: #fff; padding: 56px 40px; text-align: center;
10     }
11     .about-hero h1 {
12         font-family: 'Playfair Display', serif;
13         font-size: clamp(1.8rem, 3.2vw, 2.4rem);
14         margin-bottom: 10px;
15     }
16     .about-hero p { color: rgba(255,255,255,0.7); max-width: 620px; margin: 0 auto; }
17
18     .about-body {
19         max-width: 1000px; margin: 0 auto;
20         padding: 40px 32px;
21     }
22     .about-grid {
23         display: grid;
24         grid-template-columns: repeat(auto-fit, minmax(240px, 1fr));

```

b. Kontak

TUGAS AKHIR P...

hunny-app

resources

views

partials

navbar.blade.php

beranda.blade.php

customer.blade.php

dashboard.blade.php

kontak.blade.php

pembayaran.blade.php

pesanan-saya.blade.php

tentang.blade.php

console.php

web.php

storage

app

private

public

.gitignore

framework

hunny-app > resources > views > kontak.blade.php

1 @extends('layouts.app')

2

3 @section('title', 'Kontak')

4

5 @push('styles')

6 <style>

7 .contact-hero {

8 background: linear-gradient(135deg, #1a2b3c 0%, #243b52 100%);

9 color: #fff; padding: 56px 40px; text-align: center;

10 }

11 .contact-hero h1 {

12 font-family: 'Playfair Display', serif;

13 font-size: clamp(1.8rem, 3.2vw, 2.4rem); margin-bottom: 10px;

14 }

15 .contact-hero p { color: rgba(255,255,255,0.7); max-width: 620px; margin: 0 auto; }

16 }

17 .contact-body {

18 max-width: 1100px; margin: 0 auto;

19 padding: 40px 32px;

20 display: grid; grid-template-columns: 1fr 1.3fr;

21 gap: 28px;

22 }

23 .contact-info, .contact-form-card {

24 background: #fff;

c. Dashboard

TUGAS AKHIR P...

hunny-app

resources

views

dashboard.blade.php

kontak.blade.php

pembayaran.blade.php

pesanan-saya.blade.php

tentang.blade.php

routes

console.php

web.php

storage

app

private

public

.gitignore

framework

logs

hunny-app > resources > views > dashboard.blade.php

1 @extends('layouts.app')

2

3 @section('title', 'Dashboard')

4

5 @push('styles')

6 <style>

7 .dashboard-head {

8 background: linear-gradient(135deg, #1a2b3c 0%, #243b52 100%);

9 color: #fff;

10 padding: 48px 40px;

11 position: relative; overflow: hidden;

12 }

13 .dashboard-head::before {

14 content: ''; position: absolute;

15 right: -60px; top: -60px;

16 width: 260px; height: 260px;

17 border-radius: 50%;

18 border: 1px solid rgba(201,137,74,0.2);

19 }

20 .dashboard-head h1 {

21 font-family: 'Playfair Display', serif;

d. Pembayaran

TUGAS AKHIR P...

hunny-app

resources

views

dashboard.blade.php

kontak.blade.php

pembayaran.blade.php

pesanan-saya.blade.php

tentang.blade.php

routes

console.php

web.php

storage

app

private

public

.gitignore

framework

logs

tests

vendor

.editorconfig

hunny-app > resources > views > pembayaran.blade.php

1 @extends('layouts.customer')

2

3 @section('title', 'Metode Pembayaran')

4

5 @section('content')

6 <div class="breadcrumb">

7 Beranda

8 <i class="fas fa-chevron-right"></i>

9 Belanja

10 <i class="fas fa-chevron-right"></i>

11 Metode Pembayaran

12 </div>

13

14 <div class="pay-wrapper">

15 <div class="pay-container">

16 <h2 class="section-title">Detail Pembayaran</h2>

17

18 <div class="card shadow-sm" style="margin-bottom: 20px;">

19 <div id="orderSummary">

20 </div>

21 </div>

22

23 <div class="payment-methods">

24 <h3>Pilih Metode Pembayaran</h3>

e. Pesanan

```

TUGAS AKHIR P... hunny-app > resources > views > pesanan-saya.blade.php
hunny-app
├── resources
│   └── views
│       ├── dashboard.blade.php
│       ├── kontak.blade.php
│       ├── pembayaran.blade.php
│       └── pesanan-saya.blade.php
├── routes
│   ├── console.php
│   ├── web.php
│   └── storage
│       ├── app
│       ├── private
│       ├── public
│       ├── .gitignore
│       ├── framework
│       ├── logs
│       ├── tests
│       └── vendor
└── editorconfig

```

```

1 @extends('layouts.customer')
2
3 @section('title', 'Pesanan Saya')
4
5 @section('content')
6 <div class="breadcrumb">
7     <a href="{{ url('/') }}">Beranda</a>
8     <i class="fas fa-chevron-right"></i>
9     <a href="{{ url('/customer') }}">Tokor</a>
10    <i class="fas fa-chevron-right"></i>
11    <span>Pesanan Saya</span>
12 </div>
13
14 <div class="cust-container">
15     <div class="section-header">
16         <h2>Lacak Pesanan Anda</h2>
17         <p>Masukkan nomor WhatsApp untuk melihat riwayat pesanan.</p>
18     </div>
19
20     <div class="card shadow-sm" style="max-width: 500px; margin-bottom: 30px;">
21         <div class="search-box">
22             <input type="text" id="waSearch" placeholder="Nomor WhatsApp (Contoh: 0812...)" class="form-control">
23             <button class="btn btn-accent" onclick="searchOrders()">Cari Pesanan</button>
24         </div>

```

8. Gunakan `@push('scripts')` dan `@stack('scripts')` untuk menambahkan JavaScript spesifik per halaman [ini saya sesuaikan dengan proyek saya]

a. `@stack('scripts')`

```

TUGAS AKHIR PWEB LARAVEL hunny-app > resources > views > layouts > app.blade.php
hunny-app
├── resources
│   └── views
│       ├── layouts
│       ├── app.blade.php
│       ├── customer.blade.php
│       ├── navbar.blade.php
│       ├── beranda.blade.php
│       ├── customer.blade.php
│       ├── dashboard.blade.php
│       ├── kontak.blade.php
│       ├── pembayaran.blade.php
│       ├── pesanan-saya.blade.php
│       └── tentang.blade.php
├── routes
│   ├── console.php
│   ├── web.php
│   └── storage
│       ├── app

```

```

15 <body>
16
17 <style>
18
19     .footer-brand-inline img { width: 36px; height: 36px; border-radius: 50%; }
20     .footer-brand-inline strong {
21         font-family: 'Playfair Display', serif;
22         font-size: 1rem; color: #fff;
23     }
24
25     .footer-tagline { font-size: 0.82rem; opacity: 0.65; }
26     @media (max-width: 640px) {
27         .footer-inner { flex-direction: column; text-align: center; }
28     }
29 </style>
30
31 {{-- Global JS --}}
32 <script src="{{ asset('app.js') }}"></script>
33
34 {{-- Stack script spesifik per halaman --}}
35 @stack('scripts')
36 </body>
37 </html>

```

b. `@push (tentang.blade.php)`

```

TUGAS AKHIR P... hunny-app > resources > views > tentang.blade.php
hunny-app
├── resources
│   └── views
│       ├── pesanan-saya.blade.php
│       └── tentang.blade.php
├── routes
│   ├── console.php
│   ├── web.php
│   └── storage
│       ├── app
│       ├── private
│       ├── public
│       ├── .gitignore
│       ├── framework
│       ├── logs
│       ├── tests
│       └── vendor
└── editorconfig
    ├── .env
    ├── .env.example
    └── .gitattributes

```

```

76 <div class="about-body">
77     <div class="about-grid">
78
79         <div>
80             <div class="about-card">
81                 <div class="ic"><i class="fas fa-eye"></i></div>
82                 <h3>Visi</h3>
83                 <p>Menjadi platform pet care terdepan di Indonesia dengan standar pelayanan internasional.</p>
84             </div>
85             <div class="about-card">
86                 <div class="ic"><i class="fas fa-heart"></i></div>
87                 <h3>Nilai Kami</h3>
88                 <p>Kasih sayang, integritas, dan profesionalisme dalam setiap interaksi dengan anabul dan pemiliknya.</p>
89             </div>
90         </div>
91     </div>
92 @endsection
93
94 @push('scripts')
95 <script>
96     // Script spesifik halaman Tentang
97     console.log('[Tentang] Halaman Tentang dimuat.');

```

c. @push (kontak.blade.php)

```
hunny-app > resources > views > kontak.blade.php
98 <div class="contact-body">
131 <div class="contact-form-card">
147 </div>
148 </div>
149 </div>
150 @endsection
151
152 @push('scripts')
153 <script>
154 // Script spesifik halaman Kontak
155 document.getElementById('kontakForm').addEventListener('submit', function(e) {
156 e.preventDefault();
157 const nama = document.getElementById('nama').value.trim();
158 const pesan = document.getElementById('pesan').value.trim();
159 if (!nama || !pesan) {
160 alert('Mohon lengkapi nama dan pesan Anda.');
```

d. @push (dashboard.blade.php)

```
hunny-app > resources > views > dashboard.blade.php
84 <div class="dashboard-body">
125 <div class="recent-list">
137 @empty
142 @endforelse
143 </div>
144 </div>
145 @endsection
146
147 @push('scripts')
148 <script>
149 // Script spesifik halaman dashboard
150 console.log('[Dashboard] Loaded at', new Date().toLocaleTimeString());
151
152 // Animasi counter stat-value saat muncul di viewport
153 document.addEventListener('DOMContentLoaded', function() {
154 const values = document.querySelectorAll('.stat-card .stat-value');
155 values.forEach(el => {
156 const target = parseInt(el.textContent, 10);
157 if (isNaN(target)) return;
158 let current = 0;
159 const step = Math.max(1, Math.ceil(target / 40));
160 const timer = setInterval(() => {
161 current += step;
162 if (current >= target) {
163 clearInterval(timer);
164 current = target;
165 }
166 });
167 });
168 </script>
169 @endpush
```

Aktivitas Mandiri 4

1. Buat Model dan Migration sekaligus: php artisan make:model Mahasiswa -m


```
PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app> php artisan make:model Mahasiswa -m

INFO Model [D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app\app\Models\Mahasiswa.php] created successfully.

INFO Migration [D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app\database\Migrations\2026_05_05_151747_create_mahasiswa_s_table.php] created successfully.

PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app>
```

disini saya create nya hanya untuk contoh, karena saya aslinya saya tidak membutuhkan ini, karena saya juga sudah membuat file2



2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable) [ini saya sesuaikan dengan proyek saya]

```
PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app> php artisan migrate:fresh --seed

Dropping all tables ..... 280.57ms DONE

INFO Preparing database.

Creating migration table ..... 45.83ms DONE

INFO Running migrations.

0001_01_01_000000_create_users_table ..... 177.18ms DONE
0001_01_01_000001_create_cache_table ..... 84.43ms DONE
0001_01_01_000002_create_jobs_table ..... 154.29ms DONE
2026_05_05_151747_create_mahasiswas_table ..... 25.14ms DONE
2026_05_05_154724_create_produk_table ..... 27.63ms DONE
```

```
TUGAS AKHIR P... hunny-app > database > migrations > 0001_01_01_000000_create_users_table.php
hunny-app
├── app
│   ├── Models
│   ├── Providers
│   ├── bootstrap
│   ├── config
│   ├── database
│   │   ├── factories
│   │   └── migrations
│   │       ├── 0001_01_01_000000_create_...
│   │       ├── 0001_01_01_000001_create_...
│   │       ├── 0001_01_01_000002_create_j...
│   │       └── 2026_05_05_151747_cr... U
│   ├── seeders
│   ├── .gitignore
│   ├── database.sqlite
│   ├── public
│   │   ├── .htaccess
│   │   ├── app.js
│   │   ├── faviconico
│   │   ├── index.php
│   │   ├── logohunny.webp
│   │   ├── robots.txt
│   │   ├── style.css
│   │   ├── resources
│   │   ├── css
│   │   └── app.css
└── js

8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('users', function (Blueprint $table) {
15             $table->id();
16             $table->string('name');
17             $table->string('email')->unique();
18             $table->timestamp('email_verified_at')->nullable();
19             $table->string('password');
20             $table->rememberToken();
21             $table->timestamps();
22         });
23
24         Schema::create('password reset tokens', function (Blueprint $table) {
25             $table->string('email')->primary();
26             $table->string('token');
27             $table->timestamp('created_at')->nullable();
28         });
29
30         Schema::create('sessions', function (Blueprint $table) {
31             $table->string('id')->primary();
32             $table->foreignId('user_id')->nullable()->index();
33             $table->string('ip_address', 45)->nullable();
34             $table->text('user_agent')->nullable();
35             $table->longText('payload');
36             $table->integer('last_activity')->index();
37         });
38     }
39 }
```

```
TUGAS AKHIR P... hunny-app > database > migrations > 0001_01_01_000001_create_cache_table.php
hunny-app
├── app
│   ├── Models
│   ├── Providers
│   ├── bootstrap
│   ├── config
│   ├── database
│   │   ├── factories
│   │   └── migrations
│   │       ├── 0001_01_01_000000_create_...
│   │       ├── 0001_01_01_000001_create_...
│   │       ├── 0001_01_01_000002_create_j...
│   │       └── 2026_05_05_151747_cr... U
│   ├── seeders
│   ├── .gitignore
│   ├── database.sqlite
│   ├── public
│   │   ├── .htaccess
│   │   ├── app.js
│   │   ├── faviconico
│   │   ├── index.php
│   │   ├── logohunny.webp
│   │   ├── robots.txt
│   │   ├── style.css
│   │   ├── resources
│   │   ├── css
│   │   └── app.css
└── js

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('cache', function (Blueprint $table) {
15             $table->string('key')->primary();
16             $table->mediumText('value');
17             $table->bigInteger('expiration')->index();
18         });
19
20         Schema::create('cache_locks', function (Blueprint $table) {
21             $table->string('key')->primary();
22             $table->string('owner');
23             $table->bigInteger('expiration')->index();
24         });
25     }
26
27     /**
28      * Reverse the migrations.
29      */
30     public function down(): void
31     {
32     }
```

```
TUGAS AKHIR P... hunny-app > database > migrations > 0001_01_01_000002_create_jobs_table.php
hunny-app
├── app
│   ├── Models
│   ├── Providers
│   ├── bootstrap
│   ├── config
│   ├── database
│   │   ├── factories
│   │   └── migrations
│   │       ├── 0001_01_01_000000_create_...
│   │       ├── 0001_01_01_000001_create_...
│   │       ├── 0001_01_01_000002_create_j...
│   │       └── 2026_05_05_151747_cr... U
│   ├── seeders
│   ├── .gitignore
│   ├── database.sqlite
│   ├── public
│   │   ├── .htaccess
│   │   ├── app.js
│   │   ├── faviconico
│   │   ├── index.php
│   │   ├── logohunny.webp
│   │   ├── robots.txt
│   │   ├── style.css
│   │   ├── resources
│   │   ├── css
│   │   └── app.css
└── js

1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('jobs', function (Blueprint $table) {
15             $table->id();
16             $table->string('queue')->index();
17             $table->longText('payload');
18             $table->unsignedSmallInteger('attempts');
19             $table->unsignedInteger('reserved_at')->nullable();
20             $table->unsignedInteger('available_at');
21             $table->unsignedInteger('created_at');
22         });
23
24         Schema::create('job_batches', function (Blueprint $table) {
25             $table->string('id')->primary();
26             $table->string('name');
27             $table->integer('total_jobs');
28             $table->integer('pending_jobs');
29             $table->integer('failed_jobs');
30             $table->longText('failed_job_ids');
31             $table->mediumText('options')->nullable();
32             $table->integer('cancelled_at')->nullable();
33         });
34     }
35 }
```



```

2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('mahasiswas', function (Blueprint $table) {
15             $table->id();
16             $table->timestamps();
17         });
18     }
19
20     /**
21      * Reverse the migrations.
22      */
23     public function down(): void
24     {
25         Schema::dropIfExists('mahasiswas');
26     }
27 };

```

3. Jalankan migration: php artisan migrate - cek di phpMyAdmin bahwa tabel sudah terbuat

```

PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app> php artisan migrate

INFO Running migrations.


2026_05_05_151747_create_mahasiswas_table ..... 205.84ms DONE

PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app>

```


id	migration	batch
1	0001_01_01_000000_create_users_table	1
2	0001_01_01_000001_create_cache_table	1
3	0001_01_01_000002_create_jobs_table	1
4	2026_05_05_151747_create_mahasiswas_table	2

4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif() [ini saya sesuaikan dengan projek saya]




```
hunny-app > app > Models > produk.php
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Produk extends Model
9 {
10     use HasFactory;
11
12     protected $fillable = [
13         'nama_barang',
14         'kategori',
15         'jumlah',
16         'satuan',
17         'status_tersedia',
18         'tanggal_masuk',
19     ];
20
21     protected $casts = [
22         'status_tersedia' => 'boolean',
23         'jumlah' => 'integer',
24         'tanggal_masuk' => 'date',
25     ];
26 }
```

5. Buat seeder: php artisan make:seeder Mahasiswa Seeder - isi dengan 5-10 data dummy [ini saya sesuaikan dengan projek saya]



```
PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app> php artisan make:seeder StokSeeder
INFO Seeder [D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app\database\seeders\StokSeeder.php] created successfully.
PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app> php artisan db:seed
INFO Seeding database.
```



```
hunny-app > database > seeders > StokSeeder.php
1 <?php
2
3 namespace Database\Seeders;
4
5 use Illuminate\Database\Seeder;
6 use Illuminate\Support\Facades\DB;
7
8 class StokSeeder extends Seeder
9 {
10     public function run(): void
11     {
12         DB::table('stoks')->insert([
13             ['nama_barang' => 'Makanan Kucing ProPlan', 'kategori' => 'Makanan', 'jumlah' => 15, 'satuan' => 'Kg'],
14             ['nama_barang' => 'Shampoo Anti Kutu', 'kategori' => 'Perawatan', 'jumlah' => 20, 'satuan' => 'Botol'],
15             ['nama_barang' => 'Pasir Kucing Wangi', 'kategori' => 'Kebersihan', 'jumlah' => 50, 'satuan' => 'Pcs'],
16             ['nama_barang' => 'Mainan Tikus Karet', 'kategori' => 'Akseoris', 'jumlah' => 10, 'satuan' => 'Pcs'],
17             ['nama_barang' => 'Kandang Besi Size L', 'kategori' => 'Fasilitas', 'jumlah' => 5, 'satuan' => 'Unit'],
18             ['nama_barang' => 'Vitamin Bulu', 'kategori' => 'Kesehatan', 'jumlah' => 30, 'satuan' => 'Box'],
19         ]);
20     }
21 }
```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed [ini saya sesuaikan dengan projek saya]

The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows a project structure for 'hunny-app' with folders like 'database', 'seeder', 'public', 'resources', 'views', and 'admin'. The 'StokSeeder.php' file is selected. The code editor shows the following PHP code:

```
1 <?php
2
3 namespace Database\Seeders;
4
5 use Illuminate\Database\Seeder;
6 use Illuminate\Support\Facades\DB;
7
8 class StokSeeder extends Seeder
9 {
10     public function run(): void
11     {
12         DB::table('stoks')->insert([
13             ['nama_barang' => 'Makanan Kucing ProPlan', 'kategori' => 'Makanan', 'jumlah' => 15, 'satuan' => 'Kg'],
14             ['nama_barang' => 'Shampoo Anti Kutu', 'kategori' => 'Perawatan', 'jumlah' => 20, 'satuan' => 'Botol'],
15             ['nama_barang' => 'Pasir Kucing Wangi', 'kategori' => 'Kebersihan', 'jumlah' => 50, 'satuan' => 'Pcs'],
16             ['nama_barang' => 'Mainan Tikus Karet', 'kategori' => 'Aksesoris', 'jumlah' => 10, 'satuan' => 'Pcs'],
17             ['nama_barang' => 'Kandang Besi Size L', 'kategori' => 'Fasilitas', 'jumlah' => 5, 'satuan' => 'Unit'],
18             ['nama_barang' => 'Vitamin Bulu', 'kategori' => 'Kesehatan', 'jumlah' => 30, 'satuan' => 'Box'],
19         ]);
20     }
21 }
```

Below the code editor, a terminal window shows the command 'php artisan db:seed' being executed, resulting in the output 'INFO Seeding database.'

7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa::where('jurusan', 'SI')->get(), Mahasiswa::avg('ipk') [ini saya sesuaikan dengan projek saya]


The screenshot shows a terminal window with the command 'php artisan tinker' being executed. The output shows the Psy Shell version (v0.12.22) and the PHP version (8.3.30). The terminal text is as follows:

```
PS D:\HUN\KULIAH\SISTEM INFORMASI\SEMESTER 4\PWEB HTML\ALL HTML\TUGAS AKHIR PWEB LARAVEL\hunny-app> php artisan tinker
Psy Shell v0.12.22 (PHP 8.3.30 - cli) by Justin Hileman
New PHP manual is available (latest: 3.0.5). Update with `doc --update-manual`
```

```
>
> App\Models\Produk::all();

= Illuminate\Database\Eloquent\Collection {#8088
  all: [
    App\Models\Produk {#8082
      id: 1,
      nama_barang: "Makanan Kucing ProPlan",
      kategori: "Makanan",
      jumlah: 15,
      satuan: "Kg",
      status_tersedia: 1,
      tanggal_masuk: "2026-05-05",
      created_at: null,
      updated_at: null,
    },
    App\Models\Produk {#8081
      id: 2,
      nama_barang: "Shampoo Anti Kutu",
      kategori: "Perawatan",
      jumlah: 20,
      satuan: "Botol",
      status_tersedia: 1,
      tanggal_masuk: "2026-05-05",
      created_at: null,
      updated_at: null,
    },
    App\Models\Produk {#8084
      id: 3,
      nama_barang: "Pasir Kucing Wangi",
      kategori: "Kebersihan",
      jumlah: 50,
      satuan: "Pcs",
      status_tersedia: 1,
      tanggal_masuk: "2026-05-05",
      created_at: null,
      updated_at: null,
    },
    App\Models\Produk {#8085
      id: 4,
```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongs ToMany di Model



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows a project structure with folders like 'hunmy-app', 'app', 'Models', 'Providers', 'bootstrap', 'config', 'database', 'factories', 'migrations', 'seeders', and files like '.gitignore', 'database.sqlite', 'public', '.htaccess', and 'app.js'. The 'Models' folder is expanded, showing 'Produk.php' selected. The code editor shows the following PHP code:

```
hunmy-app > app > Models > Produk.php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Database\Eloquent\Model;
7
8 class Produk extends Model
9 {
10     use HasFactory;
11
12     protected $fillable = [
13         'nama_barang',
14         'kategori',
15         'jumlah',
16         'satuan',
17         'status_tersedia',
18         'tanggal_masuk',
19     ];
20
21     protected $casts = [
22         'status_tersedia' => 'boolean',
23         'jumlah' => 'integer',
24         'tanggal_masuk' => 'date',
25     ];
26
27     public function suppliers()
28     {
29         return $this->belongsToMany(Supplier::class, 'produk_supplier');
30     }
31 }
32
```

```

> App\Models\Customer::with('produks')->get();
= Illuminate\Database\Eloquent\Collection {#8535
  all: [
    App\Models\Customer {#8094
      id: 1,
      nama_customer: "Pelanggan Hunny Pet Care",
      telepon: "08123456789",
      created_at: "2026-05-05 16:05:49",
      updated_at: "2026-05-05 16:05:49",
      produks: Illuminate\Database\Eloquent\Collection {#8547
        all: [
          App\Models\Produk {#8525
            id: 1,
            nama_barang: "Makanan Kucing ProPlan",
            kategori: "Makanan",
            jumlah: 15,
            satuan: "Kg",
            status_tersedia: 1,
            tanggal_masuk: "2026-05-05",
            created_at: null,
            updated_at: null,
            pivot: Illuminate\Database\Eloquent\Relations\Pivot {#8531
              customer_id: 1,
              produk_id: 1,
            },
          },
        ],
      },
    ],
  ],
}
> █

```

(relasi berhasil)