

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app --help
usage: budget_app [-h] [--data-dir DATA_DIR]
                  {add,list,search,summary,delete,update,budget,category,export,import} ...
```

나만의 용돈 기입장 콘솔 프로그램

positional arguments:

{add,list,search,summary,delete,update,budget,category,export,import}

add	거래를 대화형으로 추가한다
list	거래 목록을 최신순으로 조회한다
search	조건에 맞는 거래를 검색한다
summary	월별 요약을 출력한다
delete	거래를 삭제한다
update	거래를 수정한다 (옵션 방식)
budget	월별 예산을 설정/조회한다
category	카테고리를 관리한다
export	거래를 CSV로 내보낸다
import	CSV로부터 거래를 일괄 등록한다

optional arguments:

-h, --help	show this help message and exit
--data-dir DATA_DIR	데이터 저장 폴더 (기본값: ./data)

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app category list
[안내] 카테고리가 비어 있어 기본 카테고리를 생성했습니다: food, transport, rent, etc
- food
- transport
- rent
- etc
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app add
날짜 (YYYY-MM-DD): 2026-09-25
타입 (income/expense): expense
카테고리: food
금액 (양수): 15000
메모 (선택): 점심식사
태그 (쉼표로 구분, 없으면 엔터): 식사, 점심
[저장 완료] id=TX-000001
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app add
날짜 (YYYY-MM-DD): 2026-09-25
타입 (income/expense): expense
카테고리: transport
금액 (양수): 지하철
[오류] 금액은 숫자여야 합니다.
금액 (양수): 3500
메모 (선택): 지하철
태그 (쉼표로 구분, 없으면 엔터): 교통, 출근
[저장 완료] id=TX-000002
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app add
날짜 (YYYY-MM-DD): 2026-09-25
타입 (income/expense): income
카테고리: etc
금액 (양수): 3000000
메모 (선택): 9월 급여
태그 (쉼표로 구분, 없으면 엔터): 급여
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app list
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app list --limit 3
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app search --category food
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app search --type expense
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app search --from 2026-09-20 --to 2026-09-25
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app search --q 점심
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app search --tag 교통
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app summary --month 2026-09
총 수입 : 3000000원
총 지출 : 18500원
잔액 : 2981500원

지출 TOP 3
1) food 15000원
2) transport 3500원
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app budget set --month 2026-09 --amount 1000000
[저장 완료] 2026-09 예산 1000000원
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app budget get --month 2026-09
2026-09 예산 : 1000000원
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app summary --month 2026-09
총 수입 : 3000000원
총 지출 : 18500원
잔액 : 2981500원
예산 : 1000000원 (사용률 1.8%)

지출 TOP 3
1) food 15000원
2) transport 3500원
```

```
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app category list
- food
- transport
- rent
- etc
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app category add
카테고리명 : shopping
[저장 완료] category=shopping
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app category list
- food
- transport
- rent
- etc
- shopping
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app category remove --name shopping
[삭제 완료] category=shopping
```

```

● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app list
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app update --id TX-000001 --amount 18000 --memo "점심식사 수정"
[수정 완료] id=TX-000001
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app list
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 18000 | 점심식사 수정

```

```

● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app list
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 15000 | 점심식사

```

```

● zukrass3800@c5r6s7 Budget_App_Project % cat > import.csv << 'EOF'
date,type,category,amount,memo,tags
2026-09-20,expense,food,15000,점심식사,"식사,점심"
2026-09-21,expense,transport,3500,지하철,"교통,출근"
2026-09-25,income,etc,3000000,9월급여,급여
EOF
● zukrass3800@c5r6s7 Budget_App_Project % ls
budget_app  data  import.csv  README.md
● zukrass3800@c5r6s7 Budget_App_Project % cat import.csv
date,type,category,amount,memo,tags
2026-09-20,expense,food,15000,점심식사,"식사,점심"
2026-09-21,expense,transport,3500,지하철,"교통,출근"
2026-09-25,income,etc,3000000,9월급여,급여
○ zukrass3800@c5r6s7 Budget_App_Project %
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app import --from import.csv
[완료] imported=3, skipped=0
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app list
TX-000006 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000003 | 2026-09-25 | income | etc | 3000000 | 9월 급여
TX-000002 | 2026-09-25 | expense | transport | 3500 | 지하철
TX-000001 | 2026-09-25 | expense | food | 18000 | 점심식사 수정
TX-000005 | 2026-09-21 | expense | transport | 3500 | 지하철
TX-000004 | 2026-09-20 | expense | food | 15000 | 점심식사

```

```

○ zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app add
날짜(YYYY-MM-DD): 2026-99-99
[오류] 존재하지 않는 날짜입니다.
[힌트] 예: 2024-01-15
날짜(YYYY-MM-DD): 2026-09-25
타입(income/expense): etc
[오류] 타입은 income 또는 expense만 가능합니다.
타입(income/expense): expense
카테고리: etc
금액(양수):

```

```

chpad 0 0 32 Col 1 Spaces: 4 UTF-8 LF {} Python
● zukrass3800@c5r6s7 Budget_App_Project % python3 -m budget_app delete --id TX-999999
[오류] 존재하지 않는 id입니다: TX-999999
● zukrass3800@c5r6s7 Budget_App_Project % echo $?
1

```