

Lewe.com

TeamCal Pro
Know who's in

U s e r G u i d e

© 2013 by Lewe.com

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of Lewe.com.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Created: April 2013

TeamCal Pro

User Guide

Document

Title: TeamCal Pro
Type: User Guide
Author: George Lewe
Version: 3.6.001
Date: 2013-04-13

Contact

Lewe.com
Software Engineering

Name: George Lewe
Phone: 0
Fax: 0
e-Mail: george@lewe.com
Internet: <http://www.lewe.com>

Content

1	Introduction	1
1.1	TeamCal Pro License	1
2	Installation	11
3	Main Interface	15
3.1	Menu Bar	15
3.2	Homepage	18
3.3	Calendar Display	18
3.4	Year Calendar Display	23
3.5	Announcement Page	24
3.6	Global Statistics Display	25
3.7	Remainder Current Year	28
4	Dialogs	29
4.1	Daynote	30
4.2	Add/Edit Profile	30
	Personal Data	32
	Membership	33
	Options	34
	Account	36
	Absences	37
	Avatar	38
	Other	40
4.3	Legend	41
4.4	Login	42
4.5	Message Center	43
4.6	Month Template	44
4.7	User Calendar	45
4.8	User Registration	47
4.9	View Profile	48

5	Administration	50
5.1	Configuration	50
5.2	Permissions	51
5.3	Users	53
5.4	Groups	54
5.5	Group Assignment	56
5.6	Absence Types	58
5.7	Absence Icon	59
5.8	Regions	60
5.9	Holiday Types	62
5.10	Declination	63
5.11	Database Maintenance	65
5.12	System Log Page	68
5.13	Icon Upload Dialog	70
5.14	Absence to Group Assignment	71
5.15	User Import	72
5.16	Template User	73
5.17	Theme Support	75
Index		78

1 Introduction



TeamCal Pro is a web-based application utilizing PHP and a MySQL database. It's generic purpose is the day-based absence management of project teams, more precisely of their members.

The goal was to create an optically attractive but also effective representation of a calendar display, showing the presence and absence of each team member. TeamCal Pro supports the customization of holiday types and absence types, thus its purpose can be altered to any graphical representation of timeline based processes or activities, e.g. a simple project plan or an event management.

I hope you enjoy TeamCal Pro.
Best regards,
George Lewe

TeamCal Pro ist eine web-basierte Applikation beruhend auf der Scriptsprache PHP und einer MySQL Datenbank. Die wesentliche Aufgabe ist die Verwaltung von tagesbasierten An- und Abwesenheiten von Teams, genauer gesagt von dessen Mitarbeitern.

Ziel war es, eine optisch attraktive aber effektive Kalenderdarstellung zu finden, die schnell und übersichtlich die An- und Abwesenheiten von Teammitgliedern anzeigt. TeamCal Pro bietet viele Möglichkeiten der Anpassung, z.B. individuelle Feiertags- und Abwesenheitstypen, so dass auch ganz andere Anwendungen denkbar sind, beispielsweise ein simpler Projektplan oder ein Ereignismanagement.

Ein deutsches Hilfesystem kann ich aus Zeitmangel leider nicht pflegen. Hier obliegt es dem jeweiligen Administrator, eventuell eine eigene deutschsprachige Hilfe zu erstellen und in die Applikation einzubinden.

*Ich hoffe, TeamCal Pro unterstützt Sie nach Ihren Wünschen.
Mit freundlichen Grüßen,
George Lewe*

1.1 TeamCal Pro License

TeamCal Pro was developed by George Lewe (<http://www.lewe.com>). TeamCal Pro is free software; it may be redistributed and/or modified under the terms of the

- GNU General Public License v3 as published by the Free Software Foundation (<http://www.gnu.org/licenses/gpl.html>).
- TeamCal Pro License as published with the product

A copy of the license agreement has been distributed with TeamCal Pro named gpl.txt.

GNUv3 License

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free

Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

0. Definitions

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and

must require no special password or key for unpacking, reading or copying.

7. Additional Terms

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies

you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is

not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

TeamCal Pro License

Even though (and especially because of) an author of free software is not paid for his work I consider it as important to reference to the original author's work appropriately. It is not only a matter of good manners, decency and code of honor.

Therefore, in addition to the GPLv3 license you agree to the following conditions if you decide to use or modify or distribute TeamCal Pro:

1. You may NOT alter or disable comments, references, statements and displays of the:
 - Application information (name, version) (exception see (2))
 - Author's information (name, URL, e-mail)
 - Author's Copyright
 - "Powered by" information (must always be displayed on each page)
 - Help-About dialog
2. You may alter 'header.application.inc.php' to your liking, e.g. use your own image and/or subtitle. If you develop identifiable sections of code that are not derived from the original Application and can be reasonably considered independent and separate works in themselves, like an integration module for a CMS, you may

identify your new sections by appropriate references to you as the modifying author. In such a case you may also alter the version number of the application based on the original version number in order to reflect the independent additions to the Application (e.g. 3.5.002 => 3.5.002m).

3. If you deem TeamCal Pro valuable in your area, especially in a commercial environment, I kindly ask for a voluntary donation to my PayPal account. You can find donation links on <http://www.lewe.com>.


2 Installation

Installing TeamCal Pro has been made much easier with version 3.0. An installation script takes away the hassle of manually editing files to set up your individual environment. The recommended basic installation steps are:

- Unpack the TeamCal Pro archive to your local hard drive
- Copy the TeamCal Pro directories including all sub directories and files to the desired location at your web space
- Direct your browser to the location of your TeamCal Pro. The installation page will show.
- Enter all information as requested and click [Install]

That does not sound too difficult, does it?

I have done my best to keep it as straight forward and easy as possible. You techies scroll down to read more details...

 TeamCal Pro Installation

Application Settings

Application Root Directory
Specify the absolute directory of your TeamCal Pro copy relative to your server root directory, including a leading and trailing slash (e.g. /tcpro/).

Application URL
Specify the unique resource locator (URL) of your TeamCal Pro copy (e.g. http://www.lewe.com/tcpro).

Test

Database Settings

Database Server
Specify the URL of the database server.

Database Name
Specify the name of the database.

Database User
Specify the username to log in to your database.

Database Password
Specify the password to log in to your database.

Database Table Prefix
Specify a prefix for your TeamCal Pro database tables.

Test

Sample Data

Sample data
Check whether you want a set of sample data loaded or not. Select "Use existing data" if your database already exists and you want to use the existing data.
Attention! "Use existing data" only works if your existing data set is compatible with the version you are installing. Find details in Upgradeinfo.txt.

☒ Sample data

☐ Basic data only

☐ Use existing data

License Agreement

License Agreement
TeamCal Pro is a free open source application. However, if you want to use it you must accept the license agreements.

☐ I accept the General Pulic License

☐ I accept the TeamCal Pro License

View

View

Start Installation

Install

Help

Installation Page

The Installation shows explanations to all entries. You should be able to figure it out quickly. Here are some more hints and examples.

Application Settings

Application Root Directory

The URL to your TeamCal Pro application (like <http://www.lewe.com/tcpro>) does usually not represent the directory path on your web server where TeamCal Pro resides. You can compare this in the Windows world with the icon "My Documents" pointing to a directory like "C:\Documents and Settings\SomeUsername\My Documents". Your web site resides in a certain and specific directory on the web server. TeamCal Pro needs this information to work properly and to know where certain files can be found.

Lewe.com

12

Let's look at an example. Let's say you have bought web space from a provider. And let's say you have registered the domain "thisismydomain.com". Your URL to your web space will then be "http://www.thisismydomain.com", but the directory on the web server in the provider's data center will be something like "/customers/homepages/12345/htdocs". There is such a directory for each customer. TeamCal Pro needs to know this information.

But don't worry, you don't need to look that up. Let's say you connected to your web space via FTP and copied your local TeamCal Pro directory that you called "tcpro" right in your home directory on the web server. Then, in our example, the fully specified application root directory of TeamCal Pro would be "/customers/homepages/12345/htdocs/tcpro", right? But all you need to enter in the installation page is just the name of the TeamCal Pro folder, followed by a slash. Easy enough? That would be in our case "/tcpro/". When the installation page starts TeamCal Pro will already display the directory name it seems that your installation resides in.

You can use the [Test] button to see if your entries make sense to TeamCal Pro.

Application URL

Do I have to explain this again? I guess you know by now. When the installation page starts TeamCal Pro will already display the URL it seems that your installation is reachable at.

Database Settings

Now this is a bit more tricky and requires some knowledge about MySQL databases, depending on how good your provider is. When you buy web space from a provider you usually get access to a specific web site where you can set up your web space. One option usually is to create a MySQL database. It is more or less a matter of a few clicks in your browser and your database is ready to go. You will usually get a response about the database server name, database name and the user name and password to access it. Just take that information and enter it here.

You can use the [Test] button to see if your entries make sense to TeamCal Pro.

Sample Data

TeamCal Pro comes with a set of sample data. If you like to enter a few users and groups into your database upon installation just select "Sample Data" here. There are just a few, not too many to delete them after you have tested a few things with them. If you are familiar with TeamCal Pro from previous versions and don't need sample data, select "Basic Data". This will install all necessary initial settings, but now groups or users (except of 'admin').

The 'admin' user will be installed either way. His password is 'root'.

License Agreement

TeamCal Pro is free open source software, probably the thing you like most about it. However, it does not mean you can do anything with it. Is it not yours. It is just licensed to you for no money. You still have to agree and accept the license agreements that come with it. Please make sure you read and accept them. It is my work, my time and my sweat that makes this application work for you and I believe the least you can do for me is to honor these agreements.

Start Installation

After you have entered all information (use the [Test] buttons to verify your inputs) click the [Install] button to save your configuration and start TeamCal Pro.

Delete "installation.php"

Since you can set basic configuration data and even overwrite the database with the installation script, it is highly recommended to delete "installation.php" after a successful installation. If you don't do so, each time the admin

logs in, a security warning message will pop-up, using the TeamCal Pro announcement feature.


From here on only the techies want to read...

Technical Details

The TeamCal archive contains two files, named **config.default.php** and **installation.php**. If these two files exist, and specifically no file named **config.tcpro.php** is present, the index.php will launch installation.php. After you have entered your installation info and have clicked the [Install] button, the file **config.tcpro.php** will be created and index.php will be reloaded.

Once index.php does not see config.tpro.php nor installation.php an "Installation Corrupted" error message will display. In that case recover the installation.php file from your TeamCal Pro archive and direct your browser to TeamCal Pro again. The installation page will show automatically.

You can get further support at the Forum on <http://www.lewe.com>



TeamCal Pro Admin Menu

The following menus will be shown in the menu bar based on your privileges:

TeamCal

- Login** (opens the login window)
- Logout** (logs you out)
- Register** (opens the register window)

View

- Home Page** (loads the home page)
- Calendar** (loads the main Calendar page)
- Year Calendar** (loads the year calendar page)
- Announcements** (loads the Announcement page)
- Statistics...**
 - Global Statistics** (opens the global statistics dialog)
 - Reminder Current Year** (opens the reminder current year page)

Tools

- User Profile** (opens the Edit Profile window for the logged in user)
- Message** (opens the Message Center window)
- webMeasure** (opens the Lewe.com's webMeasure in a window)
- Administration** (opens the Administration sub-menu, this menu is only visible with administrator rights)
 - TeamCal Configuration** (opens the main administration dialog)
 - Permissions** (opens the permissions dialog)
 - Users** (opens the user management page)
 - Groups** (opens the group management page)
 - Group Memberships** (opens the group memberships page)
 - Absence Types** (opens the absence type management page)
 - Regions** (opens the region management page)
 - Holidays** (opens the holiday management page)
 - Declination Management** (opens the declination management page)
 - Database Management** (opens the database management page)
 - System Log** (opens the system log)

Environment (opens the TeamCal Pro Environment page)

PHP Info (opens the PHP Info page)

Help


Legend (opens the Legend window)

Help... - User Manual (Browser) (opens the User Manual)


Help... - User Manual (PDF) (opens the User Manual PDF file)

About TeamCal Pro (opens the About window)

Announcement Icon

 This announcement icon is shown if there are announcements available for the currently logged in user. Right next to it will be a number in brackets indicating how many announcements there are. A click on this icon will open the Announcement page.

Options Bar



Calendar Filter Settings

To the right side of the menu bar you will find the following filter options when logged in OR when not logged in and no login is required to view the calendar:

Language: [English | v]

Choosing a different language reloads the main page using the selected language.

The default TeamCal Pro application supports 'English' and 'German'.

(The User Manual is only provided in English.)

Group: [All | v]

Filters the calendar display by showing all users alphabetically, grouped by user groups, or only those team members belonging to the selected group.

Group: [All | v]

Filters the calendar display by showing all users alphabetically, grouped by user groups, or only those team members belonging to the selected group.

Region: [default | v]

Selects the base calendar to be used for the calendar display. The administrator can set up several regional base calendars in order to maintain different sets of holidays.

Start: [July | v] [2004 | v] [Show 3 months | v]

Selects the first month/year to display and how many months will be displayed in total (3, 6 or 12 months).


[Apply]

Applies the selections you made in the previous drop down lists.

[Reset]

Resets all settings to the default.

3.2 Homepage



The Homepage can be used to display a global message to the TeamCal Pro users. It will always be available, also to the public. Even if the public is not permitted to view calendars in the permission scheme they can still the Homepage.

The icon, title and text that is shown on the Homepage can be set by the administrator on the Configuration page.

3.3 Calendar Display

Calendar

April 2013		Remainder	This Month		1	2	3	4
Week								14
Name		F	F		Mo	Tu	We	Th
Carl, Coyote	22/22	0	0	0				
Duck, Donald	12/12	0	0	0				
Gonzales, Speedy	12/12	0	0	0				
Head, Potatoe	11/12	0	0	0				
Lightyear, Buzz	12/12	0	0	0				
Mouse, Mickey	12/12	0	0	1				
Mouse, Minnie	12/12	0	1	0				
Spiderman	12/12	0	0	0				
Fast Edit		Apply						
Summary: +								

Calendar Display

The calendar display uses the same format for each month. You see the month name and year in the upper left header cell. Right next to it are the day of month fields under which the corresponding days of week are indicated. Each day is vertically colored corresponding to its day type (business day, weekend day, public holiday, etc.).

The holiday template for a month can be changed by clicking the notepad symbol on the right of the month name in the upper left cell. This button will only be displayed if you hold administrator or group manager rights. The Month Template dialog will open.


A row for each TeamCal user shows his specific absence symbols for each and every day of the given month.

You can click on a name to view the profile of the user. If you hold administrator rights you can edit the users' profile by clicking on his name. Clicking on your own name when logged in will open the edit dialog for your profile.

Right to the name of the user you can find a little wrench symbol that you can click to edit the absences of the specific user. If you are a regular user you will only see the wrench button next to your own name. If you hold group manager rights you will see the button next to your own name and all names of the members of the managed group. Administrators see all wrench buttons.

Avatars


If the Avatar feature is enabled an avatar image pops up when moving the mouse over the user icon. Note: The user icon feature must be switched on as well for the avatars to function.



Avatar Display

User Popup Info

User popup notes can be set in the user profile. If a user popup note was entered a little red corner icon is displayed in the upper right corner of the user name field in the calendar display. The popup will show when the mouse is moved over the field showing the wrench icon.




User popup note

Day Notes, Birthdays

You can set a general day note for the day and each user can set a personal day note for a given day. If such a day note exists a little red mark will be displayed in the upper right corner of its cell (see image below). When moving the mouse over that cell the day note will pop-up like a tool tip. You can maintain the general day notes in the month template dialog and the personal day notes in the user calendar dialog. The personal day notes may be disabled for regular users by the administrator.

Birthdays are shown in a similar way, indicated by a little green mark. Wether the birthday for a user is shown in the calendar or not can be set in the user profile dialog. If you want to show the birthday but hide the age (You're welcome, Ladies!) you can also set that in the user profile.

When a day holds a personal day note and a birthday the red mark will be used. Both information can be read in the pop-up.



Remainder

The **Remainder** display is an expandable section. You can display or hide the remainders by clicking the little toggle icon right next to the weekday row. It will display the remaining allowance for each absence type for each person for the current year. The figures will always show the values for the current year (January 1st - December 31st), even if you display a month of the previous or next year.

The administrator can configure which absence types will be included in this section. He can also set wether the total available at the beginning of the current year will be shown next to the remainder (a.g.: 7/12). The allowance will include the left-over of the last year which can be changed in the users profile.

September 2006		Remainder			
Week					
Name			N		
Carl, Coyote		12	0	0	20
Duck, Donald		12	-2	0	20
Head, Potatoe		12	0	0	20
Lightyear, Buzz		12	0	0	30
Mouse, Mickey		11	-1	-1	29
Mouse, Minnie		12	0	0	20
Spiderman		12	0	0	20
Summary: +					

Remainder Display

Remainder Display

Totals Display

The remainder section can be configured to also include a totals section. This section displays the amount of instances per absence type taken for the month displayed. So if a user has been checked three home office days for the current month a '3' will be shown here. Whether an absence type is included in this totals section can be configured per each absence type.

This Month			
	F		
0	0	0	0
0	2	5	3
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
Totals			
Display			

Sort Order

Next to the "Name" caption you can see an arrow indicating the sort order of the user list. If the arrow points down the user list is sorted ascending by last name (A first, Z last). Click the arrow to revers the list into a descending order (Z first, A last).

April 2007	
Week	
↓ Name	
Carl, Coyote	
Duck, Donald	
Gonzales, Speedy	
Sort Arrow	

Fast Edit

Fast Edit is a new feature introduced in release 3.6.000. It provides a possibility to quickly change single absences directly in the calendar view:

April 2013	1	2	3
Week	14		
Name	Mo	Tu	We
Carl, Coyote			Present
Duck, Donald			Present
Gonzales, Speedy			Present
Head, Potatoe			Present
Lightyear, Buzz			Present
Mouse, Mickey			Day Off
Mouse, Minnie			Duty Trip
Spiderman			Home Office
			Not Present
			Sick
			Tentative Absence
			Training
			Vacation
Fast Edit	Apply		
Summary:			

Fast Edit

The Fast Edit row shows an icon for each day in the displayed month. Clicking that icon will reveal listboxes for each user of that day, offering a quick way to change the current absence. Just select the new absence for the desired user. You can do this for every day and user you like. When you are done with your new selection, click the [Apply] button next the Fast Edit in the first column. TeamCal Pro will loop through all absences, find the ones that have changed and apply them to the database.

Note, that Fast Edit does not perform any declination management. Fast Edit absences are save directly without any checks. This feature is rather meant for managers so they can quickly change or set absences for their team members.

The Fast Edit feature has to be switched on in the TeamCal Pro configuration, otherwise the Fast Edit row and the listboxes will not be available. Also, Fast Edit is a permission that the logged in user must hold in order to use this feature.

Tip: Do not display too many months in the calendar view with Fast Edit enabled. The more months you display, the more listbox values have to be processed when you apply a Fast Edit.

Summary

The summary display is an expandable section. You can display or hide the summary by clicking the little toggle icon right next to the "Summary" title.

A couple of more rows will show the different counts of presence and absence.

The **Summary** section shows the amount of present and absent people for each day. The **Absence Summary** section shows the count of each absence type (not marked to count as 'present') per day.

Present: How many people are present or have taken absence types that count as 'present'

Absent: How many people have taken absences

Delta: Weight (Delta) between presence and absence. E.g. if 5 of 8 users are absence and 3 are present the delta is $5-3=2$.

Summary: <input type="checkbox"/>															
Present			9	9	9	9	9			8	8	9	8	8	
Absent			0	0	0	0	0			1	1	0	1	1	
Delta			9	9	9	9	9			7	7	9	7	7	
Absence Summary:															
Day Off	0		0	0	0	0	0			0	0	0	0	0	
Duty Trip	0		0	0	0	0	0			0	0	0	0	0	
Not Present	0		0	0	0	0	0			0	0	0	0	0	
Sick	0		0	0	0	0	0			0	0	0	0	0	
Tentative Absence	0		0	0	0	0	0			0	0	0	0	0	
Training	0		0	0	0	0	0			0	0	0	0	0	
Vacation	4		0	0	0	0	0			1	1	0	1	1	

Summary Display

3.4 Year Calendar Display

New in version 3.0 is the year calendar display. It shows the absences of one user for a full calendar year (January 1st - December 31st.).

2007	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu						
January	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31					
February	1						2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28			
March				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
April						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
May		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31				
June					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
July						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
August				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
September					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30		
October		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31				
November				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30			
December						1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31

Year Calendar Display

After selecting 'Year Calendar' from the 'View' menu, the display defaults to the current year for the user currently logged in. If the user 'admin' is logged in the first user (alphabetically by last name) is displayed.

Based on your user account's authorization you can select other years and users in the menu bar of the year calendar page:

Year:	2007	User:	Gonzales, Speedy	Apply	Reset
-------	------	-------	------------------	-------	-------

Year Calendar Page Menu Bar

The display itself offers many features you already know from the monthly view. You will find popup menus for day notes and user notes, you will find icons to edit each month's holidays and the calendar of each month for the selected user. The current day (if the current year is displayed) will be marked with the 'today border color' set in the configuration of TeamCal Pro. Also, each Monday shows the calendar week number of that week in the year at the bottom of the cell.

2007	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
January	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
February				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
March				1											1	12	13	14	15	16
April																9	10	11	12	13
May		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19

Year Calendar Details

3.5 Announcement Page

Announcements for Admin

Announcement

Action

Confirm all

Announcement ID: 2013-03-23 21:37:45

Security Warning

You seem to have installed TeamCal Pro already. However, the installation.php file still exists. For security reasons you should delete it as soon as possible.

[\[TeamCal Pro Installation\]](#)

Confirm

Announcement Page

When a user is logged in he can display his announcement page. He can either do that by opening the 'View' menu and selecting 'Announcements' or, in case that there are announcements for him or her, he can click on the announcement icon that will also show in the menu bar.

On the page all announcements meant for the user, whether sent to him as a single user or as a member of a group or All will be displayed. Each announcement entry will also show a 'Confirm' button. By clicking this button the user can confirm that he read the message and remove it from his list. The button will not delete the announcement itself. It will only take it from his list. Other user that this announcement was sent to as well (e.g. a group announcement) will still see it on their announcement page.

TeamCal Pro distinguishes between **silent** and **popup** announcements. If a popup announcements is sent to a user, the announcement page will automatically show when the user logs in. Silent announcements will only be displayed on this announcement page when the user selects to open it.

Buttons

- **[Confirm]**
Will remove the announcement from the users' list. This button will not delete the announcement itself. Announcements can only be deleted by the administrator using the database maintenance.
- **[Confirm all]**
In case you want to confirm all messages at once, use this button. It will remove all announcements from your list.

3.6 Global Statistics Display

The statistics page offers statistical information of the current database based on a specific time period this period can be selected in the upper part of the page.

Time Period

There are two ways to select a statistic report time period. Prepared are the most common periods these statistics are usually requested.




Standard Period Selection



Current Month ▾ All ▾ All ▾ Apply

Selecting a Standard Period

- **Current Month**
This period reaches from the first day to the last day of the current month
- **Current Quarter**
This option selects the current quarter of the year (Jan-Mar, Apr-Jun, Jul-Sep, Oct-Dec) based on the current month. If the current month is May the second quarter will be taken, which is 01. April - 30. June.
- **Current Half**
This option selects the current half of the year (Jan-Jun, Jul-Dec) based on the current month. If the current month is May the second quarter will be taken, which is 01. January - 30. June.
- **Current Year**
This option selects the current year, which always is 01. January - 31. December.
- **Group Filter**
The second drop down box provides the option to show the selected statistics for one group only.
- **Absence Filter**
With this drop down you can select an absence type filter that is applied to the first two diagrams about total absences per user and per group.



Custom Period Selection


2009-01-01  2009-12-31  All ▾ All ▾ Apply

Selecting a Custom Period

The custom period selection offers the option to choose an individual period, group and absence type for which the statistics will be displayed.

Statistics

Total Absence per User:



Total Absence per User


This statistic displays all taken absences (all absence types or as filtered) in the chosen time period accumulated for each user and also shows the total amount. Note, that those absence types that count as 'present' are not included in this count. Instead, they are counted in the presence count.

The total amount is shown as:

- **Total (persons)**

These are the accumulated absence days of all persons (netto absence).

Total Absence per Group:



Total absence per Group

This statistic displays all taken absences (all absence types or as filtered) in the chosen time period accumulated of each user group and also shows the total amount. The total amount is shown as:


- **Total (groups)**

The absence days of all groups are accumulated. If a user is member in two or more groups a single absence day of him or her will count for each of his/her groups (brutto absence).

- **Total (persons)**

These are the accumulated absence days of all persons (netto absence).

Total Presence per Group:



Total Presence per Group

This statistic displays all presences in the chosen time period accumulated of each user group and also shows the total amount. Note, that this number also includes absence types that count as 'present'.

The total amount is shown as:


- **Total (groups)**

The presence days of all groups are accumulated. If a user is member in two or more groups each presence day of him or her will count for each of his/her groups (brutto presence).

- **Total (persons)**

These are the accumulated presences days of all persons (netto presence).

Total Presence per User:




Total Presence per User

This statistic displays all presences in the chosen time period accumulated for each user and also shows the total amount. The total amount is shown as:

- **Total (persons)**

These are the accumulated presences days of all persons (netto presence).


Total Absence by Type



Total Absence by Type

This report lists all taken absences accumulated for each absence type.

Total Remainders



This report is always based on the time period of the current year, 1. January - 31. December, independent from any selected period. It lists all remainders of all users (except those hidden from the calendar) or the selected group based on their taken absences and their allowance (i.e. Allowance minus Taken). Only those absences are


taken in consideration where the allowance and its factor is greater than zero.

Additionally the remaining business days in the current year are shown, and also the remaining man days. The latter are the remaining business days multiplied with the amount of users in the calendar.


3.7 Remainder Current Year

This statistics page offers a visual representation of the remainders of each absence type for each user in the current year. Only absence types with a maximum allowance set are included (Note: If you don't see an absence type here its allowance is probably set to 0.).

TeamCal Pro will loop through each group and in each group through each user. A diagram is created for each user. You can narrow the selection by choosing a specific group or user only.



Users might have a remainder from the previous year. That value is also shown in the table. The diagram shows the total remainder from last year and the current year. You cannot select the year since the allowance is always computed against the current year plus the remainder of the last year.



4 Dialogs

Most of the settings and options in TeamCal Pro are displayed and changed in dialog windows, which actually are small browser windows with reduced navigation features.

All changes you make in those dialog windows you must apply first using the [Apply] button before they are written to the database. You can close a dialog by clicking the [Close] button or the [Done] button. Only the [Done] button will trigger a refresh of the page that launched the dialog.

Buttons

- **[Apply]**
Writes the information in the dialog to the database.
- **[Clear]**
(some dialogs) Clears the settings in the dialog, does not undo a previous Apply.
- **[Close]**
Closes the dialog. Does NOT refresh the page the launched the dialog.
- **[Done]**
Closes the dialog and refreshes the page that launched the dialog.

Color picker


Several pages and dialog allow choosing a color setting. TeamCal Pro uses jQuery and a colorpicker based on it:



Color picker

To select a color, just click into the text field for the color. The color picker dialog will pop up automatically. Select a color range first in the vertical color range bar, then press the mouse in the color selection square and move it around until you are happy with the color shade. Release the mouse and click on the little colored orb in the lower right corner to transfer the value into the text field.

4.1 Daynote



Daynote Dialog

You can store a note of 80 characters for each day. A day holding a day note will be displayed with a special background color in the regular calendar display. There the day note will pop up like a tool tip.

Enter the day note in the text box and click the 'Save' button to store it.


After you're done click [Close]. The dialog will close and the month template dialog will automatically be reloaded and reflect your changes.

Buttons

- **[Create]**
This button only appears if the day holds no day note yet. Clicking this button will create it.
- **[Save]**
This button only appears if the day holds a day note already. Clicking this button will save (update) it.
- **[Delete]**
This button only appears if the day holds a day note already. Clicking this button will delete it.
- **[Help]**
Open this section of this manual.
- **[Done]**
Closes the dialog and refreshes the page that launched the dialog.

4.2 Add/Edit Profile

The user profile dialog uses tabs to display user specific information for viewing or editing.



Edit Profile Tabs

Buttons

Independently from the selected tab the following buttons are available (Note: You can make changes on all tabs switching back and forth. The Update button will apply them all.):

- **[Delete]**
Will delete this user (only available if you hold administrator rights).
- **[Update]**
Will update the user profile with the information in this dialog.
- **[Apply]**
Will update the user profile with the information changed.
- **[Upload]**
Will upload an avatar image.
- **[Help]**
Will display this section of this manual.
- **[Done]**
Will close this dialog and refresh the launching page.

4.2.1 Personal Data

Edit User Profile: Mr. Donald Duck

Personal Data | Options | Absences | Avatar | Other | Membership | Account

Personal Details

Name: **Donald Duck**

Username: **dduck**

New Password:

Verify Password:

Last Name:

First Name:

Title:

Position:

ID-Number:

Phone:

Mobile:

e-Mail:

Birthday:

Gender: ☒ Male ☐ Female

Apply Help Close Done

Personal Data Tab

Fill in the user information here.

- **Username:**
You cannot change your username. The administrator sets the username when creating an account.
- **New Password, Verify Password:**
If you want to change your password type it in here.
- **Last Name, First Name, Title, Position, ID-Number:**
Change your name, title and position information here. If you are managing employees you might wanna use the ID-Number field as well to store the employee identification number.


- **Phone, Mobile, e-Mail:**

Change your phone and e-Mail information here.

- **Birthday**

Fill in the birthday here. Note: On the options tab you can set a flag to display the birthday in the calendar via a day note. If you want to display the birthday but hide your age you can also set that on the Options tab.

You can use the convenient date picker to enter the date. Clicking on the desired day in the date picker will automatically fill the appropriate edit box.




Date Picker

- **Gender:**

Select the user's gender.

4.2.2 Membership



Membership Tab

Users can be member of multiple groups. In this section you can check the groups this user belongs to and also select his type of membership. He can either be a regular member or a group manager of that group. You can assign more than one manager for a group. Depending on TeamCal's authorization mode (configurable by the

system administrator) a group manager may edit the data of all group members. Default setting is that only the Administrator may change group memberships.

4.2.3 Options

Edit User Profile: Mr. Donald Duck

Personal Data Options Absences Avatar Other Membership Account

Options

☐ Show own groups only

☐ Show birthday in calendar

☐ Ignore year of birth (age)

☐ Notify user about other birthdays

☐ Show in other groups

Show the calendar of this user in the following groups, even if not a member. Use this feature if the user is not a member but the absences are still important for other members of that group.:

Disney
Looney
Marvel
Pixar

Default Language: english

Default Group Filter: All (by group)

Default Theme: default

Default Region: default

e-Mail Notification

I want to be notified by e-Mail when:

☐ A user is added or changed

☐ A group is added or changed

☐ A month template is changed

☐ An absence type is added or changed

☐ A holiday type is added or changed

☐ A user calendar is changed of group All

Apply Help Close Done

Options Tab

In the upper portion of this tab you can set:

- **Show own groups only**

With this switch on, the calendar display for this user (when logged in) will only show the user himself and all fellow group members by default. However, in the calendar display the user can still set the group filter to "All".

- **Show Birthday in Calendar**

With this switch on, the calendar display will show a day note on this users' birthday. The corresponding tool tip when hovering the mouse over this day will show the exact birthday and the age of the user.

- **Ignore Year of Birth**

Optionally you can switch of the age information for this feature so the tool tip will only show the birthday month and day. (My experience tells me that most of the ladies will appreciate this feature. :-)

- **Notify me about other birthdays**

With this switched on, the user will receive a message when another user's birthday is on the current day.

- **Default Language**

The default language for TeamCal can be set here per user.

- **Default Group Filter**

The default group filter for the calendar display can be set here per user.

- **Default Theme**

The individual default theme for this user can be selected here.

- **Default Region**

The default region (base calendar) for the calendar display can be set here per user.

- **Show in other groups**

If a user's absences are relevant for other groups (that he or she is not member of) you can select here that this user's calendar shall be shown in those groups.

TeamCal Pro offers notification e-Mails on certain events. Each user can chose here about which events he would like to be notified by e-Mail.

- **A user is added or changed**

Each time a user is added or a user profile is changed a notification e-Mail is sent to each user that has this check box activated.

- **A group is added or changed**

Each time a group is added or a group profile is changed a notification e-Mail is sent to each user that has this check box activated.

- **A month template is changed**

Each time a month template is changed (e.g. a certain day is marked as a public holiday) a notification e-Mail is sent to each user that has this check box activated.

- **An absence type is added or changed**

Each time an absence type is added or changed a notification e-Mail is sent to each user that has this check box activated.

- **A holiday type is added or changed**

Each time a holiday type is added or changed a notification e-Mail is sent to each user that has this check box activated.

- **A user calendar is changed of group ...**

Each time a user calendar is changed and the user belongs to the specified group a notification e-Mail is sent to each user that has this check box activated.

4.2.4 Account

Account Tab

This dialog tab is only available if you hold administrator rights.

TeamCal Pro supports several user types granting different rights in viewing and editing data. However, what rights these user types have firstly depends on the global setting "public_mode" and "registered_mode". If "registered_mode" is set to "view_own" only the Administrator or Group Manager can edit data, none of the other users can.

- **Regular User**

This user is a regular user. He can be a simple member or a manager of a group.

- **Director**

Same as a regular user but this user type can view all calendars even if "authorization_mode" is set to disable this right. He can use the message center. It is meant to be a viewing account from a directors point of view.

- **Administrator**

This user type can view all calendars. He can use the message center. He can edit all calendars and profiles. Additionally the administrator can edit the month templates, change holiday types and absence types. He can also add and edit the groups and users.

- **Template User (Hidden user, absences are copied to all users of the same group)**

Template users offer a way to set absences for a whole group in one shot. All absences set for a template user are also applied to all other users of the same group(s) that the template user is assigned to. This can either be a regular user (real person in your group) or a dummy user that can also be hidden from display. Read more...

TeamCal Pro currently supports the following user status:

- **Account Locked**

Checking this box will lock the account. He cannot log in until it is unchecked by an administrator.

- **Login On Hold**

This user had too many bad login attempts. His login is on hold for the grace period (default 120 seconds). You can force the login on hold process by checking this box or cancel it before the grace time is over by unchecking it.

- **Hide user in calendar**

This switch enables the administrator to exclude a user from being displayed in the calendar. None of the user data is deleted or altered. He is just not displayed in the calendar view.

4.2.5 Absences

Edit User Profile: Mr. Donald Duck

Personal Data | Options | **Absences** | Avatar | Other | Membership | Account

Absence Counts

Show absence counts from to:

Absence	Last Year	Allowance	Taken	Factor	Remainder
Day Off (F)	<input type="text" value="0"/>	<input type="text" value="12"/>	4.5	1.5	7.5
Duty Trip (D)	<input type="text" value="0"/>	<input type="text" value="20"/>	0	1	20
Home Office (H)	<input type="text" value="0"/>	<input type="text" value="0"/>	0	1	0
Not Present (N)	<input type="text" value="0"/>	<input type="text" value="0"/>	0	1	0
Sick (S)	<input type="text" value="0"/>	<input type="text" value="24"/>	0	1	24
Tentative Absence (A)	<input type="text" value="0"/>	<input type="text" value="0"/>	0	1	0
Training (T)	<input type="text" value="0"/>	<input type="text" value="10"/>	0	1	10
Vacation (V)	<input type="text" value="0"/>	<input type="text" value="20"/>	0	1	20

Absences Tab

If you have appropriate rights the user profile dialog also shows the current absence counts at the bottom. The default period counted is the current year (January 1st until December 31st). You can change the period by entering a new start and end date in the corresponding text box. Start and end date will be included in the count. Use the format YYYYMMDD.

Example: 20130215 = February 15th, 2013.

You can use the convenient date picker to enter the date. Clicking on the desired day in the date picker will automatically fill the appropriate edit box.

The Date Picker dialog box features a header with a left arrow, a month dropdown set to 'Jan', a year dropdown set to '2013', and a right arrow. Below the header is a calendar grid with days of the week (Su, Mo, Tu, We, Th, Fr, Sa) as column headers. The dates 1 through 31 are displayed in the grid cells.

Date Picker

Each absence type line will show a value for the amount left from last year, the allowance for the counting period and the amount taken in the counting period. The remainder shows the amount left for the counting period.

The general allowance for an absence type is set by the administrator. The allowance here is the individual allowance for this user and will overrule the general allowance if it differs from it. The left over value from last year is an individual value.

- **Update**

Refreshes the dialog using the new start and end date for the absence count period. It will also save the Last Year and Allowance values for this user.

4.2.6 Avatar

The 'Edit User Profile: Mr. Donald Duck' dialog box has a yellow title bar with a user icon and a help icon. It contains several tabs: Personal Data, Options, Absences, Avatar (selected), Other, Membership, and Account. The Avatar tab displays a preview of a cartoon duck's head on the left. To the right, there is instructional text: 'Upload an image from your hard drive. Allowed are images of the type JPG, GIF and PNG, not bigger than 250 KB with a maximum size of 100*140 pixel.' Below this text is a text input field, a 'Browse...' button, and an 'Upload' button. At the bottom of the dialog are 'Apply', 'Help', 'Close', and 'Done' buttons.

Avatar Tab

Users can be assigned an avatar, a thumbnail like image. This avatar will show when moving the mouse over the name of the user in the calendar display. However, the administrator has to switch this feature on.

Use the Browse button to select an image file from your local hard drive that you want to use as your avatar. Make sure the image you upload complies to the following rules.

- image format must be GIF, JPG, JPEG or PNG
- the file size must not exceed 250 KB
- the image size should not exceed 100*140 pixel (will be resized if bigger)

The administrator can change the limits for file and image size.

After selecting an image in the browse dialog click **Upload** to upload the image to the web server. If errors occur while the systems tries to upload your image you will be notified with an error message.

All previous avatar images for the user will be deleted even if they were in a different format than the new one.

- **Upload**

Upload the selected image to the web server

4.2.7 Other

Edit User Profile: Mr. Donald Duck

Personal Data Options Absences Avatar **Other** Membership Account

Other Information

Custom 1

Custom 2

Custom 3

Custom 4

Custom 5

Comment

Popup Info

Apply Help Close Done

Other Tab

Additional information for a user can be entered in the Other tab.

Custom 1 - 5


Five custom fields can be used to enter an 80 character text each. The captions "Custom 1" to "Custom 5" can be changed by the administrator in the TeamCal Pro configuration. They can be named for example "Position", "Project" or "Skype Name" or any other similar name you need.

Comment

The Comment field is a free text field that can contain several lines of text. You can use it to enter any free text information for this user.


Popup Info

The popup info field also holds free text of several lines. This text will be displayed in a popup window when the mouse is moved over the little wrench icon of this user in the calendar display.



Popup Info

4.3 Legend



Legend Dialog


The Legend dialog explains terms, symbols and colors that are used in the calendar display. The terms for holidays and absence types are not related to the language you select. These terms come out of the database itself and can only be changed by the administrator. Changes to the symbols, names and colors that the administrator applies to the absence or holiday types will be reflected in this dialog automatically.

Buttons

- **[Help]**
Open this section of this manual.
- **[Close]**

Closes the dialog.

4.4 Login



Login Dialog

Use the login dialog to login to TeamCal Pro. A username and a password must be supplied.

Buttons

- **[Login]**

will attempt the login with the given credentials. If successful, the login dialog will close automatically and reload the main page in order to now display items based on the new authorization. A login status text will be displayed in the status bar of the main page.

The login is not successful in the following cases (the dialog will stay open and display an according error message):

- No username and/or password was omitted
- The account was locked by the administrator
- The account is on hold due to too many bad login attempts
- The password was incorrect

- **[Help]**

Will display this section of this manual.

Bad Logins, Grace Period

TeamCal Pro can be configured to trace bad logins and to put the login of an account on hold once a certain amount of bad login attempts is reached. The account will be put on hold for a certain period of time (grace period, default is 120 seconds). If the user tries to login within his grace period an error message will be displayed also showing the remaining grace time in second.

The default amount of bad logins before the account is put on hold is 5 but may have been changed by the administrator. The error message will reveal that amount. The default grace period is 120 seconds but may have been changed by the administrator. The error message will reveal the remaining seconds.

4.5 Message Center

TeamCal Pro Message Center

Send Help

Message Type
 Choose the type of message you want to send. A silent announcement will be put on the announcement page only. A popup announcement will be put on the announcement page and the announcement page will be shown for every recipient upon login.

☒ e-Mail
☐ Silent announcement
☐ Popup announcement

Recipient
 Select the recipient(s) of this message.

☐ All
☐ Group: Disney
☒ User: Carl, Coyote
 Duck, Donald
 Gonzales, Speedy
 Head, Potatoe
 Lightyear, Buzz

Message
 Enter the subject and your message here.

Subject: TeamCal Pro Message

Body: ...your text here...

Message Center

Use the message center to send an e-Mail or an Announcement to a single user, a group or to all users.

The e-Mail function uses the SMTP functionality of the web server, so it must be set up and PHP must be configured accordingly. If you use the message center but no mails reach the recipients please contact your administrator.

If you send the message as an announcement it is saved in the TeamCal database. Each user who is supposed to get it according to your selection (User, Group, All) will see it then on his Announcement page.

- **Message Type and Recipients**

- **e-Mail** (the message will be sent as an e-Mail)
- **Silent announcement** (the message can only be seen on the announcement page)
- **Popup announcement** (the announcement page will be shown when the user logs in)
- **All** (all users will receive your message)
- **Group** (all users belonging to the selected group will receive your message)
- **User** (only the selected user will receive your message)

Note: The recipients that you can select in this dialog depend on the authorization mode that the administrator has set and on your own profile option "Show own groups only".

- **Subject**

This will be the subject of your message.

- **Message**

This will be the body text of your message.


Buttons

- **[Send]**

Will send the message according to your selections.

- **[Help]**
Will display this section of this manual.


4.6 Month Template



The month template dialog displays a specific month of a specific region providing the option to store day notes and mark holidays. The month, year and region can be seen in the header. All users will see these notes and holidays. You need to press [Apply] to make your changes permanent. After you're done click [Close]. The dialog will close and the main page will automatically be reloaded and reflect your changes of the month template.

Day notes

In the day note row you will see a notebook icon for each day. This feature maybe disabled for regular users by the administrator. Clicking this icon will open the day note dialog. You can store a note of 80 characters for each day. A day holding a day note will be displayed with a special marker in the regular calendar display. There the day note will pop up like a tool tip when moving the mouse over the marked cell.



Holidays

The subsequent rows in the month template dialog represent the configured holiday types and hold check boxes for each day of the month. If you want to set a holiday type for a specific day just check the box in the corresponding field. You can check several boxes before applying your changes. The appropriate days will then be colored according to your new settings.

Buttons

- **[Clear]**
Clears all check marks.
- **[Apply]**
Writes the information in the dialog to the database.
- **[Help]**
Open this section of this manual.

- **[Done]**

Closes the dialog and refreshes the page that launched the dialog.

4.7 User Calendar

Calendar of Donald Duck (Region: default)

March 2013

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
Daynote	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa	Su
Current absence																															
Day Off																															
Duty Trip																															
Home Office																															
Not Present																															
Sick																															
Tentative Absence																															
Training																															
Vacation																															

- Date Range Input (within this month)
 Absence Type: From: To:
☒ Mark only business days

- Recurring Input (within this month)
☐ Monday ☐ Thursday ☐ Sunday
☐ Tuesday ☐ Friday ☐ Mo-Fr
☐ Wednesday ☐ Saturday ☐ Sa-Su
 Absence Type:
☒ Mark only business days

- Comment/Reason (will be put in notification mails)
 Enter comment/reason for your request here...

Clear Apply Help Close Done

User Calendar Dialog

The user calendar dialog displays a specific month and shows a row with radio boxes for each configured absence type. If you want to set a certain absence type for a specific day just check the box in the corresponding field and click [Apply]. You can check several boxes before applying your changes but only one absence type per day can be chosen. The appropriate days will then be colored according to your new settings. The current absence row is only updated when changes are applied.

Clicking the [Clear] button will uncheck all markers and apply the changes to the database. So you don't need to click [Apply] after clicking [Clear].

Personal Day notes

In the day note row you will see a notebook icon for each day. Clicking this icon will open the day note dialog. You can store a user specific note of 80 characters for each day. A day holding a day note will be displayed with a special marker in the regular calendar display. There the day note will pop up like a tool tip when moving the mouse over the marked cell.

Daynote Icons

After you're done click [Close]. The dialog will close and the main page will automatically be reloaded and reflect your changes of the users calendar.

Date Range Input

If you want to enter a longer period of absence you can use the date range input to do so. Select the absence type in the drop down box, then enter the From- and To-date of the absence. Note that the range must be within the month you are editing. If you wanna enter a range that spans over two months you must edit both months separately.

If the "Mark only business days" box is checked, only business days will be marked with the absence. Weekend days and Holidays, if they are not configured as business days will not be marked.

Date Range Input (within this month)

Absence Type: From: To:

☒ Mark only business days

Date Range Input

Recurring Input

Another way of marking absences is the recurring input. Say you have a day off every Friday. Just check the Friday checkbox in the Recurring Input frame, pick the appropriate absence type in the drop down list in the same frame and click Apply. All Fridays in the upper portion will then be marked with that absence type.

If the "Mark only business days" box is checked, only business days will be marked with the absence. Weekend days and Holidays, if they are not configured as business days will not be marked.

Recurring Input (within this month)

☐ Monday ☐ Thursday ☐ Sunday ☐ Tuesday ☐ Friday ☐ Mo-Fr ☐ Wednesday ☐ Saturday ☐ Sa-Su

Absence Type:

☒ Mark only business days

Recurring Input

Comment/Reason

This field offers the input of a comment for this absence request. It may be used to give a reason for the request that can be used by the manager to approve the request in case it is declined based on the declination management settings. This comment will be put in the notification e-mails.

Buttons

- [**<<**]
Page one month backward
- [**>>**]
Page one month forward
- [**Clear**]
Clears all check marks in the calendar and applies it to the database.
- [**Apply**]
Writes the information in the dialog to the database.
- [**Help**]
Open this section of this manual.

- **[Done]**

Closes the dialog and refreshes the page that launched the dialog.

4.8 User Registration

User Registration

Registration Details

Lastname

Firstname

Username


e-Mail Address

Password

Repeat Password

Gender: ☐ Male ☐ Female

User Group ▼



Security Code

Submit Help Close

User Registration

TeamCal Pro supports user self registration. A user can submit his basic personal data so an account is created for him. The user self registration may be based on three security levels. The administrator can configure this security level in the TeamCal Configuration. A corresponding result information will be shown in the dialog after [Submit] is pressed:

Result

Your registration was successful. An e-Mail has been sent to you with a confirmation link that you need to follow to verify your account. Also, the administrator needs to approve your registration.

Security

- **No security**

The user's data are accepted as entered, an account is created and the new user can login right away and will be shown in the calendar.

- **Account verification**

The new user account is created but will be locked and hidden. An e-Mail with a verification link will be sent to the e-Mail address provided in this dialog. The user has to follow that link in order to verify his account. After that the user can login and he will be shown in the calendar. (This level can be combined with "Administrator approval".)


- **Administrator approval**

The new user account is created but will be locked and hidden. The administrator has to approve this account manually. Then the user can login and he will be shown in the calendar. (This level can be combined with "Account verification".)


Buttons

- **[Submit]**
Submit the registration information
- **[Help]**
Open this section of this manual.
- **[Close]**
Closes the dialog

4.9 View Profile



View User Profile



Name: Coyote Carl

Username: ccarl

Position:

ID-Number: 12345

Group: Looney - Looney Tunes Characters (Manager)

Phone:

Mobile:

e-Mail:

Gender: Male

Send an e-Mail to this user:

Subject:

Message:

View Profile Dialog

The view user profile dialog shows all relevant user information and offers the option to send a mail to this user directly from your browser.


The following buttons are available:

Buttons

- **[Send e-Mail]**
Send the text in the Message field as an e-Mail to this user using the Subject text as subject.
- **[Help]**
Will display this section of this manual.
- **[Close]**
Will close the dialog.


5 Administration

If your account holds administrator rights the Tools Menu contains the Administration menu. Selecting it will open the administration sub-menu providing the entries for all administrative activities.



Administration Submenu

5.1 Configuration



TeamCal Pro Configuration

Administrators have access to the TeamCal Pro Configuration via the Administration menu. The settings on this page have impact on the overall behaviour of TeamCal Pro. Each setting is explained in detail on the page itself. Some settings are dependent on others, this will also be indicated in the explanatory texts.

The button bar is repeated several times on the configuration page for your convenience so you don't have to scroll too much to access it.

5.2 Permissions

Select permission scheme
Default
Activate

Create permission scheme
Create

Permission Settings for scheme: Default

Apply
Reset
Help

Administrative Permissions

Administrator
Director
Manager
User
Public

Apply
Reset
Help

Global Calendar Permissions

Administrator
Director
Manager
User
Public

Edit Global Calendar
Allows to edit the global calendar for all regions, e.g. to set holidays.

☒
☐
☒
☐
☐

Edit Global Daynotes
Allows to edit the global daynotes from the global calendar editor.

☒
☐
☒
☐
☐

Apply
Reset
Help

User Related Permissions

Administrator
Director
Manager
User
Public

View User Profiles
Allows to view user profiles showing basic info like name, phone number etc. Viewing user popups is also dependent on this permission.

☒
☒
☒
☒
☐

View User Absence Counts
Allows to view the absence counts of a user.

☒
☒
☒
☐
☐

TeamCal Pro Permissions Page

With the introduction of release 3.5.000 the permission management has completely changed. There are no authorization modes anymore. "Permission schemes" have been introduced that are much more flexible and customizable.

The permissions page shows one scheme at a time. Each TeamCal Pro feature is listed on that page, described in detail, and next to it are check boxes that allows you to permit that feature to Administrators, Directors, Manager, Users or the Public. In the screenshot above for example you can see the feature "Edit Global Calendar" which is allowed to Administrators and Managers in the Default scheme. You can decide to grant this permissions to any of the other roles as well by ticking the corresponding check box. If the scheme you are editing is the currently active scheme, applying your changes will make them active right away.

There are quite a lot of features available in TeamCal. That's why they are organized in groups, identified by a blue headline when you use the standard theme. Each section can be expanded or collapsed by clicking the little icon left to the section title.

TeamCal Pro comes with one default permission scheme called "Default". This scheme cannot be deleted. There is also a button available on the page that sets the Default permission scheme back to its default values. Also, the permission "Edit Permission Scheme" can never be taken away from administrators so you cannot lock yourself out from editing it.

Select permission scheme

At the top you find a drop down list with the currently available permission schemes. Off the shelf there will be only one, called "Default". If you created your own permissions scheme it will be listed there as well. Changing the selection will prompt you to confirm to load it into the editor. Remember to save your current changes before you do. The button [Activate] will make the permission scheme active.

Create permissions scheme

Next to the above you can enter a name for your own permission scheme. Only alphanumeric characters are allowed, no blanks. Clicking on [Create] will add this permission scheme to the database setting all permissions to the default values. Your scheme will also be loaded into the editor where you can make your desired changes. [Apply] your changes and click [Activate] to make your scheme active.

Buttons

- **[Activate]**
Activates the currently selected permission scheme.
- **[Delete]**
Deletes the currently selected custom permission scheme. This button is not available for the "Default" permission scheme. It cannot be deleted.
- **[Create]**
Creates a new custom permission scheme named as provided in the text box next to it.
- **[Apply]**
Applies the settings on the page to the selected permission scheme. Remember, that when you are editing a non-active scheme, the Apply button will only save your changes but not activate the scheme.
- **[Reset]**
Will reset the currently selected scheme to the TeamCal Pro default values.
- **[Help]**
Shows this help manual page.

5.3 Users

Search first- and lastnames: Group: All ▼ Search Reset

Manage Users

User	Attributes	Last Login	Action
<div> <input type="button" value="Create"/> <i>Create a new user...</i> </div>			
<div> <input type="button" value="Import"/> <i>Import user from CSV file...</i> </div>			
Admin (admin)		2010-11-05 08:51:51 EDT	<input type="button" value="Edit"/>
Carl, Coyote (ccarl)		2009-10-06 18:32:50 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Duck, Donald (dduck)		2010-04-14 13:42:50 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Gonzales, Speedy (sgonzales)		2006-09-24 15:52:35 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Head, Potatoe (phead)		2008-09-11 21:08:31 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Lightyear, Buzz (blightyear)		2008-09-03 16:06:34 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Mouse, Mickey (mmouse)		2010-04-14 13:41:55 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Mouse, Minnie (mimouse)		2010-06-28 21:33:26 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>
Spiderman (sman)		2009-09-01 17:47:54 EDT	<input type="button" value="Edit"/> <input type="button" value="Delete"/> <input type="button" value="Reset Password"/>

Userlist

Search

You can search for user first names and last names. Type in your search string in the search box and TeamCal Pro will search for that string in all first names and last names. All users with that first name or last name will be displayed.

You can also select a group for the search. Only users in that group matching your search term will be displayed. If you leave the search text box empty all users of the selected group will be displayed.

Sort Order





Next to the "Name" caption you can see an arrow indicating the sort order of the user list. If the arrow points down the user list is sorted ascending by last name (A first, Z last). Click the arrow to reverse the list into a descending order (Z first, A last).

Sort Order

Icons





The Manage Users page will list all currently configured accounts in TeamCal Pro including the admin user. The user named "admin" will not be displayed in any calendar. The user icons in the display show the user type of the

person:

-  Regular User (male/female)
-  Group Manager (male/female)
-  Director (male/female)
-  Administrator (male/female)

Attributes

The Attributes column symbolizes certain status of the user. Moving the mouse over the icon will give a detailed explanation:

-  The user reached the maximum amount of failed logins. His account is on hold for the grace period. Edit the profile to unhold him manually.
-  The user is locked. Edit the profile to unlock him.
-  The user is hidden and will not be displayed in the calendar. Edit the profile to unhide him.
-  The user has registered himself but not verified his account yet.



Last Login

This column shows the time stamp of the last login of this user. It is followed by the time zone identifier (e.g. CEST = Central European Standard Time).

Buttons

- **[Create]**
Create a new account
- **[Import]**
Import users from a CSV formatted file
- **[Edit]**
Edit the profile of this user
- **[Delete]**
Delete this user

5.4 Groups

Manage Groups						
Shortname	Description	Min	Max	Hide	Action	
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>	Add	
 Disney	Disney Characters	<input type="text" value="2"/>	<input type="text" value="1"/>	<input type="checkbox"/>	Update	Delete
 Looney	Looney Tunes Characters	<input type="text" value="2"/>	<input type="text" value="3"/>	<input type="checkbox"/>	Update	Delete
 Marvel	Marvel Characters	<input type="text" value="1"/>	<input type="text" value="1"/>	<input type="checkbox"/>	Update	Delete
 Pixar	Pixar Characters	<input type="text" value="1"/>	<input type="text" value="1"/>	<input checked="" type="checkbox"/>	Update	Delete

Manage Groups

The Manage Groups page will list all currently configured groups in TeamCal Pro. The box is offering editing

capabilities at the same time. You can directly change the group name and the description. You can only update or delete one group at a time.

Input Fields

- **Shortname**

Enter a shortname here. This name will be shown in selection lists.

- **Description**

Enter a long name for your group.

- **Min. Present**

Ticking the check-box enables the minimum present check when group members request absences. In the text box next to it you can specify how many group members must be present at all times for this group. If this threshold is reached further absence requests by group members will be declined. Managers can still set this absence for their group members.

- **Max. Absent**

- Ticking the check-box enables the maximum absent check when group members request absences. In the text box next to it you can specify how many group members can be absent at the same time for this group. If this threshold is reached further absence requests by group members will be declined. Managers can still set this absence for their group members.

- **Hide**

Check this box if you want to hide this group from the calendar display.

Buttons

- **[Add]**

Adds a new group as entered in the text boxes on the left of the button.

- **[Update]**

Updates a group as entered in the text boxes on the left of the button.

- **[Delete]**

Deletes the group shown left of the button.

5.5 Group Assignment

Search first- and lastnames:

Search

Reset

User Assignment

User	User Type	Disney	Looney	Marvel	Pixar
Carl, Coyote (ccarl)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Duck, Donald (dduck)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Gonzales, Speedy (sgonzales)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Head, Potatoe (phead)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Lightyear, Buzz (blightyear)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Mouse, Mickey (mmouse)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Mouse, Minnie (mimouse)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>
Spiderman (sman)	<div> </div>	<div> </div>	<div> </div>	<div> </div>	<div> </div>

Apply

Help

Group Assignment

The Group Assignment page offers a different, though more convenient way to change user types and to assign or unassign users to or from groups. Depending on how much groups you have created this page might require horizontal scrolling since there will be a column added for each group.

User Type

User Type

☒

☐

☐

☒

☐

☐

☒

☐

☐

☒

☐

☐

☒

☐

☐

☒

☐

☐

☒

☐

☐

☐

☒

☐

User Type

In the User Type Column you can select whether the user functions as a director or an administrator or if he just is a regular user. Members and managers of groups are considered to be regular users. Being a director or administrator does not affect the type of group membership. Each user can only hold one user type.

Group Assignment

Disney			
X			
			
			
			
			
			
			
			
			

Disney Group Assignments

Each group is represented in a column showing the type of membership for each user in his row. The first sub-column, marked by an X, indicates that the user is not member of this group. The second sub-column, marked by a green user icon, indicates that the user is a regular member of this group. The third sub-column, marked by a blue user icon, indicates that the user a manger of this group. Each user can only hold either one of those assignments per group, but there can be more than one manager for a group.

Search Users

Search first- and lastnames:


Search

Reset

Search Users

If you have created many users you might want to narrow the selection shown on this page. By typing in a filter criteria in the search box you can display only those users matching your search string in their first or last name. The [Reset] button will list all users again.

Sort Users

User
 Carl, Coyote


Sort Arrow


The blue sort arrow next to the user column caption is actually a button and allow you to toggle the alphabetical sort order ascending and descending.


Buttons

- **[Apply]**
Updates all displayed users according to your settings
- **[Help]**
Displays this help page.

5.6 Absence Types

Select existing absence type  Home Office	New absence type (name) <input type="text"/> <input type="button" value="Create"/>
---	--



Sample display
This is how your absence type will look in your calendar based on your current settings after they have been saved. This sample always uses the default symbol "A".


Name
The absence type name is used in lists and descriptions and should tell what this absence type is about, e.g. "Duty trip". It can be 80 characters long.

Symbol
The absence type symbol is used in the calendar display if no icon is set for this absence type. It is also used in notification emails. Chose a single character. A symbol is mandatory for each absence type, however, you are not restricted and can use the same character for mutiple absence types. The default is "A".

Icon
The absence type icon is used in the calendar display. If no icon is set for this absence type, the symbol will be used instead.

Text color
In case the character symbol is used, this is the color it is

Manage Absences

The Manage Absence Types page can be used to configure each absence type to your requirements. You can change the absence symbol, name, text color and background color and other settings. You can only update or delete one absence type at a time.


With the select box at the top you can choose the absence type you want to edit. Right next to it you can add a name for a new absence type and click [Create] to create it. It will then be loaded into the editor.

Explanations for each setting are provided directly on the page.

Buttons

- **[Apply]**
Applies the changes in the editor to the currently selected absence type.
- **[Create]**
Creates a new absence type with the name provided in the text box.
- **[Delete]**
Deletes the currently selected absence type. A warning message will be displayed.
- **[Help]**
Shows this help page
- **[Upload]**
Opens the Upload dialog so can upload a custom icon for your absence type.

5.7 Absence Icon



Absence Icon

TeamCal Pro also supports absence icons. These icons will be displayed in the calendar instead of the letter symbols. TeamCal Pro comes with a variety of prepared icons to choose from. This dialog displays all icons currently residing in the icon directory. Just select the radio button next to the icon you want for this absence type and click [Apply]. If you do not want an icon for this absence type select the radio button next to "None".

Buttons

[Upload]

Opens the upload dialog that you can use to upload your own icons.

[Refresh]

Refreshes this icon display. You should press this button after uploading an icon, so will see it in this display.

[Apply]

Assigns the selected icon to the absence type.

[Help]

Shows this help page.

[Close]

Closes this dialog.

[Done]

Closes this dialog and refreshes the absence type page. It will then reflect the icon you chose.

5.8 Regions

Shortname	Description	Hide	Action
default	Default Region		<button>Edit</button>
Canada	Canada Region	<input type="checkbox"/>	<button>Update</button> <button>Delete</button> <button>Edit</button>
Germany	Germany Region	<input type="checkbox"/>	<button>Update</button> <button>Delete</button> <button>Edit</button>
Hessen	School holidays in Hessen	<input type="checkbox"/>	<button>Update</button> <button>Delete</button> <button>Edit</button>
Ical	Ical	<input type="checkbox"/>	<button>Update</button> <button>Delete</button> <button>Edit</button>

Manage Regions Dialog

Regions in TeamCal Pro are used to provide different base calendars. You can set up different holidays in each region. The Manage Regions page will list all currently configured regions in TeamCal Pro. You can directly change the region name and the description. You can only add, update or delete one region at a time. The 'default' region is listed on this page for editing only. It cannot be deleted or changed. At the bottom of the dialog you can also merge two regions.

Add Regions

There are two ways to add a region. You can add an empty region by just specifying a name and a description. Or you can add a region by importing an iCal file. Since TeamCal Pro is a day-based calendar, make sure that your iCal file only contains whole day events.

The iCal import is very popular for importing school holidays. Here is a great site to get ready-to-go iCal files for school holidays: <http://www.calendarlabs.com/ical-calendar-holidays.php>.

Input Fields

- **Shortname**
Enter a short name here. This name will be shown in selection lists.
- **Description**
Enter a long name for your region.
- **Hide**
Check this box if you want to hide this region from being selected by users.
- **Browse**
Click browse to select an iCal file from your local hard drive
- **Holiday selection drop down**
Select the event type that will be used in the TeamCal Pro region for all iCal events.

Buttons

- **[Add]**
Adds a new region as entered in the text boxes on the left of the button.
- **[Import iCal]**

Imports the selected iCal file

Edit Regions

Input Fields

- **Shortname**
Enter a short name here. This name will be shown in selection lists.
- **Description**
Enter a long name for your region.
- **Hide**
Check this box if you want to hide this region from being selected by users.

Buttons

- **[Update]**
Updates a region as entered in the text boxes on the left of the button.
- **[Delete]**
Deletes the region shown left of the button.
- **[Edit]**
Opens the month template editor for this region.

Merge Regions

You can merge one region into another. What this feature does is, it takes all holidays of the source region and copies them into the target region. You can select whether a holiday in the target region is overwritten or not. All months of the region are merged.

Input Fields

- **Source region**
Select the source region for the merge.
- **Target region**
Select the target region for the merge.
- **Overwrite**
Check this box if you want existing holidays in the target region to be overwritten by the holidays in the source regions.

Buttons

- **[Merge]**
Start the merge.

5.9 Holiday Types

	Name	Text	Backg.	Bus.Day	Action
	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="checkbox"/>	Add
15	Business Day	000000	FFFFFF	<input checked="" type="checkbox"/>	Update
15	Weekend Day	000000	FCFC9A	<input type="checkbox"/>	Update
15	Public Holiday	000000	CCFFCC	<input type="checkbox"/>	Update Delete
15	School Holiday	000000	00CC66	<input type="checkbox"/>	Update Delete

Manage Holiday Types

The Manage Holiday Types box will list all currently configured holiday types in TeamCal Pro. Holiday types are influencing the template display of each month. The box is offering editing capabilities at the same time. You can directly change the holiday name, text color and background color. You can only update or delete one holiday type at a time.

The holidays you configure here can be used for an iCal import.

The holiday types "business day" and "weekend" cannot be deleted. These are the default day types in TeamCal Pro.

Input Fields

- **Name**

Enter a long name for the holiday type. This name will be displayed in the Legend dialog.

- **Text Color, Backg.**

Enter color values in hex format, e.g. 000000. The first two digits represent the color Red, the second two digits represent the color Green, the last two digits represent the color Blue. Combinations will mix the colors accordingly.

Examples: 000000 = Black, FFFFFFFF = White, FF0000 = Red, 00FF00 = Green, 0000FF = Blue, 888888 = Gray.

- **Bus.Day**

Make this day type count as a business day. That way you can make a weekend day count as a business day.

Buttons

- **[Add]**

Adds a new holiday type entered in the text boxes on the left of the button.

- **[Update]**

Updates an holiday type as entered in the text boxes on the left of the button.

- **[Delete]**

Deletes the holiday type shown left of the button.

5.10 Declination

Declination Management

Declination Options

Threshold Declaration
You can setup absence requests declination when certain absences threshold are reached.

☒ Activate
 Threshold in %:
 Based on: ☒ All ☐ Group

Decline Before
You can setup the declination of absence requests lying before a certain date. Select "Before today" to decline absence requests lying in the past.

☐ Activate
☐ Before today (not including)
☐ Before date (not including)

Declination Period
You can setup a declination period in which absence requests are declined. The start and end date you pick here is included in that period.

☐ Activate
 Start date (included)
 End date (included)

Declination Notifications
Select here who will be notified via eMail in case a declination occurs.

☒ Requesting user
☐ Group Manager
☒ Director(s)
☐ Administrator

Apply

Declination Management

The declination management basically offers a check how many colleagues are already marked absent for a given day before a new absence request is confirmed. The absence threshold can be set here.

Example: Let's say the absence threshold is set to 50% based on Group. The group has 10 members, 4 of them have checked vacation on July 5th. A fifth member now uses TeamCal and checks July 5th for vacation as well and clicks Apply. The absence threshold for 50% will be reached so TeamCal will decline the request (a pop-up will be displayed to the user) and send a notification mail according to the settings in the above dialog.

Also a date can be set before which all absence requests are declined.

Options

Threshold Declination

Switches absence threshold checking and absence request declination on/off

- **Activate**
Select this box to activate this declination feature
- **Threshold in %**
Allowed percentage of absence
- **Based on All**
Absence threshold is checked against all users

- **Based on Group**

Absence threshold is checked against all users

Decline Before

Switches absence past checking and declination on/off

- **Activate**

Select this box to activate this declination feature

- **Before today**

Declines all absence request if they are before the day they are entered. This only applies to a change from present to absent.

- **Before date**

A calendar interface showing the month of January 2013. The days of the week are listed at the top: Su, Mo, Tu, We, Th, Fr, Sa. The dates are arranged in a grid. The 1st is a Tuesday, 2nd is Wednesday, 3rd is Thursday, 4th is Friday, and 5th is Saturday. The 6th is Sunday, 7th is Monday, 8th is Tuesday, 9th is Wednesday, 10th is Thursday, 11th is Friday, 12th is Saturday, 13th is Sunday, 14th is Monday, 15th is Tuesday, 16th is Wednesday, 17th is Thursday, 18th is Friday, 19th is Saturday, 20th is Sunday, 21st is Monday, 22nd is Tuesday, 23rd is Wednesday, 24th is Thursday, 25th is Friday, 26th is Saturday, 27th is Sunday, 28th is Monday, 29th is Tuesday, 30th is Wednesday, and 31st is Thursday.

Enter the date here before which no absence request is accepted. Absence requests for the date it self will be accepted. This only applies to a change from present to absent.

Decline Period

Defines a period in which no absences are allowed. Regular users will receive a declination error when requesting an absence within this period.

- **Activate**

Select this box to activate this declination feature

- **Start date**

A calendar interface showing the month of January 2013. The days of the week are listed at the top: Su, Mo, Tu, We, Th, Fr, Sa. The dates are arranged in a grid. The 1st is a Tuesday, 2nd is Wednesday, 3rd is Thursday, 4th is Friday, and 5th is Saturday. The 6th is Sunday, 7th is Monday, 8th is Tuesday, 9th is Wednesday, 10th is Thursday, 11th is Friday, 12th is Saturday, 13th is Sunday, 14th is Monday, 15th is Tuesday, 16th is Wednesday, 17th is Thursday, 18th is Friday, 19th is Saturday, 20th is Sunday, 21st is Monday, 22nd is Tuesday, 23rd is Wednesday, 24th is Thursday, 25th is Friday, 26th is Saturday, 27th is Sunday, 28th is Monday, 29th is Tuesday, 30th is Wednesday, and 31st is Thursday.

Enter the date here that is the beginning of the declination period. The date itself is included in the period.

- **End date**

Enter the date here that is the end of the declination period. The date itself is included in the period.

Declination Notifications

Switches absence threshold checking and absence request declination on/off

- **Requesting user**
Send a mail about the declination to the requesting user
- **Group Manager**
Send a mail about the declination to the appropriate group manager
- **Director(s)**
Send a mail about the declination to all directors
- **Administrator**
Send a mail about the declination to the administrator

Buttons

- **[Apply]**
Apply the settings made in this dialog

5.11 Database Maintenance

The Database Management is new in Version 2.2. It offers a clean-up feature for old user templates and also a much easier approach to clear the database.

Clean up old templates and day notes

Once you have used TeamCal Pro for a few months you may want to delete user absence records and day notes of the past.

Enter the year and the month of the date that you want to use as the key date (data including this month and before will be deleted).

Also choose whether you want to

- **Delete user related templates and day notes**
to delete user related records only or whether you want to:
- **Delete month templates and general day notes**
as well.
- **Optimize tables**
Will also optimize tables with overhead

Example: Year=2004 and Month=07 will delete all user templates older than and including July 2004.

You need to confirm the deletion by typing in "CLEANUP" in the confirmation text box.

Delete database records

Delete database records

☐ Delete all users, their absence templates and daynotes (except "admin")

☐ Delete all groups

☐ Delete all holidays (except "weekend" and "business day")

☐ Delete all regions and their templates (except "default")

☐ Delete all absence types

☐ Delete all general daynotes

☐ Delete all announcements

☐ Delete orphaned announcements

☐ Clear System Log

☐ Delete custom permission schemes (except "Default")

Please type in "DELETE" to confirm this action:

Delete Database Records

You will find an easy way here to erase a large amount of data from your database.

- **Delete all users, their absence templates and day notes (except "admin")**
This option will delete all users except 'admin' including their absence templates and day notes.
- **Delete all groups**
This option will delete all groups.
- **Delete all holidays (except "weekend" and "business day")**
This option will delete all custom holidays. 'Weekend' and 'Business day' will not be erased since these two day types are basic to drawing a calendar (marking each Saturday and Sunday).
- **Delete all regions incl. templates and day notes (except "default")**
This option will delete all regions, all their month templates and all their general day notes. The 'default' region will not be deleted. If you just want to clear the default region (TeamCal Pro's base calendar, use the 'Delete all holidays' and/or the 'Delete all general day note' option.
- **Delete all absence types**
This option will delete all absence types. 'Present' is a special absence type and will stay as such in the

database.

- **Delete all general day notes**

This option will delete all general day notes, those not assigned to a specific user.

- **Delete all announcements**

This option will delete all announcements and all assignments to users of them

- **Delete all orphaned announcements**

This option will delete only those announcements that have been read and confirmed by all users the announcements were assigned to.

- **Clear System Log**

This option will clear the system log.

- **Delete custom permission schemes (except "Default")**

This option will delete all custom permission schemes that you might have created so far. The "Default" permission scheme comes with TeamCal Pro and cannot be deleted. This and the fact that administrators can always access the permission scheme editor makes sure that you cannot lock yourself out of TeamCal Pro.

You need to confirm the deletion by typing in "DELETE" in the confirmation text box.

Export Database

Export Database

You can export specific tables or the complete database from within TeamCal Pro's Database Maintenance page. In the "Table to export" drop down list select the table you want to export, or just leave the selection to "All" which will export all tables. Choose one of the formatting options that you would like the data to be presented. You can choose between 'CSV', 'SQL' and 'XML'. You can also decide where you want the output of the export to go. Select 'Browser' if you just want to see the data in your browser window. Select 'File Download' if you want to save the export to a local drive.

Restore Database

Restore Database

With version 3.0 TeamCal Pro supports backup and restore of the database. A file downloaded via 'Download Database Dump' in the Administration menu can be used to restore the database here. Click the [Browse] button

to select a file from your local hard drive. Then click [Restore] to restore your TeamCal Pro database.


Restoring the database will overwrite all current data !!!

Buttons

- **[Delete Records]**
Submits your deletion request
- **[Browse]**
Click to select a database dump file to restore
- **[Export]**
Exports the database according to your selection
- **[Restore]**
Click to restore the database from the selected file

5.12 System Log Page

The System Log page has changed as of release 3.5.000. It now combines, the System Log itself and the Log Level settings. Next to the title "Log Settings" you will find a little icon that will expand the log level settings section as shown below:

 **System Log**

System Log
Log Settings

Log Settings


Event type	Log this event type	Show this event type in the system log
Absence	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Announcement	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Config	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Database	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Daynote	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Group	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Holiday	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Login	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Loglevel	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Month	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Permission	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Region	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Registration	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
User	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Refresh
Clear system log

Log Settings

For each log type you can select whether the corresponding events will be logged and whether they will be shown in the system log below the settings dialog. Note, that you cannot change the column "Log this event type" if your user role does not have that permission.

Below the settings you can see the display of the system log. Dependent on the settings above it show events that have happened in TeamCal Pro.




The screenshot shows a window titled "System Log" with two tabs: "System Log" and "Log Settings". The "System Log" tab is active, displaying a table with the following data:

Timestamp	Event Type	User	Event
2013-03-10 15:54:42	Config	admin	Configuration changed
2013-03-10 15:52:32	Config	admin	Configuration changed
2013-03-10 15:50:20	Config	admin	Configuration changed
2013-03-10 15:39:43	Config	admin	Configuration changed
2013-03-10 15:37:43	Config	admin	Configuration changed
2013-03-10 15:35:05	Config	admin	Configuration changed
2013-03-10 15:30:04	Config	admin	Configuration changed
2013-03-10 14:49:57	Holiday	admin	Holiday updated: Weekend Day 000000 FCFC9A

System Log

5.13 Icon Upload Dialog



The screenshot shows a dialog box titled "TeamCal Pro Icon Upload". It contains the following fields and controls:

- Maximum filesize:** 256000 bytes
- Allowed extensions:** .gif .jpg .png
- Select file...:** A text input field followed by a "Browse..." button.
- Rename file:** A text input field with a question mark icon and the text "(no extension!)".
- Replace file:** A checkbox with a question mark icon.
- Upload:** A button.
- Help** and **Close** buttons at the bottom right.

Upload Dialog

The upload dialog provides an interface to upload image files to the TeamCal Pro web server. Dependent from where this dialog was called from only certain file types and file sizes are allowed, e.g. Absence Icons, Avatars or the Welcome Message Image.

Options


- **Select file...:**
Type in the local file name (or use the browse button to select one)
- **Rename file**
Each file uploaded is given a random name during upload. It will not be named like the file you are uploading. If you want the file to have a specific name specify it here. Do not type in the extension. If you are uploading a file called myicon.gif and you want to name the file myicon.gif just type in "myicon" here.
- **Replace file**

If you decided to give your file a custom name that already exists you can select to overwrite that file by checking this option.

Buttons

- **[Browse]**
Opens a dialog in which you can select a file from your local or network drive.
- **[Upload]**
Uploads the file as specified
- **[Help]**
Shows this help
- **[Close]**
Closes the dialog

5.14 Absence to Group Assignment



Absence Assignment

In this dialog you can assign the absence type to certain groups only. By default absence types are assigned to all groups, meaning that all users can choose that absence type in their calendar. If you unselect a group here users of that group will not see that absence type in their calendar dialog anymore.

Buttons

- **[Assign]**
Applies the current selection of check marks.
- **[Assign All]**
Assigns all groups to this absence type.
- **[Help]**
Shows this help
- **[Done]**
Closes this dialog and refreshes the Absence Management page.

5.15 User Import

TeamCal Pro User Import

TeamCal Pro User Import

Select a CSV (comma separated values) file from your local hard drive. Make sure you read the help for details of the content.

Source CSV file to import:

Browse...

Default Group:

Disney

Default Language:

english

Lock user:

☒

Hide user in calendar:

☒

Import

Help

Close

Done

User Import

Administrators may import user accounts via a CSV file. This shall speed up the process of user creation if you want to migrate or copy user from another database.

CSV Requirements

The import feature expects a CSV file that follows these rules:

- field delimiter is a semicolon ;
- text enclose character is a double quote: "
- each record is ended by a carriage return/line feed (new line)
- no empty line at the end
- each record contains 11 fields:
"username";"firstname";"lastname";"title";"position";"phone";"mobile";"email";"idnumber";"birthday";"showbirth
day"
(Note: An error message will point you to the faulty record.)

Example:

```
"rambo";"John";"Rambo";Mr."; "Soldier";"+01/555 111 1115";"555 1000  
111";"rambo@army.com";"M345T";"1960-02-01";"yes"  
"rocky";"Rocky";"Balboa";"Boxer";;"rocky@gym.com";"1970-02-01";"no"  
"butch";"Butch";"Cassidy";"Bandit";"+01/555 111  
1112";"butch@holeinthewall.com";"1980-02-01";"no"  
"sundance";"Sundance";"Kid";"Bandit";"+01/555 111  
1111";"sundance@holeinthewall.com";;  
"dances";"John";"Dunbar";;;;;;;;;  
"kyle";"Kyle";"Reese";;;;;;;;;  
"wallace";"William";"Wallace";"Mr."; "Hero";;"1976-02-01";"yes"
```

Import Rules

- If a line contains more than 9 fields the import is stopped. All records after the false one will not be imported. An error message is produced.
- If the username is "admin" the record will be skipped. For security and integrity reasons this username cannot be imported via CSV.
- If a user with the imported username already exists the record will be skipped. CSV import will not overwrite

existing user records of the same username.

- The default password for all imported users will be: password
- The default user type for all imported users will be: regular user
- The default gender for all imported users will be male.
- The default notification settings will be none.
- Show own groups only will be set to No.
- Show birthday will be set to No.
- Ignore age will be set to No.
- Notify Birthday will be set to No.
- Default view of groups will be All.
- For each imported user there will be an entry in the system log.

Options

- **Source CSV file to import**

Select a file from your local drive to import

- **Default Group**

All imported users will be assigned to this group

- **Default Language**

All imported users will be assigned this default language

- **Lock user**

All imported users will be locked. They can't login until the administrator unlocks them in their profile.

- **Hide user**

All imported users will be hidden from the calendar. They will not be listed in the calendar until the administrator unhides them in their profile.

Buttons

- **[Import]**

Will start the import

- **[Help]**

Will show this help

- **[Close]**

Will close the dialog

- **[Done]**

Will close the dialog and refresh the user list.

5.16 Template User

Overview

Template users offer a way to set absences for a whole group in one shot. All absences set for a template user are also applied to all other users of the same group(s) that the template user is assigned to. This can either be a regular user (real person in your group) or a dummy user that can also be hidden from display. If also the group he is assigned to is hidden the templates are completely invisible to regular users.

How to use

Let's say you are managing an international software development team. You have created the groups "Programmer" and "Tester". The Tester group has team members in Canada and in Germany. Now there is training planned for the testers in Germany while your team members in Canada have to work. You want to set the absence type "Training" for all your Germany based testers in one TeamCal Pro transaction and want to be prepared if such events happen again for your Germany team. Perform the following steps (needs Administrator rights):

1. Create a group "Germany"
2. Create a user "Germany". On the Privileges tab check the "Template User..." button.
3. Assign the user "Germany" to the group "Germany"
4. Assign all your Germany based testers to the group "Germany"
5. Switch to the calendar view and open the calendar of the template user "Germany"
6. Set the dates of training and click Apply. Then click Done.
7. The Training absence has been applied to all other members of "Germany"
8. Now hide the group "Germany"
9. Also hide the template user "Germany"
10. Unhide both, group and template user the next time you want to set team wide absences

The screenshot shows the 'Add User Profile' window with the 'User Type' section expanded. The 'Template User' option is selected.

Template User Option

Rules

Template absences are not applied without honoring certain rules, meaning they do not overwrite any other absence in any case. The following rules apply:

- If the user is currently present on the day in question the absence is applied
- If the user is not present the absence is not applied except the absence type is the same as the previous template absence

Example

1. A template absence "Training" is created.
2. The user is currently present => the absence is applied to the user.
3. Later, one user sets himself to "Sick" on the first day of that training => the template absence is overwritten
4. The training is postponed for one day and the template absence "Training" is deleted from the first day => The user that is sick is not overwritten, all others that still hold the "Training" absence are unset again (set to present).

I recommend to play around with this feature to learn about its many and powerful capabilities.

5.17 Theme Support



Theme selection on the Configuration page

TeamCal Pro supports themes. A theme is a collection of styles and images that makes TeamCal Pro look like it looks.

Each theme resides in its own folder in the 'themes' directory of your installation. It contains two sub-folders:

- **css**
Contains the style sheet of the theme
- **img**
Contains the images of the theme

Style Sheets

Each theme css folder contains a file named default.css. This file contains all standard styles of the application except for those that are defined by the settings of holidays and absence types. When you change the theme on the configuration page and click [Apply] or click [Rebuild style sheet], TeamCal Pro will read the default.css file, then all styles for holidays and absence types from the database. The complete style sheet is then inserted into the database and the HTML page pulls it from there inserting into the code directly. So remember, when you change the default.css file you will not see any change when you refresh your browser. You must apply the configuration page first so TeamCal Pro updates the database with your style changes. Note, that maybe a refresh of your browser's might be necessary depending on your browser's cache behavior.

Images

Nearly all images that TeamCal Pro uses reside in the theme's img directory in the corresponding theme folder. You may change the images but don't change their file names.

Creating an own theme

First, copy one of the theme directories - the one that comes closest to what you want to create - giving it a new name. Your new name will be listed in the drop down box on the configuration page. Let's say you call your theme "mytheme" then you would have a new directory called 'mytheme' in the themes folder. The configuration theme will list 'mytheme' in the drop down box of available themes.

In your directory you will find three style sheets:

default.css

This style sheet contains all basic styles of TeamCal Pro. It does not include the styles for holiday and absence types that you can change in TeamCal Pro itself. Those styles will be automatically added when you apply the configuration page. In this file here change all TeamCal Pro fonts and colors to your liking.

menu.css

This file contains the styles of the menu. Changes to this file will instantly apply when you refresh. The configuration page does not read this file nor does it create any styles from it. jsCookMenu is a separate applet that I want to keep separate.

calendar.css

This file contains the styles of the calendar picker popup that is used on several pages in TeamCal Pro. Changes to this file will instantly apply when you refresh. The configuration page does not read this file nor does it create any styles from it. jsCalendar is a separate applet that I want to keep separate.

img

After that you may want to change certain images in the mytheme/img folder. Create your own images and overwrite the ones in the img directory using the same file name. Changes to the images will instantly apply upon refresh.

img/menu


This directory contains the images used in the menu. Most of them will be same as the ones in the img folder, however, here you have the chance to change the menu icons independently from the other icons.

Now pull up the TeamCal Pro Configuration page, select your new theme and click [Apply]. Your settings will be saved to the database. Refresh your browser. You might have to do that twice or so. What you might want to do after that is to adjust the individual styles of your Holiday types and Absence types so they match the design you have created.


If you make more changes to your default.css you must always apply the configuration again to activate them.

TeamCal Pro Themes

TeamCal Pro comes with two themes, "tcpro", the classic design that everybody knows, and "deviant", a new design based on some darker colors presenting a more neutral impression.



Classic "TcPro" Theme



"Deviant" Theme

TeamCal Pro

Version 3.4.003 Dev

TeamCal View Tools Help

Language: english Group: All Region: default Today: All

You are logged in as admin (Administrator).

December 2012

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

Week

48

49

50

Name

+

Sa

Su

Mo

Tu

We

Th

Fr

Sa

Su

Mo

Tu

We

Th

Fr

Sa

Su

Carl, Coyote

⚙

"Metro" Theme

Keyword Index

- A -

About 15
 absence 1, 18, 58, 71
 absence assignment 58, 71
 absence counts 37
 absence icon 58
 absence symbols 18
 absence threshold 63
 Absence Types 58
 Absences 37
 Account Locked 36
 accumulated 25, 28
 administration 15, 50
 administration page 50
 administrator 18, 36, 50, 53, 56
 agreement 1
 Allowance 18, 58
 announcement 15, 24, 43
 announcement icon 15, 24
 announcement page 24, 43
 announcement popup 24
 announcements 15, 65
 application 1, 15, 50
 Apply 29
 approval 47, 58
 assign group 56
 assignemt 58, 71
 assignment 56
 avatar 38

- B -

background color 58
 backup 65
 Birthday 18, 32, 34
 business day 18, 62

- C -

Calendar 15
 calendar display 18
 calendar week 23
 Clean up 65
 CLEANUP 65
 Close 29
 colorpicker 58
 comment 40
 configuration 50, 75
 css 75
 csv 65, 72
 Current Half 25, 28
 Current Month 25, 28
 Current Quarter 25, 28
 Current Year 25, 28
 custom field 40
 customization 1

- D -

Database 1, 50, 65
 database maintenance 50
 Database Management 65
 Date Range 45
 Date Range Input 45
 daynote 18
 daynotes 23
 declination 63
 declination management 63
 declination period 63
 default language 34, 72
 default group 72
 Delete Records 65
 dialog 29
 director 36, 53, 56
 display filter 68
 Done 29
 download 65

- E -

e-Mail 32, 43
 Environment 15
 event types 68

events 68
expandable 18
export 65

- F -

Factor 58
Fast Edit 18
female 53
file 70, 72
file name 70
filesize 70
filter 15, 56
First Name 32
footer 15
format 38

- G -

Gender 32
GIF 38
GNU 1
GNU General Public License 1
GNU License 1
grace period 53
group 15, 56, 71
group announcement 24
group assignment 56, 58, 71
group manager 53, 56
group member 56
group name 54
groups 58

- H -

Half 25, 28
header 15
hidden 53
hidden group 73
hidden user 73
hide 36, 58
hide region 60
Holiday 18, 62
Holiday Types 62
Homepage 18

- I -

ical 60
icon 15, 58, 70
image 38, 70
images 75
img 75
import 60, 72
individual 25, 28

- J -

JPEG 38
JPG 38

- L -

Language 15, 34
Last Name 32
Legend 15
License 1
local drive 72
locked 36, 53
log page 68
logging 68
Login 15
Logout 15

- M -

maintenance 50
male 53
Manage Groups 54
manage regions 60
Manage Users 53
manager 56
manager only 58
maximum absence 54
member 33, 56
membership 33
Menu 15
merge regions 60
Message 15
message type 43
minimum absence 54

month 25, 28, 44
 month template 44
 MySQL 1

- N -

navigation 29
 notebook 45
 notebook icon 45

- O -

on hold 36, 53
 orphaned 65
 orphaned announcements 65
 overview 23

- P -

Password 32
 period 25, 28, 63
 permission 51
 permission scheme 51
 permissions 51
 Personal Data 32
 Phone 32
 PHP 1
 PHP Info 15
 PNG 38
 popup 18, 23, 24
 popup announcement 24, 43
 popup info 18, 40
 Position 32
 presence 1
 Privileges 36
 profile 18, 30
 project plan 1
 Public 18
 public holiday 18
 Public License 1
 public_mode 36

- Q -

Quarter 25, 28

- R -

recipient 43
 region 60
 region name 60
 regions 60
 registered_mode 36
 registration 47, 53
 Regular User 36, 53
 remainder 18, 58
 rename 70
 resized 38
 restore 65
 rights management 51

- S -

save 65
 section 18
 security code 47
 selection 25, 28
 silent 24
 silent announcement 24, 43
 size 70
 skin 75
 sort 56
 sql 65
 Start 15
 statistical 25, 28
 statistics 25, 28
 status bar 15
 Style Sheets 75
 styles 75
 symbol 58
 symbols 18
 System Log 15
 system log page 68

- T -

team member 1
 TeamCal 1
 TeamCal Pro 1, 50
 template 18, 44, 73
 Template User 73
 templates 73

text color 58
theme 75
themes 75
threshold 63
thumbnail 38
time period 25, 28
timeline 1
tooltip 45
total absence 25, 28
total absence by type 25, 28
total presence 25, 28
total remainder 25, 28
totals 58
type 25, 28

- U -

upload 38, 58, 70
user 56
user import 72
user info 40
User Manual 15
user note 18
user notes 23
user profile 30
user profile dialog 30
user registration 47
user type 56
Username 32

- V -

verification 47, 53

- W -

week number 23
weekend 62
weekend day 18
Welcome message 18
wrench 18

- X -

xml 65

- Y -

Year 23, 25, 28
year calendar 23
Year of Birth 34