



CLOUD COMPUTING

LAB: 12

Submitted by:

Seerat Fatima

Submitted to:

Sir Shoaib

Roll no:

2023-BSE-060

Section:

5 B

```
PS C:\Users\Waseem\Documents\Lab12> gh codespace list
NAME                               DISPLAY NAME       REPOSITORY          BRANCH  STATE    CREATED AT
verbose-system-wrq7q47rjx7vcgq46 verbose system     SeratFatima00/Lab9  main*   Shutdown about 2 days ago
jubilant-happiness-7vj9jx9v4r7pcp5wx jubilant happiness SeratFatima00/CC_SeeratFatima_060_Lab11 main*   Shutdown about 20 hours ago
fuzzy-doodle-97g9gx974j5q2x4wx    fuzzy doodle      SeratFatima00/CC_SeeratFatima_060_Lab12 main    Available about 4 minutes ago
PS C:\Users\Waseem\Documents\Lab12> gh codespace ssh -c fuzzy-doodle-97g9gx974j5q2x4wx
Welcome to Ubuntu 24.04.3 LTS (GNU/Linux 6.8.0-1030-azure x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro
Last login: Mon Dec 29 11:34:01 2025 from ::1
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $
```

## Task 1 — Organize Terraform code into separate files

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ mkdir -p ~/Lab12
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ cd ~/Lab12
@SeratFatima00 @ ~/Lab12 $ touch main.tf variables.tf outputs.tf locals.tf terraform.tfvars entry-script.sh
@SeratFatima00 @ ~/Lab12 $ ls -la
total 12
drwxrwxr-x 2 codespace codespace 4096 Dec 29 11:41 .
drwxr-x--- 1 codespace codespace 4096 Dec 29 11:40 ..
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:41 entry-script.sh
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:41 locals.tf
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:41 main.tf
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:40 outputs.
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:41 outputs.tf
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:41 terraform.tfvars
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:40 tf
-rw-rw-r-- 1 codespace codespace  0 Dec 29 11:41 variables.tf
```

```
variable "vpc_cidr_block"
variable "subnet_cidr_block"
variable "availability_zone"
variable "env_prefix"
variable "instance_type"
variable "public_key"
variable "private_key"
```

```
output "aws_instance_public_ip"
  value = aws_instance.myapp-server.public_ip
```

```
locals
  my_ip = "${chomp(data.http.my_ip.response_body)}/32"
```

```
vpc_cidr_block      = "10.0.0.0/16"
subnet_cidr_block   = "10.0.10.0/24"
availability_zone    = "eu-north-1a"
env_prefix          = "dev"
instance_type       = "t3.micro"
public_key           = "~/.ssh/id_ed25519.pub"
private_key          = "~/.ssh/id_ed25519"
```

```
resource "aws_default_security_group" "default_sg"
  vpc_id = aws_vpc.myapp_vpc.id

  ingress
    from_port = 22
    to_port   = 22
    protocol  = "tcp"
    cidr_blocks = local.my_ip

  ingress
    from_port = 80
    to_port   = 80
    protocol  = "tcp"
    cidr_blocks = "0.0.0.0/0"

  egress
    from_port = 0
    to_port   = 0
    protocol  = "-1"
    cidr_blocks = "0.0.0.0/0"

  tags = Name = "${var.env_prefix}-default-sg"

resource "aws_key_pair" "ssh_key"
  key_name   = "serverkey"
  public_key = file var.public_key

resource "aws_instance" "myapp-server"
  ami                  = "ami-0021ca50382945ce2"
  instance_type        = var.instance_type
  subnet_id            = aws_subnet.myapp_subnet_1.id
  vpc_security_group_ids = aws_default_security_group.default_sg.id
  availability_zone     = var.availability_zone
  associate_public_ip_address = true
  key_name              = aws_key_pair.ssh_key.key_name
  user_data              = file "./entry-script.sh"

  tags = Name = "${var.env_prefix}-ec2-instance"

data "http" "my_ip"
  url = "https://icanhazip.com"
```

```
#!/bin/bash
#set -e
#yum update -y
#yum install -y nginx
#systemctl start nginx
#systemctl enable nginx
```

```
^
~
~
```

```
@SeratFatima00 @ ~/Lab12 $ ssh-keygen -t ed25519 -f ~/.ssh/id_ed25519 -N ""
Generating public/private ed25519 key pair.
Your identification has been saved in /home/codespace/.ssh/id_ed25519
Your public key has been saved in /home/codespace/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:gylErazXSYzxP6X+X9exJPj181e7ypBTUP2Ebb+Uloc codespace@codespaces-885ac9
The key's randomart image is:
+--[ED25519 256]--+
|                 ..o  |
| . .             . .+ |
| + .             . += |
| o * .           o E+= |
| = = . S        . oo+o |
| . + + o .      + =o+ |
| . . o +        +.o.o+ |
| .   . .        +.o.. |
|         .....  o.oo |
+-----[SHA256]-----+
```

```
@SeratFatima00 @ ~/Lab12 $ terraform init
Initializing the backend...
Initializing provider plugins...
- Finding latest version of hashicorp/http...
- Finding latest version of hashicorp/aws...
- Installing hashicorp/http v3.5.0...
- Installed hashicorp/http v3.5.0 (signed by HashiCorp)
- Installing hashicorp/aws v6.27.0...
- Installed hashicorp/aws v6.27.0 (signed by HashiCorp)
Terraform has created a lock file .terraform.lock.hcl to record the provider
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future.
```

**Terraform has been successfully initialized!**

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

```
@SeratFatima00 @ ~/Lab12 $ terraform apply -auto-approve
data.http.my_ip: Reading...
data.http.my_ip: Read complete after 0s [id=https://icanhazip.com]
```

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:


- + create

Terraform will perform the following actions:

```
# aws_default_route_table.main_rt will be created
+ resource "aws_default_route_table" "main_rt" {
+   arn                = (known after apply)
+   default_route_table_id = (known after apply)
+   id                 = (known after apply)
+   owner_id           = (known after apply)
+   region              = "eu-north-1"
+   route               = [
+     + {
+       + cidr_block      = "0.0.0.0/0"
+       + gateway_id      = (known after apply)
+       # (10 unchanged attributes hidden)
+     },
+   ]
+   tags                = {
+     + "Name" = "dev-rt"
+   }
+   tags_all             = {
+     + "Name" = "dev-rt"
+   }
+   vpc_id               = (known after apply)
+ }

# aws_default_security_group.default_sg will be created
+ resource "aws_default_security_group" "default_sg" {
+   arn                = (known after apply)
+   description         = (known after apply)
+   egress              = [
+     + {
+       + cidr_blocks     = [
+         + "0.0.0.0/0",
+       ]
+       + from_port        = 0
+       + ipv6_cidr_blocks = []
+       + prefix_list_ids  = []
+       + protocol          = "-1"
+       + security_groups  = []
+       + self              = false
+       + to_port           = 0
+       # (1 unchanged attribute hidden)
+     },
+   ]
+ }
```

```
@SeratFatima00 @ ~/Lab12 $ terraform output
aws_instance_public_ip = "51.20.133.215"
```



```
aws_default_route_table.main_rt: Destroying... [id=rtb-01530b7f350bf833c]
aws_default_route_table.main_rt: Destruction complete after 0s
aws_instance.myapp-server: Destroying... [id=i-0dd3f46c04576d2f8]
aws_internet_gateway.myapp_igw: Destroying... [id=igw-0e3033a3f39d730b5]
aws_instance.myapp-server: Still destroying... [id=i-0dd3f46c04576d2f8, 00m10s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-0e3033a3f39d730b5, 00m10s elapsed]
aws_internet_gateway.myapp_igw: Destruction complete after 20s
aws_instance.myapp-server: Still destroying... [id=i-0dd3f46c04576d2f8, 00m20s elapsed]
aws_instance.myapp-server: Still destroying... [id=i-0dd3f46c04576d2f8, 00m30s elapsed]
aws_instance.myapp-server: Destruction complete after 31s
aws_subnet.myapp_subnet_1: Destroying... [id=subnet-097bcec786ed7f631]
aws_key_pair.ssh_key: Destroying... [id=serverkey]
aws_default_security_group.default_sg: Destroying... [id=sg-093e8ff65e01ecfc6]
aws_default_security_group.default_sg: Destruction complete after 0s
aws_key_pair.ssh_key: Destruction complete after 1s
aws_subnet.myapp_subnet_1: Destruction complete after 2s
aws_vpc.myapp_vpc: Destroying... [id=vpc-096b05cdd131960d6]
aws_vpc.myapp_vpc: Destruction complete after 1s
```

Destroy complete! Resources: 7 destroyed.

## Task 2 — Use remote-exec provisioner

```
resource "aws_instance" "myapp-server" {
  ami           = "ami-0021ca50382945ce2"
  instance_type = var.instance_type
  subnet_id     = aws_subnet.myapp_subnet_1.id
  security_groups = [aws_default_security_group.default_sg.id]
  availability_zone = var.availability_zone
  associate_public_ip_address = true
  key_name       = aws_key_pair.ssh-key.key_name

  connection {
    type     = "ssh"
    user     = "ec2-user"
    private_key = file(var.private_key)
    host     = self.public_ip
  }

  provisioner "remote-exec" {
    inline = [
      "sudo dnf update -y",
      "sudo dnf install -y nginx",
      "sudo systemctl start nginx",
      "sudo systemctl enable nginx"
    ]
  }

  tags = {
    Name = "${var.env_prefix}-ec2-instance"
  }
}
```

```
aws_instance.myapp-server (remote-exec): Release notes:
aws_instance.myapp-server (remote-exec): https://docs.aws.amazon.com/linux/al2023/release-notes/relnotes-2023.9.20251105.html

aws_instance.myapp-server (remote-exec): Version 2023.9.20251110:
aws_instance.myapp-server (remote-exec): Run the following command to upgrade to 2023.9.20251110:

aws_instance.myapp-server (remote-exec): dnf upgrade --releasever=2023.9.20251110

aws_instance.myapp-server (remote-exec): Release notes:
aws_instance.myapp-server (remote-exec): https://docs.aws.amazon.com/linux/al2023/release-notes/relnotes-2023.9.20251110.html

aws_instance.myapp-server (remote-exec): Version 2023.9.20251117:
aws_instance.myapp-server (remote-exec): Run the following command to upgrade to 2023.9.20251117:

aws_instance.myapp-server (remote-exec): dnf upgrade --releasever=2023.9.20251117

aws_instance.myapp-server (remote-exec): Release notes:
aws_instance.myapp-server (remote-exec): https://docs.aws.amazon.com/linux/al2023/release-notes/relnotes-2023.9.20251117.html

aws_instance.myapp-server (remote-exec): Version 2023.9.20251208:
aws_instance.myapp-server (remote-exec): Run the following command to upgrade to 2023.9.20251208:

aws_instance.myapp-server (remote-exec): dnf upgrade --releasever=2023.9.20251208

aws_instance.myapp-server (remote-exec): Release notes:
aws_instance.myapp-server (remote-exec): https://docs.aws.amazon.com/linux/al2023/release-notes/relnotes-2023.9.20251208.html


aws_instance.myapp-server (remote-exec): =====
aws_instance.myapp-server (remote-exec): Installed:
aws_instance.myapp-server (remote-exec): generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch
aws_instance.myapp-server (remote-exec): gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64
aws_instance.myapp-server (remote-exec): libunwind-1.4.0-5.amzn2023.0.2.x86_64
aws_instance.myapp-server (remote-exec): nginx-1:1.28.0-1.amzn2023.0.1.x86_64
aws_instance.myapp-server (remote-exec): nginx-core-1:1.28.0-1.amzn2023.0.1.x86_64
aws_instance.myapp-server (remote-exec): nginxfilesystem-1:1.28.0-1.amzn2023.0.1.noarch
aws_instance.myapp-server (remote-exec): nginx-mimetypes-2.1.49-3.amzn2023.0.3.noarch

aws_instance.myapp-server (remote-exec): Complete!
aws_instance.myapp-server (remote-exec): Created symlink /etc/systemd/system/multi-user.target.wants/nginx.service → /usr/lib/systemd/system/nginx.service.
aws_instance.myapp-server: Creation complete after 1m22s [id=i-09fd9d2381b300761]

Apply complete! Resources: 7 added, 0 changed, 0 destroyed.

Outputs:
aws_instance_public_ip = "51.21.2.45"
```

```
@SeratFatima00 ~ /Lab12 $ terraform output  
aws_instance_public_ip = "51.21.2.45"
```



## Task 3 — Use file and local-exec provisioners

```

resource "aws_instance" "myapp-server" {
  ami                  = "ami-0021ca50382945ce2" # Amazon Linux 2023
  instance_type       = var.instance_type
  subnet_id           = aws_subnet.myapp_subnet_1.id
  security_groups      = [aws_default_security_group.default_sg.id]
  availability_zone    = var.availability_zone
  associate_public_ip_address = true
  key_name             = aws_key_pair.ssh-key.key_name

  connection {
    type      = "ssh"
    user      = "ec2-user"
    private_key = file(var.private_key)
    host      = self.public_ip
  }

  provisioner "file" {
    source      = "./entry-script.sh"
    destination = "/home/ec2-user/entry-script-on-ec2.sh"
  }

  provisioner "remote-exec" {
    inline = [
      "sudo chmod +x /home/ec2-user/entry-script-on-ec2.sh",
      "sudo /home/ec2-user/entry-script-on-ec2.sh"
    ]
  }

  provisioner "local-exec" {
    command = <<-EOF
    echo Instance ${self.id} with public IP ${self.public_ip} has been created
    EOF
  }

  tags = {
    Name = "${var.env_prefix}-ec2-instance"
  }
}

```

```

Changes to Outputs:
~ aws_instance_public_ip = "51.21.2.45" -> (known after apply)
aws_instance.myapp-server: Destroying... [id=i-09fd9d2381b300761]
aws_instance.myapp-server: Still destroying... [id=i-09fd9d2381b300761, 00m10s elapsed]
aws_instance.myapp-server: Still destroying... [id=i-09fd9d2381b300761, 00m20s elapsed]
aws_instance.myapp-server: Still destroying... [id=i-09fd9d2381b300761, 00m30s elapsed]
aws_instance.myapp-server: Destruction complete after 30s
aws_instance.myapp-server: Creating...
aws_instance.myapp-server: Still creating... [00m10s elapsed]
aws_instance.myapp-server: Provisioning with 'file'...
aws_instance.myapp-server: Provisioning with 'remote-exec'...
aws_instance.myapp-server (remote-exec): Connecting to remote host via SSH...
aws_instance.myapp-server (remote-exec): Host: 13.48.71.2
aws_instance.myapp-server (remote-exec): User: ec2-user
aws_instance.myapp-server (remote-exec): Password: false
aws_instance.myapp-server (remote-exec): Private key: true
aws_instance.myapp-server (remote-exec): Certificate: false
aws_instance.myapp-server (remote-exec): SSH Agent: false
aws_instance.myapp-server (remote-exec): Checking Host Key: false
aws_instance.myapp-server (remote-exec): Target Platform: unix
aws_instance.myapp-server (remote-exec): Connected!
aws_instance.myapp-server: Provisioning with 'local-exec'...
aws_instance.myapp-server (local-exec): Executing: ["/bin/sh" "-c" "echo Instance i-04b00b4725be9fa4f with public IP 13.48.71.2 has been created\n"]
aws_instance.myapp-server (local-exec): Instance i-04b00b4725be9fa4f with public IP 13.48.71.2 has been created
aws_instance.myapp-server: Creation complete after 20s [id=i-04b00b4725be9fa4f]

```

Apply complete! Resources: 1 added, 0 changed, 1 destroyed.

Outputs:

aws\_instance\_public\_ip = "13.48.71.2"

@SeratFatima00 @ ~/Lab12 \$ terraform output

aws\_instance\_public\_ip = "13.48.71.2"



```
← → ↻ ⚠ Not secure 13.48.71.2 ☆ ⓘ S Relaunch to update
```

## Welcome to nginx!

If you see this page, the nginx web server is successfully installed and working. Further configuration is required.

For online documentation and support please refer to [nginx.org](https://nginx.org).  
Commercial support is available at [nginx.com](https://nginx.com).

*Thank you for using nginx.*

```
aws_default_route_table.main_rt: Destroying... [id=rtb-081730299fb2fac14]
aws_default_route_table.main_rt: Destruction complete after 0s
aws_instance.myapp-server: Destroying... [id=i-04b00b4725be9fa4f]
aws_internet_gateway.myapp_igw: Destroying... [id=igw-0daa8acf09c4a2ef5]
aws_instance.myapp-server: Still destroying... [id=i-04b00b4725be9fa4f, 00m10s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-0daa8acf09c4a2ef5, 00m10s elapsed]
aws_instance.myapp-server: Still destroying... [id=i-04b00b4725be9fa4f, 00m20s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-0daa8acf09c4a2ef5, 00m20s elapsed]
aws_instance.myapp-server: Still destroying... [id=i-04b00b4725be9fa4f, 00m30s elapsed]
aws_internet_gateway.myapp_igw: Still destroying... [id=igw-0daa8acf09c4a2ef5, 00m30s elapsed]
aws_internet_gateway.myapp_igw: Destruction complete after 40s
aws_instance.myapp-server: Still destroying... [id=i-04b00b4725be9fa4f, 00m40s elapsed]
aws_instance.myapp-server: Destruction complete after 42s
aws_subnet.myapp_subnet_1: Destroying... [id=subnet-06690fbc9f6f3c33b]
aws_default_security_group.default_sg: Destroying... [id=sg-062a68a0dc8c43cda]
aws_key_pair.ssh-key: Destroying... [id=serverkey]
aws_default_security_group.default_sg: Destruction complete after 0s
aws_key_pair.ssh-key: Destruction complete after 1s
aws_subnet.myapp_subnet_1: Destruction complete after 1s
aws_vpc.myapp_vpc: Destroying... [id=vpc-0c54a1bcaf15a45cf]
aws_vpc.myapp_vpc: Destruction complete after 1s

Destroy complete! Resources: 7 destroyed.
```

```
resource "aws_instance" "myapp-server" {
  ami                = "ami-0021ca50382945ce2" # Amazon Linux 2023
  instance_type      = var.instance_type
  subnet_id          = aws_subnet.myapp_subnet_1.id
  security_groups    = [aws_default_security_group.default_sg.id]
  availability_zone   = var.availability_zone
  associate_public_ip_address = true
  key_name            = aws_key_pair.ssh-key.key_name

  user_data = file("./entry-script.sh")

  tags = {
    Name = "${var.env_prefix}-ec2-instance"
  }
}

data "http" "my_ip" {
  url = "https://icanhazip.com"
}
```

## Task 4 — Create Terraform modules (subnet module)

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ mkdir -p modules/subnet
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ touch modules/subnet/main.tf
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ touch modules/subnet/variables.tf
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ touch modules/subnet/outputs.tf
```

```
variable "vpc_id"
variable "subnet_cidr_block"
variable "availability_zone"
variable "env_prefix"
variable "default_route_table_id"
```

```
resource "aws_subnet" "myapp_subnet_1"
  vpc_id      = var.vpc_id
  cidr_block  = var.subnet_cidr_block
  availability_zone = var.availability_zone
  map_public_ip_on_launch = true
  tags =
    Name = "${var.env_prefix}-subnet-1"

resource "aws_internet_gateway" "myapp_igw"
  vpc_id = var.vpc_id
  tags =
    Name = "${var.env_prefix}-igw"

resource "aws_default_route_table" "main_rt"
  default_route_table_id = var.default_route_table_id

  route
    cidr_block = "0.0.0.0/0"
    gateway_id = aws_internet_gateway.myapp_igw.id

  tags =
    Name = "${var.env_prefix}-rt"
```

```
output "subnet"
  value = aws_subnet.myapp_subnet_1
```

```

resource "aws_instance" "myapp-server" {
  ami           = "ami-0021ca50382945ce2" # Amazon Linux 2023
  instance_type = var.instance_type
  subnet_id     = module.myapp-subnet.subnet.id
  security_groups = [aws_default_security_group.default_sg.id]
  availability_zone = var.availability_zone
  associate_public_ip_address = true
  key_name       = aws_key_pair.ssh-key.key_name

  user_data = file("./entry-script.sh")

  tags = {
    Name = "${var.env_prefix}-ec2-instance"
  }
}

data "http" "my_ip" {
  url = "https://icanhazip.com"
}

module "myapp-subnet" {
  source = "../modules/subnet"
  vpc_id = aws_vpc.myapp_vpc.id
  subnet_cidr_block = var.subnet_cidr_block
  availability_zone = var.availability_zone
  env_prefix = var.env_prefix
  default_route_table_id = aws_vpc.myapp_vpc.default_route_table_id
}

```

```

@SeratFatima00 @ /workspaces/CC_SeeratFatima_050_Lab12 (main) $ terraform init
Initializing the backend...
Initializing modules...
- myapp-subnet in modules/subnet
Initializing provider plugins...
- Finding latest version of hashicorp/aws...
- Finding latest version of hashicorp/http...
- Installing hashicorp/aws v6.27.0...
- Installed hashicorp/aws v6.27.0 (signed by HashiCorp)
- Installing hashicorp/http v3.5.0...
- Installed hashicorp/http v3.5.0 (signed by HashiCorp)
Terraform has created a lock file .terraform.lock.hcl to record the provider
selections it made above. Include this file in your version control repository
so that Terraform can guarantee to make the same selections by default when
you run "terraform init" in the future.

```

Terraform has been successfully initialized!

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

```
Plan: 7 to add, 0 to change, 0 to destroy.
```

```
Changes to Outputs:
```

```
+ aws_instance_public_ip = (known after apply)
aws_key_pair.ssh-key: Creating...
aws_vpc.myapp_vpc: Creating...
aws_key_pair.ssh-key: Creation complete after 1s [id=serverkey]
aws_vpc.myapp_vpc: Creation complete after 3s [id=vpc-0157fe8df572e2745]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Creating...
module.myapp-subnet.aws_internet_gateway.myapp_igw: Creating...
aws_default_security_group.default_sg: Creating...
module.myapp-subnet.aws_internet_gateway.myapp_igw: Creation complete after 1s [id=igw-03235aac2278178e4]
module.myapp-subnet.aws_default_route_table.main_rt: Creating...
module.myapp-subnet.aws_default_route_table.main_rt: Creation complete after 2s [id=rtb-0d2f5454dc82c2c87]
aws_default_security_group.default_sg: Creation complete after 4s [id=sg-07362a9a2f764a9e4]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Still creating... [00m10s elapsed]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Creation complete after 11s [id=subnet-083681e00344f8e75]
aws_instance.myapp-server: Creating...
aws_instance.myapp-server: Still creating... [00m10s elapsed]
aws_instance.myapp-server: Creation complete after 14s [id=i-0dcf212dc2a31c082]
```

```
Apply complete! Resources: 7 added, 0 changed, 0 destroyed.
```

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ terraform output
aws_instance_public_ip = "13.62.20.112"
```



## Task 5 — Create webserver module

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ cd /workspaces/CC_SeeratFatima_060_Lab12
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ mkdir -p modules/webserver
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ touch modules/webserver/main.tf
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ touch modules/webserver/variables.tf
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ touch modules/webserver/outputs.tf
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $
```

```
variable "env_prefix"
variable "instance_type"
variable "availability_zone"
variable "public_key"
variable "my_ip"
variable "vpc_id"
variable "subnet_id"
variable "script_path"
variable "instance_suffix"
```

```

resource "aws_security_group" "web_sg"
  vpc_id      = var.vpc_id
  name        = "${var.env_prefix}-web-sg-${var.instance_suffix}"
  description = "Security group for web server allowing HTTP, HTTPS and SSH"

  ingress
    from_port = 22
    to_port   = 22
    protocol  = "tcp"
    cidr_blocks = var.my_ip

  ingress
    from_port = 443
    to_port   = 443
    protocol  = "tcp"
    cidr_blocks = "0.0.0.0/0"

  ingress
    from_port = 80
    to_port   = 80
    protocol  = "tcp"
    cidr_blocks = "0.0.0.0/0"

  egress
    from_port = 0
    to_port   = 0
    protocol  = "-1"
    cidr_blocks = "0.0.0.0/0"

  tags =
    Name = "${var.env_prefix}-default-sg"

resource "aws_key_pair" "ssh-key"
  key_name   = "${var.env_prefix}-serverkey-${var.instance_suffix}"
  public_key = file var.public_key

resource "aws_instance" "myapp-server"
  ami                  = "ami-09524d6658fcf35b6"
  instance_type        = var.instance_type
  subnet_id            = var.subnet_id
  security_groups      = [aws_security_group.web_sg.id]
  availability_zone     = var.availability_zone
  associate_public_ip_address = true
  key_name             = aws_key_pair.ssh-key.key_name

output "aws_instance"
  value = aws_instance.myapp-server

```

```

provider "aws" {
  shared_config_files      = ["~/.aws/config"]
  shared_credentials_files = ["~/.aws/credentials"]
}

resource "aws_vpc" "myapp_vpc" {
  cidr_block = var.vpc_cidr_block
  tags = { Name = "${var.env_prefix}-vpc" }
}

data "http" "my_ip" {
  url = "https://icanhazip.com"
}

module "myapp-subnet" {
  source = "../modules/subnet"
  vpc_id = aws_vpc.myapp_vpc.id
  subnet_cidr_block = var.subnet_cidr_block
  availability_zone = var.availability_zone
  env_prefix = var.env_prefix
  default_route_table_id = aws_vpc.myapp_vpc.default_route_table_id
}

module "myapp-webserver" {
  source           = "../modules/webserver"
  env_prefix       = var.env_prefix
  instance_type    = var.instance_type
  availability_zone = var.availability_zone
  public_key       = var.public_key
  my_ip            = local.my_ip
  vpc_id           = aws_vpc.myapp_vpc.id
  subnet_id        = module.myapp-subnet.subnet.id
  script_path      = "../entry-script.sh"
  instance_suffix  = ""
}

```

```

output "webserver_public_ip" {
  value = module.myapp-webserver.aws_instance.public_ip
}

```

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ terraform init
```

```
Initializing the backend...
```

```
Initializing modules...
```

```
- myapp-webserver in modules/webserver
```

```
Initializing provider plugins...
```

```
- Reusing previous version of hashicorp/aws from the dependency lock file
```

```
- Reusing previous version of hashicorp/http from the dependency lock file
```

```
- Using previously-installed hashicorp/aws v6.27.0
```

```
- Using previously-installed hashicorp/http v3.5.0
```

```
Terraform has been successfully initialized!
```

You may now begin working with Terraform. Try running "terraform plan" to see any changes that are required for your infrastructure. All Terraform commands should now work.

If you ever set or change modules or backend configuration for Terraform, rerun this command to reinitialize your working directory. If you forget, other commands will detect it and remind you to do so if necessary.

```
Plan: 3 to add, 0 to change, 3 to destroy.
```

```
Changes to Outputs:
```

```
- aws_instance_public_ip = "13.62.20.112" -> null
```

```
+ webserver_public_ip    = (known after apply)
```

```
aws_instance.myapp-server: Destroying... [id=i-0dcf212dc2a31c082]
```

```
module.myapp-webserver.aws_security_group.web_sg: Creating...
```

```
module.myapp-webserver.aws_key_pair.ssh-key: Creating...
```

```
module.myapp-webserver.aws_key_pair.ssh-key: Creation complete after 0s [id=dev-serverkey-0]
```

```
module.myapp-webserver.aws_security_group.web_sg: Creation complete after 4s [id=sg-0430309287f0229c1]
```

```
module.myapp-webserver.aws_instance.myapp-server: Creating...
```

```
aws_instance.myapp-server: Still destroying... [id=i-0dcf212dc2a31c082, 00m10s elapsed]
```

```
module.myapp-webserver.aws_instance.myapp-server: Still creating... [00m10s elapsed]
```

```
module.myapp-webserver.aws_instance.myapp-server: Creation complete after 14s [id=i-007b937ca7af0ed0c]
```

```
aws_instance.myapp-server: Still destroying... [id=i-0dcf212dc2a31c082, 00m20s elapsed]
```

```
aws_instance.myapp-server: Still destroying... [id=i-0dcf212dc2a31c082, 00m30s elapsed]
```

```
aws_instance.myapp-server: Still destroying... [id=i-0dcf212dc2a31c082, 00m40s elapsed]
```

```
aws_instance.myapp-server: Still destroying... [id=i-0dcf212dc2a31c082, 00m50s elapsed]
```

```
aws_instance.myapp-server: Still destroying... [id=i-0dcf212dc2a31c082, 01m00s elapsed]
```

```
aws_instance.myapp-server: Destruction complete after 1m1s
```

```
aws_key_pair.ssh-key: Destroying... [id=serverkey]
```

```
aws_default_security_group.default_sg: Destroying... [id=sg-07362a9a2f764a9e4]
```

```
aws_default_security_group.default_sg: Destruction complete after 0s
```

```
aws_key_pair.ssh-key: Destruction complete after 0s
```

```
Apply complete! Resources: 3 added, 0 changed, 3 destroyed.
```

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ terraform output
```

```
webserver_public_ip = "16.171.235.234"
```

```
← → ↻ ⚠ Not secure 16.171.235.234 ☆ | S Relaunch to update ⋮

Welcome to nginx!

If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.

For online documentation and support please refer to nginx.org.
Commercial support is available at nginx.com.

Thank you for using nginx.

Plan: 0 to add, 0 to change, 7 to destroy.

Changes to Outputs:
  - webserver_public_ip = "16.171.235.234" -> null

Do you really want to destroy all resources?
  Terraform will destroy all your managed infrastructure, as shown above.
  There is no undo. Only 'yes' will be accepted to confirm.

Enter a value: yes

module.myapp-subnet.aws_default_route_table.main_rt: Destroying... [id=rtb-0d2f5454dc82c2c87]
module.myapp-subnet.aws_default_route_table.main_rt: Destruction complete after 0s
module.myapp-webserver.aws_instance.myapp-server: Destroying... [id=i-007b937ca7af0ed0c]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Destroying... [id=igw-03235aac2278178e4]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-007b937ca7af0ed0c, 00m10s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-03235aac2278178e4, 00m10s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Destruction complete after 19s
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-007b937ca7af0ed0c, 00m20s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-007b937ca7af0ed0c, 00m30s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Destruction complete after 31s
module.myapp-webserver.aws_key_pair.ssh-key: Destroying... [id=dev-serverkey-0]
module.myapp-webserver.aws_security_group.web_sg: Destroying... [id=sg-0430309287f0229c1]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Destroying... [id=subnet-083681e00344f8e75]
module.myapp-webserver.aws_key_pair.ssh-key: Destruction complete after 1s
module.myapp-subnet.aws_subnet.myapp_subnet_1: Destruction complete after 1s
module.myapp-webserver.aws_security_group.web_sg: Destruction complete after 2s
aws_vpc.myapp_vpc: Destroying... [id=vpc-0157fe8df572e2745]
aws_vpc.myapp_vpc: Destruction complete after 1s

Destroy complete! Resources: 7 destroyed.
```

## Task 6 — Configure HTTPS with self-signed certificates



```

#!/bin/bash
set -e

# Update and install nginx
sudo dnf update
sudo dnf install    nginx

# Start and enable nginx
sudo systemctl start nginx
sudo systemctl enable nginx

# Create directories for SSL certificates
mkdir    /etc/ssl/private
mkdir    /etc/ssl/certs

# Get IMDSv2 token
TOKEN=      "http://169.254.169.254/latest/api/token"
      "X-aws-ec2-metadata-token-ttl-seconds: 21600"

# Get current public IP and hostname
PUBLIC_IP=      "X-aws-ec2-metadata-token:      "
      169 254 169 254

PUBLIC_HOSTNAME=      "X-aws-ec2-metadata-token:      "
      169 254 169 254

# Generate self-signed certificate
openssl req  509      365      rsa:2048 \
      /etc/ssl/private/selfsigned.key \
      /etc/ssl/certs/selfsigned.crt \
      "/CN=      " \
      "subjectAltName=IP:      " \
      "basicConstraints=CA:FALSE" \
      "keyUsage=digitalSignature,keyEncipherment" \
      "extendedKeyUsage=serverAuth"

echo "Self-signed certificate created for IP:      "

# Backup existing nginx.conf
cp /etc/nginx/nginx.conf /etc/nginx/nginx.conf.bak

# Overwrite nginx.conf with SSL configuration
cat <<EOF > /etc/nginx/nginx.conf
user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {

```


Plan: 7 to add, 0 to change, 0 to destroy.

Changes to Outputs:

```
+ webserver_public_ip = (known after apply)
module.myapp-webserver.aws_key_pair.ssh-key: Creating...
aws_vpc.myapp_vpc: Creating...
module.myapp-webserver.aws_key_pair.ssh-key: Creation complete after 1s [id=dev-serverkey-0]
aws_vpc.myapp_vpc: Creation complete after 3s [id=vpc-043d5af279f51c894]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Creating...
module.myapp-subnet.aws_subnet.myapp_subnet_1: Creating...
module.myapp-webserver.aws_security_group.web_sg: Creating...
module.myapp-subnet.aws_internet_gateway.myapp_igw: Creation complete after 1s [id=igw-0cfcaf1242b2579d5]
module.myapp-subnet.aws_default_route_table.main_rt: Creating...
module.myapp-subnet.aws_default_route_table.main_rt: Creation complete after 1s [id=rtb-0afe92eb5829a532a]
module.myapp-webserver.aws_security_group.web_sg: Creation complete after 4s [id=sg-08c2af293919f1369]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Still creating... [00m10s elapsed]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Creation complete after 11s [id=subnet-0ff339ef432280281]
module.myapp-webserver.aws_instance.myapp-server: Creating...
module.myapp-webserver.aws_instance.myapp-server: Still creating... [00m10s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Creation complete after 15s [id=i-03982db9d765f2273]
```

Apply complete! Resources: 7 added, 0 changed, 0 destroyed.

```
@SeratFatima00 /workspaces/CC_SeeratFatima_060_Lab12 (main) $ terraform output
webserver_public_ip = "13.48.48.228"
```



```
module "myapp-web-1" {
  source = "./modules/webserver"
  env_prefix = var.env_prefix
  instance_type = var.instance_type
  availability_zone = var.availability_zone
  public_key = var.public_key
  my_ip = local.my_ip
  vpc_id = aws_vpc.myapp_vpc.id
  subnet_id = module.myapp-subnet.subnet.id
  script_path = "./apache.sh"
  instance_suffix = "1"
}
```

```
output "webserver_public_ip" {
  value = module.myapp-webserver.aws_instance.public_ip
}
output "aws_web-1_public_ip" {
  value = module.myapp-web-1.aws_instance.public_ip
}
```

```
Changes to Outputs:
~ aws_web-1_public_ip = "13.48.130.100" -> (known after apply)
+ webserver_public_ip = (known after apply)
module.myapp-web-1.aws_instance.myapp-server: Destroying... [id=i-0d270e53cf44e57d5]
module.myapp-webserver.aws_instance.myapp-server: Destroying... [id=i-06700c47904b3d4ea]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-06700c47904b3d4ea, 00m10s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0d270e53cf44e57d5, 00m10s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0d270e53cf44e57d5, 00m20s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-06700c47904b3d4ea, 00m20s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-06700c47904b3d4ea, 00m30s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0d270e53cf44e57d5, 00m30s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0d270e53cf44e57d5, 00m40s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-06700c47904b3d4ea, 00m40s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Destruction complete after 41s
module.myapp-webserver.aws_instance.myapp-server: Creating...
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0d270e53cf44e57d5, 00m50s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still creating... [00m10s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Creation complete after 14s [id=i-0bccc75f7fea5cd90]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0d270e53cf44e57d5, 01m00s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Destruction complete after 1m2s
module.myapp-web-1.aws_instance.myapp-server: Creating...
module.myapp-web-1.aws_instance.myapp-server: Still creating... [00m10s elapsed]
^@^@module.myapp-web-1.aws_instance.myapp-server: Creation complete after 14s [id=i-0eb1758ae434cf990]
```

### Outputs:

```
aws_web-1_public_ip = "13.51.237.240"
webserver_public_ip = "51.20.137.97"
```

```
PSeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ terraform output
aws_web-1_public_ip = "13.51.237.240"
webserver_public_ip = "51.20.137.97"
```

```

@SeratFatima00 /workspaces/CC_SeeratFatima_060_Lab12 (main) $ ssh ec2-user@51.20.137.97
The authenticity of host '51.20.137.97 (51.20.137.97)' can't be established.
ED25519 key fingerprint is SHA256:kVJRthQAIL2VEN2D2+nvyoetXa20z6CXnn2pSS0v78g.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '51.20.137.97' (ED25519) to the list of known hosts.

```

A newer release of "Amazon Linux" is available.

```
Version 2023.8.20250707:
Version 2023.8.20250715:
Version 2023.8.20250721:
Version 2023.8.20250808:
Version 2023.8.20250818:
Version 2023.8.20250908:
Version 2023.8.20250915:
Version 2023.9.20250929:
Version 2023.9.20251014:
Version 2023.9.20251020:
Version 2023.9.20251027:
Version 2023.9.20251105:
Version 2023.9.20251110:
Version 2023.9.20251117:
Version 2023.9.20251208:
```

Run `"/usr/bin/dnf check-release-update"` for full release and version update info

```
#_
~\####_
~~\#####\
~~\###|
~~\#/_____ Amazon Linux 2023 (ECS Optimized)
    V~'-'>
      /
     / 
    /  
   /   
  /    
 /      
/_m/'
```

```
For documentation, visit http://aws.amazon.com/documentation/ecs
[ec2-user@ip-10-0-10-86 ~]$
```

```
location / {
    # root /usr/share/nginx/html;
    # index index.html;
    proxy_pass http://<web-1-public-ip>:80;
    # proxy_pass http://backend_servers;
}
```

```

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {
    worker_connections 1024;
}

http {
    log_format main '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;
    sendfile on;
    tcp_nopush on;
    keepalive_timeout 65;
    types_hash_max_size 4096;

    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    upstream backend_servers {
        server 158.252.94.241:80;
        server 158.252.94.242:80 backup;
    }

    server {
        listen 443 ssl;
        server_name 51.20.137.97;
        ssl_certificate /etc/ssl/certs/selfsigned.crt;
        ssl_certificate_key /etc/ssl/private/selfsigned.key;

        location / {
            proxy_pass http://13.51.237.240:80;
        }

    }

    server {
        listen 80;
        server_name _;
        return 301 https://$host$request_uri;
    }
}

```

```
[ec2-user@ip-10-0-10-86 ~]$ cat /var/log/nginx/error.log
2025/12/29 17:20:22 [notice] 2255#2255: using the "epoll" event method
2025/12/29 17:20:22 [notice] 2255#2255: nginx/1.28.0
2025/12/29 17:20:22 [notice] 2255#2255: OS: Linux 6.1.141-155.222.amzn2023.x86_64
2025/12/29 17:20:22 [notice] 2255#2255: getrlimit(RLIMIT_NOFILE): 65535:65535
2025/12/29 17:20:22 [notice] 2256#2256: start worker processes
2025/12/29 17:20:22 [notice] 2256#2256: start worker process 2257
2025/12/29 17:20:22 [notice] 2256#2256: start worker process 2258
2025/12/29 17:20:23 [notice] 2256#2256: signal 3 (SIGQUIT) received from 1, shutting down
2025/12/29 17:20:23 [notice] 2258#2258: gracefully shutting down
2025/12/29 17:20:23 [notice] 2258#2258: exiting
2025/12/29 17:20:23 [notice] 2258#2258: exit
2025/12/29 17:20:23 [notice] 2257#2257: gracefully shutting down
2025/12/29 17:20:23 [notice] 2257#2257: exiting
2025/12/29 17:20:23 [notice] 2257#2257: exit
2025/12/29 17:20:23 [notice] 2256#2256: signal 17 (SIGCHLD) received from 2257
2025/12/29 17:20:23 [notice] 2256#2256: worker process 2257 exited with code 0
2025/12/29 17:20:23 [notice] 2256#2256: worker process 2258 exited with code 0
2025/12/29 17:20:23 [notice] 2256#2256: exit
2025/12/29 17:20:23 [notice] 2299#2299: using the "epoll" event method
2025/12/29 17:20:23 [notice] 2299#2299: nginx/1.28.0
2025/12/29 17:20:23 [notice] 2299#2299: OS: Linux 6.1.141-155.222.amzn2023.x86_64
2025/12/29 17:20:23 [notice] 2299#2299: getrlimit(RLIMIT_NOFILE): 65535:65535
2025/12/29 17:20:23 [notice] 2300#2300: start worker processes
2025/12/29 17:20:23 [notice] 2300#2300: start worker process 2301
2025/12/29 17:20:23 [notice] 2300#2300: start worker process 2302
2025/12/29 17:31:11 [error] 2302#2302: *1 open() "/usr/share/nginx/html/SDK/webLanguage" failed (2: No such file or directory), client: 5.
ebLanguage HTTP/1.1", host: "51.20.137.97:443"
2025/12/29 17:37:17 [crit] 2301#2301: *2 SSL_do_handshake() failed (SSL: error:0A000172:SSL routines::wrong signature type) while SSL hand
2025/12/29 17:42:11 [notice] 2300#2300: signal 3 (SIGQUIT) received from 1, shutting down
2025/12/29 17:42:11 [notice] 2301#2301: gracefully shutting down
2025/12/29 17:42:11 [notice] 2301#2301: exiting
2025/12/29 17:42:11 [notice] 2301#2301: exit
2025/12/29 17:42:11 [notice] 2302#2302: gracefully shutting down
2025/12/29 17:42:11 [notice] 2302#2302: exiting
2025/12/29 17:42:11 [notice] 2302#2302: exit
2025/12/29 17:42:11 [notice] 2300#2300: signal 17 (SIGCHLD) received from 2301
2025/12/29 17:42:11 [notice] 2300#2300: worker process 2301 exited with code 0
2025/12/29 17:42:11 [notice] 2300#2300: signal 29 (SIGIO) received
2025/12/29 17:42:11 [notice] 2300#2300: signal 17 (SIGCHLD) received from 2302
2025/12/29 17:42:11 [notice] 2300#2300: worker process 2302 exited with code 0
2025/12/29 17:42:11 [notice] 2300#2300: exit
2025/12/29 17:42:11 [emerg] 23584#23584: host not found in upstream "<WEB-1_PUBLIC_IP>" in /etc/nginx/nginx.conf:36
2025/12/29 17:44:05 [emerg] 25098#25098: host not found in upstream "<WEB-1_PUBLIC_IP>" in /etc/nginx/nginx.conf:36
2025/12/29 17:48:17 [notice] 28912#28912: using the "epoll" event method
2025/12/29 17:48:17 [notice] 28912#28912: nginx/1.28.0
2025/12/29 17:48:17 [notice] 28912#28912: OS: Linux 6.1.141-155.222.amzn2023.x86_64
2025/12/29 17:48:17 [notice] 28912#28912: getrlimit(RLIMIT_NOFILE): 65535:65535
2025/12/29 17:48:17 [notice] 28913#28913: start worker processes
2025/12/29 17:48:17 [notice] 28913#28913: start worker process 28914

[ec2-user@ip-10-0-10-86 ~]$ cat /var/log/nginx/access.log
5.187.35.158 - - [29/Dec/2025:17:31:11 +0000] "GET /SDK/webLanguage HTTP/1.1" 404 555 "-" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/90.0.4430.85
Safari/537.36 Edg/90.0.818.46" "-"
```

```
50441/557150-Log/50707020710
[ec2-user@ip-10-0-10-86 ~]$ cat /etc/nginx/mime.types
types {
application/A2L                                a2l;
application/AML                                aml;
application/andrew-inset                       ez;
application/ATF                                atf;
application/ATFX                               atfx;
application/ATXML                             atxml;
application/atom+xml                          atom;
application/atomcat+xml                       atomcat;
application/atomdeleted+xml                   atomdeleted;
application/atomsvc+xml                       atomsvc;
application/atsc-dwd+xml                      dwd;
application/atsc-held+xml                     held;
application/atsc-rsat+xml                     rsat;
application/auth-policy+xml                   apxml;
application/bacnet-xdd+zip                    xdd;
application/calendar+xml                      xcs;
application/cbor                               cbor;
application/cccx                               c3ex;
application/ccmp+xml                          ccmp;
application/ccxml+xml                         ccxml;
application/CDFX+XML                          cdfx;
application/cdmi-capability                   cdmi;
application/cdmi-container                    cdmi;
application/cdmi-domain                       cdmi;
application/cdmi-object                       cdmi;
application/cdmi-queue                        cdmi;
application/CEA                               cea;
application/cellml+xml                        cellml cml;
application/clue_info+xml                     clue;
application/cms                               cms;
application/cpl+xml                           cpl;
application/csrattrs                           csrattrs;
application/dash+xml                          mpd;
application/dashdelta                         mpdd;
application/davmount+xml                      davmount;
application/DCD                               dcd;
application/dicom                             dcm;
application/DII                               dii;
application/DIT                               dit;
application/dskpp+xml                         xmls;
application/dssc+der                          dssc;
application/dssc+xml                         xdssc;
application/dvcs                              dvc;
application/ecmascript                        es;
application/efi                               efi;
application/emma+xml                         emma;
application/emotionml+xml                    emotionml;
```

```
[ec2-user@ip-10-0-10-86 ~]$ cat /etc/ssl/certs/selfsigned.crt
-----BEGIN CERTIFICATE-----
MIIDPTCCAiwGAwIBAgIUIyJva3d80DAAS1ALFjuBVE30socwDQYJKoZIhvcNAQEL
BQAwFzEVMBMGA1UEAwMMTEUeMjAuMTM3Ljk3MB4XDTI1MTIyOTE3MjAyM1oXDTI2
MTIyOTE3MjAyM1owFzEVMBMGA1UEAwMMTEUeMjAuMTM3Ljk3MIIIBIjANBgkqhkiG
9w0BAQEFAAOCAQ8AMIIBCgKCAQEAtXrZodCrPK0iFmHcDgMZzz2QW/Zhe17pm9bK
W+y9U00MgazZdFARwgT14dpgKSiTmWfv9+gipQeZ/XbumJov/9NFdW75Y1+MIZ8p
PUvo4XKF+dTaIESgNtFhs3B1o8NTLNzpSv7YfOb3P751hUR0jTwuESnAwmsPHr/C
TSNTG1wy6HuHBfLtuDhNw6njWQ5N4x02JSh5HLj+UewPJXM63RC46jCKW8vY5dqz
8NeaQUPphAgqHSXFonZEguqj68fqRKUMhedM1zbeyKIxYtiXoPT1R56IFOBKNumX
7ps74XyHkU1qptAQhNrn9qdPzHwcJcJJKnucOSqHzJn3ZSsNQQIDAQABo4GAMH4w
HQYDVR00BBYEFOWqQzYmvY4hRaN5sQwIgxTfG0MTMB8GA1UdIwQYMBaAFOWqQzYm
vY4hRaN5sQwIgxTfG0MTMA8GA1UdEQQIMAaHBDMUiiWEwCQYDVR0TBAlwADALBgNV
HQ8EBAMCBaAwEwYDVR01BAwwCgYIKwYBBQUHAwEwDQYJKoZIhvcNAQELBQADggEB
ABqGAYN47iAe5gQUOMOQ7LwqzJBSW1PY/6hHU+y24P0TC8/+7Ss00p82xwBWgat8v
8ahsc0JTp3r/lz+hyftS1XJ3oI0b4Uh7DwnA7xW+LDjFZEUEBE19wHVLh7iXcHT/
fqe/5yQ38i6ytMahDq87bgSiwWCVpxuB4QgElL3mrwLrVWuBiPUaNXL4MFS5sbGG
pxKkUx8mxdxsK2pIkRwtFgluSgcMyrfSc7RpZwpik9b79JxonIFsiMjrzh38MHfA
Y89cnIg0dX8zCg90HTzaqxCWw2sngwUHxfEhr302+90LZsrGgJJZqH/mWU2C5qK1j
gI6Bd/IS4riAYNcDJ7cBe4=
-----END CERTIFICATE-----
```

```
[ec2-user@ip-10-0-10-86 ~]$ cat /etc/ssl/private/selfsigned.key
cat: /etc/ssl/private/selfsigned.key: Permission denied
```



It works!

## Task 8 — Configure Nginx as load balancer

```
module "myapp-web-2" {
  source          = "./modules/webserver"
  env_prefix      = var.env_prefix
  instance_type   = var.instance_type
  availability_zone = var.availability_zone
  public_key      = var.public_key
  my_ip           = local.my_ip
  vpc_id          = aws_vpc.myapp_vpc.id
  subnet_id       = module.myapp-subnet.subnet.id
  script_path     = "./apache.sh"
  instance_suffix = "2"
}

output "webserver_public_ip" {
  value = module.myapp-webserver.aws_instance.public_ip
}

output "aws_web-1_public_ip" {
  value = module.myapp-web-1.aws_instance.public_ip
}

output "aws_web-2_public_ip" {
  value = module.myapp-web-2.aws_instance.public_ip
}
```



Plan: 5 to add, 2 to change, 2 to destroy.

Changes to Outputs:

```
~ aws_web-1_public_ip = "51.20.78.189" -> (known after apply)
+ aws_web-2_public_ip = (known after apply)
~ webserver_public_ip = "13.61.154.249" -> (known after apply)
module.myapp-webserver.aws_instance.myapp-server: Destroying... [id=i-04910ee5f7d0cb0e7]
module.myapp-web-1.aws_instance.myapp-server: Destroying... [id=i-0351f5e8771e2a17d]
module.myapp-web-2.aws_key_pair.ssh-key: Creating...
module.myapp-web-2.aws_security_group.web_sg: Creating...
module.myapp-web-2.aws_key_pair.ssh-key: Creation complete after 1s [id=dev-serverkey-2]
module.myapp-web-2.aws_security_group.web_sg: Creation complete after 4s [id=sg-0613c066ed93b349a]
module.myapp-web-2.aws_instance.myapp-server: Creating...
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-04910ee5f7d0cb0e7, 00m10s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0351f5e8771e2a17d, 00m10s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still creating... [00m10s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-04910ee5f7d0cb0e7, 00m20s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0351f5e8771e2a17d, 00m20s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still creating... [00m20s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Creation complete after 20s [id=i-0a4f5809a2ff1b816]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-04910ee5f7d0cb0e7, 00m30s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0351f5e8771e2a17d, 00m30s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-04910ee5f7d0cb0e7, 00m40s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0351f5e8771e2a17d, 00m40s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-04910ee5f7d0cb0e7, 00m50s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0351f5e8771e2a17d, 00m50s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Destruction complete after 53s
module.myapp-web-1.aws_instance.myapp-server: Destruction complete after 53s
module.myapp-webserver.aws_security_group.web_sg: Modifying... [id=sg-06b968f76a76f81ee]
module.myapp-web-1.aws_security_group.web_sg: Modifying... [id=sg-02587de98972b3d97]
module.myapp-web-1.aws_security_group.web_sg: Modifications complete after 2s [id=sg-02587de98972b3d97]
module.myapp-webserver.aws_security_group.web_sg: Modifications complete after 2s [id=sg-06b968f76a76f81ee]
module.myapp-web-1.aws_instance.myapp-server: Creating...
module.myapp-webserver.aws_instance.myapp-server: Creating...
module.myapp-web-1.aws_instance.myapp-server: Still creating... [00m10s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still creating... [00m10s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Creation complete after 14s [id=i-0f0ff2dd9cb2b3ccd]
module.myapp-web-1.aws_instance.myapp-server: Creation complete after 14s [id=i-0da15e7f8a55bf0dd]
```

Apply complete! Resources: 5 added, 2 changed, 2 destroyed.

@SeratFatima00 @ /workspaces/CC\_SeeratFatima\_060\_Lab12 (main) \$ terraform output

```
aws_web-1_public_ip = "13.53.148.164"
aws_web-2_public_ip = "16.170.172.99"
webserver_public_ip = "51.20.132.251"
```

```

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {
    worker_connections 1024;
}

http {
    log_format main '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;
    sendfile on;
    tcp_nopush on;
    keepalive_timeout 65;
    types_hash_max_size 4096;

    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    upstream backend_servers {
        server 13.53.148.164:80;
        server 16.170.172.99:80;
    }

    server {
        listen 443 ssl;
        server_name 51.20.132.251;
        ssl_certificate /etc/ssl/certs/selfsigned.crt;
        ssl_certificate_key /etc/ssl/private/selfsigned.key;

        location / {
            proxy_pass http://backend_servers;
        }
    }


    server {
        listen 80;
        server_name _;
        return 301 https://$host$request_uri;
    }
}

```

```

[ec2-user@ip-10-0-10-225 ~]$ sudo nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
[ec2-user@ip-10-0-10-225 ~]$ sudo systemctl restart nginx

```



## Task 9 — Configure high availability with backup servers

```

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {
    worker_connections 1024;
}

http {
    log_format main '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;
    sendfile on;
    tcp_nopush on;
    keepalive_timeout 65;
    types_hash_max_size 4096;

    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    upstream backend_servers {
        server 13.53.148.164:80;
        server 16.170.172.99:80 backup;
    }

    server {
        listen 443 ssl;
        server_name 51.20.132.251;
        ssl_certificate /etc/ssl/certs/selfsigned.crt;
        ssl_certificate_key /etc/ssl/private/selfsigned.key;

        location / {
            proxy_pass http://backend_servers;
        }

    }

    server {
        listen 80;
        server_name _;
        return 301 https://$host$request_uri;
    }
}

```

[←](#)
[→](#)
[↻](#)
Not secure
<https://51.20.132.251>
☆
🔍
S
Relaunch to update

## Web Server 1

Hostname: \$(hostname)

IP: 13.53.148.164

```

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {
    worker_connections 1024;
}

http {
    log_format main '$remote_addr - $remote_user [$time_local] "$request" '
        '$status $body_bytes_sent "$http_referer" '
        '"$http_user_agent" "$http_x_forwarded_for"';

    access_log /var/log/nginx/access.log main;
    sendfile on;
    tcp_nopush on;
    keepalive_timeout 65;
    types_hash_max_size 4096;

    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    upstream backend_servers {
        server 13.53.148.164:80 backup;
        server 16.170.172.99:80;
    }

    server {
        listen 443 ssl;
        server_name 51.20.132.251;
        ssl_certificate /etc/ssl/certs/selfsigned.crt;
        ssl_certificate_key /etc/ssl/private/selfsigned.key;

        location / {
            proxy_pass http://backend_servers;
        }
    }

    server {
        listen 80;
        server_name _;
        return 301 https://$host$request_uri;
    }
}

```

[←](#)
[→](#)
[🔄](#)
Not secure
<https://51.20.132.251>
☆
📄
S
Relaunch to update

## Web Server 2

Hostname: \$(hostname)

IP: 16.170.172.99

# Task 10 — Enable Nginx caching

```

user nginx;
worker_processes auto;
error_log /var/log/nginx/error.log notice;
pid /run/nginx.pid;

events {
    worker_connections 1024;
}

http {
    proxy_cache_path /var/cache/nginx
        levels=1:2
        keys_zone=my_cache:10m
        inactive=60m
        max_size=1g;

    log_format main '$remote_addr' '$remote_user' [ '$request_time' '$status' '$bytes_sent' '$bytes_received' '$upstream_bytes_sent' '$upstream_bytes_received' '$upstream_status' ];

    access_log /var/log/nginx/access.log main;
    sendfile on;
    tcp_nopush on;
    keepalive_timeout 65;
    types_hash_max_size 4096;

    include /etc/nginx/mime.types;
    default_type application/octet-stream;

    upstream backend_servers {
        server 13.53.148.164:80 backup;
        server 16.170.172.99:80;
    }

    server {
        listen 443 ssl;
        server_name 51.20.132.251;
        ssl_certificate /etc/ssl/certs/selfsigned.crt;
        ssl_certificate_key /etc/ssl/private/selfsigned.key;

        location / {
            proxy_pass http://backend_servers;
        }
    }

    server {
        listen 80;
        server_name _;
        return 301 https://$host$request_uri;
    }
}

```

```

[ec2-user@ip-10-0-10-225 ~]$ sudo nginx -t
nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
nginx: configuration file /etc/nginx/nginx.conf test is successful
[ec2-user@ip-10-0-10-225 ~]$ sudo systemctl restart nginx

```

✕	Headers	Preview	Response	Initiator	Timing
	Content-Length			77	
	Content-Type		text/html; charset=UTF-8		
	Date		Tue, 30 Dec 2025 06:06:11 GMT		
	Etag		"4d-64724b2c2627d"		
	Last-Modified		Tue, 30 Dec 2025 05:33:23 GMT		
	Server		nginx/1.28.0		
	X-Cache-Status		HIT		

## Cleanup

```
[ec2-user@ip-10-0-10-225 ~]$ exit
logout
Connection to 51.20.132.251 closed.
```

```
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 00m10s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-0f0ff2dd9cb2b3ccd, 00m10s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 00m10s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 00m20s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 00m20s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-0f0ff2dd9cb2b3ccd, 00m20s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 00m20s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 00m30s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 00m30s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Still destroying... [id=i-0f0ff2dd9cb2b3ccd, 00m30s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 00m30s elapsed]
module.myapp-webserver.aws_instance.myapp-server: Destruction complete after 31s
module.myapp-webserver.aws_key_pair.ssh-key: Destroying... [id=dev-serverkey-0]
module.myapp-webserver.aws_security_group.web_sg: Destroying... [id=sg-06b968f76a76f81ee]
module.myapp-webserver.aws_key_pair.ssh-key: Destruction complete after 1s
module.myapp-webserver.aws_security_group.web_sg: Destruction complete after 1s
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 00m40s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 00m40s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 00m40s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 00m50s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 00m50s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 00m50s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 01m00s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 01m00s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 01m00s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 01m10s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 01m10s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 01m10s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 01m20s elapsed]
module.myapp-web-2.aws_instance.myapp-server: Still destroying... [id=i-0a4f5809a2ff1b816, 01m20s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Still destroying... [id=igw-053bc13d2f00459dc, 01m20s elapsed]
module.myapp-subnet.aws_internet_gateway.myapp_igw: Destruction complete after 1m20s
module.myapp-web-2.aws_instance.myapp-server: Destruction complete after 1m23s
module.myapp-web-2.aws_key_pair.ssh-key: Destroying... [id=dev-serverkey-2]
module.myapp-web-2.aws_security_group.web_sg: Destroying... [id=sg-0613c066ed93b349a]
module.myapp-web-2.aws_key_pair.ssh-key: Destruction complete after 0s
module.myapp-web-2.aws_security_group.web_sg: Destruction complete after 1s
module.myapp-web-1.aws_instance.myapp-server: Still destroying... [id=i-0da15e7f8a55bf0dd, 01m30s elapsed]
module.myapp-web-1.aws_instance.myapp-server: Destruction complete after 1m33s
module.myapp-web-1.aws_key_pair.ssh-key: Destroying... [id=dev-serverkey-1]
module.myapp-subnet.aws_subnet.myapp_subnet_1: Destroying... [id=subnet-0648eb38878d9e13f]
module.myapp-web-1.aws_security_group.web_sg: Destroying... [id=sg-02587de98972b3d97]
module.myapp-web-1.aws_key_pair.ssh-key: Destruction complete after 1s
module.myapp-subnet.aws_subnet.myapp_subnet_1: Destruction complete after 1s
module.myapp-web-1.aws_security_group.web_sg: Destruction complete after 2s
aws_vpc.myapp_vpc: Destroying... [id=vpc-08b4258c268996cf7]
aws_vpc.myapp_vpc: Destruction complete after 0s
```

```
Destroy complete! Resources: 13 destroyed.
```

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ cat terraform.tfstate
```

```
{
  "version": 4,
  "terraform_version": "1.14.3",
  "serial": 164,
  "lineage": "31a0e3af-8632-b9b5-6b6f-342cb262eb39",
  "outputs": {},
  "resources": [],
  "check_results": null
}
```

```
@SeratFatima00 @ /workspaces/CC_SeeratFatima_060_Lab12 (main) $ ls -la
```

```
total 61876
drwxrwxrwx+ 6 codespace root          4096 Dec 30 06:21 .
drwxr-xrwx+ 5 codespace root          4096 Dec 29 11:33 ..
drwxrwxrwx+ 8 codespace root          4096 Dec 29 11:33 .git
drwxrwxrwx+ 4 codespace codespace     4096 Dec 29 14:21 .terraform
-rw-r--r-- 1 codespace codespace     2422 Dec 29 14:21 .terraform.lock.hcl
-rw-rw-rw- 1 codespace root             20 Dec 29 11:33 README.md
-rw-rw-rw- 1 codespace codespace        873 Dec 29 19:12 apache.sh
drwxr-xr-x+ 3 codespace codespace     4096 Dec 26 19:16 aws
-rw-rw-rw- 1 codespace codespace 63249975 Dec 29 12:40 awscliv2.zip
-rwxrwxr-x 1 codespace codespace     2430 Dec 29 16:46 entry-script.sh
-rw-rw-r-- 1 codespace codespace         67 Dec 29 14:21 locals.tf
-rw-rw-r-- 1 codespace codespace     1760 Dec 30 04:48 main.tf
drwxrwxrwx+ 4 codespace codespace     4096 Dec 29 15:59 modules
-rw-rw-r-- 1 codespace codespace          0 Dec 29 14:21 outputs.
-rw-rw-r-- 1 codespace codespace        260 Dec 30 04:49 outputs.tf
-rw-rw-r-- 1 codespace codespace        183 Dec 30 06:21 terraform.tfstate
-rw-rw-r-- 1 codespace codespace    42548 Dec 30 06:19 terraform.tfstate.backup
-rw-rw-r-- 1 codespace codespace        245 Dec 29 14:21 terraform.tfvars
-rw-rw-r-- 1 codespace codespace          0 Dec 29 14:21 tf
-rw-rw-r-- 1 codespace codespace        198 Dec 29 14:21 variables.tf
```