Read in the following dictionary:

0.1 Initialization Phase: Dual Problem Solving

New Objective in primal was changed to:

$$\max \sum_{j=1}^{5} -x_j$$

Primal variable x_j corresponds to dual variable y_j for j = 1, ..., 10 Dual Dictionary (with objective changed is):

Initialization succeeded in finding final dual dictionary with 2 pivots

Primal Dictionary is:

Primal Dictionary with original objective is:

```
7.8
             +6.80x_1 +0.20x_8 -11.60x_3 -0.40x_4 -7.80x_5
x_6
       8.2
             -1.30x_1 + 0.30x_8 + 5.60x_3 + 7.40x_4 - 6.70x_5
      2.4
             -0.10x_1 + 0.10x_8 - 0.80x_3 + 0.80x_4 - 0.90x_5
x_2
      22.8
             -4.70x_1 + 0.70x_8 + 1.40x_3 + 9.60x_4 - 12.30x_5
      43.0
             -9.00x_1
                                 -3.00x_3 -7.00x_4 -4.00x_5
x_{10}
      -2.4
             +5.10x_1 - 0.10x_8 + 4.80x_3 + 3.20x_4 + 5.90x_5
```

1 Optimization Phase Simplex

Starting Dictionary is:

 x_1 enters and x_{10} leaves

 x_3 enters and x_2 leaves

```
5.52173913043
                       -0.96x_{10} -1.61x_8 +18.09x_2 -21.57x_4 +4.65x_5
x_6
     17.115942029
                       +0.23x_{10}+1.09x_{8}-7.87x_{2}+15.32x_{4}-12.86x_{5}
x_7
                       +0.01x_{10}+0.13x_{8} -1.30x_{2} +1.14x_{4} -1.12x_{5}
x_3
     2.50724637681
                       +0.57x_{10}+1.09x_{8} -3.87x_{2} +16.65x_{4}-13.52x_{5}
     7.78260869565
x_9
                       -0.12x_{10} -0.04x_8 +0.43x_2 -1.16x_4 -0.07x_5
     3.94202898551
     29.7391304348
                       -0.52x_{10} + 0.30x_8 - 4.04x_2 + 2.78x_4 + 0.17x_5
```

 x_4 enters and x_6 leaves

```
0.256048387097
                        -0.04x_{10} -0.07x_8 +0.84x_2 -0.05x_6 +0.22x_5
x_4
     21.0383064516
                        -0.45x_{10} -0.06x_8 +4.98x_2 -0.71x_6 -9.55x_5
x_7
     2.80040322581
                        -0.04x_{10} + 0.05x_8 -0.34x_2 -0.05x_6 -0.87x_5
x_3
x_9
     12.0463709677
                        -0.17x_{10} - 0.16x_8 + 10.10x_2 - 0.77x_6 - 9.93x_5
     3.64516129032
                        -0.06x_{10} + 0.04x_8 - 0.54x_2 + 0.05x_6 - 0.32x_5
x_1
     30.4516129032
                        -0.65x_{10} + 0.10x_8 -1.71x_2 -0.13x_6 +0.77x_5
```

x_5 enters and x_9 leaves

```
x_4
     0.517766497462
                         -0.05x_{10} -0.08x_8 +1.06x_2 -0.06x_6 -0.02x_9
                         -0.28x_{10} + 0.09x_8 - 4.73x_2 + 0.03x_6 + 0.96x_9
     9.45177664975
x_7
      1.7461928934
                         -0.02x_{10} + 0.06x_8 - 1.23x_2 + 0.01x_6 + 0.09x_9
x_3
x_5
      1.21319796954
                         -0.02x_{10} -0.02x_8 +1.02x_2 -0.08x_6 -0.10x_9
                         -0.06x_{10} + 0.05x_8 - 0.87x_2 + 0.08x_6 + 0.03x_9
      3.2538071066
x_1
     31.3908629442
                         -0.66x_{10} + 0.08x_8 - 0.92x_2 - 0.19x_6 - 0.08x_9
```

x_8 enters and x_4 leaves

```
6.640625
                      -0.62x_{10} - 12.83x_4 + 13.57x_2 - 0.81x_6 - 0.28x_9
x_8
x_7
    10.0729166667
                      -0.34x_{10} -1.20x_4 -3.46x_2 -0.04x_6 +0.94x_9
    2.13541666667
                      -0.06x_{10} -0.75x_4 -0.43x_2 -0.03x_6 +0.07x_9
x_3
                      -0.01x_{10} +0.20x_4 +0.80x_2 -0.07x_6 -0.10x_9
       1.109375
x_5
    3.57291666667
                      -0.09x_{10} -0.62x_4 -0.21x_2 +0.04x_6 +0.02x_9
x_1
                      -0.71x_{10} -1.09x_4 +0.23x_2 -0.26x_6 -0.10x_9
       31.953125
```

x_2 enters and x_7 leaves

```
46.1067669173
                       -1.94x_{10} - 17.53x_4 - 3.92x_7 - 0.98x_6 + 3.39x_9
x_8
     2.90827067669
                       -0.10x_{10} -0.35x_4 -0.29x_7 -0.01x_6 +0.27x_9
x_2
    0.878195488722
                       -0.02x_{10} -0.60x_4 +0.12x_7 -0.03x_6 -0.05x_9
x_3
     3.44962406015
                       -0.09x_{10} -0.08x_4 -0.23x_7 -0.08x_6 +0.12x_9
x_5
                       -0.07x_{10} -0.54x_4 +0.06x_7 +0.04x_6 -0.04x_9
     2.95187969925
x_1
     32.6120300752
                       -0.73x_{10} -1.16x_4 -0.07x_7 -0.26x_6 -0.04x_9
```

Final Dictionary Solution: 32.6120300752 Num Pivots: 7