

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show source outline image report

Check by css

```
<!DOCTYPE html>
<html lang="en">

<head>
    <title>SoundSello</title>
    <script type="module" src="http://127.0.0.1:5173/@vite/client"></script><link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css" />    <script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script type="module" src="http://127.0.0.1:5173/resources/js/app.js"></script>    <script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script type="module" src="http://127.0.0.1:5173/resources/js/auction.js"></script>
<script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script type="module" src="http://127.0.0.1:5173/resources/js/dropdown.js"></script>
<script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script
```

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 7, column 77; to line 7, column 152](#)
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/resources/css/app.css" /> <s

- Error** Start tag `button` seen but an element of the same type was already open.

[From line 240, column 25; to line 240, column 46](#)
`<button type="submit"><img c`

- Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 240, column 47; to line 241, column 84](#)

```
= "submit"></button>
```

4. **Error** Stray end tag `button`

[From line 242, column 21; to line 242, column 29](#)

```
</button> ↵
```

5. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 249, column 21; to line 249, column 109](#)

```
 ↵
```

6. **Error** Attribute `user_id` not allowed on element `button` at this point.

[From line 261, column 33; to line 261, column 113](#)

```
<button type="button" class="inline hover:text-gray-500 btn-viewall" user_id="3">Mark a
```

Attributes for element `button`:

[Global attributes](#)

[`disabled`](#) — Whether the form control is disabled

[`form`](#) — Associates the element with a [form](#) element

[`formaction`](#) — [URL](#) to use for [form submission](#)

[`formenctype`](#) — [Entry list](#) encoding type to use for [form submission](#)

[`formmethod`](#) — Variant to use for [form submission](#)

[`formnovalidate`](#) — Bypass form control validation for [form submission](#)

[`formtarget`](#) — [Navigable](#) for [form submission](#)

[`name`](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[`popovertarget`](#) — Targets a popover element to toggle, show, or hide

[`popovertargetaction`](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[`type`](#) — Type of button

[`value`](#) — Value to be used for [form submission](#)

7. **Error** Attribute `user_id` not allowed on element `button` at this point.

[From line 262, column 33; to line 262, column 115](#)

```
<button type="button" class="inline hover:text-gray-500 btn-deleteall" user_id="3">Delete
```

Attributes for element `button`:

[Global attributes](#)

[`disabled`](#) — Whether the form control is disabled

form — Associates the element with a [form](#) element
formaction — [URL](#) to use for [form submission](#)
formenctype — [Entry list](#) encoding type to use for [form submission](#)
formmethod — Variant to use for [form submission](#)
formnovalidate — Bypass form control validation for [form submission](#)
formtarget — [Navigable](#) for [form submission](#)
name — Name of the element to use for [form submission](#) and in the [form.elements](#) API
popovertarget — Targets a popover element to toggle, show, or hide
popovertargetaction — Indicates whether a targeted popover element is to be toggled, shown, or hidden
type — Type of button
value — Value to be used for [form submission](#)

8. **Error** Stray end tag span.

[From line 272, column 55; to line 272, column 61](#)

onths ago ↴

9. **Error** Attribute notification_id not allowed on element button at this point.

[From line 274, column 29; to line 274, column 89](#)

```
<button type="button" class="btn-view"
    notification_id="381">✓ </bu
```

Attributes for element button:

[Global attributes](#)

disabled — Whether the form control is disabled
form — Associates the element with a [form](#) element
formaction — [URL](#) to use for [form submission](#)
formenctype — [Entry list](#) encoding type to use for [form submission](#)
formmethod — Variant to use for [form submission](#)
formnovalidate — Bypass form control validation for [form submission](#)
formtarget — [Navigable](#) for [form submission](#)
name — Name of the element to use for [form submission](#) and in the [form.elements](#) API
popovertarget — Targets a popover element to toggle, show, or hide
popovertargetaction — Indicates whether a targeted popover element is to be toggled, shown, or hidden
type — Type of button
value — Value to be used for [form submission](#)

10. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 276, column 17; to line 276, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

11. **Error** Stray end tag `span`.

[From line 286, column 55; to line 286, column 61](#)

```
onths ago </span>↔
```

12. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 288, column 29; to line 288, column 89](#)

```
<button type="button" class="btn-view"
notification_id="281">✓ </bu
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

13. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 290, column 17; to line 290, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

14. **Error** Stray end tag `span`.

[From line 299, column 55; to line 299, column 61](#)

```
onths ago </span>↔
```

15. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 301, column 29; to line 301, column 89](#)

```
<button type="button" class="btn-view"
        notification_id="165">✓ </bu
```

Attributes for element `button`:

[Global attributes](#)

[`disabled`](#) — Whether the form control is disabled

[`form`](#) — Associates the element with a `form` element

[`formaction`](#) — [URL](#) to use for [form submission](#)

[`formenctype`](#) — [Entry list](#) encoding type to use for [form submission](#)

[`formmethod`](#) — Variant to use for [form submission](#)

[`formnovalidate`](#) — Bypass form control validation for [form submission](#)

[`formtarget`](#) — [Navigable](#) for [form submission](#)

[`name`](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[`popovertarget`](#) — Targets a popover element to toggle, show, or hide

[`popovertargetaction`](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[`type`](#) — Type of button

[`value`](#) — Value to be used for [form submission](#)

16. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 303, column 17; to line 303, column 119](#)

```
<input type="hidden" name="_token"
       value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

17. **Error** Stray end tag `span`.

[From line 313, column 55; to line 313, column 61](#)

```
onths ago </span>←
```

18. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 315, column 29; to line 315, column 89](#)

```
<button type="button" class="btn-view"
        notification_id="163">✓ </bu
```

Attributes for element `button`:

[Global attributes](#)

[`disabled`](#) — Whether the form control is disabled

[`form`](#) — Associates the element with a `form` element

formaction — [URL](#) to use for [form submission](#)
formenctype — [Entry list](#) encoding type to use for [form submission](#)
formmethod — Variant to use for [form submission](#)
formnovalidate — Bypass form control validation for [form submission](#)
formtarget — [Navigable](#) for [form submission](#)
name — Name of the element to use for [form submission](#) and in the [form.elements API](#)
popovertarget — Targets a popover element to toggle, show, or hide
popovertargetaction — Indicates whether a targeted popover element is to be toggled, shown, or hidden
type — Type of button
value — Value to be used for [form submission](#)

19. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 317, column 17; to line 317, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzytW6ppSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

20. **Error** Stray end tag [span](#).

[From line 327, column 55; to line 327, column 61](#)

```
onths ago </span>↔
```

21. **Error** Attribute [notification_id](#) not allowed on element [button](#) at this point.

[From line 329, column 29; to line 329, column 89](#)

```
<button type="button" class="btn-view"
notification_id="160">✓ </bu
```

Attributes for element [button](#):

[Global attributes](#)

disabled — Whether the form control is disabled
form — Associates the element with a [form](#) element
formaction — [URL](#) to use for [form submission](#)
formenctype — [Entry list](#) encoding type to use for [form submission](#)
formmethod — Variant to use for [form submission](#)
formnovalidate — Bypass form control validation for [form submission](#)
formtarget — [Navigable](#) for [form submission](#)
name — Name of the element to use for [form submission](#) and in the [form.elements API](#)
popovertarget — Targets a popover element to toggle, show, or hide
popovertargetaction — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button[value](#) — Value to be used for [form submission](#)

22. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 331, column 17; to line 331, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRqvLTI7" autocomplete="off">
```

23. **Error** Stray end tag `span`.

[From line 340, column 55; to line 340, column 61](#)

```
onths ago </span>←
```

24. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 342, column 29; to line 342, column 89](#)

```
<button type="button" class="btn-view"
notification_id="154">✓ </bu
```

Attributes for element [button](#):[Global attributes](#)[disabled](#) — Whether the form control is disabled[form](#) — Associates the element with a [form](#) element[formaction](#) — [URL](#) to use for [form submission](#)[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)[formmethod](#) — Variant to use for [form submission](#)[formnovalidate](#) — Bypass form control validation for [form submission](#)[formtarget](#) — [Navigable](#) for [form submission](#)[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API[popovertarget](#) — Targets a popover element to toggle, show, or hide[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden[type](#) — Type of button[value](#) — Value to be used for [form submission](#)

25. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 344, column 17; to line 344, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRqvLTI7" autocomplete="off">
```

26. **Error** Stray end tag `span`.

[From line 354, column 55; to line 354, column 61](#)

```
onths ago </span>↔
```

27. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 356, column 29; to line 356, column 89](#)

```
<button type="button" class="btn-view"
notification_id="432">✓ </bu
```

Attributes for element `button`:

[Global attributes](#)

[`disabled`](#) — Whether the form control is disabled

[`form`](#) — Associates the element with a [form](#) element

[`formaction`](#) — [URL](#) to use for [form submission](#)

[`formenctype`](#) — [Entry list](#) encoding type to use for [form submission](#)

[`formmethod`](#) — Variant to use for [form submission](#)

[`formnovalidate`](#) — Bypass form control validation for [form submission](#)

[`formtarget`](#) — [Navigable](#) for [form submission](#)

[`name`](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[`popovertarget`](#) — Targets a popover element to toggle, show, or hide

[`popovertargetaction`](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[`type`](#) — Type of button

[`value`](#) — Value to be used for [form submission](#)

28. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 358, column 17; to line 358, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

29. **Error** Stray end tag `span`.

[From line 368, column 55; to line 368, column 61](#)

```
onths ago </span>↔
```

30. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 370, column 29; to line 370, column 89](#)

```
<button type="button" class="btn-view"
notification_id="532">✓ </bu
```

Attributes for element [button](#):[Global attributes](#)[disabled](#) — Whether the form control is disabled[form](#) — Associates the element with a [form](#) element[formaction](#) — [URL](#) to use for [form submission](#)[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)[formmethod](#) — Variant to use for [form submission](#)[formnovalidate](#) — Bypass form control validation for [form submission](#)[formtarget](#) — [Navigable](#) for [form submission](#)[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API[popovertarget](#) — Targets a popover element to toggle, show, or hide[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden[type](#) — Type of button[value](#) — Value to be used for [form submission](#)

31. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 372, column 17; to line 372, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4hxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

32. **Error** Stray end tag [span](#).

[From line 382, column 55; to line 382, column 61](#)

```
onths ago </span>↔
```

33. **Error** Attribute [notification_id](#) not allowed on element [button](#) at this point.

[From line 384, column 29; to line 384, column 89](#)

```
<button type="button" class="btn-view"
notification_id="634">✓ </bu
```

Attributes for element [button](#):[Global attributes](#)[disabled](#) — Whether the form control is disabled[form](#) — Associates the element with a [form](#) element[formaction](#) — [URL](#) to use for [form submission](#)[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)[formmethod](#) — Variant to use for [form submission](#)[formnovalidate](#) — Bypass form control validation for [form submission](#)[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements API](#)

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

34. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 386, column 17; to line 386, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLT17" autocomplete="off">
```

35. **Error** Stray end tag [span](#).

[From line 396, column 55; to line 396, column 61](#)

```
onths ago </span>↵
```

36. **Error** Attribute [notification_id](#) not allowed on element [button](#) at this point.

[From line 398, column 29; to line 398, column 89](#)

```
<button type="button" class="btn-view"
notification_id="331">✓</bu
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements API](#)

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

37. **Error** An [input](#) element with a [type](#) attribute whose value is [hidden](#) must not have an [autocomplete](#) attribute whose value is [on](#) or [off](#).

[From line 400, column 17; to line 400, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

38. **Error** Stray end tag `span`.

[From line 410, column 55; to line 410, column 61](#)

```
onths ago </span>↵
```

39. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 412, column 29; to line 412, column 89](#)

```
<button type="button" class="btn-view"
notification_id="233">✓ </bu
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — [Entry list](#) encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Navigable](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[popovertarget](#) — Targets a popover element to toggle, show, or hide

[popovertargetaction](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

40. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 414, column 17; to line 414, column 119](#)

```
<input type="hidden" name="_token"
value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

41. **Error** Stray end tag `span`.

[From line 423, column 55; to line 423, column 61](#)

```
onths ago </span>↵
```

42. **Error** Attribute `notification_id` not allowed on element `button` at this point.

[From line 425, column 29; to line 425, column 89](#)

```
<button type="button" class="btn-view"
        notification_id="172">>✓ </bu
```

Attributes for element `button`:

[Global attributes](#)

[`disabled`](#) — Whether the form control is disabled

[`form`](#) — Associates the element with a [form](#) element

[`formaction`](#) — [URL](#) to use for [form submission](#)

[`formenctype`](#) — [Entry list](#) encoding type to use for [form submission](#)

[`formmethod`](#) — Variant to use for [form submission](#)

[`formnovalidate`](#) — Bypass form control validation for [form submission](#)

[`formtarget`](#) — [Navigable](#) for [form submission](#)

[`name`](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[`popovertarget`](#) — Targets a popover element to toggle, show, or hide

[`popovertargetaction`](#) — Indicates whether a targeted popover element is to be toggled, shown, or hidden

[`type`](#) — Type of button

[`value`](#) — Value to be used for [form submission](#)

43. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 427, column 17; to line 427, column 119](#)

```
<input type="hidden" name="_token"
       value="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
```

44. **Error** Element `div` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 439, column 25; to line 439, column 51](#)

```
<div class="flex flex-col"><!--
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `d1` element.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [`tabindex`](#) attribute specified.

45. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for](#)

[images.](#)[From line 443, column 25; to line 444, column 77](#)

```
~
```

Document checking completed.

Source

```

1. ~
2. <!DOCTYPE html>~
3. <html lang="en">~
4. ~
5. <head>~
6.   <title>SoundSello</title>~
7.   <script type="module" src="http://127.0.0.1:5173/@vite/client"></script>
<link rel="stylesheet" href="http://127.0.0.1:5173/resources/css/app.css" />
<script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script
type="module" src="http://127.0.0.1:5173/resources/js/app.js"></script>
<script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script
type="module" src="http://127.0.0.1:5173/resources/js/auction.js"></script>
<script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script
type="module" src="http://127.0.0.1:5173/resources/js/dropdown.js"></script>
<script type="module" src="http://127.0.0.1:5173/@vite/client"></script><script
type="module" src="http://127.0.0.1:5173/resources/js/search_filters.js">
</script>    <meta name="csrf-token"
content="SpEFZ4xhxzzytW6pxpSBPozItPpH40bBCRxvLTI7">~
8. </head>~
9. ~
10. <body class="flex flex-col min-h-screen">~
11.   <header class="fixed top-0 w-screen p-16 pt-4 pb-4 bg-white text-stone-800
shadow-lg z-10">~
12.     <nav class="items-center m-auto flex flex-row justify-between ">~
13.       <h1 class="text-4xl font-bold"><a
href="http://127.0.0.1:8000/home">SoundSello</a></h1>~
14.       <div class="flex justify-between items-center">~
15.         ~
16.         <form class="p-1 m-0 bg-stone-200 rounded-lg flex flex-row
items-center relative" action="/search">~
17.           method="GET">~
18.           <input class="bg-stone-200 outline-none px-2 py-2"
type="text" name="input">~
19.             placeholder="Search auctions and users"
id="searchBar">~
20. ~
21.           <span class="dropdown-button cursor-pointer mr-2">#6660;
</span>~
22. ~
23.           <div class="absolute w-[40rem] left-[-100%] top-[100%] mt-2
p-2 bg-gray-100 overflow-y-auto max-h-72 border rounded border-gray-300 rounded
shadow-md hidden">~
24.             id="categoriesDropdown">~
25.               <h3 class="text-lg font-bold">Categories</h3>~
26.               <div class="flex flex-wrap items-center space-x-4">~
27.                 <label for="strings" class="flex items-center">~
28.                   <input type="checkbox" id="strings"
name="categories[]" value="strings" class="mr-1">~
29.                     checked>Strings</label>~
30.                   <label for="woodwinds" class="flex items-center">~
31.                     <input type="checkbox" id="woodwinds"
name="categories[]" value="woodwinds" class="mr-1">~
32.                     checked>Woodwinds</label>~
33.                   <label for="brass" class="flex items-center">~
```

```

34.          <input type="checkbox" id="brass"←
35.          name="categories[]" value="brass" class="mr-1"←
36.                      checked>Brass</label>←
37.          <label for="percussion" class="flex items-←
38.          center">←
39.          <input type="checkbox" id="percussion"←
40.          name="categories[]" value="percussion"←
41.                      class="mr-1" checked>Percussion</label>←
42.          </div>←
43.          <div class="flex flex-wrap space-x-4 mt-6">←
44.          <div class="flex flex-←
45.          col space-y-2 meta-info-container">←
46.          <h4 class="dropdown-button-filter text-lg font-←
47.          bold" id="BrandDropdown">←
48.          Brand<span class="cursor-pointer text-sm←
49.          ml-1">#9660; </span>←
50.          </h4>←
51.          <div class="values hidden">←
52.          <label for="Yamaha" class="flex items-center">←
53.          <input type="checkbox" id="Yamaha"←
54.          name="metaInfoBrand[]"
```

value="Yamaha"←
checked>Yamaha</label>←

```

55.          <label for="Gibson" class="flex items-center">←
56.          <input type="checkbox" id="Gibson"←
57.          name="metaInfoBrand[]"
```

value="Gibson"←
checked>Gibson</label>←

```

58.          <label for="Fender" class="flex items-center">←
59.          <input type="checkbox" id="Fender"←
60.          name="metaInfoBrand[]"
```

value="Fender"←
checked>Fender</label>←

```

61.          <label for="Roland" class="flex items-center">←
62.          <input type="checkbox" id="Roland"←
63.          name="metaInfoBrand[]"
```

value="Roland"←
checked>Roland</label>←

```

64.          <label for="Takamine" class="flex items-center">←
65.          <input type="checkbox" id="Takamine"←
66.          name="metaInfoBrand[]"
```

value="Takamine"←
checked>Takamine</label>←

```

67.          </div>←
68.          <input name="metaInfos[]" value="Brand"←
69.          class="meta-info-input hidden">←
70.          </div>←
71.          <div class="flex flex-←
72.          col space-y-2 meta-info-container">←
73.          <h4 class="dropdown-button-filter text-lg font-←
74.          bold" id="SizeDropdown">←
75.          Size<span class="cursor-pointer text-sm ml-←
76.          1">#9660; </span>←
77.          </h4>←
78.          <div class="values hidden">←
79.          <label for="Large" class="flex items-center">←
80.          <input type="checkbox" id="Large"←
81.          name="metaInfoBrand[]"
```

```

79.      value="Large"↔
80.      checked>Large</label>↔
81.      for="Medium" class="flex items-center">↔
82.          <input type="checkbox" id="Medium"↔
83.              name="metaInfoSize[]"
84.              value="Medium"↔
85.              checked>Medium</label>↔
86.              for="Small" class="flex items-center">↔
87.                  <input type="checkbox" id="Small"↔
88.                      name="metaInfoSize[]"
89.                      value="Small"↔
90.                      checked>Small</label>↔
91.                      </div>↔
92.      <div class="flex flex-
93.          col space-y-2 meta-info-container">↔
94.          <h4 class="dropdown-button-filter text-lg font-
95.              bold" id="ColorDropdown">↔
96.              Color<span class="cursor-pointer text-sm
97.                  ml-1">#6600; </span>↔
98.          </h4>↔
99.      <div class="values hidden">↔
100.         <label
101.             for="Black" class="flex items-center">↔
102.                 <input type="checkbox" id="Black"↔
103.                     name="metaInfoColor[]"
104.                     value="Black"↔
105.                     checked>Black</label>↔
106.                     <label
107.                         for="Blue" class="flex items-center">↔
108.                             <input type="checkbox" id="Blue"↔
109.                                 name="metaInfoColor[]"
110.                                 value="Blue"↔
111.                                 checked>Blue</label>↔
112.                                 <label
113.                                     for="Green" class="flex items-center">↔
114.                                         <input type="checkbox" id="Green"↔
115.                                             name="metaInfoColor[]"
116.                                             value="Green"↔
117.                                             checked>Green</label>↔
118.                                             <label
119.                                                 for="Orange" class="flex items-center">↔
120.                                                     <input type="checkbox" id="Orange"↔
121.                                                         name="metaInfoColor[]"
122.                                                         value="Orange"↔
123.                                                         checked>Orange</label>↔
124.                                                         <label
125.                                                             for="Purple" class="flex items-center">↔
126.                                                                 <input type="checkbox" id="Purple"↔
127.                                                                     name="metaInfoColor[]"
128.                                                                     value="Purple"↔
129.                                                                     checked>Purple</label>↔
130.                                                                     <label
131.                                                                         for="Red" class="flex items-center">↔
132.                                                                             <input type="checkbox" id="Red"↔
133.                                                                                 name="metaInfoColor[]"
134.                                                                                 value="Red"↔
135.                                                                                 checked>Red</label>↔

```



```
165.                                     </h4>↔  
166.    ↵  
167.          <div class="values hidden">↔  
168.                                         <label  
169.     for="Damaged" class="flex items-center">↔  
170.                                         <input type="checkbox" id="Damaged"↔  
171.                                           name="metaInfoCondition[]"  
172.                                         value="Damaged"↔  
173.                                         checked>Damaged</label>↔  
174.                                         <label  
175.     for="New" class="flex items-center">↔  
176.                                         <input type="checkbox" id="New"↔  
177.                                           name="metaInfoCondition[]"  
178.                                         value="New"↔  
179.                                         checked>New</label>↔  
180.                                         <label  
181.     for="Refurbished" class="flex items-center">↔  
182.                                         <input type="checkbox" id="Refurbished"↔  
183.                                           value="Refurbished"↔  
184.                                         checked>Refurbished</label>↔  
185.                                         <div class="flex flex-  
186.   col space-y-2 meta-info-container">↔  
187.     <h4 class="dropdown-button-filter text-lg font-  
188. bold" id="YearDropdown">↔  
189.       Year<span class="cursor-pointer text-sm ml-  
190. 1">&#9660;</span>↔  
191.     </h4>↔  
192.   ↵  
193.     <div class="values hidden">↔  
194.       <label  
195.     for="1920s" class="flex items-center">↔  
196.       <input type="checkbox" id="1920s"↔  
197.         name="metaInfoYear[]"  
198.       value="1920s"↔  
199.       checked>1920s</label>↔  
200.       <label  
201.     for="1930s" class="flex items-center">↔  
202.       <input type="checkbox" id="1930s"↔  
203.         name="metaInfoYear[]"  
204.       value="1930s"↔  
205.       checked>1930s</label>↔  
206.       <label  
207.     for="1940s" class="flex items-center">↔  
208.       <input type="checkbox" id="1940s"↔  
209.         name="metaInfoYear[]"  
210.       value="1940s"↔  
211.       checked>1940s</label>↔  
212.       <label  
213.     for="1950s" class="flex items-center">↔  
214.       <input type="checkbox" id="1950s"↔  
215.         name="metaInfoYear[]"  
216.       value="1950s"↔  
217.       checked>1950s</label>↔  
218.       <label  
219.     for="1960s" class="flex items-center">↔  
220.       <input type="checkbox" id="1960s"↔  
221.         name="metaInfoYear[]"  
222.       value="1960s"↔
```

```

208.           checked>1960s</label>↔
209.           for="1970s" class="flex items-center">↔
210.             <input type="checkbox" id="1970s"↔
211.               name="metaInfoYear[]"
212.               value="1970s"↔
213.             checked>1970s</label>↔
214.             for="1980s" class="flex items-center">↔
215.               <input type="checkbox" id="1980s"↔
216.                 name="metaInfoYear[]"
217.                 value="1980s"↔
218.               checked>1980s</label>↔
219.               for="1990s" class="flex items-center">↔
220.                 <input type="checkbox" id="1990s"↔
221.                   name="metaInfoYear[]"
222.                   value="1990s"↔
223.                 checked>1990s</label>↔
224.                 for="2000s" class="flex items-center">↔
225.                   <input type="checkbox" id="2000s"↔
226.                     name="metaInfoYear[]"
227.                     value="2000s"↔
228.                   checked>2000s</label>↔
229.                   for="2010s" class="flex items-center">↔
230.                     <input type="checkbox" id="2010s"↔
231.                       name="metaInfoYear[]"
232.                       value="2010s"↔
233.                     checked>2010s</label>↔
234.                     <input name="metaInfos[]" value="Year"↔
235.                       class="meta-info-input hidden">↔
236.                         </div>↔
237.                         </div>↔
238.                         </div>↔
239.                         <button type="submit">↔
240.                           <button type="submit"><img class="h-[1.5rem] object-
241.                             contain">↔
242.                           src="http://127.0.0.1:8000/images/icons/search.png"></button>↔
243.                         </button>↔
244.                         </form>↔
245.                         <a href="http://127.0.0.1:8000/admin/users"↔
246.                           class="ml-4">Admin</a>↔
247.                           <a href="http://127.0.0.1:8000/auctions"↔
248.                             class="ml-4">View Auctions</a>↔
249.                             <a href="http://127.0.0.1:8000/auction/submit"↔
250.                               class="ml-4">Submit Auction</a>↔
251.                               <button class="notification-icon dropdown-
252.                                 button relative ml-4" id="notificationBtn">↔
253.                                   ↔
255.                                   <span>
```

```

251.         class="notification-badge bg-red-500 text-white text-xs
252.             font-bold rounded-full p-1 absolute top-3 left-3"><-
253.                 12<-
254.             </span><-
255.                     </button><-
256.             <div class="dropdown-content hidden bg-gray-100 absolute top-16
257.                 right-0 mt-2 p-4 border rounded max-h-40 overflow-y-auto"><-
258.                 id="notificationDropdown"><-
259.                     <div id="notifications"
260.                         class="notification-content"><-
261.                             <div class="notifications-title inline flex flex-row
262.                                 justify-between border-b border-black"><-
263.                                 <h3 class="text-lg font-bold ">Notifications</h3><-
264.                                 <div id="notification-
265.                         buttons"><-
266.                             <button type="button" class="inline hover:text-
267.                                 gray-500 btn-viewall" user_id="3">Mark all as read</button><-
268.                             <button type="button" class="inline hover:text-
269.                                 gray-500 btn-deleteall" user_id="3">Delete all</button><-
270.                         </div><-
271.                     </div><-
272.                     <div class="notification-list"><-
273.                         <ul id="notification-ul"><-
274.                             <li class="notif border-b border-black py-2 text-black" id="381"><-
275.                                 <a href="http://127.0.0.1:8000/user/23" class="underline hover:text-gray-600">James Howlett</a><-
276.                                 has posted a comment in <a href="http://127.0.0.1:8000/auction/2" class="underline hover:text-gray-600">Handcrafted
277.                                     Flute</a><-
278.                                 <div class="notification-buttons inline flex flex-
279.                                     row justify-between mr-2"><-
280.                                     <div><-
281.                                         <button type="button" class="btn-view
282.                                             notification_id="381">✓</button><-
283.                                         <form
284.                                             action="http://127.0.0.1:8000/notification/381/delete" method="POST"
285.                                             class="inline"><-
286.                                             <input type="hidden" name="_token"
287.                                               value="SpEFZ4xhzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
288.                                             <button type="submit" class="btn-delete">✗</button><-
289.                                         </form><-
290.                                         </div><-
291.                                     </div><-
292.                                 </li><-
293.                             <li class="notif border-b border-black py-2 text-black" id="281"><-
294.                                 <a href="http://127.0.0.1:8000/user/13" class="underline hover:text-gray-600">Thor
295.                                     Odinson</a><-
296.                                 has posted a comment in <a href="http://127.0.0.1:8000/auction/2" class="underline hover:text-gray-600">Handcrafted
297.                                     Flute</a><-
298.                                 <div class="notification-buttons inline flex flex-
299.                                     row justify-between mr-2"><-
300.                                     <div><-
301.                                         <button type="button" class="btn-view
302.                                             notification_id="281">✓</button><-
303.                                         <form
304.                                             action="http://127.0.0.1:8000/notification/281/delete" method="POST"
305.                                             class="inline"><-
306.                                             <input type="hidden" name="_token"
307.                                               value="SpEFZ4xhzzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
308.                                             <button type="submit" class="btn-delete">✗</button><-
309.                                         </form><-
310.                                         </div><-
311.                                     </div><-
312.                                 </li><-
313.                             </ul><-
314.                         </div><-
315.                     </div><-
316.                 </div><-
317.             </div><-
318.         </div><-
319.     </div><-
320. 
```

```
293.      </div>↵
294.  </li>↵
295.  <li class="notif border-b border-black py-2 text-black" id="165">↵
296.          Your bid has been
297.          successfully placed in <a href="http://127.0.0.1:8000/auction/8"↵
298.                  class="underline hover:text-gray-600">Cajon Drum</a>↵
299.          <div class="notification-buttons inline flex flex-
300.          row justify-between mr-2">↵
300.          <div>↵
301.              <button type="button" class="btn-view"
301. notification_id="165">✓</button>↵
302.          <form
302. action="http://127.0.0.1:8000/notification/165/delete" method="POST"
302. class="inline">↵
303.              <input type="hidden" name="_token"
303. value="SpEFZ4xhxzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
303.              <button type="submit" class="btn-delete">✗</button>↵
304.          </form>↵
305.          </div>↵
306.      </div>↵
307.  </li>↵
308.  <li class="notif border-b border-black py-2 text-black" id="163">↵
309.          <a
309. href="http://127.0.0.1:8000/user/2" class="underline hover:text-gray-600">José
309. Santos</a>↵
310.          just made a higher bid in <a
310. href="http://127.0.0.1:8000/auction/8"↵
310.                  class="underline hover:text-gray-600">Cajon Drum</a>↵
311.          <div class="notification-buttons inline flex flex-
312.          row justify-between mr-2">↵
313.          <div>↵
313.              <button type="button" class="btn-view"
313. notification_id="163">✓</button>↵
314.          <form
314. action="http://127.0.0.1:8000/notification/163/delete" method="POST"
314. class="inline">↵
315.              <input type="hidden" name="_token"
315. value="SpEFZ4xhxzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
315.              <button type="submit" class="btn-delete">✗</button>↵
316.          </form>↵
317.          </div>↵
318.      </div>↵
319.  </div>↵
320.  </li>↵
321.  <li class="notif border-b border-black py-2 text-black" id="160">↵
322.          <a
322. href="http://127.0.0.1:8000/user/43" class="underline hover:text-gray-
322. 600">Eddie Mayne</a>↵
323.          just made a higher bid in <a
323. href="http://127.0.0.1:8000/auction/8"↵
323.                  class="underline hover:text-gray-600">Cajon Drum</a>↵
324.          <div class="notification-buttons inline flex flex-
325.          row justify-between mr-2">↵
326.          <div>↵
326.              <button type="button" class="btn-view"
326. notification_id="160">✓</button>↵
327.          <form
327. action="http://127.0.0.1:8000/notification/160/delete" method="POST"
327. class="inline">↵
328.              <input type="hidden" name="_token"
328. value="SpEFZ4xhxzytW6pxpSBPozItPpH40bBCRxvLTI7" autocomplete="off">
328.              <button type="submit" class="btn-delete">✗</button>↵
329.          </form>↵
330.          </div>↵
331.  </div>↵
332.  </div>↵
333.  </div>↵
334.  </li>↵
335. </li>↵
```


377. - ↳
378. [Rocket](http://127.0.0.1:8000/user/48) ↳
379. has posted a comment in [Handcrafted Flute](http://127.0.0.1:8000/auction/2) ↳
380.

↳
381.

2 months ago

 ↳
382.

↳
383. button type="button" class="btn-view" notification_id="634">✓ ↳
384. form action="http://127.0.0.1:8000/notification/634/delete" method="POST" class="inline"> ↳
385. ↳
386. button type="submit" class="btn-delete">✗ ↳
387. /form ↳
388. /div ↳
389. /div ↳
390. /li ↳
391. - ↳
392. [Wanda Maximoff](http://127.0.0.1:8000/user/18) ↳
393. has posted a comment in [Handcrafted Flute](http://127.0.0.1:8000/auction/2) ↳
394.

↳
395.

2 months ago

 ↳
396.

↳
397. button type="button" class="btn-view" notification_id="331">✓ ↳
398. form action="http://127.0.0.1:8000/notification/331/delete" method="POST" class="inline"> ↳
399. ↳
400. button type="submit" class="btn-delete">✗ ↳
401. /form ↳
402. /div ↳
403. /div ↳
404. /li ↳
405. - ↳
406. [Pamela Isley](http://127.0.0.1:8000/user/8) ↳
407. has posted a comment in [Handcrafted Flute](http://127.0.0.1:8000/auction/2) ↳
408.

↳
409.

2 months ago

 ↳
410.

↳
411. button type="button" class="btn-view" notification_id="233">✓ ↳
412. form action="http://127.0.0.1:8000/notification/233/delete" method="POST" class="inline"> ↳
413. ↳
414. button type="submit" class="btn-delete">✗ ↳

<https://validator.w3.org/nu/#textarea>

22/26

```
415.          </form>↵
416.      </div>↵
417.  </div>↵
418. </li>↵
419.
<li class="notif border-b border-black py-2 text-black" id="172">↵
    Your comment has
    been successfully submitted to <a href="http://127.0.0.1:8000/auction/2"↵
        class="underline hover:text-gray-600">Handcrafted
    Flute</a>↵
    <div class="notification-buttons inline flex flex-↵
    row justify-between mr-2">↵
        <p class="text-gray-600 text-sm">3 months ago </span>↵
        <div>↵
            <button type="button" class="btn-view" ↵
notification_id="172">✓ </button>↵
        <form
            action="http://127.0.0.1:8000/notification/172/delete" method="POST"
            class="inline">↵
            <input type="hidden" name="_token"
            value="SpEFZ4xhzzytW6pxpSBPozItPpH40bBCR xvLT17" autocomplete="off">
            <button type="submit" class="btn-delete">✗ </button>↵
        </form>↵
    </div>↵
</div>↵
420. </li>↵
421.
422. </ul>↵
423. </div>↵
424. </div>↵
425. </div>↵
426. </div>↵
427. </div>↵
428. </div>↵
429. </div>↵
430. </div>↵
431. </div>↵
432. </div>↵
433. </div>↵
434. </div>↵
435. </div>↵
436. <div class="user-info ml-4">↵
437.     <button class="m-2 p-2 dropdown-button
flex flex-row items-center bg-stone-300 rounded-lg" id="profileBtn">↵
        <div class="flex flex-col">↵
            <p> Eduardo Oliveira </p>↵
            <p class="text-sm">Balance: $1,000.00 </p>↵
        </div>↵
        ↵
    </button>↵
438. <div class="dropdown-content hidden bg-stone-900 absolute
top-16 mt-2 p-4 border max-h-30 max-w-20 overflow-y-auto rounded-lg" id="profileDropdown">↵
439.     <div class="profile-content">↵
440.         <div class="profile-list">↵
441.             <ul>↵
442.                 <li class="border-b py-2 text-white">↵
443.                     <a href="http://127.0.0.1:8000/profile"
class="hover:text-gray-400">Profile</a>↵
444.                     </li>↵
445.                 <li class="border-b py-2 text-white">↵
446.                     <a href="http://127.0.0.1:8000/balance"
class="hover:text-gray-400">Deposit/Withdraw</a>↵
447.                     </li>↵
448.                 <li class="py-2 text-white">↵
449.                     <a href="http://127.0.0.1:8000/logout"
class="hover:text-gray-400">Log out</a>↵
450.                     </li>↵
451.             </ul>↵
452.         </div>↵
453.     </div>↵
454. </div>↵
455. </div>↵
456. </div>↵
457. </div>↵
458. </div>↵
459. </div>↵
460. </div>↵
461. </div>↵
462. </div>↵
463. </div>↵
464. </div>↵
465. </div>↵
466. </nav>↵
467. <nav class="m-auto">↵
468. </nav>↵
469. </header>↵
```

```
470.    <main class="flex-1">↔
471.        <section id="content" class="mt-32 mb-4 mx-32">↔
472.            <div>↔
473.                <a href="http://127.0.0.1:8000/home" class="text-blue-500
474.                    hover:underline">Home</a>↔
475.                    <span class="mx-2" > </span>↔
476.                    <span class="text-stone-500">Auctions</span>↔
477.                </div>↔
478.                <div class="m-2 p-4 rounded-lg bg-stone-300">↔
479.                    <h3 class="m-4 text-3xl font-bold">Active Auctions</h3>↔
480.                    <div class="grid grid-cols-4 gap-8">↔
481.                        <a href="http://127.0.0.1:8000/auction/9">↔
482.                            <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex
483.                                flex-col items-center justify-center">↔
484.                                <h4 class="font-bold text-xl">Saxophone Quartet</h4>↔
485.                                <p class="text-gray-500">Category: woodwinds</p>↔
486.                                ↔
488.                                    alt="Auction Image 1">↔
489.                                <p>A set of four saxophones f...</p>↔
490.                                <p class="font-bold">Current Bid: $35.00</p>↔
491.                                <p><span class="auction-remaining-time"></span></p>↔
492.                                <span class="auction-end-time" hidden>2024-11-21 10:00:00</span>↔
493.                                <span class="auction-status" hidden>active</span>↔
494.                            </div>↔
495.                        <a href="http://127.0.0.1:8000/auction/8">↔
496.                            <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex
497.                                flex-col items-center justify-center">↔
498.                                <h4 class="font-bold text-xl">Cajon Drum</h4>↔
499.                                <p class="text-gray-500">Category: percussion</p>↔
500.                                ↔
502.                                    alt="Auction Image 1">↔
503.                                <p>A versatile and portable c...</p>↔
504.                                <p class="font-bold">Current Bid: $250.00</p>↔
505.                                <p><span class="auction-remaining-time"></span></p>↔
506.                                <span class="auction-end-time" hidden>2024-11-23 16:00:00</span>↔
507.                                <span class="auction-status" hidden>active</span>↔
508.                            </div>↔
509.                        <a href="http://127.0.0.1:8000/auction/7">↔
510.                            <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex
511.                                flex-col items-center justify-center">↔
512.                                <h4 class="font-bold text-xl">Electric Guitar Kit</h4>↔
513.                                <p class="text-gray-500">Category: strings</p>↔
514.                                ↔
516.                                    alt="Auction Image 1">↔
517.                                <p>A DIY electric guitar kit...</p>↔
518.                                <p class="font-bold">Current Bid: $200.00</p>↔
519.                                <p><span class="auction-remaining-time"></span></p>↔
520.                                <span class="auction-end-time" hidden>2024-11-19 13:00:00</span>↔
521.                                <span class="auction-status" hidden>active</span>↔
522.                            </div>↔
523.                        <a href="http://127.0.0.1:8000/auction/6">↔
524.                            <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex
525.                                flex-col items-center justify-center">↔
526.                                <h4 class="font-bold text-xl">Vintage Trumpet</h4>↔
527.                                <p class="text-gray-500">Category: brass</p>↔
528.                                ↔
530.                                    alt="Auction Image 1">↔
531.                                <p>A classic trumpet with a w...</p>↔
532.                                <p class="font-bold">Current Bid: $245.00</p>↔
533.                                <p><span class="auction-remaining-time"></span></p>↔
534.                                <span class="auction-end-time" hidden>2024-11-17 09:00:00</span>↔
535.                                <span class="auction-status" hidden>active</span>↔
536.                            </div>↔
537.                        <a href="http://127.0.0.1:8000/auction/5">↔
538.                            <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex
539.                                flex-col items-center justify-center">↔
540.                                <h4 class="font-bold text-xl">Grand Piano</h4>↔
```

```
531.      <p class="text-gray-500">Category: strings</p>↵
532.          ↵
535.          <p>A beautifully maintained g...</p>↵
536.          <p class="font-bold">Current Bid: $230.00</p>↵
537.          <p><span class="auction-remaining-time"></span></p>↵
538.          <span class="auction-end-time" hidden>2024-11-22 11:00:00</span>↵
539.          <span class="auction-status" hidden>active</span>↵
540.      </div>↵
541.  <a href="http://127.0.0.1:8000/auction/4">↵
542.      <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex flex-col items-center justify-center">↵
543.          <h4 class="font-bold text-xl">Handmade Drum Set</h4>↵
544.          <p class="text-gray-500">Category: percussion</p>↵
545.              ↵
548.          <p>A custom-made drum set for...</p>↵
549.          <p class="font-bold">Current Bid: $250.00</p>↵
550.          <p><span class="auction-remaining-time"></span></p>↵
551.          <span class="auction-end-time" hidden>2024-11-25 15:00:00</span>↵
552.          <span class="auction-status" hidden>active</span>↵
553.      </div>↵
554.  <a href="http://127.0.0.1:8000/auction/3">↵
555.      <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex flex-col items-center justify-center">↵
556.          <h4 class="font-bold text-xl">Vintage Bass Guitar</h4>↵
557.          <p class="text-gray-500">Category: brass</p>↵
558.              ↵
561.          <p>An old-school bass guitar...</p>↵
562.          <p class="font-bold">Current Bid: $290.00</p>↵
563.          <p><span class="auction-remaining-time"></span></p>↵
564.          <span class="auction-end-time" hidden>2024-11-18 12:00:00</span>↵
565.          <span class="auction-status" hidden>active</span>↵
566.      </div>↵
567.  <a href="http://127.0.0.1:8000/auction/2">↵
568.      <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex flex-col items-center justify-center">↵
569.          <h4 class="font-bold text-xl">Handcrafted Flute</h4>↵
570.          <p class="text-gray-500">Category: woodwinds</p>↵
571.              ↵
574.          <p>A beautifully handcrafted...</p>↵
575.          <p class="font-bold">Current Bid: $380.00</p>↵
576.          <p><span class="auction-remaining-time"></span></p>↵
577.          <span class="auction-end-time" hidden>2024-11-20 14:00:00</span>↵
578.          <span class="auction-status" hidden>active</span>↵
579.      </div>↵
580.  <a href="http://127.0.0.1:8000/auction/1">↵
581.      <div class="h-96 bg-white text-stone-800 p-2 rounded-lg shadow-lg flex flex-col items-center justify-center">↵
582.          <h4 class="font-bold text-xl">Rare Acoustic Guitar</h4>↵
583.          <p class="text-gray-500">Category: strings</p>↵
584.              ↵
587.          <p>A vintage acoustic guitar...</p>↵
588.          <p class="font-bold">Current Bid: $90.00</p>↵
589.          <p><span class="auction-remaining-time"></span></p>↵
590.          <span class="auction-end-time" hidden>2024-10-26 01:30:00</span>↵
591.          <span class="auction-status" hidden>active</span>↵
592.      </div>↵
593.  </div>↵
594.  </section>↵
595. </main>↵
596. <footer class="p-8 pt-4 pb-4 bg-stone-800 flex flex-col justify-between">↵
```

```
593.      <ul class="flex flex-row text-stone-200 divide-x">↔
594.          <li class="pr-4"><a href="http://127.0.0.1:8000/about-us">About
  Us</a></li>↔
595.          <li class="px-4"><a href="http://127.0.0.1:8000/faq">FAQ</a></li>↔
596.          <li class="px-4"><a href="http://127.0.0.1:8000/contacts">Contacts</a></li>↔
597.          <li class="px-4"><a href="http://127.0.0.1:8000/terms-of-use">Terms
  of Use</a></li>↔
598.          <li class="pl-4"><a href="http://127.0.0.1:8000/privacy-
  policy">Privacy Policy</a></li>↔
599.      </ul>↔
600.      <p class="mt-1 text-sm text-stone-50">Copyright ©; 2023
  SoundSello</p>↔
601.  ↔
602.  </footer>↔
603. </body>↔
604.  ↔
605. </html>
```

Used the HTML parser.

Total execution time 75 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19