



ZHEJIANG TERASUN AIR DUCT CO., LTD.

Maren Village, Chongren Industrial Zone, Chongren Town, Shengzhou City,
Zhejiang Province, China



DECLARATION OF PERFORMANCE

No. TRS-20250610F

1. Unique identification code of the product type:

TSM cement board

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

TSM cement board

3. Intended use or uses of the construction product, in accordance with the harmonised technical specification, as foreseen by the manufacturer:

**Fire protective products that contribute to the fire resistance of fire separating
assemblies with no load bearing requirements**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**Zhejiang Terasun Air Duct Co., LTD.
Maren Village, Chongren Industrial Zone, Chongren Town,
Shengzhou City, Zhejiang Province, China**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

Not relevant

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

AVCP System 1

7. In case of declaration of performance concerning a construction product covered by European Assessment Document – **EAD 350142-00-1106**:

INSTITUT PRO TESTOVÁNÍ A CERTIFIKACI, a.s. (ITC)

Technical Assessment Body, Notified Body No. 1023

performed the initial inspection of the manufacturing plant,

the determination of product type, the continuous surveillance,

assessment and evaluation of factory production control under AVCP system 1

The European Technical Assessment was issued on 09 September 2025, ETA No. 24/0895

The certificate of constancy of performance was issued on 25 November 2025

(in compliance with Regulation 305/2011/EU)

EC certificate NO. 1023-CPR-1565 P



ZHEJIANG TERASUN AIR DUCT CO., LTD.

Maren Village, Chongren Industrial Zone, Chongren Town, Shengzhou City,
Zhejiang Province, China



8. Declared performance

Essential characteristics	Performance			European Assessment Document
Reaction to fire	A1			EAD 350142-00-1106
Resistance to fire (non-loadbearing insulated lightweight partition with 12mm TSM cement boards on both side)	E 120 / EI 90 / EW 120			
Durability and serviceability	Type Y intended for internal and semi-exposed use			
Water permeability	NPD			
Flexural strength		6mm	18mm	
	MOR longitudinally	≥20 MPa	≥5 MPa	
	MOR transversally	≥17 MPa	≥5 MPa	
Dimensional stability	NPD			
Thermal resistance	NPD			
Water vapour transmission coefficient	NPD			

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

.....**Liang Zhi Director**.....

(name and function)

.....**Hangzhou 2025/12/5**.....

(place and date of issue)

..........

(signature)