






pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Processes
BD/postgres@Pos...
postgres/postgres...
DB/postgres@Pos...
BD/postgres@PostgreSQL 18*
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT *
From airline
WHERE airline_id = 5;
Data Output
Messages
Notifications
Showing rows: 1 to 1
Page No: 1
of 1
airline_id [PK] integer
airline_code character varying (30)
airline_name character varying (50)
airline_country character varying (50)
created_at timestamp without time zone
updated_at timestamp without time zone
1 5 AL5 Global Aeroways United Kingdom 2026-10-05 23:49:02.268476 2026-10-05 00:00:00
Total rows: 1
Query complete 00:00:00.448
CRLF
Ln 3, Col 22



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT f.flight_id, f.sch_departure_time, a.airport_name AS departure_airport
FROM flights f
JOIN airport a ON f.departing_airport_id = a.airport_id;
Data Output
Messages
Notifications
Showing rows: 1 to 121
Page No: 1
of 1
flight_id integer
sch_departure_time timestamp without time zone
departure_airport character varying (50)
1 1 2023-01-04 00:00:00 Airport 1
2 2 2023-01-07 00:00:00 Airport 2
3 3 2023-01-10 00:00:00 Airport 3
4 4 2023-01-13 00:00:00 Airport 4
5 5 2023-01-16 00:00:00 Airport 5
6 6 2023-01-19 00:00:00 Airport 6
7 7 2023-01-22 00:00:00 Airport 7
8 8 2023-01-25 00:00:00 Airport 8
9 9 2023-01-28 00:00:00 Airport 9
10 10 2023-01-31 00:00:00 Airport 10
11 11 2023-02-03 00:00:00 Airport 11
12 12 2023-02-06 00:00:00 Airport 12
Total rows: 121
Query complete 00:00:00.193
CRLF
Ln 3, Col 57



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT * FROM airline a
WHERE NOT EXISTS (
SELECT 1 FROM flights f
WHERE f.airline_id = a.airline_id
AND f.sch_departure_time >= date_trunc('month', now()) + interval '1 month'
AND f.sch_departure_time < date_trunc('month', now()) + interval '2 months'
);
Data Output
Messages
Notifications
Showing rows: 1 to 204
Page No: 1
of 1
airline_id [PK] integer
airline_code character varying (30)
airline_name character varying (50)
airline_country character varying (50)
created_at timestamp without time zone
updated_at timestamp without time zone
10 AL10 Aeroline 10 COUNTRY 0 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
11 AL11 Aeroline 11 COUNTRY 1 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
12 AL12 Aeroline 12 COUNTRY 2 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
13 AL13 Aeroline 13 COUNTRY 3 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
14 AL14 Aeroline 14 COUNTRY 4 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
15 AL15 Aeroline 15 COUNTRY 5 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
16 AL16 Aeroline 16 COUNTRY 6 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
17 AL17 Aeroline 17 COUNTRY 7 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
18 AL18 Aeroline 18 COUNTRY 8 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
19 AL19 Aeroline 19 COUNTRY 9 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
20 AL20 Aeroline 20 COUNTRY 0 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
21 AL21 Aeroline 21 COUNTRY 1 2026-10-05 23:49:02.268476 2026-10-05 23:49:02.268476
Total rows: 204
Query complete 00:00:00.207
CRLF
Ln 7, Col 3



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Processes
BD/postgres@Pos...
postgres/postgres...
DB/postgres@Pos...
BD/postgres@PostgreSQL 18*
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT *
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
WHERE b.flight_id = 100;
Data Output
Messages
Notifications
Showing rows: 1 to 1
Page No: 1
of 1
passenger_id integer
first_name character varying (50)
last_name character varying (50)
date_of_birth date
gender character varying (50)
country_of_citizenship character varying (50)
country_of_residence character varying (50)
passport_number character varying (20)
1 100 Name100 Surname100 1990-01-01 Male Kazakhstan Kazakhstan P100
Total rows: 1
Query complete 00:00:00.077
CRLF
Ln 4, Col 25



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT f.flight_id,
avg(b.ticket_price) AS avg_price,
sum(b.ticket_price) AS total_price,
max(b.ticket_price) AS max_price,
min(b.ticket_price) AS min_price
FROM flights f
JOIN booking b ON b.flight_id = f.flight_id
GROUP BY f.flight_id
ORDER BY f.flight_id;
Data Output
Messages
Notifications
Showing rows: 1 to 110
Page No: 1
of 1
flight_id [PK] integer
avg_price numeric
total_price numeric
max_price numeric
min_price numeric
1 1 10000.0000000000000000 10000.00 10000.00 10000.00
2 13 10235.0000000000000000 10235.00 10235.00 10235.00
3 14 10580.0000000000000000 10580.00 10580.00 10580.00
4 15 10925.0000000000000000 10925.00 10925.00 10925.00
5 16 11270.0000000000000000 11270.00 11270.00 11270.00
6 17 11615.0000000000000000 11615.00 11615.00 11615.00
7 18 11960.0000000000000000 11960.00 11960.00 11960.00
8 19 12305.0000000000000000 12305.00 12305.00 12305.00
Total rows: 110
Query complete 00:00:00.111
CRLF
Ln 9, Col 22



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT f.flight_id, al.airline_name, ap.airport_name AS arrival_airport, ap.country
FROM flights f
JOIN airport ap ON f.arriving_airport_id = ap.airport_id
JOIN airline al ON f.airline_id = al.airline_id
WHERE ap.country = 'Country 5';
Data Output
Messages
Notifications
Showing rows: 1 to 12
Page No: 1
of 1
flight_id integer
airline_name character varying (50)
arrival_airport character varying (50)
country character varying (50)
1 6 Aeroline 6 Airport 195 Country 5
2 16 Aeroline 16 Airport 185 Country 5
3 26 Aeroline 26 Airport 175 Country 5
4 36 Aeroline 36 Airport 165 Country 5
5 46 Aeroline 46 Airport 155 Country 5
6 56 Aeroline 56 Airport 145 Country 5
7 66 Aeroline 66 Airport 135 Country 5
8 76 Aeroline 76 Airport 125 Country 5
Total rows: 12
Query complete 00:00:00.093
CRLF
Ln 5, Col 32



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
Query Query History
Scratch Pad
SELECT p.first_name, p.last_name, p.date_of_birth, ap.airport_name, ap.city
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN flights f ON f.flight_id = b.flight_id
JOIN airport ap ON ap.airport_id = f.arriving_airport_id
WHERE p.date_of_birth < CURRENT_DATE - INTERVAL '18 years';
Data Output Messages Notifications
Showing rows: 1 to 110 Page No: 1 of 1
first_name character varying (50)
last_name character varying (50)
date_of_birth date
airport_name character varying (50)
city character varying (50)
1 Name2 Surname2 1990-01-01 Airport 200 Astana
2 Name44 Surname44 1990-01-01 Airport 157 Berlin
3 Name45 Surname45 1990-01-01 Airport 156 Paris
4 Name46 Surname46 1990-01-01 Airport 155 Tokyo
5 Name47 Surname47 1990-01-01 Airport 154 London
6 Name48 Surname48 1990-01-01 Airport 153 Almaty
7 Name49 Surname49 1990-01-01 Airport 152 Astana
8 Name50 Surname50 1990-01-01 Airport 151 Kegoh
Total rows: 110 Query complete 00:00:00.080
CRLF Ln 6, Col 60



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
Query Query History
Scratch Pad
SELECT p.first_name || ' ' || p.last_name AS full_name,
p.passport_number, f.act_arrival_time
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN flights f ON f.flight_id = b.flight_id;
Data Output Messages Notifications
Showing rows: 1 to 110 Page No: 1 of 1
full_name text
passport_number character varying (20)
act_arrival_time timestamp without time zone
1 Name2 Surname2 P2 2023-01-04 03:00:00
2 Name44 Surname44 P44 2023-05-13 03:00:00
3 Name45 Surname45 P45 2023-05-16 03:00:00
4 Name46 Surname46 P46 2023-05-19 03:00:00
5 Name47 Surname47 P47 2023-05-22 03:00:00
6 Name48 Surname48 P48 2023-05-25 03:00:00
7 Name49 Surname49 P49 2023-05-28 03:00:00
8 Name50 Surname50 P50 2023-05-31 03:00:00
Total rows: 110 Query complete 00:00:00.090
CRLF Ln 5, Col 45



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
Query Query History
Scratch Pad
SELECT ap.country,
count(*) AS flights_count,
string_agg(f.flight_id::text, ', ') AS flight_ids
FROM flights f
JOIN airline al ON al.airline_id = f.airline_id
JOIN airport ap ON f.departing_airport_id = ap.airport_id
WHERE al.airline_country = ap.country
GROUP BY ap.country
ORDER BY ap.country;
Data Output Messages Notifications
country character varying (50)
flights_count bigint
flight_ids text
Total rows: 0 Query complete 00:00:00.076
CRLF Ln 9, Col 21



pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
Query Query History
Scratch Pad
SELECT f.flight_id,
al.airline_name,
dep.airport_name AS departure_airport,
arr.airport_name AS arrival_airport
FROM flights f
JOIN airline al ON f.airline_id = al.airline_id
JOIN airport dep ON f.departing_airport_id = dep.airport_id
JOIN airport arr ON f.arriving_airport_id = arr.airport_id
ORDER BY f.flight_id;
Data Output Messages Notifications
Showing rows: 1 to 121
Page No: 1 of 1
flight_id integer
airline_name character varying (50)
departure_airport character varying (50)
arrival_airport character varying (50)
1 1 Aeroline 1 Airport 1 Airport 200
2 2 Aeroline 2 Airport 2 Airport 199
3 3 Aeroline 3 Airport 3 Airport 198
4 4 Aeroline 4 Airport 4 Airport 197
5 5 Global Aeroways Airport 5 Airport 196
6 6 Aeroline 6 Airport 6 Airport 195
7 7 Aeroline 7 Airport 7 Airport 194
8 8 Aeroline 8 Airport 8 Airport 193
Total rows: 121 Query complete 00:00:00.093
CRLF Ln 9, Col 22


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
Query Query History
Scratch Pad
SELECT p.first_name || ' ' || p.last_name AS full_name, f.flight_id
FROM passengers p
JOIN booking b ON b.passenger_id = p.passenger_id
JOIN flights f ON f.flight_id = b.flight_id
WHERE f.airline_id = 100;
Data Output Messages Notifications
Showing rows: 1 to 1
Page No: 1 of 1
full_name text
flight_id [PK] integer
1 Name100 Surname1... 100
Total rows: 1 Query complete 00:00:00.082
CRLF Ln 5, Col 26


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
BD/postgres@PostgreSQL 18
Query Query History
Scratch Pad
SELECT f.flight_id, ap.country, count(b.passenger_id) AS count_pas
FROM flights f
LEFT JOIN booking b ON f.flight_id = b.flight_id
JOIN airport ap ON f.arriving_airport_id = ap.airport_id
GROUP BY f.flight_id, ap.country
ORDER BY f.flight_id;
Data Output Messages Notifications
Showing rows: 1 to 121
Page No: 1 of 1
flight_id integer
country character varying (50)
count_pas bigint
1 1 Country 0 1
2 2 Country 9 0
3 3 Country 8 0
4 4 Country 7 0
5 5 Country 6 0
6 6 Country 5 0
7 7 Country 4 0
8 8 Country 3 0
Total rows: 121 Query complete 00:00:00.076
CRLF Ln 6, Col 22


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Processes
BD/postgres@Pos...
postgres/postgres...
DB/postgres@Pos...
BD/postgres@PostgreSQL 18*
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT *
FROM passengers p
LEFT JOIN booking b ON p.passenger_id = b.passenger_id
WHERE b.booking_id IS NULL;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 11
Page No: 1
of 1
passenger_id integer
first_name character varying (50)
last_name character varying (50)
date_of_birth date
gender character varying (50)
country_of_citizenship character varying (50)
country_of_residence character varying (50)
passport_number character varying (20)
1 11 Name11 Surname11 1990-01-01 Male Kazakhstan Kazakhstan P11
2 12 Name12 Surname12 1990-01-01 Male Kazakhstan Kazakhstan P12
3 10 Name10 Surname10 1990-01-01 Male Kazakhstan Kazakhstan P10
4 5 Name5 Surname5 1990-01-01 Male Kazakhstan Kazakhstan P5
5 8 Name8 Surname8 1990-01-01 Male Kazakhstan Kazakhstan P8
6 6 Name6 Surname6 1990-01-01 Male Kazakhstan Kazakhstan P6
7 4 Name4 Surname4 1990-01-01 Male Kazakhstan Kazakhstan P4
Total rows: 11
Query complete 00:00:00.071
CRLF
Ln 4, Col 28


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Processes
BD/postgres@Pos...
postgres/postgres...
DB/postgres@Pos...
BD/postgres@PostgreSQL 18*
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT al.airline_id, al.airline_name, count(f.flight_id) AS flights_count
FROM airline al
JOIN flights f ON al.airline_id = f.airline_id
GROUP BY al.airline_id, al.airline_name
ORDER BY al.airline_id;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 121
Page No: 1
of 1
airline_id [PK] integer
airline_name character varying (50)
flights_count bigint
1 1 Aeroline 1 1
2 2 Aeroline 2 1
3 3 Aeroline 3 1
4 4 Aeroline 4 1
5 5 Global Aeroways 1
6 6 Aeroline 6 1
7 7 Aeroline 7 1
8 8 Aeroline 8 1
Total rows: 121
Query complete 00:00:00.106
CRLF
Ln 5, Col 24


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
Processes
BD/postgres@Pos...
postgres/postgres...
DB/postgres@Pos...
BD/postgres@PostgreSQL 18*
BD/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
SELECT al.airline_name, count(f.flight_id) AS flight_num, ap.city
FROM flights f
JOIN airline al ON f.airline_id = al.airline_id
JOIN airport ap ON f.departing_airport_id = ap.airport_id
WHERE ap.country = 'Country 5'
GROUP BY al.airline_id, ap.city
ORDER BY al.airline_id;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 12
Page No: 1
of 1
airline_name character varying (50)
flight_num bigint
city character varying (50)
1 Global Aeroways 1 Berlin
2 Aeroline 15 1 Kepuh
3 Aeroline 25 1 Almaty
4 Aeroline 35 1 Tokyo
5 Aeroline 45 1 Berlin
6 Aeroline 55 1 Kepuh
7 Aeroline 65 1 Almaty
8 Aeroline 75 1 Tokyo
Total rows: 12
Query complete 00:00:00.086
CRLF
Ln 7, Col 24