

Doctrine ORM Annotations Cheat Sheet

by AdrienLucas via cheatography.com/20948/cs/3805/

@ld

For entities that have multiple identifier columns each column has to be marked with @ld.

@Index

name str

columns []

Columns

options []

where

@Column

type str

name str

length int

options [] default, unsigned, fixed ...

unique bool

nullable bool

columnDefinition

DQL definition

precision int

scale int

"precision" and "scale" are only for decimal columns.

@ColumnResult

name str

@Cache

usage ^{ch}

see choices below

region str

READ_ONLY,

READ_WRITE, NONSTRICT_READ_WRITE

@ChangeTrackingPolicy

/**

* @Entity

*

@ChangeTrackingPolicy("DEFERRED_IMP

@ChangeTrackingPolicy("DEFERRED_EXP LTCTT")

4

@ChangeTrackingPolicy("NOTIFY")

*/

class User {}

@Entity

repositoryClass (string)

readOnly (boolean)

@EntityResult

entityClass (string)

fields (array|FieldResult)

discriminatorColumn (string)

@FieldResult

name (string)

column (string)

@GeneratedValue

strategy (choice : AUTO, SEQUENCE,

TABLE, IDENTITY, UUID, CUSTOM or NONE)

@OneToOne

targetEntity (string)

cascade (array|cascades actions)

fetch (choice: LAZY, EAGER)

orphanRemoval (boolean)

inversedBy (string)

@ManyToOne

targetEntity (string)

cascade (array|cascades actions)

fetch (choice: LAZY, EAGER)

inversedBy (string)

@OneToMany

targetEntity (string)

cascade (array|cascades actions)

orphanRemoval (boolean)

mappedBy (string)

fetch (choice: LAZY, EXTRA_LAZY, EAGER)

indexBy (string)

@ManyToMany

targetEntity (string)

mappedBy (string)

inversedBy (string)

cascade (array|cascades actions)

fetch (choice: LAZY, EXTRA_LAZY, EAGER)

indexBy (string)

@OrderBy

/**

*

@ManyToMany(targetEntity="Group")

* @OrderBy({"name" = "ASC"})

*/

private \$groups;

See @ManyToMany or @OneToMany.

@JoinColumn

name (string)

referencedColumnName (string)

unique (boolean)

nullable (bool)

onDelete (array|cascades actions)



By **AdrienLucas** cheatography.com/adrienlucas/ Published 2nd April, 2015. Last updated 2nd April, 2015.

Page 1 of 2.

Sponsored by **Readability-Score.com**Measure your website readability!
https://readability-score.com



Doctrine ORM Annotations Cheat Sheet

by AdrienLucas via cheatography.com/20948/cs/3805/

@JoinColumn (cont)

columnDefinition (string: DQL definition)

See @ManyToOne and @OneToOne.

@JoinTable

name (string)

joinColumns (array|@JoinColumn)

inverseJoinColumns (array|@JoinColumn)

@JoinColumns

Array of @JoinColumn.

@SequenceGenerator

sequenceName (string)

allocationSize (integer)

initialValue (integer)

@SqlResultSetMapping

name (string)

entities (array|@EntityResult)

columns (array|@ColumnResult)

@Table

name (string)

indexes (array|@Index)

uniqueConstraints (array|@UniqueConstraint)

schema (string)

@UniqueConstraint

name (string)

columns (array|column)

options (array|: where)

@MappedSuperclass

repositoryClass (string)

@NamedNativeQuery

name (string)

query (string)

resultClass (string)

resultSetMapping

(string|SqlResultSetMapping)

@Version

It only works on integer or datetime @Columns.

@InheritanceType

/*

* @Entity

*

@InheritanceType("SINGLE_TABLE")

. . .

/**

* @Entity

* @InheritanceType("JOINED")

See @DiscriminatorMap and @DiscriminatorColumn.

@DiscriminatorMap

/**

* @Entity

* @InheritanceType("JOINED")

*

@DiscriminatorColumn(name="discr",

type="string")

* @DiscriminatorMap({"person" =

"Person", "employee" =

"Employee"})

*/

class Person {}



By **AdrienLucas** cheatography.com/adrienlucas/

Published 2nd April, 2015. Last updated 2nd April, 2015. Page 2 of 2. @HasLifecycleCallbacks
See @PostLoad, @PrePer

@DiscriminatorColumn

name (string)
type (string)

length (int)

See @PostLoad, @PrePersist, @PostPersist, @PreRemove, @PostRemove, @PreUpdate or @PostUpdate.

Sponsored by **Readability-Score.com**Measure your website readability!
https://readability-score.com