

DEVHINTS.IO





Sass cheatsheet

Proudly sponsored by

3Box is hiring a Frontend Blockchain Engineer (remote). Do you qualify?

ethical ad by CodeFund

Variables

```
$red: #833;
body { color: $red; }
```

Nesting

```
.markdown-body { p { color: blue; } &:hover {
color: red; } }
```

Extend

```
.button { ... }
.push-button { @extend .button; }
```

Composing

```
@import './other_sass_file`;
```

The .scss or .sass extension is optional.

Color functions

rgba

```
rgb(100, 120, 140) rgba(100, 120, 140, .5) rgba($color, .5)
```

Getting individual values

```
HSLA

hue($color) // → 0deg..360deg saturation($color)

// → 0%..100% lightness($color) // → 0%..100%

alpha($color) // → 0..1 (aka opacity())
```

RGB

red(\$color) // \rightarrow 0..255 green(\$color) blue(\$color)

See: hue(), red()

Mixing

```
mix($a, $b, 10%) // 10%
```

Modifying HSLA

```
darken($color, 5%) ligh
```

```
saturate($color, 5%) de
grayscale($color)
```

```
adjust-hue($color, 15de
like adjust-hue(_, 180d
```

```
fade-in($color, .5) //
out($color, .5) // aka
the opacity rgba($color
```

Adjustments

```
// Changes by fixed amo
$blue: 5) adjust-color(
like darken(_, 30%) adj
-0.4) // like fade-out(
$hue: 30deg) // like ad
```

// Changes via percenta

\$lightness: 50%)

// Changes one property
color(\$color, \$hue: 180
\$blue: 250)

Supported: \$red \$green \$I \$lightness \$alpha

Other functions

Strings -

```
unquote('hello') quote(hello)

to-upper-case(hello) to-lower-case(hello)

str-length(hello world) str-slice(hello, 2, 5) //
"ello" - it's 1-based, not 0-based str-
insert("abcd", "X", 1) // "Xabcd"
```

Misc

```
variable-exists(red) // checks for $red mixin-
exists(red-text) // checks for @mixin red-text
function-exists(redify)

global-variable-exists(red)

selector-append('.menu', 'li', 'a') // .menu li a
selector-nest('.menu', '&:hover li') // .menu:hover
li selector-extend(...) selector-parse(...)
selector-replace(...) selector-unify(...)
```

Units

```
unit(3em) // 'em' unitl
```

Numbers

```
floor(3.5) ceil(3.5) ro min(1, 2, 3) max(1, 2,
```

percentage(.5) // 50% r

Feature checks

Feature check

feature-exists(global-variable-shadowing)

Features

- global-variable-shadov
- extend-selector-pseud
- units-level-3
- at-error

‡ Loops

For loops

```
@for $i from 1 through 4 { .item-#{$i} { left: 20px
* $i; } }
```

Each loops (nested)

```
$backgrounds: (home, 'home.jpg'), (about,
'about.jpg'); @each $id, $image in $backgrounds {
.photo-#{$id} { background: url($image); } }
```

Each loops (simple)

```
$menu-items: home about
$item in $menu-items {
background: url('images
```

While loops

```
$i: 6; @while $i > 0 {
$i; } $i: $i - 2; }
```

Other features

Conditionals

```
@if $position == 'left' { position: absolute; left:
0; } @else { position: static; }
```

Interpolation

```
.#{slass} { ... } // C Functions @media #{slabel{stab} height} url("#{slabel{slabel} sbackgro
```

