

← Emmet Documentation

Download cheat sheet

as printable PDF A5

Syntax

Child: >

```
nav>ul>li
  <nav>
    <ul>
      <li></li>
    </ul>
  </nav>
```

Sibling: +

```
div+p+bq
  <div></div>
  <p></p>
  <blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
    <blockquote></blockquote>
  </div>
```

```
div+div>p>span+em^^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
  </div>
  <blockquote></blockquote>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
  <div>
    <header>
      <ul>
        <li><a href=""></a></li>
        <li><a href=""></a></li>
      </ul>
    </header>
    <footer>
      <p></p>
    </footer>
  </div>
```

```
(div>d1>(dt+dd)*3)+footer>p
  <div>
    <d1>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
    </d1>
  </div>
```



Students and Teachers, save up to 60% on Adobe Creative Cloud.

ads via Carbon

Item numbering: \$

```
ul>li.item$*5
  <ul>
    <li class="item1"></li>
    <li class="item2"></li>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
  </ul>
```

```
h${title=item${Header $}}*3
  <h1 title="item1">Header 1</h1>
  <h2 title="item2">Header 2</h2>
  <h3 title="item3">Header 3</h3>
```

```
ul>li.item$$$*5
  <ul>
    <li class="item001"></li>
    <li class="item002"></li>
    <li class="item003"></li>
    <li class="item004"></li>
    <li class="item005"></li>
  </ul>
```

```
ul>li.item$@-*5
  <ul>
    <li class="item5"></li>
    <li class="item4"></li>
    <li class="item3"></li>
    <li class="item2"></li>
    <li class="item1"></li>
  </ul>
```

```
ul>li.item$@3*5
  <ul>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
    <li class="item6"></li>
    <li class="item7"></li>
  </ul>
```

ID and CLASS attributes

```
#header
  <div id="header"></div>
```

```
.title
  <div class="title"></div>
```

```
form#search.wide
  <form id="search" class="wide"></form>
```

```
p.class1.class2.class3
  <p class="class1 class2 class3"></p>
```

```
<footer>
  <p></p>
</footer>
```

Multiplication: *

```
ul>li*5
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Custom attributes

```
p[title="Hello world"]
  <p title="Hello world"></p>

td[rowspan=2 colspan=3 title]
  <td rowspan="2" colspan="3" title=""></td>

[a='value1' b="value2"]
  <div a="value1" b="value2"></div>
```

Text: {}

```
a{Click me}
  <a href="">Click me</a>

p>{Click }+a{here}+{ to continue}
  <p>Click <a href="">here</a> to continue</p>
```

Implicit tag names

```
.class
  <div class="class"></div>

em>.class
  <em><span class="class"></span></em>

ul>.class
  <ul>
    <li class="class"></li>
  </ul>

table>.row>.col
  <table>
    <tr class="row">
      <td class="col"></td>
    </tr>
  </table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

```
!
  Alias of html:5
  <!DOCTYPE html>
  <html lang="en">
  <head>
    <meta charset="UTF-8" />
    <title>Document</title>
  </head>
  <body>
    |
  </body>
</html>
```

```
pic
  Alias of picture
  <picture>|</picture>

ifr
  Alias of iframe
  <iframe src="|" frameborder="0">|</iframe>

emb
  Alias of embed
  <embed src="|" type="|" />
```

a	<code> </code>	obj	Alias of object <code><object data=" " type=" "> </object></code>
a:link	<code> </code>	cap	Alias of caption <code><caption> </caption></code>
a:mail	<code> </code>	colg	Alias of colgroup <code><colgroup> </colgroup></code>
abbr	<code><abbr title=" " > </abbr></code>	fst, fset	Alias of fieldset <code><fieldset> </fieldset></code>
acronym, acr	<code><acronym title=" " > </acronym></code>	btn	Alias of button <code><button> </button></code>
base	<code><base href=" " /></code>	optg	Alias of optgroup <code><optgroup> </optgroup></code>
basefont	<code><basefont /></code>	tarea	Alias of textarea <code><textarea name=" " id=" " cols="30" rows="10"> </textarea></code>
br	<code>
</code>	leg	Alias of legend <code><legend> </legend></code>
frame	<code><frame /></code>	sect	Alias of section <code><section> </section></code>
hr	<code><hr /></code>	art	Alias of article <code><article> </article></code>
bdo	<code><bdo dir=" " > </bdo></code>	hdr	Alias of header <code><header> </header></code>
bdo:r	<code><bdo dir="rtl" > </bdo></code>	ftr	Alias of footer <code><footer> </footer></code>
bdo:l	<code><bdo dir="ltr" > </bdo></code>	adr	Alias of address <code><address> </address></code>
col	<code><col /></code>	dlg	Alias of dialog <code><dialog> </dialog></code>
link	<code><link rel="stylesheet" href=" " /></code>		
link:css	<code><link rel="stylesheet" href="style.css" /></code>		
link:print	<code><link rel="stylesheet" href="print.css" media="print" /></code>		
link:favicon	<code><link rel="shortcut icon" type="image/x-icon" href="favicon.ico" /></code>		
link:touch	<code><link rel="apple-touch-icon" href="favicon.png" /></code>		
link:rss	<code><link rel="alternate" type="application/rss+xml" title="RSS" href="rss.xml" /></code>		

link:atom
 <link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" />

link:import, link:im
 <link rel="import" href="component.html" />

meta
 <meta />

meta:utf
 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />

meta:win
 <meta http-equiv="Content-Type" content="text/html; charset=windows-1251" />

meta:vp
 <meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0, minimum-scale=1.0" />

meta:compat
 <meta http-equiv="X-UA-Compatible" content="IE=7" />

style
 <style></style>

script
 <script></script>

script:src
 <script src=""></script>

img

img:srcset, img:s

img:sizes, img:z

picture
 <picture></picture>

source, src
 <source />

source:src, src:sc
 <source src="" type="" />

source:srcset, src:s
 <source srcset="" />

source:media, src:m
 <source media="(min-width:)" srcset="" />

source:type, src:t
 <source srcset="" type="image/" />

str
 Alias of strong

prog
 Alias of progress
 <progress></progress>

mn
 Alias of main
 <main></main>

tem
 Alias of template
 <template></template>

datag
 Alias of datagrid
 <datagrid></datagrid>

datal
 Alias of datalist
 <datalist></datalist>

kg
 Alias of keygen
 <keygen />

out
 Alias of output
 <output></output>

det
 Alias of details
 <details></details>

cmd
 Alias of command
 <command />

doc
 Alias of html>
 (head>meta[charset=\${charset}]+title{{1:Document}})+body
 <html>
 <head>
 <meta charset="UTF-8" />
 <title>Document</title>
 </head>
 <body>
 </body>
 </html>

doc4
 Alias of html>(head>meta[http-equiv="Content-Type" content="text/html; charset=\${charset}"+title{{1:Document}}<html><head><meta http-equiv="Content-Type"

```

source:sizes, src:z
  <source sizes="|" srcset="|" />

source:media:type, src:mt
  <source media="(min-width:)" srcset="|" type="
  image/" />

source:media:sizes, src:mz
  <source media="(min-width:)" sizes="|" srcset="|
  " />

source:sizes:type, src:zt
  <source sizes="|" srcset="|" type="image/" />

iframe
  <iframe src="|" frameborder="0">|</iframe>

embed
  <embed src="|" type="|" />

object
  <object data="|" type="|">|</object>

param
  <param name="|" value="|" />

map
  <map name="|">|</map>

area
  <area shape="|" coords="|" href="|" alt="|" />

area:d
  <area shape="default" href="|" alt="|" />

area:c
  <area shape="circle" coords="|" href="|" alt="|" />

area:r
  <area shape="rect" coords="|" href="|" alt="|" />

area:p
  <area shape="poly" coords="|" href="|" alt="|" />

form
  <form action="|">|</form>

form:get
  <form action="|" method="get">|</form>

form:post
  <form action="|" method="post">|</form>

label
  <label for="|">|</label>

input
  <input type="text" />

inp
  <input type="text" name="|" id="|" />

```

```

content="text/html;charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>

```

ri:dpr, ri:d

```

Alias of img:s


```

ri:viewport, ri:v

```

Alias of img:z


```

ri:art, ri:a

```

Alias of pic>src:m+img
<picture>
  <source media="(min-width:)" srcset="|" />
  
</picture>

```

ri:type, ri:t

```

Alias of pic>src:t+img
<picture>
  <source srcset="|" type="image/" />
  
</picture>

```

html:4t

```

Alias of !!!4t+doc4[lang=${lang}]
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html;charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>

```

html:4s

```

Alias of !!!4s+doc4[lang=${lang}]
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html;charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>

```

html:xt

```

Alias of !!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

```

input: hidden, input: h

Alias of input[type=hidden name]

```
<input type="hidden" name="" id="" />
```

input: text, input: t

Alias of inp

```
<input type="text" name="" id="" />
```

input: search

Alias of inp[type=search]

```
<input type="search" name="" id="" />
```

input: email

Alias of inp[type=email]

```
<input type="email" name="" id="" />
```

input: url

Alias of inp[type=url]

```
<input type="url" name="" id="" />
```

input: password, input: p

Alias of inp[type=password]

```
<input type="password" name="" id="" />
```

input: datetime

Alias of inp[type=datetime]

```
<input type="datetime" name="" id="" />
```

input: date

Alias of inp[type=date]

```
<input type="date" name="" id="" />
```

input: datetime-local

Alias of inp[type=datetime-local]

```
<input type="datetime-local" name="" id="" />
```

input: month

Alias of inp[type=month]

```
<input type="month" name="" id="" />
```

input: week

Alias of inp[type=week]

```
<input type="week" name="" id="" />
```

input: time

Alias of inp[type=time]

```
<input type="time" name="" id="" />
```

input: tel

Alias of inp[type=tel]

```
<input type="tel" name="" id="" />
```

input: number

Alias of inp[type=number]

```
<input type="number" name="" id="" />
```

input: color

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html: xs

Alias of !!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=\${lang}]

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html: xxs

Alias of !!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=\${lang}]

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html: 5

Alias of !!!+doc[lang=\${lang}]

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ol+

Alias of ol>li

Alias of inp[type=color]
<input type="color" name="" id="" />

input:checkbox, input:c

Alias of inp[type=checkbox]
<input type="checkbox" name="" id="" />

input:radio, input:r

Alias of inp[type=radio]
<input type="radio" name="" id="" />

input:range

Alias of inp[type=range]
<input type="range" name="" id="" />

input:file, input:f

Alias of inp[type=file]
<input type="file" name="" id="" />

input:submit, input:s

<input type="submit" value="" />

input:image, input:i

<input type="image" src="" alt="" />

input:button, input:b

<input type="button" value="" />

isindex

<isindex />

input:reset

Alias of input:button[type=reset]
<input type="reset" value="" />

select

<select name="" id=""></select>

select:disabled, select:d

Alias of select[disabled.]
<select name="" id="" disabled="disabled"></select>

option, opt

<option value=""></option>

textarea

<textarea name="" id="" cols="30" rows="10"></textarea>

marquee

<marquee behavior="" direction=""></marquee>

menu:context, menu:c

Alias of menu[type=context]>
<menu type="context"></menu>

menu:toolbar, menu:t

Alias of menu[type=toolbar]>

ul+

Alias of ul>li

dl+

Alias of dl>dt+dd
<dl>
 <dt></dt>
 <dd></dd>
</dl>

map+

Alias of map>area
<map name="">
 <area shape="" coords="" href="" alt="" />
</map>

table+

Alias of table>tr>td
<table>
 <tr>
 <td></td>
 </tr>
</table>

colgroup+, colg+

Alias of colgroup>col
<colgroup>
 <col />
</colgroup>

tr+

Alias of tr>td
<tr>
 <td></td>
</tr>

select+

Alias of select>option
<select name="" id="">
 <option value=""></option>
</select>

optgroup+, optg+

Alias of optgroup>option
<optgroup>
 <option value=""></option>
</optgroup>

pic+

Alias of picture>source:srcset+img
<picture>
 <source srcset="" />

</picture>

`<menu type="toolbar">|</menu>`

video

`<video src=""|>|</video>`

audio

`<audio src=""|>|</audio>`

html:xml

`<html xmlns="http://www.w3.org/1999/xhtml">|
</html>`

keygen

`<keygen />`

command

`<command />`

button:submit, button:s, btn:s

Alias of button[type=submit]
`<button type="submit">|</button>`

button:reset, button:r, btn:r

Alias of button[type=reset]
`<button type="reset">|</button>`

button:disabled, button:d, btn:d

Alias of button[disabled.]
`<button disabled="disabled">|</button>`

fieldset:disabled, fieldset:d, fset:d, fst:d

Alias of fieldset[disabled.]
`<fieldset disabled="disabled">|</fieldset>`

bq

Alias of blockquote
`<blockquote>|</blockquote>`

fig

Alias of figure
`<figure>|</figure>`

figc

Alias of figcaption
`<figcaption>|</figcaption>`

`!!!`

`<!DOCTYPE html>`

`!!!4t`

`<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">`

`!!!4s`

`<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">`

`!!!xt`

`<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">`

`!!!xs`

`<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
strict.dtd">`

`!!!xxs`

`<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">`

`c`

`<!-- |${child} -->`

`cc:ie6`

`<!--[if lte IE 6]>
|${child}|
<![endif]-->`

`cc:ie`

`<!--[if IE]>
|${child}|
<![endif]-->`

`cc:noie`

`<!--[if !IE]><!-->
|${child}|
<!--<![endif]-->`

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. `ov:h == ov-h == ovh == oh`.

If abbreviation wasn't found, it is transformed into property name: `foo-bar` → `foo-bar: |;`

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: `-foo`

Visual Formatting

`pos` position: **relative**;

`pos:s` position:static;

Border

`bd` border:|;

`bd+` border: **1px** **solid** **#000**;

pos:a	position:absolute;	bd:n	border:none;
pos:r	position:relative;	bdbk	border-break: close ;
pos:f	position:fixed;	bdbk:c	border-break:close;
t	top: l ;	bdc1	border-collapse: l ;
t:a	top:auto;	bdc1:c	border-collapse:collapse;
r	right: l ;	bdc1:s	border-collapse:separate;
r:a	right:auto;	bdc	border-color:# 000 ;
b	bottom: l ;	bdc:t	border-color:transparent;
b:a	bottom:auto;	bdi	border-image:url(l);
l	left: l ;	bdi:n	border-image:none;
l:a	left:auto;	bdti	border-top-image:url(l);
z	z-index: l ;	bdti:n	border-top-image:none;
z:a	z-index:auto;	bdri	border-right-image:url(l);
fl	float: left ;	bdri:n	border-right-image:none;
fl:n	float:none;	bdbi	border-bottom-image:url(l);
fl:l	float:left;	bdbi:n	border-bottom-image:none;
fl:r	float:right;	bdli	border-left-image:url(l);
cl	clear: both ;	bdli:n	border-left-image:none;
cl:n	clear:none;	bdc1	border-corner-image:url(l);
cl:l	clear:left;	bdc1:n	border-corner-image:none;
cl:r	clear:right;	bdc1:c	border-corner-image:continue;
cl:b	clear:both;	bdtli	border-top-left-image:url(l);
d	display: block ;	bdtli:n	border-top-left-image:none;
d:n	display:none;	bdtli:c	border-top-left-image:continue;
d:b	display:block;	bdtri	border-top-right-image:url(l);
d:f	display:flex;	bdtri:n	border-top-right-image:none;
d:if	display:inline-flex;	bdtri:c	border-top-right-image:continue;
d:i	display:inline;	bdbri	border-bottom-right-image:url(l);
d:ib	display:inline-block;	bdbri:n	border-bottom-right-image:none;
d:li	display:list-item;	bdbri:c	border-bottom-right-image:continue;
d:ri	display:run-in;	bdbli	border-bottom-left-image:url(l);
d:cp	display:compact;	bdbli:n	border-bottom-left-image:none;
d:tb	display:table;	bdbli:c	border-bottom-left-image:continue;
d:itb	display:inline-table;	bdf	border-fit: repeat ;
d:tbc	display:table-caption;	bdf:c	border-fit:clip;
d:tbc1	display:table-column;	bdf:r	border-fit:repeat;
d:tbc1g	display:table-column-group;	bdf:sc	border-fit:scale;
d:tbhg	display:table-header-group;	bdf:st	border-fit:stretch;
d:tbfg	display:table-footer-group;	bdf:ow	border-fit:overwrite;
d:tbr	display:table-row;	bdf:of	border-fit:overflow;

d:tbrg	display:table-row-group;	bdf:sp	border-fit:space;
d:tbc	display:table-cell;	bdlen	border-length: ;
d:rb	display:ruby;	bdlen:a	border-length:auto;
d:rbb	display:ruby-base;	bdsp	border-spacing: ;
d:rbbg	display:ruby-base-group;	bds	border-style: ;
d:rbt	display:ruby-text;	bds:n	border-style:none;
d:rbtg	display:ruby-text-group;	bds:h	border-style:hidden;
v	visibility:hidden;	bds:dt	border-style:dotted;
v:v	visibility:visible;	bds:ds	border-style:dashed;
v:h	visibility:hidden;	bds:s	border-style:solid;
v:c	visibility:collapse;	bds:db	border-style:double;
ov	overflow:hidden;	bds:dtds	border-style:dot-dash;
ov:v	overflow:visible;	bds:dtdtds	border-style:dot-dot-dash;
ov:h	overflow:hidden;	bds:w	border-style:wave;
ov:s	overflow:scroll;	bds:g	border-style:groove;
ov:a	overflow:auto;	bds:r	border-style:ridge;
ovx	overflow-x:hidden;	bds:i	border-style:inset;
ovx:v	overflow-x:visible;	bds:o	border-style:outset;
ovx:h	overflow-x:hidden;	bdw	border-width: ;
ovx:s	overflow-x:scroll;	bdt, bt	border-top: ;
ovx:a	overflow-x:auto;	bdt+	border-top:1px solid #000;
ovy	overflow-y:hidden;	bdt:n	border-top:none;
ovy:v	overflow-y:visible;	bdtw	border-top-width: ;
ovy:h	overflow-y:hidden;	bdt:s	border-top-style: ;
ovy:s	overflow-y:scroll;	bdt:s:n	border-top-style:none;
ovy:a	overflow-y:auto;	bdtc	border-top-color:#000;
ovs	overflow-style:scrollbar;	bdtc:t	border-top-color:transparent;
ovs:a	overflow-style:auto;	bdr, br	border-right: ;
ovs:s	overflow-style:scrollbar;	bdr+	border-right:1px solid #000;
ovs:p	overflow-style:panner;	bdr:n	border-right:none;
ovs:m	overflow-style:move;	bdrw	border-right-width: ;
ovs:mq	overflow-style:marquee;	bdrst	border-right-style: ;
zoo, zm	zoom:1;	bdrst:n	border-right-style:none;
cp	clip: ;	bdr:c	border-right-color:#000;
cp:a	clip:auto;	bdr:c:t	border-right-color:transparent;
cp:r	clip:rect(top right bottom left);	bdb, bb	border-bottom: ;
rsz	resize: ;	bdb+	border-bottom:1px solid #000;
rsz:n	resize:none;	bdb:n	border-bottom:none;
rsz:b	resize:both;	bdbw	border-bottom-width: ;
rsz:h	resize:horizontal;	bdb:s	border-bottom-style: ;

rsz:v	resize:vertical;
cur	cursor:\${pointer};
cur:a	cursor:auto;
cur:d	cursor:default;
cur:c	cursor:crosshair;
cur:ha	cursor:hand;
cur:he	cursor:help;
cur:m	cursor:move;
cur:p	cursor:pointer;
cur:t	cursor:text;

Margin & Padding

m	margin: ;
m:a	margin:auto;
mt	margin-top: ;
mt:a	margin-top:auto;
mr	margin-right: ;
mr:a	margin-right:auto;
mb	margin-bottom: ;
mb:a	margin-bottom:auto;
ml	margin-left: ;
ml:a	margin-left:auto;
p	padding: ;
pt	padding-top: ;
pr	padding-right: ;
pb	padding-bottom: ;
pl	padding-left: ;

Box Sizing

bxz	box-sizing: border-box;
bxz:cb	box-sizing:content-box;
bxz:bb	box-sizing:border-box;
bxsh	box-shadow: inset hoff voff blur color;
bxsh:r	box-shadow: inset hoff voff blur spread rgb(0, 0, 0);
bxsh:ra	box-shadow: inset h v blur spread rgba(0, 0, 0, .5);
bxsh:n	box-shadow:none;
w	width: ;
w:a	width:auto;
h	height: ;

bdbb:n	border-bottom-style:none;
bdbc	border-bottom-color:#000;
bdbc:t	border-bottom-color:transparent;
bdl, bl	border-left: ;
bdl+	border-left:1px solid #000;
bdl:n	border-left:none;
bdlw	border-left-width: ;
bdls	border-left-style: ;
bdls:n	border-left-style:none;
bdlc	border-left-color:#000;
bdlc:t	border-left-color:transparent;
bdrs	border-radius: ;
bdtrrs	border-top-right-radius: ;
bdtlrs	border-top-left-radius: ;
bdbrrs	border-bottom-right-radius: ;
bdbllrs	border-bottom-left-radius: ;

Lists

lis	list-style: ;
lis:n	list-style:none;
lisp	list-style-position: ;
lisp:i	list-style-position:inside;
lisp:o	list-style-position:outside;
list	list-style-type: ;
list:n	list-style-type:none;
list:d	list-style-type:disc;
list:c	list-style-type:circle;
list:s	list-style-type:square;
list:dc	list-style-type:decimal;
list:dclz	list-style-type:decimal-leading-zero;
list:lr	list-style-type:lower-roman;
list:ur	list-style-type:upper-roman;
lisi	list-style-image: ;
lisi:n	list-style-image:none;

Print

pgbb	page-break-before: ;
pgbb:au	page-break-before:auto;
pgbb:a1	page-break-before:always;
pgbb:l	page-break-before:left;
pgbb:r	page-break-before:right;

h:a	height:auto;
maw	max-width: ;
maw:n	max-width:none;
mah	max-height: ;
mah:n	max-height:none;
miw	min-width: ;
mih	min-height: ;

Font

f	font: ;
f+	font: 1em Arial,sans-serif;
fw	font-weight: ;
fw:n	font-weight:normal;
fw:b	font-weight:bold;
fw:br	font-weight:bolder;
fw:lr	font-weight:lighter;
fs	font-style:\${italic};
fs:n	font-style:normal;
fs:i	font-style:italic;
fs:o	font-style:oblique;
fv	font-variant: ;
fv:n	font-variant:normal;
fv:sc	font-variant:small-caps;
fz	font-size: ;
fza	font-size-adjust: ;
fza:n	font-size-adjust:none;
ff	font-family: ;
ff:s	font-family:serif;
ff:ss	font-family:sans-serif;
ff:c	font-family:cursive;
ff:f	font-family:fantasy;
ff:m	font-family:monospace;
ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;
ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
ff:v	font-family: Verdana, Geneva, sans-serif;
fef	font-effect: ;
fef:n	font-effect:none;
fef:eg	font-effect:engrave;
fef:eb	font-effect:emboss;

pgbi	page-break-inside: ;
pgbi:au	page-break-inside:auto;
pgbi:av	page-break-inside:avoid;
pgba	page-break-after: ;
pgba:au	page-break-after:auto;
pgba:al	page-break-after:always;
pgba:l	page-break-after:left;
pgba:r	page-break-after:right;
orp	orphans: ;
wid	widows: ;

Others

!	!important
@f	@font-face { font-family: ; src:url(); }
@f+	@font-face { font-family: ' FontName'; src: url(' FileName .eot'); src: url(' FileName .eot?#iefix') format('embedded-opentype'), url(' FileName .woff') format('woff'), url(' FileName .ttf') format('truetype'), url(' FileName .svg# FontName ') format('svg'); font-style: normal; font-weight: normal; }
@i, @import	@import url();
@kf	@-webkit-keyframes identifier { from { } to { } } @-o-keyframes identifier { from { } to { } } @-moz-keyframes identifier { from { } to { } } @keyframes identifier { from { } to { } }
@m, @media	@media screen { }
ac	align-content: ;
ac:c	align-content:center;
ac:fe	align-content:flex-end;
ac:fs	align-content:flex-start;

fef:o	font-effect:outline;	ac:s	align-content:stretch;
fem	font-emphasize: ;	ac:sa	align-content:space-around;
femp	font-emphasize-position: ;	ac:sb	align-content:space-between;
femp:b	font-emphasize-position:before;	ai	align-items: ;
femp:a	font-emphasize-position:after;	ai:b	align-items:baseline;
fems	font-emphasize-style: ;	ai:c	align-items:center;
fems:n	font-emphasize-style:none;	ai:fe	align-items:flex-end;
fems:ac	font-emphasize-style:accent;	ai:fs	align-items:flex-start;
fems:dt	font-emphasize-style:dot;	ai:s	align-items:stretch;
fems:c	font-emphasize-style:circle;	anim	animation: ;
fems:ds	font-emphasize-style:disc;	anim-	animation:name duration timing-function delay iteration-count direction fill-mode;
fsm	font-smooth: ;	animdel	animation-delay:time;
fsm:a	font-smooth:auto;	animdir	animation-direction:normal;
fsm:n	font-smooth:never;	animdir:a	animation-direction:alternate;
fsm:aw	font-smooth:always;	animdir:ar	animation-direction:alternate-reverse;
fst	font-stretch: ;	animdir:n	animation-direction:normal;
fst:n	font-stretch:normal;	animdir:r	animation-direction:reverse;
fst:uc	font-stretch:ultra-condensed;	animdur	animation-duration:0s;
fst:ec	font-stretch:extra-condensed;	animfm	animation-fill-mode:both;
fst:c	font-stretch:condensed;	animfm:b	animation-fill-mode:backwards;
fst:sc	font-stretch:semi-condensed;	animfm:bt, animfm:bh	animation-fill-mode:both;
fst:se	font-stretch:semi-expanded;	animfm:f	animation-fill-mode:forwards;
fst:e	font-stretch:expanded;	animic	animation-iteration-count:1;
fst:ee	font-stretch:extra-expanded;	animic:i	animation-iteration-count:infinite;
fst:ue	font-stretch:ultra-expanded;	animn	animation-name:none;
Text		animps	animation-play-state:running;
va	vertical-align:top;	animps:p	animation-play-state:paused;
va:sup	vertical-align:super;	animps:r	animation-play-state:running;
va:t	vertical-align:top;	animtf	animation-timing-function:linear;
va:tt	vertical-align:text-top;	animtf:cb	animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);
va:m	vertical-align:middle;	animtf:e	animation-timing-function:ease;
va:bl	vertical-align:baseline;	animtf:ei	animation-timing-function:ease-in;
va:b	vertical-align:bottom;	animtf:eio	animation-timing-function:ease-in-out;
va:tb	vertical-align:text-bottom;	animtf:eo	animation-timing-function:ease-out;
va:sub	vertical-align:sub;	animtf:l	animation-timing-function:linear;
ta	text-align:left;	ap	appearance:\${none};
ta:l	text-align:left;	as	align-self: ;
ta:c	text-align:center;		
ta:r	text-align:right;		
ta:j	text-align:justify;		

ta-lst	text-align-last: !;	as:a	align-self:auto;
ta:l:a	text-align-last:auto;	as:b	align-self:baseline;
ta:l:l	text-align-last:left;	as:c	align-self:center;
ta:l:c	text-align-last:center;	as:fe	align-self:flex-end;
ta:l:r	text-align-last:right;	as:fs	align-self:flex-start;
td	text-decoration:none;	as:s	align-self:stretch;
td:n	text-decoration:none;	bfv	backface-visibility: !;
td:u	text-decoration:underline;	bfv:h	backface-visibility:hidden;
td:o	text-decoration:overline;	bfv:v	backface-visibility:visible;
td:l	text-decoration:line-through;	bg:ie	filter:progid:DXImageTransform.Microsoft. x.png',sizingMethod='crop');
te	text-emphasis: !;	cm	/* \${child} */
te:n	text-emphasis:none;	colm	columns: !;
te:ac	text-emphasis:accent;	colmc	column-count: !;
te:dt	text-emphasis:dot;	colmf	column-fill: !;
te:c	text-emphasis:circle;	colmg	column-gap: !;
te:ds	text-emphasis:disc;	colmr	column-rule: !;
te:b	text-emphasis:before;	colmrc	column-rule-color: !;
te:a	text-emphasis:after;	colmrs	column-rule-style: !;
th	text-height: !;	colmrw	column-rule-width: !;
th:a	text-height:auto;	colms	column-span: !;
th:f	text-height:font-size;	colmw	column-width: !;
th:t	text-height:text-size;	d:ib+	display: inline-block; *display: inline; *zoom: 1;
th:m	text-height:max-size;	fx	flex: !;
ti	text-indent: !;	fxb	flex-basis: !;
ti:-	text-indent:-9999px;	fxd	flex-direction: !;
tj	text-justify: !;	fxd:c	flex-direction:column;
tj:a	text-justify:auto;	fxd:cr	flex-direction:column-reverse;
tj:iw	text-justify:inter-word;	fxd:r	flex-direction:row;
tj:ii	text-justify:inter-ideograph;	fxd:rr	flex-direction:row-reverse;
tj:ic	text-justify:inter-cluster;	fxf	flex-flow: !;
tj:d	text-justify:distribute;	fxg	flex-grow: !;
tj:k	text-justify:kashida;	fxsh	flex-shrink: !;
tj:t	text-justify:tibetan;	fxw	flex-wrap: !;
to	text-outline: !;	fxw:n	flex-wrap:nowrap;
to+	text-outline: 0 0 #000;	fxw:w	flex-wrap:wrap;
to:n	text-outline:none;	fxw:wr	flex-wrap:wrap-reverse;
tr	text-replace: !;	jc	justify-content: !;
tr:n	text-replace:none;	jc:c	justify-content:center;
tt	text-transform:uppercase;		
tt:n	text-transform:none;		

tt:c	text-transform:capitalize;	jc:fe	justify-content:flex-end;
tt:u	text-transform:uppercase;	jc:fs	justify-content:flex-start;
tt:l	text-transform:lowercase;	jc:sa	justify-content:space-around;
tw	text-wrap: ;	jc:sb	justify-content:space-between;
tw:n	text-wrap:normal;	mar	max-resolution:res;
tw:no	text-wrap:none;	mir	min-resolution:res;
tw:u	text-wrap:unrestricted;	op+	opacity: ;
tw:s	text-wrap:suppress;		filter: alpha(opacity=);
tsh	text-shadow:hoff voff blur #000;	op:ie	filter:progid:DXImageTransform.Microsoft
tsh:r	text-shadow:h v blur rgb(0, 0, 0);	op:ms	-ms-
tsh:ra	text-shadow:h v blur rgba(0, 0, 0, .5);		filter:'progid:DXImageTransform.Micros
tsh+	text-shadow:0 0 0 #000;	ord	order: ;
tsh:n	text-shadow:none;	ori	orientation: ;
lh	line-height: ;	ori:l	orientation:landscape;
lts	letter-spacing: ;	ori:p	orientation:portrait;
lts-n	letter-spacing:normal;	tov	text-overflow:\${ellipsis};
whs	white-space: ;	tov:c	text-overflow:clip;
whs:n	white-space:normal;	tov:e	text-overflow:ellipsis;
whs:p	white-space:pre;	trf	transform: ;
whs:nw	white-space:nowrap;	trf:r	transform: rotate(angle);
whs:pw	white-space:pre-wrap;	trf:rx	transform: rotateX(angle);
whs:pl	white-space:pre-line;	trf:ry	transform: rotateY(angle);
whsc	white-space-collapse: ;	trf:rz	transform: rotateZ(angle);
whsc:n	white-space-collapse:normal;	trf:sc	transform: scale(x, y);
whsc:k	white-space-collapse:keep-all;	trf:sc3	transform: scale3d(x, y, z);
whsc:l	white-space-collapse:loose;	trf:scx	transform: scaleX(x);
whsc:bs	white-space-collapse:break-strict;	trf:scy	transform: scaleY(y);
whsc:ba	white-space-collapse:break-all;	trf:scz	transform: scaleZ(z);
wob	word-break: ;	trf:skx	transform: skewX(angle);
wob:n	word-break:normal;	trf:sky	transform: skewY(angle);
wob:k	word-break:keep-all;	trf:t	transform: translate(x, y);
wob:ba	word-break:break-all;	trf:t3	transform: translate3d(tx, ty, tz);
wos	word-spacing: ;	trf:tx	transform: translateX(x);
wow	word-wrap: ;	trf:ty	transform: translateY(y);
wow:nm	word-wrap:normal;	trf:tz	transform: translateZ(z);
wow:n	word-wrap:none;	trfo	transform-origin: ;
wow:u	word-wrap:unrestricted;	trfs	transform-style:preserve-3d;
wow:s	word-wrap:suppress;	trs	transition:prop time;
		trsde	transition-delay:time;
		trsdur	transition-duration:time;
		trsp	transition-property:prop;

wow:b word-wrap:break-word;

Background

bg background:#000;

bg+ background:#fff url() 0 0 no-repeat;

bg:n background:none;

bgc background-color:#fff;

bgc:t background-color:transparent;

bgi background-image:url();

bgi:n background-image:none;

bgr background-repeat: ;

bgr:n background-repeat:no-repeat;

bgr:x background-repeat:repeat-x;

bgr:y background-repeat:repeat-y;

bgr:sp background-repeat:space;

bgr:rd background-repeat:round;

bg a background-attachment: ;

bg a:f background-attachment:fixed;

bg a:s background-attachment:scroll;

bgp background-position: 0 0;

bgpx background-position-x: ;

bgpy background-position-y: ;

gbk background-break: ;

gbk:bb background-break:bounding-box;

gbk:eb background-break:each-box;

gbk:c background-break:continuous;

bgcp background-clip: padding-box ;

bgcp:bb background-clip:border-box;

bgcp:pb background-clip:padding-box;

bgcp:cb background-clip:content-box;

bgcp:nc background-clip:no-clip;

bgo background-origin: ;

bgo:pb background-origin:padding-box;

bgo:bb background-origin:border-box;

bgo:cb background-origin:content-box;

bgsz background-size: ;

bgsz:a background-size:auto;

bgsz:ct background-size:contain;

bgsz:cv background-size:cover;

trstf transition-timing-function: tfunc ;

us user-select:\${none};

wfsm -webkit-font-smoothing:\${antialiased};

wfsm:a -webkit-font-smoothing:antialiased;

wfsm:n -webkit-font-smoothing:none;

wfsm:s, wfsm:sa -webkit-font-smoothing:subpixel-antialiased;

wm writing-mode: lr-tb ;

wm:btl writing-mode:bt-lr;

wm:btr writing-mode:bt-rl;

wm:lrb writing-mode:lr-bt;

wm:lrt writing-mode:lr-tb;

wm:rlb writing-mode:rl-bt;

wm:rlt writing-mode:rl-tb;

wm:tbl writing-mode:tb-lr;

wm:tbr writing-mode:tb-rl;

Color


```
c          color:#000;
c:r        color:rgb(0, 0, 0);
c:ra       color:rgba(0, 0, 0, .5);
op         opacity:1;
```

Generated content

```
cnt        content:'!';
cnt:n, ct:n content:normal;
cnt:oq, ct:oq content:open-quote;
cnt:noq, ct:noq content:no-open-quote;
cnt:cq, ct:cq content:close-quote;
cnt:ncq, ct:ncq content:no-close-quote;
cnt:a, ct:a content:attr(!);
cnt:c, ct:c content:counter(!);
cnt:cs, ct:cs content:counters(!);
ct         content:1;
q         quotes:1;
q:n        quotes:none;
q:ru       quotes:'\00AB' '\00BB' '\201E'
           '\201C';
q:en       quotes:'\201C' '\201D' '\2018'
           '\2019';
coi        counter-increment:1;
cor        counter-reset:1;
```

Outline

```
ol         outline:1;
ol:n        outline:none;
olo        outline-offset:1;
olw        outline-width:1;
olw:tn      outline-width:thin;
olw:m       outline-width:medium;
olw:tc      outline-width:thick;
ols         outline-style:1;
ols:n       outline-style:none;
ols:dt      outline-style:dotted;
ols:ds      outline-style:dashed;
ols:s       outline-style:solid;
ols:db      outline-style:double;
ols:g       outline-style:groove;
ols:r       outline-style:ridge;
ols:i       outline-style:inset;
```

ols:o	outline-style:outset;
olc	outline-color:#000;
olc:i	outline-color:invert;

Tables

tbl	table-layout:l;
tbl:a	table-layout:auto;
tbl:f	table-layout:fixed;
cps	caption-side:l;
cps:t	caption-side:top;
cps:b	caption-side:bottom;
ec	empty-cells:l;
ec:s	empty-cells:show;
ec:h	empty-cells:hide;

XSL

tm
match, tm

```
<xsl:template match="|" mode="|"></xsl:template>
```

tn
tname, tn

```
<xsl:template name="|"></xsl:template>
```

call

```
<xsl:call-template name="|" />
```

ap

```
<xsl:apply-templates select="|" mode="|" />
```

api

```
<xsl:apply-imports />
```

imp

```
<xsl:import href="|" />
```

inc

```
<xsl:include href="|" />
```

ch

```
<xsl:choose>|</xsl:choose>
```

xsl:when, wh

```
<xsl:when test="|">|</xsl:when>
```

ot

```
<xsl:otherwise>|</xsl:otherwise>
```

co

```
<xsl:copy-of select="|" />
```

val

```
<xsl:value-of select="|" />
```

each, for

```
<xsl:for-each select="|">|</xsl:for-each>
```

tex

```
<xsl:text>|</xsl:text>
```

com

```
<xsl:comment>|</xsl:comment>
```

msg

```
<xsl:message terminate="no">|</xsl:message>
```

fall

```
<xsl:fallback>|</xsl:fallback>
```

num

```
<xsl:number value="|" />
```

nam

```
<namespace-alias stylesheet-prefix="|" result-prefix="|" />
```

pres

```
<xsl:preserve-space elements="|" />
```

```

if
  <xsl:if test="|">|</xsl:if>

par
  <xsl:param name="|">|</xsl:param>

pare
  <xsl:param name="|" select="|" />

var
  <xsl:variable name="|">|</xsl:variable>

vare
  <xsl:variable name="|" select="|" />

wp
  <xsl:with-param name="|" select="|" />

key
  <xsl:key name="|" match="|" use="|" />

elem
  <xsl:element name="|">|</xsl:element>

attr
  <xsl:attribute name="|">|</xsl:attribute>

attrs
  <xsl:attribute-set name="|">|</xsl:attribute-set>

cp
  <xsl:copy select="|" />

```

```

strip
  <xsl:strip-space elements="|" />

proc
  <xsl:processing-instruction name="|">|
</xsl:processing-instruction>

```

```

sort
  <xsl:sort select="|" order="|" />

```

```

choose+
  Alias of xsl:choose>xsl:when+xsl:otherwise
  <xsl:choose>
    <xsl:when test="|">|</xsl:when>
    <xsl:otherwise>|</xsl:otherwise>
  </xsl:choose>

```

```

xsl
  Alias of !!!+xsl:stylesheet[version=1.0
xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>{
|}
  <?xml version="1.0" encoding="UTF-8"?>
  <xsl:stylesheet version="1.0"
xmlns:xsl="http://www.w3.org/1999/XSL/Transform">|
</xsl:stylesheet>

```

```

!!!
  <?xml version="1.0" encoding="UTF-8"?>

```