

Upvotes

Anonymous 17

User 1

VueJS Quick Reference

By jasonj

Feb 6, 2016 04:16

Here's the content below, in a PDF cheatsheet:

Download vuejs-reference.pdf

HTML Example

Here is some sample HTML code that demonstrates basic syntax for <u>events</u>, <u>directives</u>, and <u>data binding</u>.

```
<div id="my-container"> <input type="text" @keyup.enter="onSubmit" v-m
odel="firstName"/> <button @click="onSubmit">Submit</button> {{myValue}
}} </div>
```

JavaScript Example

Here is some JavaScript code that shows how to setup <u>method handlers</u> and <u>bind data</u>. The *onSubmit* method is called when the button above is clicked, or when the <enter> key is pressed in the input box.

```
new Vue ({ el: '#my-container', methods: { onSubmit: function (evt) {
  alert(this.firstName); var button = evt.target; } }, data: { firstName
  : '', myValue: 5 } });
```

Key Aliases

Detect when a certain key is pressed with these <u>key modifiers</u>:

delete, down, enter, esc, left, right, space, tab, up, and single letters

```
(a,b,c,d...).
```

Example: How can I detect the <enter> key in an input box?

```
<input type="text" @keyup.enter="onSubmit" v-model="firstName"/>
```

Event Modifiers

```
<a @click.stop.prevent="onEdit"></a>
```

Conveniently call stopPropagation and/or preventDefault. See docs.

CSS Transitions

```
<div v-show="myBool" transition="grow"></div>
```

Then define CSS classes: grow-transition, grow-enter, grow-leave

Filters

Common filters include: capitalize, debounce, currency, filterBy, json, limitBy, lowercase, orderBy, pluralize, and uppercase.

Show 5 Users

```
v-for="u in users | limitBy 5">
```

Order by ID, descending

```
v-for="u in users | orderBy 'id' -1">
```

Debounce events

```
<input @mousedown="onMouseDown | debounce 300"/>
```

Show users with names containing <mysearch>

Directives

Show the <div> (or not)

```
<div v-show="myBool"></div>
```

Render the <div> (or not)

```
<div v-if="myBool"></div> <div v-else></div>
```

List rendering

```
v-for="u in users"> {{u.name}}{{$index}}
```

Set CSS classes

```
<div :class="errorClasses"></div>
```

Toggle CSS classes on an element from JavaScript (See docs):

```
data: { errorClasses: { 'bold-text': true, 'err-text': true } }
```

Hide until VueJS compile done

```
<div v-cloak></div>
```

Prevent the page from showing your content before it's rendered by VueJS. See docs.

Don't perform VueJS compile


```
<div v-pre></div>
```

Tell VueJS to not parse a certain section of code. See docs.


Get a DOM element (this.\$els.myspan)

```
<span v-el:myspan></span>
```

Reference DOM elements inside your VueJS methods. <u>See docs</u>.



Comments



Very good stuff to help the vuejser!

Submit

Leave a Comment	
Type your comment here	
* Show HTML formatting tips. Add code (optional)	
What color is the sky on a sunny day? (blue) (spam prevention)	

☐ I agree to the <u>Terms of Service</u>

Most Popular

CEF Tutorials

Simple VIM Reference

STComboBox: A Lightweight jQuery Combo Box

How to Install Spacemacs on Windows

Spacemacs Tutorials

Spacemacs (Vim mode) Cheatsheet

How to Create an Executable from Python 3 Code using py2exe

Stay Connected

Email address

Submit

Be the first to find out about new articles, promotions, and exclusive lessons.

Topics

CherryPy

Chromium Embedded Framework

CSS

Git

HTML

JavaScript

jQuery

Python

Spacemacs

VueJS

Questions? Want to get in touch?





Recent Posts

How to debug Python code using PDB++

VueJS

How to resolve "Undeclared variable or function 'module'" error thrown by js2-mode in Spacemacs Spacemacs (Vim mode) Cheatsheet

Spacemacs Tutorials

How to install Exuberant Ctags on Ubuntu 14

How to edit your Projectile projects list in Spacemacs on Windows

Advertise with Us Contact Terms of Use

Design © 2015, Downranked, LLC.,
Original user code contributions under MIT License