

UNIVERSITAT POLITÈCNICA DE CATALUNYA

School of Professional & Executive Development

Postgrado en

Mobile Apps Design

EVENT LISTENERS AND INPUT METHOD

Juan Luis Gorricho

EVENT LISTENERS

- To catch the events generated by any View we must program an event listener and register that listener to the View.
- To do that we must program the necessary methods of the interfaces View.OnxxxListener defined for the View class and/or other Listeners defined by classes extending from View, like in:
  - View.OnClickListener: onClick()
  - View.OnLongClickListener: onLongClick()
  - View.OnTouchListener: onTouch()

SPECIFYING THE INPUT METHOD TYPE

- You should always declare the input method for your text fields by adding the android:inputType attribute to the <EditText> element: android:inputType="phone".
- You can combine different behaviors and input method styles with the android:inputType attribute: android:inputType= "textCapSentences|textAutoCorrect".
- Most soft input methods provide a user action button at the bottom-right corner that's appropriate for the current text field. By default, the system uses this button for either a **Next** or **Done** action, unless your text field allows multi-line text (such as with android:inputType = "textMultiLine").

SOFT-KEYBOARD VISIBILITY

- When input focus moves into or out of an editable text field, Android shows or hides the on-screen keyboard as appropriate.
- In some cases though, you might want to more directly control the visibility of the input method. You can use the InputMethodManager to show/hide it by code.
- When the input method appears on the screen, it reduces the amount of space available for your app's UI. To declare your preferred treatment in an activity, use the android:windowSoftInputMode attribute in your manifest's <activity> element with one of the "adjust" values.

EXERCISE

- Try to understand the composition of the layout: **e_messages**
- Try to understand the coding of the method setup_input_text() at activity: **e_MessagesActivity**