Sergio Martínez Sanz

Swimming DataBase

Swimmer:

Column	Data Type	Key	Description
SwimmerName	TEXT	**PK**	Full name of the swimmer
Year	TEXT		School year of the swimmer
Gender	TEXT		Gender (M/F)
Hometown	TEXT		City of origin
Team	TEXT	**FK** → Team(TeamName)	Swimmer's team

Team:

Column	Data Type	Key	Description
TeamName	TEXT	**PK**	Team identifier
City	TEXT		Team location
League	TEXT		League name
Division	TEXT		Competition division
CoachName	TEXT		Coach name

Event:

Column	Data Type	Key	Description
EventName	TEXT	**PK**	Event identifier (e.g., 100 Free)
Distance	INTEGER		Distance in yards
Stroke	TEXT		Stroke type (Free, Fly, Back, Breast, IM)

Meet:

Column	Data Type	Key	Description
MeetName	TEXT	**PK**	Name of the meet
Type	TEXT		Type of meet (duel, championship, etc.)
Place	TEXT		Location of the pool
Date	DATE		Date of the meet

Performance:

Column	Data Type	Key	Description
SwimmerName	TEXT	**FK** → Swimmer(SwimmerName)	Swimmer identifier
EventName	TEXT	**FK** → Event(EventName)	Event identifier
MeetName	TEXT	**FK** → Meet(MeetName)	Meet identifier
Time	VARCHAR(8)		Swim time (MM:SS.CC)
Position	INTEGER		Finishing position
StrokeCountPerLap	INTEGER		Number of strokes per lap
UWKicksPerLap	INTEGER		Number of underwater kicks per lap
BreathsPerLap	INTEGER		Number of breaths per lap (optional)
Primary Key: (SwimmerName, EventName, MeetName)			Composite key

Injury:

Column	Data Type	Key	Description
Injury_id	TEXT	**PK**	ID of the injury
Swimmer_name	TEXT	FK	Swimmer that has the injury
Injury_type	TEXT		The injury
Start_date	DATE		When the injury happened
Severity	TEXT		How bad/important the injury is
Notes	TEXT		Notes from the doctor

Sergio Martínez Sanz



Sergio Martínez Sanz

Summary:

This data model represents the structure of the University Swim Team database.
The *Swimmer*, *Event*, *Meet*, and *Team* entities describe the main elements of the system, while *Performance* serves as a bridge entity connecting them.
Each performance records a swimmer's result for a specific event in a particular meet.
The relationships shown in the ER diagram reflect 1:M and M:N dependencies, normalized to avoid redundancy.