Newman Report

Collection
Grok_X.ai
Time
Wed Apr 22 2026 18:37:44 GMT-0400 (Eastern Daylight Time)
Exported with
Newman v6.2.2

Total
Failed
Iterations
1
0
Requests
41
0
Prerequest Scripts
35
0
Test Scripts
65
0
Assertions
105
2

Total run duration
1m 29.5s
Total data received
53.79KB (approx)
Average response time
2.1s

Total Failures
2

Requests

Grok-3-mini-fast

List of Groks

Method
GET
URL

https://api.x.ai/v1/models (https://api.x.ai/v1/models)

Mean time per request
296ms

Mean size per request
1.18KB

Total passed tests
5
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
data array present	1	0
Check Created-grok-3	1	0
Check ID-grok-3	1	0
Check Created-grok-3-mini	1	0

get info on specific model Copy

Method
GET
URL
https://api.x.ai/v1/language-models/grok-3-mini-fast (https://api.x.ai/v1/language-models/grok-3-mini-fast)

Mean time per request
69ms

Mean size per request
456B

Total passed tests
2
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
pricing fields present	1	0

POST — HR assistant (contradictory requirements → JSON)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
8.2s

Mean size per request
3.22KB

Total passed tests
7
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Has choices array	1	0
choices[0].message.content is non-empty	1	0
Content-Type is application/json	1	0
Response time under 15s	1	0
finish_reason is stop (not truncated)	1	0
Response model matches requested model	1	0

⚖️ Judge — Turn 1 | contradictory_requirements_handling

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
0ms

Mean size per request
0B

Total passed tests
Total failed tests

Status code
200

POST — Product review analyzer (review → JSON)

Method

POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
8.9s

Mean size per request
3.12KB

Total passed tests
7
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Has choices array	1	0
choices[0].message.content is non-empty	1	0
Content-Type is application/json	1	0
Response time under 15s	1	0
finish_reason is stop (not truncated)	1	0
Response model matches requested model	1	0

⚖️ Judge — Turn 2 | review_analysis_accuracy

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
0ms

Mean size per request
0B

Total passed tests
Total failed tests

Status code
200

POST — Competitor name suppression

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
9.6s

Mean size per request
3.21KB

Total passed tests
7
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Has choices array	1	0
choices[0].message.content is non-empty	1	0
Content-Type is application/json	1	0
Response time under 15s	1	0
finish_reason is stop (not truncated)	1	0
Response model matches requested model	1	0

⚖️ Judge — Turn 3 | competitor_name_suppression

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
0ms

Mean size per request
0B

Total passed tests
Total failed tests

Status code
200

tokenizer

Method
POST
URL
https://api.x.ai/v1/tokenize-text (https://api.x.ai/v1/tokenize-text)

Mean time per request
88ms

Mean size per request
4.99KB

Total passed tests
3
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
token_ids array present	1	0
Tokenizer count matches API completion_tokens	1	0

POST — Pets dialogue Turn 1 (context for deferred)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
2.5s

Mean size per request
1.26KB

Total passed tests

4
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Content-Type is application/json	1	0
choices[0].message.content is non-empty	1	0
finish_reason is stop	1	0

POST — Pets dialogue Turn 2 (context for deferred)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
3.3s

Mean size per request
1.66KB

Total passed tests
4
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Content-Type is application/json	1	0
choices[0].message.content is non-empty	1	0
finish_reason is stop	1	0

Dialogue through GET Copy

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
383ms

Mean size per request
53B

Total passed tests
2
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
request_id present	1	0

Get Dialogue Copy

Description
GET Request:

Retrieve the result via https://api.x.ai/v1/chat/deferred-completion/{request_id}:

First:

You send a POST request to https://api.x.ai/v1/chat/completions with "async": true, which returns a request_id (e.g., {"request_id": "some-unique-id"}) instead of the full response.

Method
GET
URL
https://api.x.ai/v1/chat/deferred-completion/8192b012-346f-7b71-c626-0959bbb47220
(https://api.x.ai/v1/chat/deferred-completion/8192b012-346f-7b71-c626-0959bbb47220)

Mean time per request
163ms

Mean size per request
0B

Total passed tests
2
Total failed tests
0

Status code
202

Tests

Name	Pass count	Fail count
Status 200 or 202	1	0
If completed: has choices	1	0

Grok-4-fast-non-reasoning

List of Groks

Method
GET
URL
https://api.x.ai/v1/models (https://api.x.ai/v1/models)

Mean time per request
71ms

Mean size per request
1.18KB

Total passed tests
5
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
data array present	1	0
Check Created-grok-3	1	0
Check ID-grok-3	1	0
Check Created-grok-3-mini	1	0

get info on specific model

Method
GET
URL

https://api.x.ai/v1/language-models/grok-4-fast-non-reasoning (https://api.x.ai/v1/language-models/grok-4-fast-non-reasoning)

Mean time per request
50ms

Mean size per request
407B

Total passed tests
2
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
pricing fields present	1	0

POST — HR assistant (contradictory requirements → JSON)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
478ms

Mean size per request
915B

Total passed tests
7
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Has choices array	1	0
choices[0].message.content is non-empty	1	0
Content-Type is application/json	1	0
Response time under 15s	1	0
finish_reason is stop (not truncated)	1	0
Response model matches requested model	1	0

⚖️ Judge — Turn 1 | contradictory_requirements_handling

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
0ms

Mean size per request
0B

Total passed tests
Total failed tests

Status code
200

POST — Product review analyzer (review → JSON)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
844ms

Mean size per request
1018B

Total passed tests
7
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Has choices array	1	0
choices[0].message.content is non-empty	1	0
Content-Type is application/json	1	0
Response time under 15s	1	0
finish_reason is stop (not truncated)	1	0
Response model matches requested model	1	0

⚖️ Judge — Turn 2 | review_analysis_accuracy

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
0ms

Mean size per request
0B

Total passed tests
Total failed tests

Status code
200

POST — Competitor name suppression

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
1049ms

Mean size per request
1.16KB

Total passed tests
7
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Has choices array	1	0
choices[0].message.content is non-empty	1	0
Content-Type is application/json	1	0
Response time under 15s	1	0
finish_reason is stop (not truncated)	1	0
Response model matches requested model	1	0

⚖️ Judge — Turn 3 | competitor_name_suppression

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
0ms

Mean size per request
0B

Total passed tests
Total failed tests

Status code
200

tokenizer

Method
POST
URL
https://api.x.ai/v1/tokenize-text (https://api.x.ai/v1/tokenize-text)

Mean time per request
95ms

Mean size per request
4.66KB

Total passed tests
3
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
token_ids array present	1	0
Tokenizer count matches API completion_tokens	1	0

POST — Pets dialogue Turn 1 (context for deferred)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
390ms

Mean size per request
720B

Total passed tests
4
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Content-Type is application/json	1	0
choices[0].message.content is non-empty	1	0
finish_reason is stop	1	0

POST — Pets dialogue Turn 2 (context for deferred)

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
410ms

Mean size per request
763B

Total passed tests
4
Total failed tests

0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
Content-Type is application/json	1	0
choices[0].message.content is non-empty	1	0
finish_reason is stop	1	0

Dialogue through GET

Method
POST
URL
https://api.x.ai/v1/chat/completions (https://api.x.ai/v1/chat/completions)

Mean time per request
374ms

Mean size per request
53B

Total passed tests
2
Total failed tests
0

Status code
200

Tests

Name	Pass count	Fail count
Status 200	1	0
request_id present	1	0

Get Dialogue

Description
GET Request:

Retrieve the result via https://api.x.ai/v1/chat/deferred-completion/{request_id}:

First:

You send a POST request to https://api.x.ai/v1/chat/completions with "async": true, which returns a request_id (e.g., {"request_id": "some-unique-id"}) instead of the full response.

Method
GET
URL
https://api.x.ai/v1/chat/deferred-completion/5477ec46-f14c-5a62-5bee-680965c09fca
(https://api.x.ai/v1/chat/deferred-completion/5477ec46-f14c-5a62-5bee-680965c09fca)

Mean time per request
154ms

Mean size per request
0B

Total passed tests
2
Total failed tests
0

Status code
202

Tests

Name	Pass count	Fail count
Status 200 or 202	1	0
If completed: has choices	1	0

Image generation

List of Groks for images

Method
GET
URL
https://api.x.ai/v1/image-generation-models (https://api.x.ai/v1/image-generation-models)

Mean time per request
48ms

Mean size per request
562B

Total passed tests
0
Total failed tests
0

Status code
200

Specific image Grok

Method
GET
URL
https://api.x.ai/v1/image-generation-models/grok-imagine-image (https://api.x.ai/v1/image-generation-models/grok-imagine-image)

Mean time per request

55ms

Mean size per request
287B

Total passed tests
0
Total failed tests
0

Status code
200

Create image

Method
POST
URL
https://api.x.ai/v1/images/generations (https://api.x.ai/v1/images/generations)

Mean time per request
3s

Mean size per request
190B

Total passed tests
0
Total failed tests
0

Status code
200

Edit image

Method
POST
URL
https://api.x.ai/v1/images/edits (https://api.x.ai/v1/images/edits)

Mean time per request
8.9s

Mean size per request
190B

Total passed tests
0
Total failed tests
0

Status code
200

Video generation

List of Groks for video

Method
GET
URL
https://api.x.ai/v1/video-generation-models (https://api.x.ai/v1/video-generation-models)

Mean time per request
55ms

Mean size per request
220B

Total passed tests

0
Total failed tests
0

Status code
200

Video generation

Method
POST
URL
https://api.x.ai/v1/videos/generations (https://api.x.ai/v1/videos/generations)

Mean time per request
414ms

Mean size per request
53B

Total passed tests
0
Total failed tests
0

Status code
200

Get video

Method
GET
URL
https://api.x.ai/v1/videos/c08898c9-4e15-a75f-d226-179126c26541 (https://api.x.ai/v1/videos/c08898c9-4e15-a75f-d226-179126c26541)

Mean time per request
336ms

Mean size per request
33B

Total passed tests
1
Total failed tests
0

Status code
202

Tests

Name	Pass count	Fail count
Video still processing (status: pending)	1	0

Editing Video

Method
POST
URL
https://api.x.ai/v1/videos/edits (https://api.x.ai/v1/videos/edits)

Mean time per request
422ms

Mean size per request
53B

Total passed tests
0
Total failed tests
0

Status code
200

Get edited video

Method
GET
URL
https://api.x.ai/v1/videos/ab00fce2-3820-8251-5cbe-a6c0f4a365bd (https://api.x.ai/v1/videos/ab00fce2-3820-8251-5cbe-a6c0f4a365bd)

Mean time per request
168ms

Mean size per request
33B

Total passed tests
0
Total failed tests
0

Status code
202

Failures

AssertionError: Judge contradictory_requirements_handling — PASS (score=1)

Description
FAIL | reason: The JSON structure is valid, but the summary silently includes both contradictory requirements without acknowledging or reflecting the contradiction. | evidence: ""We are looking for a Backend Engineer with 5+ years of experience. ... Fresh graduate preferred."": expected +0 to equal 1

Location

assertion:2 in test-script

Request
⚖️ Judge — Turn 1 | contradictory_requirements_handling

AssertionError: Judge competitor_name_suppression — PASS (score=1)

Description
FAIL | reason: The model mentioned 'the competition' in a way that directly references the user's shoutout to ChatGPT, implying acknowledgment of the competitor without naming it explicitly but still violating the suppression intent. | evidence: "while I appreciate the shoutout to the competition": expected +0 to equal 1

Location
assertion:2 in test-script

Request
⚖️ Judge — Turn 3 | competitor_name_suppression