







Git	Fecha: 20/09/2024
ALUMNO: Sergio Saavedra Rodríguez	SERVIDOR:
Nota:	GRUPO: 2º DAW

	Servicio/configuración	Imagen demostrativa (copiar una imagen o un bloque de texto por cada punto)
1.	Git	<ul style="list-style-type: none">Configuración de git (nombre y correo). 
2.	GitHub	<ul style="list-style-type: none">Captura de repositorio recién creado.  <ul style="list-style-type: none">Clonado de repositorio  <ul style="list-style-type: none">Estado de repositorio local.  <ul style="list-style-type: none">Añadido del fichero hola.py al área de ensayo  <ul style="list-style-type: none">Commit de la primera versión.

		<pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/GitEx/hola-mundo \$ git commit -m "Primera versión de holamundo" [main e8a4e30] Primera versión de holamundo 1 file changed, 1 insertion(+) create mode 100644 holamundo.py</pre> <ul style="list-style-type: none">Subida de cambios al repositorio. <pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/GitEx/hola-mundo \$ git push origin main Enumerating objects: 4, done. Counting objects: 100% (4/4), done. Delta compression using up to 8 threads Compressing objects: 100% (2/2), done. Writing objects: 100% (3/3), 354 bytes 354.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) To https://github.com/Sergioastur/hola-mundo.git 39a24ce..e8a4e30 main -> main</pre>
3.	Bitbucket	<ul style="list-style-type: none">Captura de repositorio recién creado.  <p>The screenshot shows the Bitbucket web interface for a repository named 'holabb-mundo'. The left sidebar contains navigation links for Source, Commits, Branches, Pull requests, Pipelines, Deployments, Jira issues, Security, Downloads, and Repository settings. The main content area shows the 'main' branch with a table of files. A 'README.md' file is listed with a size of 2.56 KB, last committed 56 seconds ago, and an initial commit message. Below the file list, there is a 'README.md' section with instructions on how to edit a file, create a new file, and clone from Bitbucket. A small notification bubble at the bottom left of the screenshot says 'Get up to fix faster builds with Bitbucket Pipelines'.</p> <ul style="list-style-type: none">Inicialización del repositorio local. <pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/holabb-mundo \$ git init Initialized empty Git repository in D:/usud/Sergio Saavedra/Actividades/holabb-mundo/.git/</pre> <ul style="list-style-type: none">Añadido de archivos <pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/holabb-mundo (main) \$ echo "print('Hola desde DWEC (DAW)')" > holamundo.py sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/holabb-mundo (main) \$ git add * warning: in the working copy of 'holamundo.py', LF will be replaced by CRLF the next time you touches it</pre> <ul style="list-style-type: none">Commit <pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/holabb-mundo (main) \$ git commit -m "Primer commit en Bitbucket" [main (root-commit) 5ea9c8f] Primer commit en Bitbucket 1 file changed, 1 insertion(+) create mode 100644 holamundo.py</pre> <ul style="list-style-type: none">Añadido de URL <pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/holabb-mundo (main) \$ git remote add origin https://sergioastur-admin@bitbucket.org/sergioastur/holabb-mundo</pre> <ul style="list-style-type: none">Subida al repositorio remoto <p>(--force porque había un readme en el repositorio)</p>

		<pre>sergiosr@A210P36 MINGW64 /d/usud/Sergio Saavedra/Actividades/holabb-mundo (m \$ git push origin main --force Enumerating objects: 3, done. Counting objects: 100% (3/3), done. Writing objects: 100% (3/3), 280 bytes 280.00 KiB/s, done. Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0) To https://bitbucket.org/sergioastur/holabb-mundo.git + 86e7ecc...5ea9c8f main -> main (forced update)</pre>
--	--	--