Serviciul de creare a unui newsfeed post

Service Location: https://fiscaldocumentseditest.azurewebsites.net/EndPoints/CreateNewsfeedPost/EndPoint.php

Tip serviciu: POST


Parametrii:

- username = username-ul utilizatorului
- hashedPassword = parola curenta
- nameOfPost = numele post-ului pe care il adaugi
- contentOfPost = continutul post-ului pe care il adaugi
- linkOfPost = link-ul paginii la care va duce post-ul prin apasare
- tagsOfPost = un vector cu numele tag-urilor post-ului, serializat, format = a:[numar de elemente]:{i:[numar element];s:[lungime]:[nume tag];...}
 - o exemplu serializare apel: a:2:{i:1;s:4:"tag1";i:2;s:6:"Tweets";i:3;s:4:"News";}
 - o nu e important format-ul la apel, se va serializa vectorul in back-end inainte de apel. (se face automat acest format)

Response:						
Status:	Mesaj Eroare:	HTTP Code:	Cauza:	Exemplu:		
succes	4433	200	Post-ul a fost adaugat cu succes	username=testuser1 hashedPassword=parola nameOfPost=Titlu3 contentOfPost=Continut linkOfPost=www.google.com tagsOfPost=a:1:{i:1;s:3:"tag";} • din nou, nu veti apela cu acest format. veti serailiza array-ul de tag-uri inainte de apelul serviciului		
failed	BAD_REQUEST_TYPE	400	Request-ul nu e POST	GET in loc de POST		
failed	NULL_INPUT	400	Lipseste un parametru	username=" hashedPassword="		

failed	DB_FAILED	200	A crapat baza de date, exceptie interna	e interna treaba
failed	WRONG_PASSWORD	200	A gasit user-ul, parola e gresita	username=testuser1 hasedPassword=salcelelalteechipe
failed	USER_NOT_FOUND	200	Nu a gasit user-ul in baza de date	username=web&mobile hasedPassword=test
failed	USER_INACTIVE	200	User si Pass corecte, dar User-ul nu e activat	username=testuser1 hasedPassword=test // sper sa fie inactiv si cand testati voi
failed	POST_DUPLICATE	200	Post-ul deja exista in baza de date	nameOfPost=Titlu1 (exista deja)

Exemplu de apelare din Fiddler :



 $username = testuser 1 \& hashed Password = parola \& name Of Post = Titlu 2 \& content Of Post = Content 2 \& link Of Post = pnm 2 \& tags Of Post = a: 2: \{i: 1; s: 5: "Events"; i: 2; s: 6: "Tweets"; \}$

Arhitectura: https://github.com/SergiuDeveloper/IP-Project-API/blob/Design/Flows/Service/NewsfeedListRetrievalService_Flowchart.jpg (pag urm)

