

Serviciul de activare a contului

Service Location : <https://fiscaldocumentseditest.azurewebsites.net/Endpoints/DeleteNewsfeedPost/EndPoint.php>

Tip serviciu : POST

Parametrii:

- username = numele contului utilizatorului
- password = parola contului utilizatorului
- postTitle = numele postului care va fi sters

Status	Raspuns	HTTP Code	Cauza	Exemplu
Succes	OK	200	Postul a fost sters.	username = Loghin password = 123 postTitle = Titlu
Failed	DB_EXCEPT	200	Eroare internă din baza de date.	Problema internă.
Failed	NULL_INPUT	400	Input-ul nu a fost scris.	username = "" password = "" postTitle = ""
Failed	POST_NOT_IN_DATABASE	200	Postul nu există în baza de date.	Postul cu numele postTitle nu există în baza de date.

Exemplu de apelare :

The image shows a screenshot of a web browser's developer tools, specifically the 'Network' tab. The 'Parsed' sub-tab is selected. A single HTTP request is visible, which is a POST to the URL `http://localhost/test/EndPoints/DeleteNewsfeedPost/EndPoint.php`. The request's headers are displayed as follows:

- User-Agent: Fiddler
- Host: localhost
- Content-Length: 64
- Content-Type: application/x-www-form-urlencoded

Below the headers, there is a scrollable area for the request body. The body content is `username=LoghinVlad-Andrei&hashedPassword=ce1234&postName=Titlu1`.

Arhitectua :

