

Serviciul de activare a contului

Service Location : <https://fiscaldocumentseditest.azurewebsites.net/EndPoints/DeleteNewsfeedPost/EndPoint.php>

Tip serviciu : POST

Parametrii:

- \$username = numele contului utilizatorului
- \$password = parola contului utilizatorului
- \$postTitle = numele postului care va fi sters

| Status | Raspuns | HTTP Code | Cauza | Exemplu |
|--------|----------------------|-----------|-----------------------------------|--|
| Succes | OK | 200 | Postul a fost sters. | \$username = Loghin \$password = 123 \$postTitle = Titlu |
| Failed | DB_EXCEPT | 200 | Eroare internă din baza de date. | Problema internă. |
| Failed | NULL_INPUT | 400 | Input-ul nu a fost scris. | \$username = "" \$password = "" \$postTitle = "" |
| Failed | POST_NOT_IN_DATABASE | 200 | Postul nu există în baza de date. | |

Exemplu de apelare :

The screenshot shows a web client interface with a top bar containing four tabs: "Parsed", "Raw", "Scratchpad", and "Options". Below the tabs, there is a dropdown menu set to "POST" and a text input field containing the URL "http://localhost/test/Endpoints/DeleteNewsfeedPost/EndPoint.php". Below the URL field, the request headers are listed: "User-Agent: Fiddler", "Host: localhost", "Content-Length: 64", and "Content-Type: application/x-www-form-urlencoded". A horizontal scrollbar is visible below the headers. At the bottom, there is a section labeled "Request Body" which contains the text "username=LoghinVlad-Andrei&hashedPassword=ce1234&postName=Titlu1".

Parsed Raw Scratchpad Options

POST

User-Agent: Fiddler
Host: localhost
Content-Length: 64
Content-Type: application/x-www-form-urlencoded

<

Request Body

username=LoghinVlad-Andrei&hashedPassword=ce1234&postName=Titlu1

Arhitectua :

