

Business Verification Data Dictionary

DATA SUBMISSION REQUIREMENTS

The following details for each business will be submitted by the user who aims to verify a business through Baselayer.

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Required</u>	<u>Data Type</u>
legal_entity_name	Legal Entity Name	Required	string
legal_entity_address	Address	Required	string
tin	Tax ID	Optional; Required to conduct TIN-Name Match	string
officer_names	Applicant Name	Optional; Required for Beneficial Owner Matching	array
phone_number	Phone Number	Optional	string
website	Website	Optional; Highly Recommended for Website Analysis and Industry Classification	string
email	Email	Optional	string

SEARCH INFORMATION

General information about the search, and how closely it matched the information in Baselayer records. This information is replicated across all the rows related to a specific search in the data test.

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
search_id	Unique identifier for the submitted search	UUID	string
business_id	Unique identifier for the business retrieved. Could be null if Baselayer is not able to find a related SoS registration	UUID	string
tin_matched	Indicates whether the inputted TIN/EIN was a match with the business name, per the IRS	-	boolean
kyb_score	The score represents Baselayer's assessment of the quality of the business	0 - 100	number

	search, mainly how closely the inputs of the search match the information in Baselayer records		
kyb_rating	The rating associated with the KYB score	A, B, C, F	string
verified	Indicates whether the found business was a close enough match to be considered verified	-	boolean
business_name_match	Indicates how close the inputted name matches the found business entity	NO_MATCH, SIMILAR, EXACT	string
business_address_match	Indicates how close the inputted address matches the found business entity	NO_MATCH, SIMILAR, EXACT, CITY, STATE	string
business_officer_match	Indicates how close the inputted officer name matches the found business officers	NO_MATCH, SIMILAR, EXACT	string
registered_agent_match	Indicates how close the inputted officer name matches the found business registered agent	NO_MATCH, SIMILAR, EXACT	string

BUSINESS INFORMATION

General information about the business, based on the domestic or primary registration. This information is replicated across all the rows related to a specific business in the data test.

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
business_response_name	The name of the business, determined by the name found on the domestic registration	-	string
alternative_names	A list of alternative names (e.g. DBAs) found associated with the business entity	-	array of strings
business_response_structure	Structure of the business	LLC, LLP, C_CORPORATION...	string
business_response_incorporation_state	State 2-letter abbreviation in which the business first incorporated	-	2-digit code

business_response_incorporation_date	The date when the business first incorporated	-	date
business_response_months_in_business	The number of months elapsed since the first incorporation date	-	integer

REGISTRATION INFORMATION

Details specific to a particular registration of a business in a state. Information is unique per row in the data test.

Field Name	Field Description	Baselayer Context	Data Type
name	The name of the business found on the specific registration	-	string
issue_date	The date the registration was issued	-	date
dissolution_date	The date the registration was dissolved in the given state	-	date
file_number	The file number of the registration	-	string
state	State 2-letter abbreviation in which the registration was filed	-	2-digit code
registration_type	Whether the registration is domestic or foreign	foreign, domestic, unknown	string
status	Status field indicating whether the corporate registration filing is active or inactive	active, inactive, unknown	string
standing	The detailed standing of the registration	-	string
officers	The Officers listed on the registration	Format: 'name': [], 'titles': []	array of objects

ADDRESS INFORMATION

Through our API, information for each address is accessible. In our data tests we usually only return information about the primary address of the company.

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
address_id	UUID for the address	UUID	string
address_street	Street name of the address	-	string
address_city	City name of the address	-	string
address_state	State 2-letter abbreviation of the address	-	string
address_zip	Zip code of the address	-	string
address_latitude	Latitude of the address	-	number
address_longitude	Longitude of the address	-	number
address_rdi	Residential Delivery Indicator of the address	Residential, Commercial	string
address_deliverable	Indicates whether the address is deliverable		boolean
address_cmra	Indicates whether the address is a Commercial Mail Receiving Agency (CMRA)		boolean
address_url	URL specific to the address to access all information through the Baselayer API	URL	string

REGISTERED AGENT INFORMATION

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
registered_agent_name	Name of the registered agent	-	string
registered_agent_address_id	UUID for the address of the registered agent	UUID	string
registered_agent_address_street	Street name of the address of the registered agent	-	string
registered_agent_address_city	City name of the address of the registered agent	-	string
registered_agent_address_state	State 2-letter abbreviation of the address of the registered agent	-	string
registered_agent_address_zip	Zip code of the address of the registered agent	-	string

registered_agent_address_latitude	Latitude of the address of the registered agent	-	number
registered_agent_address_longitude	Longitude of the address of the registered agent	-	number
registered_agent_address_rdi	Residential Delivery Indicator of the address of the registered agent	Residential, Commercial	string
registered_agent_address_deliverable	Indicates whether the address is deliverable of the registered agent	-	boolean
registered_agent_address_cmra	Indicates whether the address is a Commercial Mail Receiving Agency (CMRA) of the registered agent	-	boolean

WATCHLISTS AND SANCTIONS

The response for each watchlist and sanctions list object comes in the schema denoted in the following example:

- Code: OFAC
- Name: Department of Treasury, Office of Foreign Assets Control
- Count: 0
- Details: []

Field Name	Field Description
watchlist_OFAC	Department of Treasury, Office of Foreign Assets Control
watchlist_IEO	IRS Exempt Organizations List
watchlist_FBI	FBI Wanted List
watchlist_CNS	Consolidated Canadian Autonomous Sanctions List
watchlist_CSL	Department of Commerce, Consolidated Screening List

INDUSTRY PREDICTION

Through our API, information for each address is accessible. In our data tests we usually only return information about the primary address of the company.

Field Name	Field Description	Format	Data Type
naics_code	The predicted North	6-digit NAICS code	string

	American Industry Classification System (NAICS) code for the business		
naics_description	The title of the predicted NAICS code	-	string
naics_accuracy	The accuracy of the NAICS code prediction	0 - 1	number
naics_risk_level	The risk level of the business	high, medium, low	string
mcc_codes_code	Merchant Category Code (MCC) associated with the NAICS	4-digit MCC code	string
mcc_codes_description	The title of the predicted MCC code	-	string
mastercard_risk	Indicates if there is a risk associated with Mastercard transactions	-	boolean
visa_risk_tier	The Visa risk tier associated with this MCC	1, 2, 3	integer
sic_codes_code	Standard Industrial Classification (SIC) code associated with the NAICS	4-digit SIC code	string
sic_codes_description	The title of the predicted SIC code	-	string
keywords	List of keywords associated with the business that could indicate the area of business activity	-	array of strings

WEBSITE ANALYSIS

If a website was provided as part of the submission, the website analysis will be related to that specific website. If no website was provided, the analysis will be related to the website that Baselayer found if available.

Every address found in the website is accessible via the API and listed in the results of the data test.

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
website_analysis_request_id	Unique ID of the website analysis request	UUID	string

business_address_match	Indicates whether the inputted address was identified on the found website	NO_MATCH, SIMILAR, EXACT, CITY, STATE	string
business_website_match	Indicates whether the inputted website matches the found business website	-	boolean
phone_number_match	How closely the inputted phone number matches phone numbers found during discovery	EXACT, NO_MATCH, AREA_CODE	enum
phone_number_match_sources	The sources where the best phone number match was found	-	array of strings
email_match	How closely the inputted email matches emails found during discovery	EXACT, NO_MATCH, DOMAIN	enum
email_match_sources	The sources where the best email match was found	-	array of strings
is_parked	Indicates if the website is suspected of being a parked domain	-	boolean
email_deliverable	Indicates if the website is able to send and receive emails	-	boolean
website_build_status	Indicates the current operational state of the website	active, inactive, coming soon	enum
website_depth	Maximum depth reached	'0' (homepage only), '1' (one level), or '2+' (structured site)	string
website_breadth	Total unique pages discovered	Actual count or '15+' for substantial sites	string
socials	The list of social media profiles that were identified on the analyzed website	-	array of strings
emails	The list of email addresses that were identified on the analyzed website	-	array of strings
email_deliverable	Indicates if the website is able to send and receive emails	-	boolean
phone_numbers	The list of phone numbers	-	array of strings

	that were identified on the analyzed website		
domain_created_at	The date and time when the domain was first registered	-	date-time
domain_age_months	The age of the domain since its creation in months	-	integer
domain_registrar	The name of the domain registrar	-	string
ssl_is_valid	SSL certificate validity information for the analyzed website	-	boolean
web_address_id_0	Unique identifier for the first mailing address that was identified on the analyzed website	UUID	string
web_address_street_0	Street name of the first mailing address that was identified on the analyzed website	-	string
web_address_city_0	City name of the first mailing address that was identified on the analyzed website	-	string
web_address_state_0	State 2-letter abbreviation of the first mailing address that was identified on the analyzed website	-	string
web_address_zip_0	Zip code of the first mailing address that was identified on the analyzed website	-	string
web_address_latitude_0	Latitude of the first mailing address that was identified on the analyzed website	-	number
web_address_longitude_0	Longitude of the first mailing address that was identified on the analyzed website	-	number
web_address_rdi_0	Residential Delivery Indicator of the first mailing address that was identified on the analyzed website	Residential, Commercial	string
web_address_deliverable_0	Indicates whether the first mailing address that was identified on the analyzed	-	boolean

	website is deliverable		
web_address_cmra_0	Indicates whether the first mailing address that was identified on the analyzed website is a Commercial Mail Receiving Agency (CMRA)	-	boolean
web_address_id_1	Unique identifier for the second mailing address that was identified on the analyzed website	UUID	string
web_address_street_1	Street name of the first mailing address that was identified on the analyzed website	-	string
...			

SOCIAL MEDIA

Information about the discovered social media profiles for the business.

Enhanced Search option needs to be requested for social media to be retrieved.

Baselayer retrieves basic information and unique platform metadata for LinkedIn, Instagram, Facebook, Youtube, X, TikTok and Pinterest.

Additional details about each specific attribute under metadata can be found in the [API documentation](#).

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
{site}.username	The {site} handle/username for the account		string
{site}.url	Full URL to the business's profile		string
{site}.confidence	How confident Baselayer is that this account belongs to the searched business. Based on account name, location, and/or contact details	high, medium, low	enum
{site}.metadata	Additional site-specific data which may include follower count, verification status,		object

	post count, or contact details. Structure varies based on available data per site		
--	---	--	--

CUSTOMER REVIEWS

Information about the online customer reviews for the business.

Enhanced Search option needs to be requested for reviews to be retrieved.

Baselayer retrieves information from Yelp, Google, TrustPilot, and TripAdvisor.

<u>Field Name</u>	<u>Field Description</u>	<u>Baselayer Context</u>	<u>Data Type</u>
{site}.url	Full URL to the business's profile or listing in the review site		string
{site}.confidence	How confident Baselayer is that this profile/listing belongs to the searched business. Based on account name, location, and/or contact details	high, medium, low	enum
{site}.rating	Average customer rating for the business on the review site - null if no reviews exist	0 - 5	float
{site}.volume	Total number of customer reviews the business has received on the site		integer
{site}.summary	AI-generated summary of the reviews on the site, highlighting common themes, customer sentiment, and frequently mentioned aspects of the business		string
{site}.phone_number	Business phone number as listed on the review site. Often the primary contact number for the business		string
{site}.address	Business address as listed on the review site		string

{site}.business_website	Business website URL as listed on the review site		string
--------------------------------	---	--	--------

LIEN SEARCH

During our data test, we will return one row for each lien that we might find. A single company could appear in multiple rows if they have multiple liens.

For every lien we will return all the parties that we are able to identify.

Field Name	Field Description	Baselayer Context	Data Type
liens_search_request_id	The unique identifier of the liens search request	UUID	string
id	The identifier of this lien filing record	UUID	string
state	The current state of the liens search request	PENDING, EXECUTING, COMPLETED, FAILED, CANCELED	string
filing_number	Sequential identifier assigned by the filing office	-	string
filing_type	Describes the nature of the filing	-	string
filing_date	Official date when the lien was recorded	-	date
lapse_date	The expiry date for the lien's claim on collateral	-	date
status	Reflects the current legal status of the lien	-	string
number_of_pages	Reflects the volume of documentation for the lien filing	-	integer
document_filename	When present, it indicates that a document is available for download via API or Baselayer platform	-	string
amendments	A chronological list of amendments to this lien filing, detailing any continuations, terminations, or modifications	Format: 'filing_number': [], 'filing_type': [], 'filing_date': [], 'number_of_pages': []	object
collateral_statements	A sequence of collateral statements associated with	-	string

	this lien filing, enumerating the specific assets secured by the lien		
party_id0	The unique identifier of this party of the lien filing record	UUID	string
party_type0	Categorizes the party as either a debtor owing the debt or a secured party holding the collateral interest	Debtor, Secured Party, Record Owner	string
party_name0	Legal name of the party	-	string
party_address0	Address of the party; provides the physical location for legal notices or contact purposes	-	object
party_id1	The unique identifier of this party of the lien filing record	UUID	string
party_type1	Categorizes the party as either a debtor owing the debt or a secured party holding the collateral interest	Debtor, Secured Party, Record Owner	string
...			

LITIGATION AND BANKRUPTCY SEARCH

During our data test, we will return one row for each litigation or bankruptcy record that we might find. A single company could appear in multiple rows if they have multiple liens.

Available data for each record varies significantly depending on the court and case type.

Field Name	Field Description	Baselayer Context	Data Type
docket_search_request_id	The unique identifier of this docket search request	UUID	string
id	The unique identifier of this docket	UUID	string
docket_number	Unique identifier for the Docket in the given court system	-	string
court	Court in which the docket was filed	-	string

division	Court division assigned to the docket	-	string
judges	List of judges assigned to the docket	-	array of strings
title	Title of the docket	-	
case_type	Type of case	-	string
status	Raw status of the case as provided by the court record	-	string
is_bankruptcy	Indicates whether the case is a bankruptcy proceeding	-	boolean
date_filed	Date the case was filed	-	date
match_level	How closely the legal name of the business matches with the party mentioned in the record	EXACT, SIMILAR	enum
normalized_status	Standardized status derived from status , indicating whether the record is open or closed	open, closed <i>Conservative mapping - a record is marked as closed only when closure is certain</i>	enum