12.30 GPS (GPS Model Only)

| Enable GPS Power | Disable GPS Power |
|------------------------------|------------------------------------|
| G0001 | G0010 |
| Enable GPS Bypass Data | Disable GPS Bypass Data |
| G1001 | G1010 |
| Reset GPS Module | GPS Acquire Test |
| G2000 | G2001 |
| GPS Power Save Mode = Normal | GPS Power Save Mode = Power Saving |
| G2002 | G2003 |
| Enable GPS Auto Power Off | Disable GPS Auto Power Off |
| G3001 | G3010 |

12.31 GPS/BT Auto Power Off Timeout

| Auto Power Off = 0min (Disabled) | Auto Power Off = 5min |
|----------------------------------|------------------------|
| G4000 | G4005 |
| Auto Power Off = 10min | Auto Power Off = 20min |
| G400A | G4014 |
| Auto Power Off = 30min | Auto Power Off = 60min |
| G401E | G403C |
| Auto Power Off = 120min | |
| G4078 | |

12.32 NFC (NFC Model Only)

| Enable NFC Power | Disable NFC Power |
|-----------------------------|-------------------------------|
| N0001 | N0010 |
| NFC Data Format = Data only | NFC Data Format = Packet data |
| N1001 | N1000 |
| UID Only = Enable | UID Only = Disable |
| N3001 | N3000 |
| New Data Format = Enable | New Data Format = Disable |
| N4001 | N4010 |

12.33 USB Disk (M Model Only)

| USB Serial Mode | USB Disk Mode |
|--------------------------|--------------------------------|
| U0000 | U0001 |
| USB HID Mode | Format USB Disk |
| U0002 | U1000 |
| Data Format = Data | Data Format = Data, Time |
| U2000 | U2001 |
| Data Format = Data, Type | Data Format = Data, Time, Type |
| U2002 | U2003 |