

Terminal

Desktop

<> WebIDE

Web 8080

```
Current Mongosh Log  
Connecting to:  
Using MongoDB:  
Using Mongosh:
```

```
For mongosh info see
```

```
To help improve our  
You can opt-out by
```

```
-----  
The server generated  
2026-05-27T18:35:35.000Z  
2026-05-27T18:35:35.000Z  
th --bind_ip_all to  
2026-05-27T18:35:35.000Z  
-----
```

```
test> use my_store  
switched to db my_store  
my_store> switched to db my_store  
Uncaught:  
SyntaxError: Missing
```

```
> 1 | switched to db my_store  
2 |
```

```
my_store> db;  
my_store  
my_store> []
```



Explicar Código

Puede listar todas las colecciones en la base de datos actual para verificar que se creó `products`.

javascript



show collections

Explicar Código

plaintext



products

Explicar Código

Con la colección creada, ahora puede insertar su primer documento. Un documento es un objeto BSON, que es una serialización codificada en binario de documentos similares a JSON.

Utilice el método `insertOne()` para añadir un único documento a la colección `products`.

javascript



```
db.products.insertOne({  
  name: "Laptop",  
  price: 1200,  
  category: "Electronics"  
});
```

Explicar Código



preguntar



comentarios