

```

1 reference
private void button2_Click(object sender, EventArgs e)
{
    MyConn.ConnectionString = @"Data Source=DESKTOP-VMATF7P\WINCC;Initial Catalog=Exi;Integrated Security=True";
    MyConn.Open();
    SqlCommand deletequery = new SqlCommand();
    deletequery.Connection = MyConn;
    int code1 = Convert.ToInt32(tb_cod.Text);
    deletequery.CommandText = @"DELETE FROM Facultati WHERE Code = @code1";
    deletequery.Parameters.AddWithValue("@code1", code1);
    deletequery.ExecuteNonQuery();
    int code = Convert.ToInt32(tb_cod.Text);
    deletequery.CommandText = @"DELETE FROM Universitati WHERE Code = @code";
    deletequery.Parameters.AddWithValue("@code", code);
    deletequery.ExecuteNonQuery();
    MyConn.Close();
    MessageBox.Show("Successful");
    lb_Fac.Items.Clear();
    lb_Univ.Items.RemoveAt(lb_Univ.SelectedIndex);
}

1 reference
private void tb_cod_TextChanged(object sender, EventArgs e)
{
}

1 reference
private void button3_Click(object sender, EventArgs e)
{
    MyConn.ConnectionString = @"Data Source=DESKTOP-VMATF7P\WINCC;Initial Catalog=Exi;Integrated Security=True";
    MyConn.Open();
    SqlCommand updatequery = new SqlCommand();
    updatequery.Connection = MyConn;
    string oras = tb_Oras.Text;
    updatequery.CommandText = @"UPDATE Universitati SET City = @oras WHERE Code = @oldCode";
    updatequery.Parameters.AddWithValue("@oras", oras);
    updatequery.Parameters.AddWithValue("@oldCode", tb_cod.Text);
    updatequery.ExecuteNonQuery();
    MyConn.Close();
    MessageBox.Show("Successful");
}

```

**Stergere pe baza  
de cod**

**Update Oras pe  
baza de cod**

Form1.cs [Design] Form2.cs

Form1

Universitati

lb\_Univ

Facultati


lb\_Fac

Oras

Cod Universitate

Add University Remove University

Update University Code



Introducerea unei universitati noi se face prin Form 2 unde se introduce detaliile universitatii iar id-ul este creat automat. Stergerea unei universitati se face prin formul principal pe baza de cod. Se poate da update la orasul corespunzator universitatii tot prin formul principal, tot pe baza de cod.

Object Explorer

Connect

DESKTOP-VMATF7P\WINCC (SQL Serv

Databases

System Databases

Database Snapshots

Ex1

Database Diagrams

Tables

System Tables

FileTables

External Tables

dbo.Facultati

dbo.Universitati

Views

External Resources

Synonyms

Programmability

Service Broker

Storage

Security

Hospital

Security

Server Objects

Replication

PolyBase

Management

XEvent Profiler

DESKTOP-VMATF7P\W...1 - dbo.Facultati

	Id	Nume	Code
▶	1	AC	111
	2	ETTI	111
	3	Mate-Info	222
	4	Psihologie	222
*	NULL	NULL	NULL

Solution1

DESKTOP-VMATF7P\W...dbo.Universitati

	Id	Name	City	Code
▶	1	UTCN	Bistrita	111
	2	UBB	Cluj	222
*	NULL	NULL	NULL	NULL