

Вид сдвигу



Время составления записи	Наименование	Кол.	Примечание
1	Упор носовой	2	
2	Ферма соединительная	2	
3	Настенный мачтовый	3	
4	Мост буксирный	1	
5	Ручка ходовая верхняя	1	
6	Крюк шаровый	2	
7	Вешка шарового звена	1	
8	Трам наклонный	2	
9	Ложное ограждение	1	
10	Устройство буксирное	1	
11	Устройство лачного	1	
12	Степлено-огниотомные опти	12	
13	Степентильный прибор С10	4	
14	Степа 302-й	1	
15	Ферма сигнальная	1	
16	Система поворотная	1	
17	Грузка электрическая	1	
18	Ключ ключевой	1	
19	Пульт управления	2	
20	Рулевое устройство	1	
21	Дистанционное управление двигателем	1	
22	Пульт управления С10	1	
23	Фонарь-отбашка	1	
24	Блок питания С10	1	
25	Клеммодер	1	
26	Платфон катерный	1	
27	Ящик для пиротехники	1	
28	Коробка соединительная	2	
29	Коммутатор сигнальных огней	1	
30	Часы морские	1	

Примечание: В таблице указано только вновь установленное или перемещаемое оборудование.



Дополнением к настоящей вертежу являются вертежи общего расположения материков пр. 1606, контуры которых нанесены сплошной тонкой линией.

Согласовано:
Представитель
предприятия п/я А-1165

[illegible]

ИДМЧ	Подп. и дата	Взам. инв.	И.В.И.Д.Б.	Подпись и дата
72135	18.11.86			

Продольный разрез



24 ш. 1 см. в нос

This technical drawing illustrates the internal structure of a ship's hull, showing a central longitudinal section and two side views. The hull is divided into several compartments, with the central section being the largest. The structure is supported by a series of longitudinal ribs and transverse bulkheads. Various components are labeled with numbers 1 through 43, indicating specific parts of the hull and its internal structure. The drawing also shows the deck, which is supported by a series of longitudinal beams. The hull is shown in a cross-section, with the internal structure and components clearly visible. The drawing is a detailed technical illustration, likely used for the construction of a ship.

Technical drawing of a machine layout, showing various components labeled with numbers 16 through 30. The drawing includes a central rectangular area with a dashed line indicating a boundary or path. Components are labeled as follows:

- 16: A circular component on the left side.
- 17: A vertical component on the left side.
- 18: A vertical component on the right side.
- 19: A large rectangular component in the center.
- 20: A vertical component on the right side.
- 21: A vertical component on the right side.
- 22: A vertical component on the right side.
- 23: A vertical component on the right side.
- 24: A vertical component on the right side.
- 25: A vertical component on the right side.
- 26: A vertical component on the right side.
- 27: A vertical component on the right side.
- 28: A vertical component on the right side.
- 29: A vertical component on the right side.
- 30: A vertical component on the right side.