This is the command list for the remixed made by Moses (last name undefined)
The bot is named Butler.

Table Of Contents

Administration

Command and aliases	Description	Usage
`.voice+text` `.v+t`	Creates a text channel for each voice channel only users in that voice channel can see.If you are server owner, keep in mind you will see them all the time regardless. **Requires ManageRoles server permission.** **Requires ManageChannels server permission.**	`.voice+text`
`.cleanvplust` `.cv+t`	Deletes all text channels ending in `-voice` for which voicechannels are not found. Use at your own risk. **Requires ManageChannels server permission.** **Requires ManageRoles server permission.**	`.cleanv+t`
`.greetdel` `.grdel`	Sets the time it takes (in seconds) for greet messages to be auto-deleted. Set 0 to disable automatic deletion. **Requires ManageServer server permission.**	`.greetdel 0` or `.greetdel 30`
`.greet`	Toggles anouncements on the current channel when someone joins the server. **Requires ManageServer server permission.**	`.greet`
`.greetmsg`	Sets a new join announcement message which will be shown in the server's channel. Type %user% if you want to mention the new member. Using it with no message will show the current greet message. **Requires ManageServer server permission.**	`.greetmsg Welcome, %user%.`
`.greetdm`	Toggles whether the greet messages will be sent in a DM (This is separate from greet - you can have both, any or neither enabled). **Requires ManageServer server permission.**	`.greetdm`

Command and aliases	Description	Usage
`.greetdmmsg`	Sets a new join announcement message which will be sent to the user who joined. Type %user% if you want to mention the new member. Using it with no message will show the current DM greet message. **Requires ManageServer server permission.**	`.greetdmmsg Welcome to the server, %user%` .
`.bye`	Toggles anouncements on the current channel when someone leaves the server. **Requires ManageServer server permission.**	`.bye`
`.byemsg`	Sets a new leave announcement message. Type %user% if you want to show the name the user who left. Type %id% to show id. Using this command with no message will show the current bye message. **Requires ManageServer server permission.**	`.byemsg %user% has left.`
`.byedel`	Sets the time it takes (in seconds) for bye messages to be auto-deleted. Set 0 to disable automatic deletion. **Requires ManageServer server permission.**	`.byedel 0` or `.byedel 30`
`.leave`	Makes Nadeko leave the server. Either name or id required. **Bot Owner only.**	`.leave 123123123331`
`.die`	Shuts the bot down. **Bot Owner only.**	`.die`
`.setname` `.newnm`	Gives the bot a new name. **Bot Owner only.**	`.newnm BotName`
`.setstatus`	Sets the bot's status. (Online/Idle/Dnd/Invisible) **Bot Owner only.**	`.setstatus Idle`
`.setavatar` `.setav`	Sets a new avatar image for the NadekoBot. Argument is a direct link to an image. **Bot Owner only.**	`.setav http://i.imgur.com/xTG3a1I.jpg`
`.setgame`	Sets the bots game. **Bot Owner only.**	`.setgame with snakes`
`.setstream`	Sets the bots stream. First argument is the twitch link, second argument is stream name. **Bot Owner only.**	`.setstream TWITCHLINK Hello`
`.send`	Sends a message to someone on a different server through the bot. Separate server and channel/user ids with `|` and prepend channel id with `c:` and user id with `u:`. **Bot Owner only.**	`.send serverid|c:channelid message` or `.send serverid|u:userid message`
`.announce`	Sends a message to all servers' general channel bot is connected to. **Bot Owner only.**	`.announce Useless spam`
`.adsarm`	Toggles the automatic deletion of confirmations for .iam and .iamn commands. **Requires ManageMessages server permission.**	`.adsarm`
`.asar`	Adds a role to the list of self-assignable roles. **Requires ManageRoles server permission.**	`.asar Gamer`

Command and aliases	Description	Usage
`.rsar`	Removes a specified role from the list of self-assignable roles. **Requires ManageRoles server permission.**	`.rsar`
`.lsar`	Lists all self-assignable roles.	`.lsar`
`.togglexclsar` `.tesar`	Toggles whether the self-assigned roles are exclusive. (So that any person can have only one of the self assignable roles) **Requires ManageRoles server permission.**	`.tesar`
`.iam`	Adds a role to you that you choose. Role must be on a list of self-assignable roles.	`.iam Gamer`
`.iamnot` `.iamn`	Removes a role to you that you choose. Role must be on a list of self-assignable roles.	`.iamn Gamer`
`.slowmode`	Toggles slowmode. Disable by specifying no parameters. To enable, specify a number of messages each user can send, and an interval in seconds. For example 1 message every 5 seconds. **Requires ManageMessages server permission.**	`.slowmode 1 5` or `.slowmode`
`.antiraid`	Sets an anti-raid protection on the server. First argument is number of people which will trigger the protection. Second one is a time interval in which that number of people needs to join in order to trigger the protection, and third argument is punishment for those people (Kick, Ban, Mute) **Requires Administrator server permission.**	`.antiraid 5 20 Kick`
`.antispam`	Stops people from repeating same message X times in a row. You can specify to either mute, kick or ban the offenders. **Requires Administrator server permission.**	`.antispam 3 Mute` or `.antispam 4 Kick` or `.antispam 6 Ban`
`.antispamignore`	Toggles whether antispam ignores current channel. Antispam must be enabled.	`.antispamignore`
`.antilist` `.antilst`	Shows currently enabled protection features.	`.antilist`
`.rotateplaying` `.ropl`	Toggles rotation of playing status of the dynamic strings you previously specified. **Bot Owner only.**	`.ropl`
`.addplaying` `.adpl`	Adds a specified string to the list of playing strings to rotate. Supported placeholders: %servers%, %users%, %playing%, %queued% **Bot Owner only.**	`.adpl`
`.listplaying` `.lipl`	Lists all playing statuses with their corresponding number. **Bot Owner only.**	`.lipl`
`.removeplaying` `.rmpl` `.repl`	Removes a playing string on a given number. **Bot Owner only.**	`.rmpl`
`.setmuterole`	Sets a name of the role which will be assigned to people who should be muted. Default is nadeko-mute. **Requires ManageRoles server permission.**	`.setmuterole Silenced`

Command and aliases	Description	Usage
`.mute`	Mutes a mentioned user both from speaking and chatting. **Requires ManageRoles server permission. Requires MuteMembers server permission.**	`.mute @Someone`
`.unmute`	Unmutes a mentioned user previously muted with `.mute` command. **Requires ManageRoles server permission. Requires MuteMembers server permission.**	`.unmute @Someone`
`.chatmute`	Prevents a mentioned user from chatting in text channels. **Requires ManageRoles server permission.**	`.chatmute @Someone`
`.chatunmute`	Removes a mute role previously set on a mentioned user with `.chatmute` which prevented him from chatting in text channels. **Requires ManageRoles server permission.**	`.chatunmute @Someone`
`.voicemute`	Prevents a mentioned user from speaking in voice channels. **Requires MuteMembers server permission.**	`.voicemute @Someone`
`.voiceunmute`	Gives a previously voice-muted user a permission to speak. **Requires MuteMembers server permission.**	`.voiceunmute @Someguy`
`.migratedata`	Migrate data from old bot configuration **Bot Owner only.**	`.migratedata`
`.logserver`	Enables or Disables ALL log events. If enabled, all log events will log to this channel. **Requires Administrator server permission. Bot Owner only.**	`.logserver enable` or `.logserver disable`
`.logignore`	Toggles whether the .logserver command ignores this channel. Useful if you have hidden admin channel and public log channel. **Requires Administrator server permission. Bot Owner only.**	`.logignore`
`.logevents`	Shows a list of all events you can subscribe to with `.log` **Requires Administrator server permission. Bot Owner only.**	`.logevents`
`.log`	Toggles logging event. Disables it if it's active anywhere on the server. Enables if it's not active. Use `.logevents` to see a list of all events you can subscribe to. **Requires Administrator server permission. Bot Owner only.**	`.log userpresence` or `.log userbanned`
`.fwmsgs`	Toggles forwarding of non-command messages sent to bot's DM to the bot owners **Bot Owner only.**	`.fwmsgs`
`.fwtoall`	Toggles whether messages will be forwarded to all bot owners or only to the first one specified in the credentials.json **Bot Owner only.**	`.fwtoall`
`.autoassignrole` `.aar`	Automaticaly assigns a specified role to every user who joins the server. **Requires ManageRoles server permission.**	`.aar` to disable, `.aar Role Name` to enable

Command and aliases	Description	Usage
`.resetperms`	Resets BOT's permissions module on this server to the default value. **Requires Administrator server permission.**	`.resetperms`
`.delmsgoncmd`	Toggles the automatic deletion of user's successful command message to prevent chat flood. **Requires Administrator server permission.**	`.delmsgoncmd`
`.setrole` `.sr`	Sets a role for a given user. **Requires ManageRoles server permission.**	`.sr @User Guest`
`.removerole` `.rr`	Removes a role from a given user. **Requires ManageRoles server permission.**	`.rr @User Admin`
`.renamerole` `.renr`	Renames a role. Roles you are renaming must be lower than bot's highest role. **Requires ManageRoles server permission.**	`.renr "First role" SecondRole`
`.removeallroles` `.rar`	Removes all roles from a mentioned user. **Requires ManageRoles server permission.**	`.rar @User`
`.createrole` `.cr`	Creates a role with a given name. **Requires ManageRoles server permission.**	`.cr Awesome Role`
`.rolecolor` `.rc`	Set a role's color to the hex or 0-255 rgb color value provided. **Requires ManageRoles server permission.**	`.rc Admin 255 200 100` or `.rc Admin ffba55`
`.ban` `.b`	Bans a user by ID or name with an optional message. **Requires BanMembers server permission.**	`.b "@some Guy" Your behaviour is toxic.`
`.softban` `.sb`	Bans and then unbans a user by ID or name with an optional message. **Requires KickMembers server permission. Requires ManageMessages server permission.**	`.sb "@some Guy" Your behaviour is toxic.`
`.kick` `.k`	Kicks a mentioned user. **Requires KickMembers server permission.**	`.k "@some Guy" Your behaviour is toxic.`
`.deafen` `.deaf`	Deafens mentioned user or users. **Requires DeafenMembers server permission.**	`.deaf "@Someguy"` or `.deaf "@Someguy" "@Someguy"`
`.undeafen` `.undef`	Undeafens mentioned user or users. **Requires DeafenMembers server permission.**	`.undef "@Someguy"` or `.undef "@Someguy" "@Someguy"`
`.delvoichanl` `.dvch`	Deletes a voice channel with a given name. **Requires ManageChannels server permission.**	`.dvch VoiceChannelName`
`.creatvoichanl` `.cvch`	Creates a new voice channel with a given name. **Requires ManageChannels server permission.**	`.cvch VoiceChannelName`
`.deltxtchanl` `.dtch`	Deletes a text channel with a given name. **Requires ManageChannels server permission.**	`.dtch TextChannelName`
`.creatxtchanl` `.ctch`	Creates a new text channel with a given name. **Requires ManageChannels server permission.**	`.ctch TextChannelName`

Command and aliases	Description	Usage
`.settopic` `.st`	Sets a topic on the current channel. **Requires ManageChannels server permission.**	`.st My new topic`
`.setchanlname` `.schn`	Changes the name of the current channel. **Requires ManageChannels server permission.**	`.schn NewName`
`.prune` `.clr`	`.prune` removes all nadeko's messages in the last 100 messages. `.prune X` removes last X messages from the channel (up to 100) `.prune @Someone` removes all Someone's messages in the last 100 messages. `.prune @Someone X` removes last X 'Someone's' messages in the channel.	`.prune` or `.prune 5` or `.prune @Someone` or `.prune @Someone X`
`.mentionrole` `.menro`	Mentions every person from the provided role or roles (separated by a ',') on this server. Requires you to have mention everyone permission. **Requires MentionEveryone server permission.**	`.menro RoleName`
`.donators`	List of lovely people who donated to keep this project alive.	`.donators`
`.donadd`	Add a donator to the database. **Bot Owner only.**	`.donadd Donate Amount`

[Back to TOC](#)

ClashOfClans

Command and aliases	Description	Usage
`,createwar` `,cw`	Creates a new war by specifying a size (>10 and multiple of 5) and enemy clan name.	`,cw 15 The Enemy Clan`
`,startwar` `,sw`	Starts a war with a given number.	`,sw 15`
`,listwar` `,lw`	Shows the active war claims by a number. Shows all wars in a short way if no number is specified.	`,lw [war_number] or ,lw`
`,claim` `,call` `,c`	Claims a certain base from a certain war. You can supply a name in the third optional argument to claim in someone else's place.	`,call [war_number] [base_number] [optional_other_name]`
`,claimfinish1` `,cf1`	Finish your claim with 1 star if you destroyed a base. First argument is the war number, optional second argument is a base number if you want to finish for someone else.	`,cf1 1` or `,cf1 1 5`

Command and aliases	Description	Usage
`,claimfinish2` `,cf2`	Finish your claim with 2 stars if you destroyed a base. First argument is the war number, optional second argument is a base number if you want to finish for someone else.	`,cf2 1` or `,cf2 1 5`
`,claimfinish` `,cf`	Finish your claim with 3 stars if you destroyed a base. First argument is the war number, optional second argument is a base number if you want to finish for someone else.	`,cf 1` or `,cf 1 5`
`,endwar` `,ew`	Ends the war with a given index.	`,ew [war_number]`
`,unclaim` `,ucall` `,uc`	Removes your claim from a certain war. Optional second argument denotes a person in whose place to unclaim	`,uc [war_number] [optional_other_name]`

Back to TOC

CustomReactions

Command and aliases	Description	Usage
`.addcustreact` `.acr`	Add a custom reaction with a trigger and a response. Running this command in server requires Administration permission. Running this command in DM is Bot Owner only and adds a new global custom reaction. Guide here: http://nadekobot.readthedocs.io/en/latest/Custom%20Reactions/	`.acr "hello" Hi there %user%`
`.listcustreact` `.lcr`	Lists global or server custom reactions (20 commands per page). Running the command in DM will list global custom reactions, while running it in server will list that server's custom reactions. Specifying `all` argument instead of the number will DM you a text file with a list of all custom reactions.	`.lcr 1` or `.lcr all`
`.listcustreactg` `.lcrg`	Lists global or server custom reactions (20 commands per page) grouped by trigger, and show a number of responses for each. Running the command in DM will list global custom reactions, while running it in server will list that server's custom reactions.	`.lcrg 1`
`.showcustreact` `.scr`	Shows a custom reaction's response on a given ID.	`.scr 1`
`.delcustreact` `.dcr`	Deletes a custom reaction on a specific index. If ran in DM, it is bot owner only and deletes a global custom reaction. If ran in a server, it requires Administration priviledges and removes server custom reaction.	`.dcr 5`
`.crstatsclear`	Resets the counters on `.crstats`. You can specify a trigger to clear stats only for that trigger. **Bot Owner only.**	`.crstatsclear` or `.crstatsclear rng`
`.crstats`	Shows a list of custom reactions and the number of times they have been executed. Paginated with 10 per page. Use `.crstatsclear` to reset the counters.	`.crstats` or `.crstats 3`

Back to TOC

Gambling

Command and aliases	Description	Usage
`$flip`	Flips coin(s) - heads or tails, and shows an image.	`$flip` or `$flip 3`
`$betflip` `$bf`	Bet to guess will the result be heads or tails. Guessing awards you 1.8x the currency you've bet.	`$bf 5 heads` or `$bf 3 t`
`$draw`	Draws a card from the deck.If you supply number X, she draws up to 5 cards from the deck.	`$draw` or `$draw 5`
`$shuffle` `$sh`	Reshuffles all cards back into the deck.	`$sh`
`$roll`	Rolls 0-100. If you supply a number [x] it rolls up to 30 normal dice. If you split 2 numbers with letter d (xdy) it will roll x dice from 1 to y. Y can be a letter 'F' if you want to roll fate dice instead of dnd.	`$roll` or `$roll 7` or `$roll 3d5` or `$roll 5dF`
`$rolluo`	Rolls X normal dice (up to 30) unordered. If you split 2 numbers with letter d (xdy) it will roll x dice from 1 to y.	`$rolluo` or `$rolluo 7` or `$rolluo 3d5`
`$nroll`	Rolls in a given range.	`$nroll 5` (rolls 0-5) or `$nroll 5-15`
`$race`	Starts a new animal race.	`$race`
`$joinrace` `$jr`	Joins a new race. You can specify an amount of currency for betting (optional). You will get YourBet*(participants-1) back if you win.	`$jr` or `$jr 5`
`$raffle`	Prints a name and ID of a random user from the online list from the (optional) role.	`$raffle` or `$raffle RoleName`
`$cash` `$$$`	Check how much currency a person has. (Defaults to yourself)	`$$$` or `$$$ @SomeGuy`
`$give`	Give someone a certain amount of currency.	`$give 1 "@SomeGuy"`
`$award`	Awards someone a certain amount of currency. You can also specify a role name to award currency to all users in a role. **Bot Owner only.**	`$award 100 @person` or `$award 5 Role Of Gamblers`
`$take`	Takes a certain amount of currency from someone. **Bot Owner only.**	`$take 1 "@someguy"`
`$betroll` `$br`	Bets a certain amount of currency and rolls a dice. Rolling over 66 yields x2 of your currency, over 90 - x3 and 100 x10.	`$br 5`
`$leaderboard` `$lb`	Displays bot currency leaderboard.	`$lb`

Games

Command and aliases	Description	Usage
`>trivia` `>t`	Starts a game of trivia. You can add nohint to prevent hints.First player to get to 10 points wins by default. You can specify a different number. 30 seconds per question.	`>t` or `>t 5 nohint`

Command and aliases	Description	Usage
`>tl`	Shows a current trivia leaderboard.	`>tl`
`>tq`	Quits current trivia after current question.	`>tq`
`>typestart`	Starts a typing contest.	`>typestart`
`>typestop`	Stops a typing contest on the current channel.	`>typestop`
`>typeadd`	Adds a new article to the typing contest. **Bot Owner only.**	`>typeadd wordswords`
`>typelist`	Lists added typing articles with their IDs. 15 per page.	`>typelist` or `>typelist 3`
`>typedel`	Deletes a typing article given the ID. **Bot Owner only.**	`>typedel 3`
`>poll`	Creates a poll which requires users to send the number of the voting option to the bot. **Requires ManageMessages server permission.**	`>poll Question?;Answer1;Answ 2;A_3`
`>publicpoll` `>ppoll`	Creates a public poll which requires users to type a number of the voting option in the channel command is ran in. **Requires ManageMessages server permission.**	`>ppoll Question?;Answer1;Answ 2;A_3`
`>pollstats`	Shows the poll results without stopping the poll on this server. **Requires ManageMessages server permission.**	`>pollstats`
`>pollend`	Stops active poll on this server and prints the results in this channel. **Requires ManageMessages server permission.**	`>pollend`
`>pick`	Picks the currency planted in this channel. 60 seconds cooldown.	`>pick`
`>plant`	Spend a unit of currency to plant it in this channel. (If bot is restarted or crashes, the currency will be lost)	`>plant`
`>gencurrency` `>gc`	Toggles currency generation on this channel. Every posted message will have chance to spawn currency. Chance is specified by the Bot Owner. (default is 2%) **Requires ManageMessages server permission.**	`>gc`
`>hangmanlist`	Shows a list of hangman term types.	`> hangmanlist`
`>hangman`	Starts a game of hangman in the channel. Use `>hangmanlist` to see a list of available term types. Defaults to 'all'.	`>hangman` or `>hangman movies`
`>cleverbot`	Toggles cleverbot session. When enabled, the bot will reply to messages starting with bot mention in the server. Custom reactions starting with %mention% won't work if cleverbot is enabled. **Requires ManageMessages server permission.**	`>cleverbot`
`>acrophobia` `>acro`	Starts an Acrophobia game. Second argment is optional round length in seconds. (default is 60)	`>acro` or `>acro 30`
`>choose`	Chooses a thing from a list of things	`>choose Get up;Sleep;Sleep more`
`>8ball`	Ask the 8ball a yes/no question.	`>8ball should I do something`

Command and aliases	Description	Usage
`>rps`	Play a game of rocket paperclip scissors with Nadeko.	`>rps scissors`
`>linux`	Prints a customizable Linux interjection	`>linux Spyware Windows`
`>leet`	Converts a text to leetspeak with 6 (1-6) severity levels	`>leet 3 Hello`

Back to TOC

Help

Command and aliases	Description	Usage
`-modules` `-mdls`	Lists all bot modules.	`-modules`
`-commands` `-cmds`	List all of the bot's commands from a certain module. You can either specify full, or only first few letters of the module name.	`-commands Administration` or `-cmds Admin`
`-help` `-h`	Either shows a help for a single command, or DMs you help link if no arguments are specified.	`-h !!q` or `-h`
`-hgit`	Generates the commandlist.md file. **Bot Owner only.**	`-hgit`
`-readme` `-guide`	Sends a readme and a guide links to the channel.	`-readme` or `-guide`
`-donate`	Instructions for helping the project financially.	`-donate`

Back to TOC

Music

Command and aliases	Description	Usage
`!!next` `!!n`	Goes to the next song in the queue. You have to be in the same voice channel as the bot. You can skip multiple songs, but in that case songs will not be requeued if !!rcs or !!rpl is enabled.	`!!n` or `!!n 5`
`!!stop` `!!s`	Stops the music and clears the playlist. Stays in the channel.	`!!s`
`!!destroy` `!!d`	Completely stops the music and unbinds the bot from the channel. (may cause weird behaviour)	`!!d`
`!!pause` `!!p`	Pauses or Unpauses the song.	`!!p`
`!!fairplay` `!!fp`	Toggles fairplay. While enabled, music player will prioritize songs from users who didn't have their song recently played instead of the song's position in the queue.	`!!fp`
`!!queue` `!!q` `!!yq`	Queue a song using keywords or a link. Bot will join your voice channel.**You must be in a voice channel.**	`!!q Dream Of Venice`
`!!soundcloudqueue` `!!sq`	Queue a soundcloud song using keywords. Bot will join your voice channel.**You must be in a voice channel.**	`!!sq Dream Of Venice`

Command and aliases	Description	Usage
`!!listqueue` `!!lq`	Lists 15 currently queued songs per page. Default page is 1.	`!!lq` or `!!lq 2`
`!!nowplaying` `!!np`	Shows the song currently playing.	`!!np`
`!!volume` `!!vol`	Sets the music volume 0-100%	`!!vol 50`
`!!defvol` `!!dv`	Sets the default music volume when music playback is started (0-100). Persists through restarts.	`!!dv 80`
`!!shuffle` `!!sh`	Shuffles the current playlist.	`!!sh`
`!!playlist` `!!pl`	Queues up to 500 songs from a youtube playlist specified by a link, or keywords.	`!!pl playlist link or name`
`!!soundcloudpl` `!!scpl`	Queue a soundcloud playlist using a link.	`!!scpl soundcloudseturl`
`!!localplaylst` `!!lopl`	Queues all songs from a directory. **Bot Owner only.**	`!!lopl C:/music/classical`
`!!radio` `!!ra`	Queues a radio stream from a link. It can be a direct mp3 radio stream, .m3u, .pls .asx or .xspf (Usage Video: https://streamable.com/al54)	`!!ra radio link here`
`!!local` `!!lo`	Queues a local file by specifying a full path. **Bot Owner only.**	`!!lo C:/music/mysong.mp3`
`!!move` `!!mv`	Moves the bot to your voice channel. (works only if music is already playing)	`!!mv`
`!!remove` `!!rm`	Remove a song by its # in the queue, or 'all' to remove whole queue.	`!!rm 5`
`!!movesong` `!!ms`	Moves a song from one position to another.	`!!ms 5>3`
`!!setmaxqueue` `!!smq`	Sets a maximum queue size. Supply 0 or no argument to have no limit.	`!!smq 50` or `!!smq`
`!!setmaxplaytime` `!!smp`	Sets a maximum number of seconds (>14) a song can run before being skipped automatically. Set 0 to have no limit.	`!!smp 0` or `!!smp 270`
`!!reptcursong` `!!rcs`	Toggles repeat of current song.	`!!rcs`
`!!rpeatplaylst` `!!rpl`	Toggles repeat of all songs in the queue (every song that finishes is added to the end of the queue).	`!!rpl`
`!!save`	Saves a playlist under a certain name. Name must be no longer than 20 characters and mustn't contain dashes.	`!!save classical1`
`!!load`	Loads a saved playlist using it's ID. Use `!!pls` to list all saved playlists and !!save to save new ones.	`!!load 5`
`!!playlists` `!!pls`	Lists all playlists. Paginated. 20 per page. Default page is 0.	`!!pls 1`
`!!deleteplaylist` `!!delpls`	Deletes a saved playlist. Only if you made it or if you are the bot owner.	`!!delpls animu-5`
`!!goto`	Goes to a specific time in seconds in a song.	`!!goto 30`
`!!autoplay` `!!ap`	Toggles autoplay - When the song is finished, automatically queue a related youtube song. (Works only for youtube songs and when queue is empty)	`!!ap`

NSFW

Command and aliases	Description	Usage
`~hentai`	Shows a hentai image from a random website (gelbooru or danbooru or konachan or atfbooru or yandere) with a given tag. Tag is optional but preferred. Only 1 tag allowed.	`~hentai yuri`
`~autohentai`	Posts a hentai every X seconds with a random tag from the provided tags. Use `|` to separate tags. 20 seconds minimum. Provide no arguments to disable.	`~autohentai 30 yuri|tail|long_hair` or `~autohentai`
`~hentaibomb`	Shows a total 5 images (from gelbooru, danbooru, konachan, yandere and atfbooru). Tag is optional but preferred.	`~hentaibomb yuri`
`~danbooru`	Shows a random hentai image from danbooru with a given tag. Tag is optional but preferred. (multiple tags are appended with +)	`~danbooru yuri+kissing`
`~yandere`	Shows a random image from yandere with a given tag. Tag is optional but preferred. (multiple tags are appended with +)	`~yandere tag1+tag2`
`~konachan`	Shows a random hentai image from konachan with a given tag. Tag is optional but preferred.	`~konachan yuri`
`~gelbooru`	Shows a random hentai image from gelbooru with a given tag. Tag is optional but preferred. (multiple tags are appended with +)	`~gelbooru yuri+kissing`
`~rule34`	Shows a random image from rule34.xx with a given tag. Tag is optional but preferred. (multiple tags are appended with +)	`~rule34 yuri+kissing`
`~e621`	Shows a random hentai image from e621.net with a given tag. Tag is optional but preferred. Use spaces for multiple tags.	`~e621 yuri kissing`
`~cp`	We all know where this will lead you to.	`~cp`
`~boobs`	Real adult content.	`~boobs`
`~butts` `~ass` `~butt`	Real adult content.	`~butts` or `~ass`

Permissions

Command and aliases	Description	Usage
`;srvrfilterinv` `;sfi`	Toggles automatic deleting of invites posted in the server. Does not affect Bot Owner.	`;sfi`
`;chnlfilterinv` `;cfi`	Toggles automatic deleting of invites posted in the channel. Does not negate the ;srvrfilterinv enabled setting. Does not affect Bot Owner.	`;cfi`

Command and aliases	Description	Usage
`;srvrfilterwords` `;sfw`	Toggles automatic deleting of messages containing forbidden words on the server. Does not affect Bot Owner.	`;sfw`
`;chnlfilterwords` `;cfw`	Toggles automatic deleting of messages containing banned words on the channel. Does not negate the ;srvrfilterwords enabled setting. Does not affect bot owner.	`;cfw`
`;fw`	Adds or removes (if it exists) a word from the list of filtered words. Use `;sfw` or `;cfw` to toggle filtering.	`;fw poop`
`;lstfilterwords` `;lfw`	Shows a list of filtered words.	`;lfw`
`;cmdcooldown` `;cmdcd`	Sets a cooldown per user for a command. Set to 0 to remove the cooldown.	`;cmdcd "some cmd" 5`
`;allcmdcooldowns` `;acmdcds`	Shows a list of all commands and their respective cooldowns.	`;acmdcds`
`;ubl`	Either [add]s or [rem]oves a user specified by a mention or ID from a blacklist. **Bot Owner only.**	`;ubl add @SomeUser` or `;ubl rem 12312312313`
`;cbl`	Either [add]s or [rem]oves a channel specified by an ID from a blacklist. **Bot Owner only.**	`;cbl rem 12312312312`
`;sbl`	Either [add]s or [rem]oves a server specified by a Name or ID from a blacklist. **Bot Owner only.**	`;sbl add 12312321312` or `;sbl rem SomeTrashServer`
`;verbose` `;v`	Sets whether to show when a command/module is blocked.	`;verbose true`
`;permrole` `;pr`	Sets a role which can change permissions. Or supply no parameters to find out the current one. Default one is 'Nadeko'.	`;pr role`
`;listperms` `;lp`	Lists whole permission chain with their indexes. You can specify an optional page number if there are a lot of permissions.	`;lp` or `;lp 3`
`;removeperm` `;rp`	Removes a permission from a given position in Permissions list.	`;rp 1`
`;moveperm` `;mp`	Moves permission from one position to another in Permissions list.	`;mp 2 4`
`;srvrcmd` `;sc`	Sets a command's permission at the server level.	`;sc "command name" disable`
`;srvrmdl` `;sm`	Sets a module's permission at the server level.	`;sm ModuleName enable`
`;usrcmd` `;uc`	Sets a command's permission at the user level.	`;uc "command name" enable SomeUsername`
`;usrmdl` `;um`	Sets a module's permission at the user level.	`;um ModuleName enable SomeUsername`
`;rolecmd` `;rc`	Sets a command's permission at the role level.	`;rc "command name" disable MyRole`
`;rolemdl` `;rm`	Sets a module's permission at the role level.	`;rm ModuleName enable MyRole`
`;chnlcmd` `;cc`	Sets a command's permission at the channel level.	`;cc "command name" enable SomeChannel`

Command and aliases	Description	Usage
`;chnlmdl` `;cm`	Sets a module's permission at the channel level.	`;cm ModuleName enable SomeChannel`
`;allchnlmdls` `;acm`	Enable or disable all modules in a specified channel.	`;acm enable #SomeChannel`
`;allrolemdls` `;arm`	Enable or disable all modules for a specific role.	`;arm [enable/disable] MyRole`
`;allusrmdls` `;aum`	Enable or disable all modules for a specific user.	`;aum enable @someone`
`;allsrvrmdls` `;asm`	Enable or disable all modules for your server.	`;asm [enable/disable]`

Back to TOC

Pokemon

Command and aliases	Description	Usage
`>attack`	Attacks a target with the given move. Use `>movelist` to see a list of moves your type can use.	`>attack "vine whip" @someguy`
`>movelist` `>ml`	Lists the moves you are able to use	`>ml`
`>heal`	Heals someone. Revives those who fainted. Costs a NadekoFlower	`>heal @someone`
`>type`	Get the poketype of the target.	`>type @someone`
`>settype`	Set your poketype. Costs a NadekoFlower. Provide no arguments to see a list of available types.	`>settype fire` or `>settype`

Back to TOC

Searches

Command and aliases	Description	Usage
`~xkcd`	Shows a XKCD comic. No arguments will retrieve random one. Number argument will retrieve a specific comic, and "latest" will get the latest one.	`~xkcd` or `~xkcd 1400` or `~xkcd latest`
`~translate` `~trans`	Translates from>to text. From the given language to the destination language.	`~trans en>fr Hello`
`~autotrans` `~at`	Starts automatic translation of all messages by users who set their `~atl` in this channel. You can set "del" argument to automatically delete all translated user messages. **Requires Administrator server permission. Bot Owner only.**	`~at` or `~at del`
`~autotranslang` `~atl`	`~atl en>fr`	Sets your source and target language to be used with `~at`. Specify no arguments to remove previously set value.
`~translangs`	Lists the valid languages for translation.	`~translangs`
`~hitbox` `~hb`	Notifies this channel when a certain user starts streaming. **Requires ManageMessages server permission.**	`~hitbox SomeStreamer`

Command and aliases	Description	Usage
`~twitch` `~tw`	Notifies this channel when a certain user starts streaming. **Requires ManageMessages server permission.**	`~twitch SomeStreamer`
`~beam` `~bm`	Notifies this channel when a certain user starts streaming. **Requires ManageMessages server permission.**	`~beam SomeStreamer`
`~liststreams` `~ls`	Lists all streams you are following on this server.	`~ls`
`~removestream` `~rms`	Removes notifications of a certain streamer from a certain platform on this channel. **Requires ManageMessages server permission.**	`~rms Twitch SomeGuy` or `~rms Beam SomeOtherGuy`
`~checkstream` `~cs`	Checks if a user is online on a certain streaming platform.	`~cs twitch MyFavStreamer`
`~pokemon` `~poke`	Searches for a pokemon.	`~poke Sylveon`
`~pokemonability` `~pokeab`	Searches for a pokemon ability.	`~pokeab overgrow`
`~placelist`	Shows the list of available tags for the `~place` command.	`~placelist`
`~place`	Shows a placeholder image of a given tag. Use `~placelist` to see all available tags. You can specify the width and height of the image as the last two optional arguments.	`~place Cage` or `~place steven 500 400`
`~overwatch` `~ow`	Show's basic stats on a player (competitive rank, playtime, level etc) Region codes are: `eu` `us` `cn` `kr`	`~ow us Battletag#1337` or `~overwatch eu Battletag#2016`
`~osu`	Shows osu stats for a player.	`~osu Name` or `~osu Name taiko`
`~osub`	Shows information about an osu beatmap.	`~osub https://osu.ppy.sh/s/127712`
`~osu5`	Displays a user's top 5 plays.	`~osu5 Name`
`~yomama` `~ym`	Shows a random joke from http://api.yomomma.info/	`~ym`
`~randjoke` `~rj`	Shows a random joke from http://tambal.azurewebsites.net/joke/random	`~rj`
`~chucknorris` `~cn`	Shows a random chucknorris joke from http://tambal.azurewebsites.net/joke/random	`~cn`
`~wowjoke`	Get one of Kwoth's penultimate WoW jokes.	`~wowjoke`
`~magicitem` `~mi`	Shows a random magicitem from https://1d4chan.org/wiki/List_of_/tg/%27s_magic_items	`~mi`
`~anime` `~ani` `~aq`	Queries anilist for an anime and shows the first result.	`~ani aquarion evol`
`~manga` `~mang` `~mq`	Queries anilist for a manga and shows the first result.	`~mq Shingeki no kyojin`
`~weather` `~we`	Shows weather data for a specified city. You can also specify a country after a comma.	`~we Moscow, RU`
`~youtube` `~yt`	Searches youtubes and shows the first result	`~yt query`
`~imdb` `~omdb`	Queries omdb for movies or series, show first result.	`~imdb Batman vs Superman`
`~randomcat` `~meow`	Shows a random cat image.	`~meow`

Command and aliases	Description	Usage
`~randomdog` `~woof`	Shows a random dog image.	`~woof`
`~image` `~img`	Pulls the first image found using a search parameter. Use ~rimg for different results.	`~img cute kitten`
`~randomimage` `~rimg`	Pulls a random image using a search parameter.	`~rimg cute kitten`
`~lmgtfy`	Google something for an idiot.	`~lmgtfy query`
`~shorten`	Attempts to shorten an URL, if it fails, returns the input URL.	`~shorten https://google.com`
`~google` `~g`	Get a google search link for some terms.	`~google query`
`~magicthegathering` `~mtg`	Searches for a Magic The Gathering card.	`~magicthegathering about face` or `~mtg about face`
`~hearthstone` `~hs`	Searches for a Hearthstone card and shows its image. Takes a while to complete.	`~hs Ysera`
`~yodify` `~yoda`	Translates your normal sentences into Yoda styled sentences!	~yodify I was once an adventurer like you `or` ~yoda my feelings hurt`
`~urbandict` `~ud`	Searches Urban Dictionary for a word.	`~ud Pineapple`
`~define` `~def`	Finds a definition of a word.	`~def heresy`
`~#`	Searches Tagdef.com for a hashtag.	`~# ff`
`~catfact`	Shows a random catfact from http://catfacts-api.appspot.com/api/facts	`~catfact`
`~revav`	Returns a google reverse image search for someone's avatar.	`~revav "@SomeGuy"`
`~revimg`	Returns a google reverse image search for an image from a link.	`~revimg Image link`
`~safebooru`	Shows a random image from safebooru with a given tag. Tag is optional but preferred. (multiple tags are appended with +)	`~safebooru yuri+kissing`
`~wikipedia` `~wiki`	Gives you back a wikipedia link	`~wiki query`
`~color` `~clr`	Shows you what color corresponds to that hex.	`~clr 00ff00`
`~videocall`	Creates a private http://www.appear.in video call link for you and other mentioned people. The link is sent to mentioned people via a private message.	`~videocall "@SomeGuy"`
`~avatar` `~av`	Shows a mentioned person's avatar.	`~av "@SomeGuy"`
`~wikia`	Gives you back a wikia link	`~wikia mtg Vigilance` or `~wikia mlp Dashy`
`~minecraftping` `~mcping`	Pings a minecraft server.	`~mcping 127.0.0.1:25565`
`~minecraftquery` `~mcq`	Finds information about a minecraft server.	`~mcq server:ip`
`~lolban`	Shows top banned champions ordered by ban rate.	`~lolban`
`~memelist`	Pulls a list of memes you can use with `~memegen` from http://memegen.link/templates/	`~memelist`

Command and aliases	Description	Usage
`~memegen`	Generates a meme from memelist with top and bottom text.	`~memegen biw "gets iced coffee" "in the winter"`

Utility

Command and aliases	Description	Usage
`.convertlist`	List of the convertible dimensions and currencies.	`.convertlist`
`.convert`	Convert quantities. Use `.convertlist` to see supported dimensions and currencies.	`.convert m km 1000`
`.remind`	Sends a message to you or a channel after certain amount of time. First argument is me/here/'channelname'. Second argument is time in a descending order (mo>w>d>h>m) example: 1w5d3h10m. Third argument is a (multiword)message.	`.remind me 1d5h Do something` or `.remind #general 1m Start now!`
`.remindtemplate`	Sets message for when the remind is triggered. Available placeholders are %user% - user who ran the command, %message% - Message specified in the remind, %target% - target channel of the remind. **Bot Owner only.**	`.remindtemplate %user%, do %message%!`
`.listquotes` `.liqu`	`.liqu` or `.liqu 3`	Lists all quotes on the server ordered alphabetically. 15 Per page.
`...`	Shows a random quote with a specified name.	`... abc`
`..`	Adds a new quote with the specified name and message.	`.. sayhi Hi`
`.deletequote` `.delq`	Deletes a random quote with the specified keyword. You have to either be server Administrator or the creator of the quote to delete it.	`.delq abc`
`.delallq` `.daq`	Deletes all quotes on a specified keyword. **Requires Administrator server permission.**	`.delallq kek`
`.repeatinvoke` `.repinv`	Immediately shows the repeat message on a certain index and restarts its timer. **Requires ManageMessages server permission.**	`.repinv 1`
`.repeatremove` `.reprm`	Removes a repeating message on a specified index. Use `.repeatlist` to see indexes. **Requires ManageMessages server permission.**	`.reprm 2`
`.repeat`	Repeat a message every X minutes in the current channel. You can have up to 5 repeating messages on the server in total. **Requires ManageMessages server permission.**	`.repeat 5 Hello there`

Command and aliases	Description	Usage
`.repeatlist` `.replst`	Shows currently repeating messages and their indexes. **Requires ManageMessages server permission.**	`.repeatlist`
`.serverinfo` `.sinfo`	Shows info about the server the bot is on. If no channel is supplied, it defaults to current one.	`.sinfo Some Server`
`.channelinfo` `.cinfo`	Shows info about the channel. If no channel is supplied, it defaults to current one.	`.cinfo #some-channel`
`.userinfo` `.uinfo`	Shows info about the user. If no user is supplied, it defaults a user running the command.	`.uinfo @SomeUser`
`.scsc`	Starts an instance of cross server channel. You will get a token as a DM that other people will use to tune in to the same instance. **Bot Owner only.**	`.scsc`
`.jcsc`	Joins current channel to an instance of cross server channel using the token. **Requires ManageServer server permission.**	`.jcsc TokenHere`
`.lcsc`	Leaves Cross server channel instance from this channel. **Requires ManageServer server permission.**	`.lcsc`
`.calculate` `.calc`	Evaluate a mathematical expression.	`.calc 1+1`
`.calcops`	Shows all available operations in .calc command	`.calcops`
`.rotaterolecolor` `.rrc`	Rotates a roles color on an interval with a list of supplied colors. First argument is interval in seconds (Minimum 60). Second argument is a role, followed by a space-separated list of colors in hex. Provide a rolename with a 0 interval to disable. **Bot Owner only.**	`.rrc 60 MyLsdRole #ff0000 #00ff00 #0000ff` or `.rrc 0 MyLsdRole`
`.togethertube` `.totube`	Creates a new room on https://togethertube.com and shows the link in the chat.	`.totube`
`.whosplaying` `.whpl`	Shows a list of users who are playing the specified game.	`.whpl Overwatch`
`.inrole`	Lists every person from the provided role or roles (separated by a ';') on this server. If the list is too long for 1 message, you must have Manage Messages permission.	`.inrole Role`
`.checkmyperms`	Checks your user-specific permissions on this channel.	`.checkmyperms`
`.userid` `.uid`	Shows user ID.	`.uid` or `.uid "@SomeGuy"`
`.channelid` `.cid`	Shows current channel ID.	`.cid`
`.serverid` `.sid`	Shows current server ID.	`.sid`
`.roles`	List roles on this server or a roles of a specific user if specified. Paginated. 20 roles per page.	`.roles 2` or `.roles @Someone`

Command and aliases	Description	Usage
`.channeltopic` `.ct`	Sends current channel's topic as a message.	`.ct`
`.createinvite` `.crinv`	Creates a new invite which has infinite max uses and never expires. **Requires CreateInstantInvite channel permission.**	`.crinv`
`.stats`	Shows some basic stats for Nadeko.	`.stats`
`.showemojis` `.se`	Shows a name and a link to every SPECIAL emoji in the message.	`.se A message full of SPECIAL emojis`
`.listservers`	Lists servers the bot is on with some basic info. 15 per page. **Bot Owner only.**	`.listservers 3`
`.savechat`	Saves a number of messages to a text file and sends it to you. **Bot Owner only.**	`.savechat 150`
`.activity`	Checks for spammers. **Bot Owner only.**	`.activity`