NATIONAL UNIFIED ELECTRONIC RECEIPT SYSTEM

System Screenshot Documentation

Software identity and operational screen evidence

NUERS · VERSION 1.0.0

Merchant Portal / Administrator Console / Security & Operations

24 documented screens

Actual running application screenshots. Demonstration records are clearly identified.
Prepared 19 October 2026 | Document revision 1.0

A traceable record of the software interface

Purpose, boundaries, release identity and capture conditions

Document ID	NUERS-SYS-SCREEN-001
Document revision	1.0
Software name	NUERS
Full name	National Unified Electronic Receipt System
Software version	1.0.0 - configured solution release
API schema identifier	NUERS-ingestion-1 (separate from software version)
Prepared / timezone	19 October 2026 / Asia-Manila, UTC+08:00
Audience	Merchants, administrators, technical reviewers and assessors

What this pack establishes

The NUERS logo, name and configured version appear within the application. Each screen has an identifier, route, purpose, operating guidance and an interpretation note.

Capture environment

Screens 01-24 use an isolated local database with invented merchant/customer data. A Live badge is a record classification inside that database. No real sale, wallet credit or customer email was created by this capture process.

Evidence boundaries

Screenshots establish visible UI state at a point in time. They are not penetration tests, transaction-delivery tests, a legal opinion, government certification or proof of production recovery capability.

Release source: server configuration bir_compliance.solution_name and solution_version. The version label reads the existing health response. Source baseline: package version 1.0.0. Document revision and API schema are maintained independently.

Screen catalogue

Full-resolution originals and SHA-256 hashes accompany this document in the screenshot package.

01 **Secure sign-in** 04
Access

02 **Merchant dashboard** 05
Merchant

03 **Business profile and documents** 06
Merchant

04 **Invoice and receipt directory** 07
Merchant

05 **Invoice creation workflow** 08
Merchant

06 **Sales reporting and exports** 09
Merchant

07 **Prepaid wallet and funding** 10
Merchant

08 **API credentials and connection setup** 11
Merchant

09 **Webhook configuration and delivery logs** 12
Merchant

10 **Invoice settings and receipt branding** 13
Merchant

11 **Account security and authenticator devices** 14
Merchant

12 **Merchant user directory** 15
Merchant

13 **Administrator dashboard** 16
Administrator

14 **Live transaction monitoring** 17
Administrator

15 **Electronic invoice and receipt center** 18
Administrator

16 **Transaction workspace** 19
Administrator

17 **Registered business directory** 20
Administrator

18 **Onboarding administration** 21
Administrator

19 **Merchant source profiles and connections** 22
Administrator

20 **Wallets and transaction pricing** 23
Administrator

21 **Compliance audit journal** 24
Administrator

22 **Solution identity and evidence register** 25
Administrator

23 **Backup and disaster recovery workspace** 26
Administrator

24 **Operational security readiness** 27
Administrator

Appendices: workflow reference (p. 28), control interpretation (p. 29), capture manifest (p. 30), maintenance and acceptance (p. 31).

Secure sign-in

01-LOGIN | /login | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY

PURPOSE & OBSERVED EVIDENCE

Identify the application and enter the registered account sign-in flow. NUERS logo, system welcome panel, sign-in controls and the version label are visible. This is a local demonstration login page.

OPERATING SEQUENCE

Use the registered email and password, or the registered-email Google sign-in option. Complete the authenticator challenge when required. The login footer displays the configured software name and version.

CONTROLS & INTERPRETATION

The captured form is blank. No password, recovery code, authenticator secret or API key appears in this pack. An available Google button does not mean an unknown email can register by signing in.

Captured 2026-10-19 02:04:49 PHT | Original 3440 × 1352 px | SHA-256 9c7ac0462eb0967ee997…

Merchant dashboard

02-MERCHANT-DASHBOARD | /merchant | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Provide a daily operating summary and direct access to the merchant wallet and documents. The fixture contains 8 sales totalling ₱12,320.00. The available wallet is ₱4,976.00 after ₱24.00 in posted fees.

OPERATING SEQUENCE

Review sales, invoice counts and failed/pending activity. Compare the sales chart with recent documents. Use Available Wallet and Top-Up to enter the funding workflow.

CONTROLS & INTERPRETATION

Amounts and charts are limited to their displayed periods. BIR acknowledgments are separately labelled. A completed NUERS record is not evidence of government acceptance.

Captured 2026-10-19 02:06:23 PHT | Original 3440 × 1352 px | SHA-256 a23c7407522166001013...

Business profile and documents

03-BUSINESS-PROFILE | /merchant/profile | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Maintain business contact information, view registered identity and submit verification documents. The sample merchant is active but has no seeded verification uploads. The empty checklist illustrates the upload surface; it is not an onboarding decision record.

OPERATING SEQUENCE

Use Edit Information for permitted fields. Upload the required document category, then submit the completed checklist for review. Inspect review notes and upload a replacement when corrections are requested.

CONTROLS & INTERPRETATION

Profile images update immediately. Contact number, website and business description are directly editable; protected identity, address and representative changes follow administrator review. Document replacements retain earlier versions.

Captured 2026-10-19 02:06:23 PHT | Original 3440 × 1352 px | SHA-256 ac52ff06de4a8f127996...

Invoice and receipt directory

04-MERCHANT-INVOICES | /merchant/invoices | Isolated demonstration environment

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Find issued documents and drafts, inspect their state and access copies or exports. Eight synthetic VAT invoices are listed, including amounts below ₱500. The screenshot shows category filters and document-level actions.

OPERATING SEQUENCE

Choose Live or Sandbox, then apply dates, type, sale category, status, customer or amount filters. Open a document from its number or row action. Pagination appears beneath the table.

CONTROLS & INTERPRETATION

The record environment is explicit. Payment and supplementary records are identified separately from primary invoices. Document and BIR evidence statuses have different meanings.

Captured 2026-10-19 02:06:42 PHT | Original 3440 × 1352 px | SHA-256 72901de3e60e2b293d78...

Invoice creation workflow

05-CREATE-INVOICE | /merchant/invoices/create | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Create structured invoices through a guided sequence instead of an unstructured upload. The screenshot documents the six-stage wizard with a new, unsaved sample. No invoice was submitted during screenshot capture.

OPERATING SEQUENCE

Choose a document type, enter seller/buyer parties and line items, check tax and totals, then review the validation and preview steps. Save Draft or use the available finalization action only after validation.

CONTROLS & INTERPRETATION

The first screen shows VAT, non-VAT, exempt, zero-rated and mixed sales choices, plus payment receipts. Type selection does not itself establish eligibility for a tax treatment.

Captured 2026-10-19 02:06:42 PHT | Original 3440 × 1352 px | SHA-256 3addb98f6c5e9a5ff932…

Sales reporting and exports

06-SALES-REPORTS | /merchant/sales-reports | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Reconcile invoice sales and review separate tax bases with consistent filters. The sample report shows ₱12,320.00 gross, ₱11,000.00 VATable base and eight sales documents. No statutory-benefit sale was seeded.

OPERATING SEQUENCE

Select a report period and document/customer filters. Use sale category for regular, senior citizen, PWD, national athlete/coach or solo parent records. Generate the report and choose PDF, Excel or CSV.

CONTROLS & INTERPRETATION

Gross sales include VAT; net sales exclude VAT. Linked credits and debits affect the source classification. Excluded/review records can be inspected separately. Export scope should match applied filters.

Captured 2026-10-19 02:06:42 PHT | Original 3440 × 1352 px | SHA-256 0311b19624a8c6aa77d9...

Prepaid wallet and funding

07-MERCHANT-WALLET | /merchant/wallet | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Show available funds, posted deductions, the current pricing policy and funding requests. The demo credit is ₱5,000.00 and eight fee debits total ₱24.00. Available balance reconciles to ₱4,976.00.

OPERATING SEQUENCE

Review the balance and fee history before accepting additional Live sales. Use Add Funds to submit a top-up request. Review the request status and download a statement when reconciling activity.

CONTROLS & INTERPRETATION

The displayed fee is ₱3.00 with a zero minimum. Accepted-event duplicates do not create a second fee. A request for funds is distinct from an approved credit; this page is not a bank checkout.

Captured 2026-10-19 02:06:56 PHT | Original 3440 × 1352 px | SHA-256 577320c7b067d1fdda86...

API credentials and connection setup

08-API-INTEGRATION | /merchant/api-keys | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Connect an owned ERP, POS or ecommerce backend to the merchant account. The screenshot contains a masked demonstration key only. The example URL points to the isolated local host, not a merchant production integration endpoint.

OPERATING SEQUENCE

Select Live or Sandbox. Create a named API key, store its one-time secret privately and use Source Profiles for the connection identifiers. Start from the backend examples and verify the returned NUERS status.

CONTROLS & INTERPRETATION

Secrets are hashed and displayed only at creation. Keys remain environment-scoped. The active-account message confirms that a separate account/source approval is not required for the normal owned-system connection.

Captured 2026-10-19 02:06:56 PHT | Original 3440 × 1352 px | SHA-256 bfdaa6acfb7fb96ed971...

Webhook configuration and delivery logs

09-WEBHOOKS | /merchant/api-keys - Webhooks | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Deliver signed status notifications to a merchant-controlled backend and retain delivery evidence. No endpoint is configured and no callback was sent. This documents configuration and operational warnings, not an end-to-end receiver certification.

OPERATING SEQUENCE

Save a public HTTPS endpoint, install the signature verifier, complete the signed ownership challenge, then explicitly enable the verified endpoint. Review delivery logs and retry eligible failures.

CONTROLS & INTERPRETATION

The UI specifies HMAC-SHA256, timestamp freshness and durable event deduplication. Verification leaves the endpoint paused. The local dispatcher is not running, so the screenshot correctly reports no worker observation.

Captured 2026-10-19 02:06:57 PHT | Original 3440 × 1352 px | SHA-256 5132c0d5247c4e7ac5e4...

Invoice settings and receipt branding

10-INVOICE-SETTINGS | /merchant/pos-settings | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Configure document defaults, layouts, numbering, tax/payment presentation and receipt branding. The screenshot shows settings controls and the preview workspace for Demo Trading Company. A rendered receipt preview is not present in this capture. No customer-facing settings were changed.

OPERATING SEQUENCE

Use the section tabs to adjust defaults. Upload the dedicated invoice/receipt logo in Logo and Branding, choose colors and typography, inspect the preview, then save changes.

CONTROLS & INTERPRETATION

The invoice/receipt logo is separate from the business profile picture. Saved branding is used for newly generated document presentation and customer copies. Registered identity still comes from the business profile.

Captured 2026-10-19 02:07:12 PHT | Original 3440 × 1352 px | SHA-256 ee4f67c87f49e1d128c0...

Account security and authenticator devices

11-ACCOUNT-SECURITY | /merchant/security | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Manage login protection, registered authenticator devices, notification preferences and active-session visibility. The demo account shows one primary authenticator and a device-bound local browser session. Loopback IP and example.test email identify the isolated fixture.

OPERATING SEQUENCE

Review Security Overview and the current session. Use Add Device to enroll an additional authenticator and verify it before use. Keep recovery codes privately and review recent security activity.

CONTROLS & INTERPRETATION

The page supports up to five devices and keeps at least one active authenticator. Verification is valid for the active login session. Sensitive setup values are not displayed in this screenshot.

Captured 2026-10-19 02:07:12 PHT | Original 3440 × 1352 px | SHA-256 60c38425627414075e89...

Merchant user directory

12-USER-MANAGEMENT | /merchant/users | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Manage merchant team invitations, roles, access scopes and account status. One synthetic owner and the configured role catalogue are displayed. No invitation or permission grant was issued for the documentation.

OPERATING SEQUENCE

Search by name/email, filter role and status, inspect a user, and use the invitation/role controls when authorized. Review pending invitations and export the current directory.

CONTROLS & INTERPRETATION

Merchant permissions remain within the business account. Owner/representative identity is governed through the administrative profile review process; financial history is not edited through this directory.

Captured 2026-10-19 02:07:12 PHT | Original 3440 × 1352 px | SHA-256 67938c5850be31c60c93...

Administrator dashboard

13-ADMIN-DASHBOARD | /super-admin | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Present platform totals, financial balances, merchant connections and recent activity. The sample shows 8 transactions, ₱12,320.00 amount, ₱24.00 charged, ₱4,976.00 wallet and ₱5,000.00 credited deposit.

OPERATING SEQUENCE

Read transaction and receipt counts, then compare Live financial totals with merchant wallet/deposit totals. Use the connection panel to distinguish configured keys from successful intake activity.

CONTROLS & INTERPRETATION

The visible labels state the time and scope of each amount. NUERS charges are posted fee debits, not transaction count multiplied by the current price. Connection status requires observed activity.

Captured 2026-10-19 02:03:38 PHT | Original 3440 × 1352 px | SHA-256 0926466348993f683a92...

Live transaction monitoring

14-LIVE-MONITORING | /monitoring | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Monitor recent transaction outcomes, today’s financial totals and the latest stream. The eight seeded records appear with today’s amount and fee total. Current TPS can be zero because the fixture contains no continuously arriving traffic.

OPERATING SEQUENCE

Review successful/failed/pending counts, the last-hour flow chart and top merchants. Filter the stream, change visible columns, pause refresh when inspecting and export the relevant records.

CONTROLS & INTERPRETATION

Today is displayed in Philippine time. Transactions-per-second is an observed recent rate. Pending transmission and BIR evidence remain separate from successful internal transaction recording.

Captured 2026-10-19 02:03:39 PHT | Original 3440 × 1352 px | SHA-256 80381dd3484da29399a4...

Electronic invoice and receipt center

15-ADMIN-INVOICES | /invoices | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Inspect electronic documents across merchants with a preview and consistent search controls. The center displays eight sample invoices and the corrected filter layout. The screenshot is a visual record of controls, not an export reconciliation test.

OPERATING SEQUENCE

Apply sale category, date range, transaction type, status or business/TIN search. Switch document tabs and open a row for preview or details. Use export controls for the selected scope.

CONTROLS & INTERPRETATION

A Valid source record indicates an internal document state. It does not prove BIR acknowledgment. Document preview and download access remain separate from any transmission action.

Captured 2026-10-19 02:03:50 PHT | Original 3440 × 1352 px | SHA-256 5dcae8a209dcfe42247a...

Transaction workspace

16-ADMIN-TRANSACTIONS | /super-admin/transactions | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Search platform transaction records while preserving environment and document context. The selected environment is Live inside the isolated demo database. This label describes record classification; it does not mean these are production customer transactions.

OPERATING SEQUENCE

Select Live or Sandbox, enter dates or business/reference criteria, use advanced filters where needed, then inspect records and export CSV. Compare document totals with payment activity.

CONTROLS & INTERPRETATION

One primary document identity is counted once. Payment activity is displayed separately. Source amounts, discounts and document state should be interpreted with the underlying record.

Captured 2026-10-19 02:03:51 PHT | Original 3440 × 1352 px | SHA-256 0508089827ebe0503f23...

Registered business directory

17-BUSINESS-REGISTRY | /super-admin/merchants | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Manage business records, account access and protected profile change requests. One active synthetic merchant is listed and no profile correction is pending. The directory uses the shared software identity label.

OPERATING SEQUENCE

Review pending profile corrections, search the registry and open a business for detail, review or account actions. Use registry filters and export for the required scope.

CONTROLS & INTERPRETATION

Identity, address and representative proposals require a recorded decision. Profile image changes are immediate and distinct from legal identity changes. Registry status does not confer external authority.

Captured 2026-10-19 02:03:51 PHT | Original 3440 × 1352 px | SHA-256 767e24464c8586834fd8...

Onboarding administration

18-ONBOARDING | /super-admin/taxpayer-onboarding | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Track applications through evaluation, processing setup and account activation. The demonstration registry shows one onboarded/active merchant. No document approval or account activation was performed for this capture.

OPERATING SEQUENCE

Filter by application type, status, industry and registration date. Open a business, inspect document versions and notes, complete the relevant checks and record the onboarding decision.

CONTROLS & INTERPRETATION

Document verification and the account activation decision are distinct. An already-active account should be shown as active. This page also surfaces protected profile changes for review.

Captured 2026-10-19 02:04:09 PHT | Original 3440 × 1352 px | SHA-256 7df726990be28c4aa18d...

Merchant source profiles and connections

19-ADMIN-API | /super-admin/api-platform | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Distinguish merchant-owned source connections from the platform’s separate external integration configuration. The demo has one Live and one Sandbox key, with zero intake observations. The source table contains a deliberately synthetic historical profile.

OPERATING SEQUENCE

Open API Integrations on Merchant Source Profiles. Search merchant connections and filter environment. Review successful request evidence and source coverage in the profile table.

CONTROLS & INTERPRETATION

An unexpired key alone means configured, not connected. Connected requires a successful intake observation. Historical source evidence is separate from automatic owned-system setup.

Captured 2026-10-19 02:03:38 PHT | Original 3440 × 1352 px | SHA-256 63fda2fa39375192369d…

Wallets and transaction pricing

20-ADMIN-WALLETS | /super-admin/wallets | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Set the platform transaction fee/minimum and review prepaid merchant funding. The screenshot shows minimum ₱0, fee ₱3 and the resulting sample balance. No price or real balance was changed during screenshot capture.

OPERATING SEQUENCE

Enter the qualifying minimum and fee, provide a reason and save the policy. Review settled funding evidence before crediting requests. Use Open Wallet and Reconcile Ledger for account-level inspection.

CONTROLS & INTERPRETATION

Minimum ₱0 applies the fee to every finalized Live sale. Policy revisions retain previous charges. Sandbox does not debit Live wallets. Duplicate funding references must not create duplicate credit.

Captured 2026-10-19 02:04:10 PHT | Original 3440 × 1352 px | SHA-256 cad373bad2bf4765979d...

Compliance audit journal

21-AUDIT-JOURNAL | /super-admin/audit | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Inspect recorded security and compliance events with integrity information. Two MFA verification events from this demonstration session are visible. The screenshot records the observed chain status at capture time.

OPERATING SEQUENCE

Search event, subject or actor references, expand a record for its evidence, review journal integrity and export the journal when needed for investigation.

CONTROLS & INTERPRETATION

The application journal is append-only and hash-linked. An intact chain is not equivalent to independently immutable storage, trusted timestamps or a completed external audit.

Captured 2026-10-19 02:04:10 PHT | Original 3440 × 1352 px | SHA-256 e8fe58981794f0ea7cdf...

Solution identity and evidence register

22-EVIDENCE-REGISTER | /accreditation | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Identify the solution release and organize supporting evidence for independent review. The page displays NUERS v1.0.0 and the requirement for screenshots showing software name/version. This document supplies technical screenshots only.

OPERATING SEQUENCE

Review the solution name/version and certificate state. Inspect pending requirements, evidence and staged reviews. Use recorded evidence and authorized reviewers to progress the register.

CONTROLS & INTERPRETATION

The screen explicitly reports pending verification and no verified certificate. Its checklist and regulatory labels are application content; this pack does not validate their legal completeness or grant accreditation.

Captured 2026-10-19 02:04:36 PHT | Original 3440 × 1352 px | SHA-256 fae5a810de8fccf89961…

Backup and disaster recovery workspace

23-BACKUP-RECOVERY | /super-admin/backups | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Maintain backup policy, recovery targets and reviewed evidence of restore or replication activity. The screenshot shows an evidence workspace with no verified restore. It must not be used as proof of production recovery capability.

OPERATING SEQUENCE

Review backup observations and policy targets. Record and independently review recovery results, then compare measured objectives with intended RPO/RTO. Inspect preservation and legal-hold controls.

CONTROLS & INTERPRETATION

Proposed schedules are policy targets; they do not activate infrastructure jobs. A recorded backup is different from a verified restore. The local fixture correctly shows Not tested/Not measured.

Captured 2026-10-19 02:04:36 PHT | Original 3440 × 1352 px | SHA-256 8448315ea98931788132...

Operational security readiness

24-SECURITY-READINESS | /super-admin/security | Isolated demonstration environment

NUERS · Version 1.0.0

DETAIL INSET - ORIGINAL SOFTWARE IDENTITY



PURPOSE & OBSERVED EVIDENCE

Make observed checks and outstanding deployment evidence visible to authorized administrators. The screenshot is intentionally honest about the isolated environment. No claim of 100% production readiness, failover, external transport or security certification is made.

OPERATING SEQUENCE

Refresh the observations and inspect database, storage, cache, queue, debug, transport and external evidence states. Resolve the underlying control and retain evidence before reporting readiness.

CONTROLS & INTERPRETATION

Local array cache, synchronous queue and debug are explicitly identified as local conditions. Failed/unverified states are preserved. Production readiness requires deployment-specific checks and authorized testing.

Captured 2026-10-19 02:04:36 PHT | Original 3440 × 1352 px | SHA-256 070ced0d977cb9a1306c...

Operational workflow reference

Use these paths to understand how the documented modules connect.

Merchant onboarding	**Registered email → identity/profile → supporting documents → independent review → active account** Screens 01, 03, 17, 18. Protected profile changes are proposed for review. Document replacement creates another reviewable version; the prior evidence remains retained.
Owned-system connection	**Active account → named environment key → source connection → backend request → NUERS result** Screens 08, 09, 19. Keep the API secret on the backend. Show success/error and its reason in the client system. Use polling or verified signed callbacks for updates.
Sale and wallet posting	**Validated finalized Live sale → applicable fee check → sufficient balance → single acceptance and fee** Screens 07, 13, 14, 20. Minimum ₱0 charges every finalized Live sale. A configured higher minimum changes eligibility. Accepted duplicates do not incur a second fee.
Documents and reports	**Source document → document directory → review/preview → filtered report → export** Screens 04-06, 10, 15-16. Keep original identity and financial amounts. Separate payment copies and adjustments from primary sales to avoid double counting.
Security and continuity	**Registered sign-in → MFA → scoped access → audit evidence → operational readiness and recovery review** Screens 11-12, 21-24. Record observations and unresolved controls. Do not interpret a configured policy as verified infrastructure or a successful restore.

Status and control interpretation

Use the wording on each screen together with its environment, scope and recorded evidence.

DISPLAYED STATE	INTERPRETATION	LIMITATION
Active account	NUERS account access has been recorded as active.	It does not establish BIR authority, a certificate or a connected external receiver.
Configured API key	An API credential exists and may be active/unexpired.	It is not proof of a successful client request. In this fixture, the connection is awaiting its first success.
Connected merchant	The current connection view requires a successful intake observation plus active account/key conditions.	It is not a continuous online check or a BIR connection indicator.
Issued / Valid / Successful	The document or transaction reached the stated NUERS internal state.	Do not substitute this for authentic external acceptance or customer email delivery.
Live / Sandbox	A record and credential environment; Live wallet policy applies to Live acceptance.	The local fixture can contain Live-classified records while remaining non-production.
Wallet available / deposit / fee	Current balance, credited funding and posted deductions are distinct ledger measures.	Pending top-up requests are not deposits. Historical fees should not be recalculated at a new policy price.
Not verified / Pending / Not tested	The displayed requirement has no verified evidence or completed observation in the selected environment.	Keep this limitation visible until supporting evidence is recorded; do not hide it in documentation.
Journal hash chain intact	The application integrity check found the current chain consistent.	Independent immutable storage, time assurance, retention and external audit require separate controls.

Capture provenance and integrity

The companion JSON manifest contains the full SHA-256 digest for each original PNG.

Method: real browser rendering, unmodified viewport captures, original files retained. All screenshots use 3440 × 1352 pixels. The PDF scales the whole screen proportionally and labels its software-identity detail insets. No generated UI image is used.

CAPTURE / ORIGINAL FILE	
01-login.png	9c7ac0462eb0967ee9972c991c2ddd152f6a80ea…
02-merchant-dashboard.png	a23c7407522166001013e23e39e8166d7f296b04…
03-business-profile.png	ac52ff06de4a8f1279960d77c4ffe4851e1b37bc…
04-merchant-invoices.png	72901de3e60e2b293d783e6667b94fc813794730…
05-create-invoice.png	3addb98f6c5e9a5ff9323667184ea7f6a49ae5a8…
06-sales-reports.png	0311b19624a8c6aa77d9c9305cf165dfb6d9bd63…
07-merchant-wallet.png	577320c7b067d1fdda86e647ac882a14c635c729…
08-api-integration.png	bfdaa6acfb7fb96ed97147db55e1458a1b9e27c5…
09-webhooks.png	5132c0d5247c4e7ac5e42ea296ef2ea5da5b6426…
10-invoice-settings.png	ee4f67c87f49e1d128c09d09503f16363be2f64f…
11-account-security.png	60c38425627414075e892fda966d194d4655a161…
12-user-management.png	67938c5850be31c60c93f293f4cc4c3a4048d445…
13-admin-dashboard.png	0926466348993f683a92e192ac3c07cf81f3ea2d…

CAPTURE / ORIGINAL FILE	
14-live-monitoring.png	80381dd3484da29399a4eb3f311fd066e815df64…
15-admin-invoices.png	5dcae8a209dcfe42247a703bed6552d662736f7c…
16-admin-transactions.png	0508089827ebe0503f2328cb24011da4cd1a726a…
17-business-registry.png	767e24464c8586834fd8fc38399a8b0af1e735ac…
18-onboarding.png	7df726990be28c4aa18d2ea5a05a784b589a520e…
19-admin-api.png	63fda2fa39375192369da4048dde9292b91fed0e…
20-admin-wallets.png	cad373bad2bf4765979d5bac0ba4e8e03231004c…
21-audit-journal.png	e8fe58981794f0ea7cdf0243a7f1a838687d0947…
22-evidence-register.png	fae5a810de8fccf8996107d8a71adbea90225141…
23-backup-recovery.png	8448315ea989317881327c92db07177a8acf18d0…
24-security-readiness.png	070ced0d977cb9a1306c946773e1fe23c0a08e3a…

Integrity procedure: verify the full file digest against screenshot-manifest.json before distribution. The digest detects a changed image; it does not certify the truth or completeness of the underlying application data. Store a reviewed copy of the PDF and package in the organization’s controlled repository.

Review, acceptance and maintenance

A practical checklist for keeping the screenshot documentation aligned with each release.

Identity checks

Confirm software name NUERS and configured version on login and dashboard. Compare with the deployed server configuration. Keep software version, API schema and document revision separate. Never relabel an old screenshot as a new release.

Screenshot acceptance

Check each original at full resolution: correct role, loaded data, readable labels, no modal covering essential content, and no secret visible. Confirm the screenshot ID, route, capture time and hash in the manifest.

Release maintenance

Refresh affected captures when navigation, permissions, pricing, branding, environment handling or workflows change. Retain earlier revisions and their evidence. Update the module captions and index before issuing the new PDF.

Production validation

A public login screenshot verifies the visible version label only. Authenticated production, email delivery, webhook receiver, backup restore, capacity and external transport require their own authorized acceptance evidence.

Review register

Prepared for	NUERS system owners and authorized reviewers
Document state	Prepared technical reference; owner review pending
Owner acceptance	Name, role, date and controlled-reference number to be recorded by the organization
Evidence package	Original PNG screenshots + screenshot-manifest.json + README.txt