NUERS.NET

DETAILED ILLUSTRATED UI / FUNCTIONAL SPECIFICATION

Version 1.1 | 15 October 2026 | Controlled internal project document

Covers approved visual mockups, proposed form fields, modal behavior, workflow, validation, access control, data actions, and audit evidence. This is NOT a BIR-issued or BIR-approved document. Screenshots are design references, not proof of production functionality.

Document number	NUERS-FSD-UI-001
Status	For product, engineering, compliance and security review
Source	NUERS screen mockups and user-supplied RMC No. 110-2026
Regulatory limitation	Exact EIS API endpoints, schemas, official response codes and approval status require separate verification.

1. Universal interaction standards

Sidebar: Show only modules authorized for current role; active menu highlight; navigation must not discard unsaved form data without warning.

Topbar: Search, breadcrumbs, notifications, profile, sign-out, environment and connection status. Notifications open an accessible drawer.

Tables: Server-side paging, stable sorting, timezone-aware dates, tenant-scoped filters, export and loading/empty/error states.

Forms: Client and server validation; required markers; typed values; field-level errors; duplicate-submit protection; safe cancel.

Modals: Context title, affected record, close and cancel, explicit confirm for sensitive actions, spinner, success/error result and audit event.

Security: Role-based access control, MFA for privileged actions, tenant isolation, encryption, rate limiting and tamper-evident audit events.

2. Screen-by-screen illustrated requirements

2.1 Login

Purpose: Authenticate NUERS operators; informational left branding and sign-in card on right.

Visible elements: Email/password inputs, remember device, password visibility, forgot password, sign-in, support.

Forms, modals and detailed expected behavior

Sign-in — Fields: email, password, remember-device flag. Action: validate active user, rate limit, create secure session, audit success/failure.

Forgot password — Fields: email. Action: send short-lived reset link without disclosing account existence.

MFA challenge — Fields: OTP or authenticator. Action: enforce expiry and lockout.

Session expired — Fields: relogin action. Action: invalidate session and return to login..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.2 Super Admin Dashboard

Purpose: Display operational overview, activity, regional trends, health and exceptions.

Visible elements: Summary KPI cards, charts, map, activity feed, alerts, quick actions.

Forms, modals and detailed expected behavior

Date filters — Fields: start, end, region, taxpayer. Action: refresh all metrics consistently.

KPI drilldown — Fields: metric and time period. Action: open scoped transaction list.

Alert details — Fields: severity, service, timeline, owner. Action: acknowledge or create incident.

Export dashboard — Fields: date range, report format. Action: queue report and audit..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.3 Live Transaction Monitoring



Purpose: Monitor intake, validation, issuance and queue states in near real time.

Visible elements: Throughput graph, live indicator, status counts, transaction stream, health.

Forms, modals and detailed expected behavior

Transaction detail — Fields: transaction ID, source, invoice, timeline, correlation ID. Action: show immutable history.

Live filters — Fields: tenant, branch, status, date, source. Action: server-side search.

Pause live view — Fields: paused state. Action: stop UI refresh only.

Investigate — Fields: event, priority, owner, note. Action: create linked exception..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.4 Electronic Invoices & Receipts



Purpose: Manage canonical electronic documents and their printable representations.

Visible elements: Document list, tabs, search, filters, preview, status and export.

Forms, modals and detailed expected behavior

Create invoice — Fields: taxpayer, branch, buyer, line items, quantity, unit price, taxes. Action: validate totals, numbering, authorization and idempotency.

Document details — Fields: invoice ID, source, totals, history. Action: read-only issued record.

Preview — Fields: document ID, render format. Action: display canonical snapshot.

Correct or void — Fields: reason, source reference, approval. Action: enforce approved correction workflow.

Bulk export — Fields: scope, period, format. Action: asynchronous export with audit..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.5 E-Receipt Layout

Purpose: Provide a customer-readable representation of a transaction, not the canonical tax record.

Visible elements: Seller/buyer details, itemized amounts, tax breakdown, QR, validation panel and logos.

Forms, modals and detailed expected behavior

QR verification — Fields: public verification token. Action: show minimum permitted details.

Print/download — Fields: format, copy label. Action: render immutable source data.

Send receipt — Fields: email, consent basis. Action: send and log delivery.

Receipt details — Fields: document ID and lifecycle. Action: show verifiable status and history..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.6 Transactions



Purpose: Search the authoritative transaction ledger across tenants, sources and document states.

Visible elements: Status cards, transaction table, search, filters, export and paging.

Forms, modals and detailed expected behavior

Advanced search — Fields: ID, tenant, amount, period, source, status. Action: scoped search and validation.

Timeline — Fields: intake, issuance, send, acknowledgment. Action: display event chain.

Export — Fields: columns, format, justification. Action: authorized auditable job.

Flag — Fields: reason, priority, note. Action: open exception without changing original..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.7 BIR Transmission Center

Purpose: Operate submission queue, track responses, deadlines and gateway health.

Visible elements: Transmission KPIs, charts, queue, retry actions, connectivity and logs.

Forms, modals and detailed expected behavior

Submission detail — Fields: job ID, payload hash, attempt history, response, correlation. Action: show evidence with secrets redacted.

Retry confirmation — Fields: job ID, reason, next retry. Action: verify no prior accepted/unknown result before resending.

Batch submit — Fields: tenant, eligible invoices, environment. Action: durable job with authorization checks.

Gateway configuration — Fields: endpoint profile, credential reference, timeout. Action: restricted and change-controlled.

Deadline alert — Fields: issue timestamp, deadline, owner. Action: escalate approaching deadline..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.8 Reconciliation & Exceptions



Purpose: Match issued records with transmissions and acknowledgments; investigate discrepancies.

Visible elements: Aging and exception KPIs, filters, tables, assignments and resolution statuses.

Forms, modals and detailed expected behavior

Exception detail — Fields: source invoice, transmission attempts, evidence, owner. Action: full case timeline.

Assign — Fields: user/team, priority, due date. Action: notify and audit.

Resolve — Fields: reason code, evidence, reviewer. Action: require verification and approval.

Rerun matching — Fields: tenant, date range, justification. Action: idempotent reevaluation.

Bulk action — Fields: selected IDs, action, reason. Action: per-record audit and permission check..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.9 Transmission Alternative Design



Purpose: Alternative design reference for the same BIR Transmission Center module.

Visible elements: Transmission status and trend chart, log table and controls.

Forms, modals and detailed expected behavior

Transmission drawer — Fields: attempts, BIR response, local status. Action: reuse canonical service.

Connectivity test — Fields: approved environment, safe test type. Action: never send a fake live tax record..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

2.10 Transmission Shared Layout



Purpose: Alternative UI image illustrating shared NUERS sidebar, topbar and transmission controls.

Visible elements: Navigation, topbar, transmission chart, summary cards and queue.

Forms, modals and detailed expected behavior

Filter drawer — Fields: date, tenant, state, reference. Action: consistent server filters.

View job — Fields: job ID, history. Action: read-only detail and audit.

Retry — Fields: eligible job, justification. Action: idempotency and authorization gate..

Required states: Loading, no results, field error, permission denied, stale record, request timeout, partial failure, success confirmation and session expiry.

Audit requirements: Actor, role, tenant, affected record, timestamp, action, outcome, correlation ID and approved reason where applicable.

Review note: Modals described here are proposed requirements, not verified screenshots of implemented dialogs. All BIR statuses and branding must be checked against official technical and legal approval.

3. Remaining navigation pages — detailed proposed forms and modals

3.1 Summary List of Sales

Purpose and main page: Generate, reconcile, preview, export and log prescribed report. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Period, taxpayer, branch, document scope. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.2 Registered Businesses

Purpose and main page: Onboard, edit, suspend and view taxpayer with approvals. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Legal name, TIN, business address, branch, contact, status. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.3 Taxpayer Onboarding

Purpose and main page: Approve/reject with reason, evidence and audit. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Application, documents, authorized signatory, reviewer, checklist. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.4 PTI / PTT Management

Purpose and main page: Gate issuance/transmission and renewal notices. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Authorization type, reference, taxpayer, scope, validity, evidence. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.5 API Integrations

Purpose and main page: Create/rotate/revoke credentials; audit and mask secrets. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Client app, scopes, IP policy, rate limits, webhook URL. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.6 ESP Accreditation

Purpose and main page: Track evidence, renewal and material changes. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Accreditation ID, version, scope, approved environment, expiry. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.7 Compliance Management

Purpose and main page: Approve corrective actions and escalate overdue obligations. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Requirement, owner, due date, evidence, finding, status. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.8 Security & Incidents

Purpose and main page: Create case, escalate, record evidence and close with review. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Severity, service, detection time, impact, containment, notification. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.9 Immutable Audit Logs

Purpose and main page: Read-only search and controlled export. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Actor, event, target, date range, correlation ID. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.10 Data Governance & Portability

Purpose and main page: Authorize and generate portable data package. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Taxpayer, export scope, period, retention, legal hold. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.11 Analytics & Reports

Purpose and main page: Drill down and schedule report. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Metric, taxpayer/region, period, grouping. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.12 BIR Reports & Exports

Purpose and main page: Validate, generate and download with audit. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Report type, taxpayer, period, format, version. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.13 Infrastructure Health

Purpose and main page: Acknowledge alert and initiate approved incident runbook. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Node, service, latency, replication lag, health status. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.14 Backup & Disaster Recovery

Purpose and main page: Run approved restore test and log evidence. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Backup ID, restore target, RTO/RPO, test environment. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.15 Configurations & Changes

Purpose and main page: Review, approve, deploy and rollback. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Change request, setting, old/new value, reason, approver. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.16 Users & Permissions

Purpose and main page: Invite, edit, deactivate and revoke sessions. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: User, role, scope, MFA, account state. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

3.17 Client Support & SLA

Purpose and main page: Assign, escalate, respond and resolve. List/table with status, search, filters, record details, permitted actions and export where relevant.

Proposed create/edit modal or form fields: Ticket, tenant, category, severity, owner, due date. Required-field indicators, input constraints, inline errors, submit/cancel and unsaved-changes warning.

Proposed detail/confirmation modal: Show affected record, current state, change summary, reason, owner, date and irreversible-action warning when needed.

Backend and audit: Server-side validation, RBAC, tenant scoping, concurrency controls, immutable activity event, and explicit success/error response.

4. BIR EIS operational lifecycle

1. Intake — Receive authorized source record with tenant, branch, source ID and idempotency key.

2. Validate — Verify required fields, document type, totals, duplicate risk and taxpayer authorization.

3. Issue — Commit canonical document and immutable audit event; generate PDF separately.

4. Queue — Persist transmission outbox and due time; enqueue durable job.

5. Transmit — Use verified BIR endpoint and approved credentials; record attempts.

6. Respond — Match acknowledgment by official reference; transport success is not necessarily acceptance.

7. Reconcile — Compare issued, sent, acknowledged and rejected sets; open exceptions.

8. Preserve — Back up, export, audit, retain and allow lawful taxpayer access.

5. Critical QA acceptance scenarios

• A repeated API request with the same idempotency key does not create a second issued invoice.

• A BIR timeout with unknown acceptance outcome is investigated before a retry; duplicates are prevented.

• A failed web server does not cause loss of acknowledged transactions.

• A database promotion does not result in two simultaneous writable primaries.

• A storage node failure retains readable invoice objects under tested replication conditions.

• An unauthorized user cannot open tenant-specific records by changing URL or API parameters.

• Exports and document corrections create auditable events and preserve original records.

• All modal controls are keyboard accessible, clearly labeled and handle errors.

6. Open regulatory and product decisions

Confirm exact official BIR EIS API specifications, document schemas, authentication, response codes, legal invoice/receipt requirements, PTI/PTT gating, hosting/data location, retention and approval of any BIR marks. Confirm which screenshots are final and approve proposed modals/forms before treating them as implementation acceptance criteria.