Lasershape
Established 1988

QUOTATION **1596997**
Date: 25/09/2026
Valid Until: 22/10/2026
Sales Rep: Connor Davis
Your Ref: Laser Cut BOM - 1573 - Kings Ro

Lasershape Ltd
Brailsford Way
Chilwell
Nottingham
Nottinghamshire
Tel: 0115 972 9921
Email: sales@lasershape.com

Sesame Access Systems Ltd (SES001)
unit 1, Cumberland Works
Wintersell Buiness Park

West Byfleet
Tel: 01784 440088
Email: accounts1@sesameaccess.com

#	Our Ref	Drawing Number	Revision	Material	Thick	Qty	Price (ea)
1	9336066	1573.1001.A.001 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_304HR	5.00	1	£55.47
2	9336067	1573.1001.A.002 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£36.53
3	9336068	1573.1001.A.003 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£14.23
4	9336070	1573.1001.A.003_MIR *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£14.23
5	9336071	1573.1001.A.004 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.92
6	9336073	1573.1001.A.004_MIR *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.92
7	9336074	1573.1001.A.005 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_304HR	5.00	1	£36.15
8	9336076	1573.1001.A.005_MIR *Comments:* + Laser Cutting + Countersinking	BASE	LS_304HR	5.00	1	£36.15

		+ Folding					
9	9336077	1573.1001.A.006 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£62.70
10	9336079	1573.1001.A.008 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	1	£38.20
11	9336080	1573.1001.A.008_MIR *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	1	£38.20
12	9336081	1573.1001.A.009 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	1	£41.22
13	9336082	1573.1001.A.011 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	2	£72.59
14	9336083	1573.1001.A.012 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	1	£25.07
15	9336084	1573.1001.A.013 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	1	£32.05
16	9336085	1573.1001.A.013_MIR *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	1	£32.06

17	9336086	1573.1001.A.014 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	6	£11.03
18	9336087	1573.1001.A.016 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	2	£16.50
19	9336088	1573.1001.A.018 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	4	£1.83
20	9336089	1573.1001.A.019 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	1	£40.47
21	9336090	1573.1001.A.021 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£9.44
22	9336091	1573.1001.A.022 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£36.28
23	9336092	1573.1002.G.013 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£46.27
24	9336093	1573.1002.G.014 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£2.75
25	9336094	1573.1002.G.014_MIR *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£2.75
26	9336095	1573.1002.G.015 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£8.46
27	9336096	1573.1002.G.017 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£46.24

28	9336097	1573.1002.G.018 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	5.00	12	£6.69
29	9336098	1573.1002.G.027 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£2.41
30	9336099	1573.1002.G.028 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	4.00	1	£31.76
31	9336100	1573.1003.A.004 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	3	£18.63
32	9336101	1573.1003.A.005 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£31.14
33	9336102	1573.1003.A.007 *Comments:* + Laser Cutting + Check Tolerances + Folding	BASE	LS_304HR	4.00	1	£43.26
34	9336103	1573.1003.A.007_MIR *Comments:* + Laser Cutting + Check Tolerances + Folding	BASE	LS_304HR	4.00	1	£43.22
35	9336104	1573.1003.A.009 *Comments:* + Laser Cutting + Tapping + Tapping + Folding	BASE	LS_304HR	4.00	1	£131.37
36	9336105	1573.1003.A.010 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	2	£7.27

37	9336106	1573.1003.A.011 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	6	£6.92
38	9336107	1573.1003.A.014 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	1	£25.21
39	9336108	1573.1003.A.014_MIR *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	1	£25.21
40	9336109	1573.1003.A.017 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	16	£4.71
41	9336110	1573.1003.A.018 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_304HR	4.00	4	£54.58
42	9336111	1573.1003.A.019 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	4.00	4	£8.78
43	9336112	1573.1003.A.020 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	2	£10.86
44	9336113	1573.1003.A.021 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	2	£0.66
45	9336114	1573.1003.A.024 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	8	£0.94
46	9336115	1573.1003.A.025 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	8	£1.51
47	9336116	1573.1003.A.031 *Comments:*	BASE	LS_304HR	4.00	3	£13.11

		+ Laser Cutting + Folding					
48	9336117	1573.1003.A.049 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£22.17
49	9336118	1573.1003.A.049_MIR *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£22.17
50	9336119	1573.1003.A.050 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	8	£4.45
51	9336120	1573.1003.A.051 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	4	£2.37
52	9336121	1573.1003.A.056 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	16	£0.27
53	9336122	1573.1003.A.060 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	2	£1.26
54	9336123	1573.1003.A.063 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	2	£2.34
55	9336124	1573.1003.A.064 *Comments:* + Laser Cutting + Tapping + Check Tolerances + Folding	BASE	LS_304HR	4.00	1	£68.55
56	9336125	1573.1003.A.064_MIR *Comments:* + Laser Cutting + Tapping + Check Tolerances + Folding	BASE	LS_304HR	4.00	1	£68.54

57	9336126	1573.1003.A.066 *Comments:* + Laser Cutting + Tapping + Check Tolerances + Folding	BASE	LS_304HR	4.00	3	£47.45
58	9336127	1573.1003.A.066_MIR *Comments:* + Laser Cutting + Tapping + Check Tolerances + Folding	BASE	LS_304HR	4.00	3	£47.45
59	9336128	1573.1003.A.082 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	4.00	1	£29.95
60	9336129	1573.1003.A.083 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£1.29
61	9336130	1573.1003.A.099 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£11.80
62	9336131	1573.1003.A.100 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£11.80
63	9336132	1573.1003.A.108 *Comments:* + Laser Cutting + Tapping + Tapping + Folding	BASE	LS_3042B	2.00	1	£42.32
64	9336133	1573.1003.A.113 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£25.53
65	9336134	1573.1003.A.114 *Comments:* + Laser Cutting + Countersinking	BASE	LS_304HR	4.00	1	£40.99

		+ Folding					
66	9336135	1573.1003.A.115 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£1.41
67	9336136	1573.1003.A.123 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	8	£0.51
68	9336137	1573.1003.A.125 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	2	£1.04
69	9336138	1573.1003.A.127 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£2.33
70	9336139	1573.1003.A.128 *Comments:* + Laser Cutting	BASE	LS_3042B	2.00	8	£0.39
71	9336140	1573.1004.A.024 *Comments:* + Laser Cutting	BASE	LS_S275JR	10.00	4	£9.54
72	9336141	1573.1004.B.055 *Comments:* + Laser Cutting	BASE	LS_S275JR	6.00	2	£2.45
73	9336142	1573.1004.B.056 *Comments:* + Laser Cutting	BASE	LS_S275JR	6.00	2	£1.17
74	9336143	1573.1004.B.057 *Comments:* + Laser Cutting	BASE	LS_S275JR	6.00	2	£0.87
75	9336144	1573.1004.B.059 *Comments:* + Laser Cutting + Folding	BASE	LS_S275JR	5.00	1	£25.29
76	9336145	1573.1004.B.059_MIR *Comments:* + Laser Cutting + Folding	BASE	LS_S275JR	5.00	1	£25.29
77	9336146	1573.1004.B.060 *Comments:*	BASE	LS_S275JR	3.00	4	£0.52

		+ Laser Cutting					
78	9336147	1573.1004.B.061 *Comments:* + Laser Cutting	BASE	LS_S275JR	5.00	2	£3.42
79	9336148	1573.1004.B.066 *Comments:* + Laser Cutting + Folding	BASE	LS_S275JR	4.00	2	£12.32
80	9336149	1573.1004.B.079 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_304HR	4.00	1	£34.02
81	9336150	1573.1004.B.085 *Comments:* + Laser Cutting + Tapping + Countersinking + Folding	BASE	LS_3042B	3.00	1	£40.01
82	9336151	1573.1004.B.086 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£1.29
83	9336152	1573.1004.B.087 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	1	£22.85
84	9336153	1573.1004.B.091 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	6	£0.38
85	9336154	1573.1004.B.101 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£3.58
86	9336155	1573.1004.B.106 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£2.22
87	9336156	1573.1004.B.107 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£1.27

88	9336157	1573.1004.B.110 *Comments:* + Laser Cutting + Folding	BASE	LS_S275JR	3.00	1	£22.49
89	9336158	1573.1004.B.114 *Comments: no pdf sent* + Laser Cutting + Engineering + Folding	BASE	LS_S275JR	6.00	4	£8.92
90	9336159	1573.1004.B.115 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£0.89
91	9336160	1573.1004.F.004 *Comments:* + Laser Cutting	BASE	LS_S275JR	10.00	4	£2.39
92	9336161	1573.1004.F.005 *Comments:* + Laser Cutting	BASE	LS_S275JR	10.00	4	£2.35
93	9336162	1573.1004.F.008 *Comments:* + Laser Cutting	BASE	LS_S275JR	10.00	4	£3.32
94	9336163	1573.1004.F.009 *Comments:* + Laser Cutting	BASE	LS_S275JR	10.00	4	£4.93
95	9336164	1573.1004.F.014 *Comments:* + Laser Cutting	BASE	LS_S275JR	5.00	4	£1.06
96	9336165	1573.1004.F.019 *Comments:* + Laser Cutting	BASE	LS_S275JR	5.00	8	£0.57
97	9336166	1573.1004.F.022 *Comments:* + Laser Cutting	BASE	LS_S275JR	5.00	4	£1.06
98	9336167	1573.1004.F.029 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£3.03
99	9336168	1573.1004.F.032 *Comments:*	BASE	LS_S275JR	4.00	4	£0.32

		+ Laser Cutting					
100	9336169	1573.1004.F.038 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	1	£20.40
101	9336170	1573.1005.A.006 *Comments:* + Laser Cutting + Tapping + Tapping + Folding	BASE	LS_304HR	5.00	1	£96.42
102	9336171	1573.1005.A.007 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£12.24
103	9336172	1573.1005.A.017 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	1	£20.92
104	9336173	1573.1005.A.023 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	5.00	1	£32.90
105	9336174	1573.1005.A.024 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	2	£0.71
106	9336175	1573.1005.A.025 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£2.37
107	9336176	1573.1005.A.027 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£12.18
108	9336177	1573.1005.A.030 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	1	£22.73
109	9336178	1573.1005.A.031 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£2.93

110	9336179	1573.1005.A.034 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	1	£7.76
111	9336180	1573.1005.A.035 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£1.01
112	9336181	1573.1005.A.036 *Comments:* + Laser Cutting	BASE	LS_3042B	2.00	2	£0.67
113	9336182	1573.1005.A.042 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£2.72
114	9336183	1573.1005.A.043 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.98
115	9336184	1573.1005.A.057 *Comments:* + Laser Cutting	BASE	LS_3042B	2.00	1	£0.96
116	9336185	1573.1005.A.060 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£21.48
117	9336186	1573.1005.A.062 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	5	£0.48
118	9336187	1573.1005.A.063 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.87
119	9336188	1573.1005.A.065 *Comments:* + Laser Cutting	BASE	LS_304HR	8.00	1	£1.24
120	9336189	1573.1005.A.066 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	3	£0.83
121	9336190	1573.1005.A.067 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.78

122	9336191	1573.1005.A.068 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£0.81
123	9336192	1573.1005.A.069 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.54
124	9336193	1573.1005.A.070 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£1.37
125	9336194	1573.1005.A.071 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	1	£21.08
126	9336195	1573.1005.A.072 *Comments:* + Laser Cutting	BASE	LS_3042B	1.50	1	£1.59
127	9336196	1573.1005.A.073 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£32.50
128	9336197	1573.1005.A.074 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£31.21
129	9336198	1573.1005.B.006 *Comments:* + Laser Cutting + Tapping + Tapping + Tapping + Folding	BASE	LS_304HR	5.00	1	£110.51
130	9336199	1573.1005.B.006_MIR *Comments:* + Laser Cutting + Tapping + Tapping + Tapping + Folding	BASE	LS_304HR	5.00	1	£110.53

131	9336200	1573.1005.B.012 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£19.99
132	9336201	1573.1005.B.013 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£20.01
133	9336202	1573.1005.B.014 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	3.00	2	£20.29
134	9336203	1573.1005.B.015 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	2	£2.47
135	9336204	1573.1005.B.016 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	2	£7.87
136	9336205	1573.1005.B.017 *Comments:* + Laser Cutting	BASE	LS_3042B	1.50	2	£1.33
137	9336206	1573.1005.B.019 *Comments:* + Laser Cutting + Tapping + Tapping + Folding	BASE	LS_304HR	5.00	2	£21.03
138	9336207	1573.1005.B.025 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	5.00	1	£32.61
139	9336208	1573.1005.B.025_MIR *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	5.00	1	£32.61

140	9336209	1573.1005.B.026 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	4	£0.56
141	9336210	1573.1005.B.027 *Comments:* + Laser Cutting + Tapping + Tapping + Tapping + Tapping + Folding	BASE	LS_304HR	5.00	1	£108.30
142	9336211	1573.1005.B.028 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£5.27
143	9336212	1573.1005.B.035 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	2	£12.28
144	9336213	1573.1005.B.037 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	1.50	1	£36.07
145	9336214	1573.1005.B.048 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£1.04
146	9336215	1573.1005.B.050 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	4	£8.69
147	9336216	1573.1005.B.052 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	2.00	2	£12.46
148	9336217	1573.1005.B.053 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£0.78
149	9336218	1573.1005.B.055 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	4	£0.79

150	9336219	1573.1005.B.056 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	4	£0.44
151	9336220	1573.1005.B.081 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	1	£22.77
152	9336221	1573.1005.B.084 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	2	£10.74
153	9336222	1573.1005.B.090 *Comments:* + Laser Cutting	BASE	LS_3042B	2.00	1	£0.98
154	9336223	1573.1005.B.102 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£21.22
155	9336224	1573.1005.B.102_MIR *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	4.00	1	£21.22
156	9336225	1573.1005.B.109 *Comments:* + Laser Cutting	BASE	LS_304HR	8.00	2	£0.94
157	9336226	1573.1005.B.110 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	6	£0.76
158	9336227	1573.1005.B.111 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£1.50
159	9336228	1573.1005.B.112 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£0.51
160	9336229	1573.1005.B.119 *Comments:* + Laser Cutting + Folding	BASE	LS_304HR	5.00	2	£11.66

161	9336230	1573.1005.B.120 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£1.08
162	9336231	1573.1005.B.127 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£0.66
163	9336232	1573.1005.B.137 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	2.00	2	£11.26
164	9336233	1573.1005.B.139 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£0.77
165	9336234	1573.1005.B.143 *Comments:* + Laser Cutting + Tapping + Countersinking + Folding	BASE	LS_304HR	5.00	1	£45.36
166	9336235	1573.1005.B.143_MIR *Comments:* + Laser Cutting + Tapping + Countersinking + Folding	BASE	LS_304HR	5.00	1	£45.35
167	9336236	1573.1005.B.144 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£1.24
168	9336237	1573.1005.B.151 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£1.82
169	9336238	1573.1005.B.152 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£1.83
170	9336239	1573.1005.B.153 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£1.25
171	9336240	1573.1005.B.154 *Comments:*	BASE	LS_304HR	5.00	2	£0.73

		+ Laser Cutting					
172	9336241	1573.1005.B.155 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£0.92
173	9336242	1573.1005.B.156 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	4	£0.48
174	9336243	1573.1005.B.157 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	2	£5.00
175	9336244	1573.1005.B.158 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	6	£0.22
176	9336245	1573.1005.C.003 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	2	£0.51
177	9336246	1573.1005.C.009 *Comments:* + Laser Cutting	BASE	LS_304DP1	2.00	10	£0.57
178	9336247	1573.1005.C.017 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	2	£10.21
179	9336248	1573.1005.C.019 *Comments:* + Laser Cutting + Check Tolerances + Folding	BASE	LS_3042B	3.00	2	£17.20
180	9336249	1573.1006.A.001 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£266.50
181	9336250	1573.1006.A.002 *Comments: offering dp1 sesame to polish back face* + Laser Cutting	BASE	LS_304DP1	3.00	1	£28.23
182	9336251	1573.1006.A.003 *Comments: offering dp1 sesame to polish back face* + Laser Cutting	BASE	LS_304DP1	3.00	1	£37.14

183	9336252	1573.1006.A.003_MIR *Comments: offering dp1 sesame to polish back face* + Laser Cutting	BASE	LS_304DP1	3.00	1	£37.14
184	9336253	1573.1006.A.004 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£290.25
185	9336254	1573.1006.A.005 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£7.12
186	9336255	1573.1006.A.006 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£9.40
187	9336256	1573.1006.A.013 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£69.78
188	9336257	1573.1006.A.014 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£57.32
189	9336258	1573.1006.A.014_MIR *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£57.30
190	9336259	1573.1006.A.015 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	1	£6.32
191	9336260	1573.1006.A.016 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£8.03
192	9336261	1573.1006.A.017 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	2	£24.54
193	9336262	1573.1006.A.028 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£12.54
194	9336263	1573.1006.A.044 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£51.46

		+ Tapping + Folding					
195	9336264	1573.1006.A.048 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£32.51
196	9336265	1573.1006.A.048_MIR *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£32.51
197	9336266	1573.1006.A.049 *Comments:* + Laser Cutting	BASE	LS_3042B	3.00	2	£0.58
198	9336267	1573.1006.A.050 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	2	£17.97
199	9336268	1573.1006.A.054 *Comments: offering 1mm holes etched* + Laser Cutting + Tapping + Folding	BASE	LS_304HR	4.00	1	£51.49
200	9336269	1573.1006.A.055 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£12.38
201	9336270	1573.1006.A.056 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£1.03
202	9336271	1573.1006.A.059 *Comments:* + Laser Cutting	BASE	LS_3042B	.90	4	£4.08
203	9336272	1573.1006.A.060 *Comments:* + Laser Cutting	BASE	LS_3042B	2.00	2	£9.78
204	9336273	1573.1006.A.098 *Comments:*	BASE	LS_3042B	3.00	2	£10.93

		+ Laser Cutting + Folding					
205	9336274	1573.1006.A.099 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	3.00	2	£10.90
206	9336275	1573.1006.A.114 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£10.37
207	9336276	1573.1006.A.117 *Comments:* + Laser Cutting	BASE	LS_304HR	10.00	4	£2.23
208	9336277	1573.1008.A3.003 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£0.97
209	9336278	1573.1008.A3.004 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£0.71
210	9336279	1573.1008.C.003 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£1.88
211	9336280	1573.1008.D1.114 *Comments:* + Laser Cutting	BASE	LS_304HR	5.00	1	£6.95
212	9336281	1573.1008.U.12.1 *Comments:* + Laser Cutting + Folding	BASE	LS_3042B	2.00	1	£22.06
213	9336282	1573.1011.B.030 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£154.03
214	9336283	1573.1011.B.031 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£22.04
215	9336284	1573.1011.B.032 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£13.01

216	9336286	1573.1011.B.040 *Comments:* + Laser Cutting	BASE	LS_S275JR	15.00	1	£12.18
217	9336287	1573.1011.B.058 *Comments:* + Laser Cutting	BASE	LS_S275JR	15.00	1	£13.31
218	9336288	1573.1011.B.086 *Comments: doesnt match pdf 2 extra holes* + Laser Cutting	BASE	LS_304HR	6.00	1	£12.94
219	9336289	1573.1011.B.109 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£31.68
220	9336290	1573.1011.B.119 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£21.78
221	9336291	1573.1022.001 *Comments:* + Laser Cutting	BASE	LS_304DP1	3.00	1	£1.24
222	9336292	1573.1022.003 *Comments:* + Laser Cutting	BASE	LS_304HR	4.00	1	£0.79
223	9336293	1573.1022.004 *Comments:* + Laser Cutting + Countersinking + Folding	BASE	LS_3042B	2.50	1	£32.22
224	9336294	1573.1022.006 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£31.27
225	9336295	1573.1022.013 *Comments:* + Laser Cutting	BASE	LS_3042B	1.50	1	£1.21
226	9336296	1573.1022.020 *Comments:* + Laser Cutting	BASE	LS_304HR	6.00	1	£4.50

227	9336297	1573.1022.021 *Comments:* + Laser Cutting + Folding	BASE	LS_CR4	1.50	1	£21.76
228	9336298	1573.1022.023 *Comments:* + Laser Cutting + Tapping + Folding	BASE	LS_3042B	3.00	1	£29.52
229	9336299	1573.1022.025 *Comments:* + Laser Cutting + Tapping + Tapping + Folding	BASE	LS_3042B	3.00	1	£38.48

Total Price: £6,039.93

Quote Comments: 1573.1004.B.114 no pdf sent for this part folded to step

1573.1006.A002 AND 003-003MIR offering in dp1 for sesame to polish back face

1573.1011.B.086 offering as step file pdf shoes less holes

1573.1006.A.054 offering 1mm holes etched

Terms & conditions and technical standards available on request

Please Also Note

By accepting and placing an order against this quotation you are accepting Lasershape Ltd's full terms & conditions which are available upon request.

Unless otherwise stated, where parts of 3mm thickness and under with less than or equal to 4 folds at up to 90° in each plane only, then the provided blank size will be used. Please enquire with your sales representative if you need additional engineering services.

Unless otherwise stated, Lasershape standard tolerances will apply.

Left over free issue material will not be returned. Useable remnants may be returned if necessary, but additional carriage will be applied at your cost.

Only parts and operations listed below are included on this quote.

Lasershape Ltd Technical Standards - Revision: 06 Date:02/07/2025

1.	**DRAWINGS AND ENQUIRIES**
1.1	**ENQUIRY**
1.1.1	Operations for manufacture must be stated on enquiry, otherwise items shall be quoted and produced as a flat component. The quote and order confirmation document will state under each line items what form of operations have been quoted and what will be carried out.
1.1.2	Verbal drawing will be converted to PDF drawings and sent for approval. Manufacture will not take place until confirmation in writing is received. If approved, then Lasershape cannot take any liability for errors
1.1.3	Verbal orders will not be processed until written acceptance of order is received.
1.1.4	Templates may be accepted for use on enquiry, however drawings will be sent for confirmation, which is required in writing. If approved, then Lasershape cannot take any liability for errors
1.1.5	Stainless and Aluminum will generally be processed with coating on. If the components are to be manufactured without the coating on, this needs to be specified on enquiry.
1.2	**CAD AND DRAWINGS**
1.2.1	Files accepted; Soildworks (.sldprt .sldasm .slddrw) ACIS (.sat) CADKEY (.prt) DWG (.dwg) DXF (.dxf) IGES (.iges .igs) INVENTOR PART (.ipt) STEP (.step .prt) STL (.stl) PDF (.pdf) NUMERICAL CONTROL (.nc1)
1.2.2	Hand drawings can be accepted; however, our interpretation shall be sent for confirmation and will not be processed until accepted in writing.
1.2.3	CAD files must be supplied with scale of 1:1, where this is not possible, Lasershape Ltd must be notified in writing on the enquiry.
1.2.4	On formed components, isometrics and end elevations should be seen on the drawing to ensure end requirement is met. Dimensions must also be present on all folded flanges along with angular requirements. It must also be folded in First and Third angle projection.
1.2.5	Any revisions or alterations to the drawings after the initial quotation must be highlighted to Lasershape Ltd in writing otherwise original geometry will be used.
1.2.6	Parts which are to produced in DP1 brushed finished must clearly state the directional requirement of the grain.
1.2.7	Features such as tread plate, patterned plate, post polished plate or coated must be on the side viewed or clearly specified.
1.2.8	Please ensure CAD is layered where necessary (e.g Cut, Etch, Text and Machining operation) and is appropriately set up with clear definition of what is to be cut, etched or is text.
1.2.9	NC1 files do not show specific information such as finished sides etc. Accompanying them shall be PDFs, DXFs or DWGs file to ensure clarity.
2.	**PROCESSING**
2.1	**GENERAL**
2.1.1	All care will be taken to protect both surfaces of the material, however we can only guarantee one scratch/blemish free side which will be the side seen on the drawing.
2.2	**LASERS**
2.2.1	Aluminum over 3mm in thickness and stainless over 12mm are subject to burring. We suggest a deburring operation after cutting such as Fladdering or manual deburring, which we can offer this service in-house
2.2.2	On certain materials, oil coating will be present to aid the cutting process and prevent splatter from attaching to the material.
2.2.3	Parts cut with coating on will leave light residue around the internal and external profiling of the component. Coating is also likely to blow off on small components due to assist gas pressure
2.2.4	Treadplate or Durbar materials can only be cut with the pattern faced down on the laser, therefore the CAD will need flipping. Ensure the desired side with pattern is clear on the drawing
2.2.5	Material can only be laser cut with coating on the top side of the material only.
2.2.6	Components with designs such as long narrow strips or perforated/heavy detailed parts are highly likely to distort during the cutting process as the natural stresses are relived. This is mostly noticeable in low tensile strength material such as Aluminum.
2.2.7	Profile edges will be hardened during the thermal cutting processes; the values have been validated to be within ISO BS EN 9013 standards
2.3	**WATERJET**
2.3.1	Coated material may still have water marks as the coating is not 100% effective to prevent contact with the surface of the material.
2.3.2	Cutting materials such as plastic and thin gauge metals requires the use of hardboard to protect the parts and will be incorporated into the quote
2.3.3	Aluminum maybe subject to discoloration of the surface.
2.3.4	Plastics, Aluminum and Composite material can be subject to delamination due to the high cutting pressure.
2.3.5	Waterjet cutting can produce sharp edges, we recommend requesting a deburring operation
2.3.6	The waterjet has varying cut quality. We shall quote as standard rate if there has been no communication. If you wish to change this, it will require requoting. Please contact your Account Manager for further information on cut quality.
2.4	**PRESS/FOLDING**
2.4.1	Where slots and holes are located in the bend zone due to design, these are liable to pull or distort. As this is a factor of process, Lasershape Ltd shall not be held accountable. If this is not acceptable for the application, then a new purchase order is required to new design.
2.4.2	Due contact with metal tooling, pressing can leave witness marks on components. This is especially noticeable on softer materials, such as aluminum. Marks can be reduced by using protective Neoprene or deburred to remove. Please specify your preference on enquiry
2.4.3	If there is no radius stated on the drawing, we shall press to industry standards, were possible and apply the minimum radius suitable to the material thickness. For example, 3mm = R3 +/- R1
2.4.4	Flange length – due to tooling configurations, we can only apply a minimum flange length to each material thickness. The calculation for this is x6 material thickness, divided by 2 + 25%
2.4.5	It the fold is not parallel to the bend line; this is liable to flare out and/or distort
2.5.6	Where parts are 3mm thickness and under, with less than or equal to 4 folds at up to 90 degrees in each plane only, then the provided blank size it be used
2.5.1	**DRILLING, TAPPING & COUNTERSINKING**
2.5.2	Where drilling, tapping and countersinking has taken place, a light coating of oil may be present.
2.5.3	Countersinking and Tapping may produce a raised burr on each side of the operation. It may also leave circular marks around the area of operation. Removal must be specified
2.5.5	For countersinking, if the drawing doesn't angle, this will be treated at 90 degrees
2.5.5	For tapping, if no thread depth is stated on the drawing, this will be treated as industry standard course thread
2.6	**DEBURR**
2.6.1	Fladdering is a deburring process that does produce a non-directional brushed finish. This is suitable for powder coating and hard anodizing however will not suit clear anodizing.
2.6.2	Smaller profiled parts sometimes will need a tag left on the parts to keep it in the sheet. If tags are not acceptable on the parts, please specify on enquiry that they will need removing.
2.6.3	For removal of sharp edges, only the edge will be deburred. Please state if the entire part surface also needs deburring
2.6.4	Note that when surface deburring, we cannot provide certain RA finishes as will be as processed
2.7	**WELDING/FABRICATION/ASSEMBLY**
2.7.1	Dressing back of welds will only be carried out if indicated drawing
2.7.2	Lasershape shall only produce welding in accordance to the technical drawing instructions and will only be liable for workmanship and not liable to failure due to insufficient welding by design
2.7.3	If Coded welding is required, make this clear on enquiry as additional charges are required for this service
2.7.4	NDT Inspection is not carried out as standard. Please make this requirement know on enquiry as this is an external operation and therefore carries an additional charge
2.7.5	Watertight weld tests are available internal, please ask your sales representative
2.8	**POWDERCOATING**
2.8.1	We recommend that all painted products have surface fladdered and/or deburr the round the edges and allow for better adhesion.
2.8.2	Lasershape give no lifespan guarantees on powdercoating due to the many environmental factors. We recommend, to maximize lifespan by firstly pre-treating the metal then apply a primer undercoat, followed by a polyester topcoat.
2.8.3	Any powdercoated product should be cleaned at least one a year, using a mild detergent to protect on the powder coat finish
2.8.4	We test our powdercoat system yearly to ISO 9227 Acetic Acid Saltspray. Our aluminum painted products can achieve 1000 hours under this testing method without any delamination. Mild steel can last to 720 hours under test without delamination.
2.8.5	We do not recommend using mild steel for painted products outside, especially in harsh environments such as coastal locations
2.8.6	Our pre-treat nano-coating chemical is Oxsilan® AL 0510, which is a chrome free process. Ask your sales representative for more details.
3.	**OTHER REQUIREMENTS**
3.1	**DOCUMENTATION**
3.1.1	Where mill certification is required with the finished goods, this needs to be specified on enquiry. Also confirm what level of mill certificates is required for the order e.g. 2.2, 3.1, 3.2 etc
3.1.2	Lasershape provide Certificates or Conformity (C of C) with the finished products, Which is also the delivery note document
3.3	**CE MARKING**
3.2.1	For any orders to comply with EN1090, you must inform us on quote and purchase order of this requirement, otherwise we will process down the standard route.
3.2.2	Where compliance to EN 1090:2008 + A1 2011 is referenced or implied but no Execution Class specified, we shall process to our default of Execution Class 2.
3.2.3	We comply to Method 3A in regarding of EN 1090:2008 + A1 2011. The responsibility for design rests with the Purchaser.
3.2.4	Declaration of Performance (DoP) is sent on request after an order has been processed for EN 1090:2008 + A1 2011.
3.4	**PACKAGING**
3.4.1	Please specify on enquiry if pallet sheets are required on finished goods. Packaging of boxes and pallets will be to our standard level of packaging. If there are any special packaging requirements, please make these clear on enquiry. Special packaging requirements may be charged at additional cost.
3.5	**FREE ISSUE**
3.5.1	All deliveries of free issue material must be accompanied by a delivery note stating quantity, thickness, size of sheet and grade of material. The material must be clearly identified on delivery.
3.5.2	Deliveries must not exceed 2 ton per pack.
3.5.3	We cannot process free issue smaller than 1m². Our maximum free issue size is 4000x2000mm
3.5.4	If poor quality material is issued, we cannot guarantee a good cut quality due to material defections affecting the cut.
3.5.5	Free Issue material is processed at the Customer's risk and Lasershape Ltd will only accept liability for cutting charges and not the material costs.
3.5.6	Any scrap or off cuts of free issue will not be supplied back unless clearly requested on enquiry. This shall be seen on the quotation and an extra itemized delivery cost will be added.

Standard Internal Tolerances

Process	Thickness / Material	Tolerance
Laser Cutting	1 - 20mm	+/- 0.25mm
Waterjet	2 - 150mm	+/- 0.3mm
Drilling Diameter	Dependent	+/- 0.2mm
Drilling (Manual Positioning)	Dependent	+/- 0.75mm
Countersink Diameter + Depth	Dependent	+/- 0.5mm
Hole sizes in material	All	2/3 of material thickness
Reaming	Dependent	Can be processed but not validated

Folding Tolerances

Thickness	≤ 0.5m	≤ 1.0m	≤ 1.5m	≤ 3m	≤ 4m
1mm < t ≤ 6mm	+/- 1mm	+/- 1mm	+/- 1mm	+/- 2mm	+/- 2.5mm
8mm < t ≤ 10mm	+/- 1.5mm	+/- 1.5mm	+/- 1.5mm		
10mm < t ≤ 12mm	+/- 2mm	+/- 2mm	+/- 2mm		
12mm < t ≤ 15mm	+/- 2mm				

Angular tolerance for all folds is +/- 1 degree

FS 695407 FM 29701