

```java
import java.util.Arrays;

public class Main
{
    private static void sortBinaryArray(int[] input
    {
        int zeroCount = 0;

        System.out.println("Author:harsha\nSAP ID:5
        System.out.println("Input Array Before Sort


        for (int n = 0; n < inputArray.length; n++)
        {
            if (inputArray[n] == 0)
            {
                zeroCount++;
            }
        }


        for (int n = 0; n < zeroCount; n++)
        {
            inputArray[n] = 0;
        }


        for (int n = zeroCount; n < inputArray.leng
        {
            inputArray[n] = 1;
        }

        System.out.println("Input Array After Sortin
    }

    public static void main(String[] args)
    {
        sortBinaryArray(new int[] {1, 0, 1, 1, 0, 1,
    }
}
```

Terminal

```
Author:harsha
SAP ID:51834755
Input Array Before Sorting : [1, 0, 1, 1, 0, 1
Input Array After Sorting : [0, 0, 0, 0, 1, 1,

Process finished.
```

```java
import java.util.*;
public class Main
{
static int replaceDigit(int a, int numbertobereplac
                        int replacingnumber)
{
    int result = 0, multiply = 1;

    while (a % 10 > 0)
    {

        int remainder = a % 10;

        if (remainder == numbertobereplaced)
            result = result + replacingnumber * mult

        else
            result = result + remainder * multiply;

        multiply *= 10;
        a = a / 10;
    }
    return result;
}

public static void main(String[] args)
{
    int a = 645, numbertobereplaced = 6, replacingn
    System.out.println("Author:harsha\nSAP ID:51834
    System.out.println(replaceDigit(a, numbertobere
}
}
```

Terminal

```
Author:harsha
SAP ID:51834755
545

Process finished.
```