

[articles](#) [Q&A](#) [forums](#) [stuff](#) [lounge](#) [?](#)Search for articles, questions, 

Visual Representation of SQL Joins

**C.L. Moffatt**3 Feb 2009 [CPOL](#)Rate this:  4.95 (441 votes)

This article describes SQL Joins in a visual manner, and also the most efficient way to write the visualized Joins.

[Download Visual SQL JOINS examples - 1.09 KB](#)[Download Visual SQL JOINS cheat sheet - 143 KB](#)

Introduction

This is just a simple article visually explaining SQL **JOINS**.

Background

I'm a pretty visual person. Things seem to make more sense as a picture. I looked all over the Internet for a good graphical representation of SQL **JOINS**, but I couldn't find any to my liking. Some had good diagrams but lacked completeness (they didn't have all the possible JOINS), and some were just plain terrible. So, I decided to create my own and write an article about it.


Using the code

I am going to discuss seven different ways you can return data from two relational tables. I will be excluding cross Joins and self referencing Joins. The seven Joins I will discuss are shown below:

1. **INNER JOIN**
2. **LEFT JOIN**
3. **RIGHT JOIN**
4. **OUTER JOIN**
5. **LEFT JOIN EXCLUDING INNER JOIN**
6. **RIGHT JOIN EXCLUDING INNER JOIN**
7. **OUTER JOIN EXCLUDING INNER JOIN**

For the sake of this article, I'll refer to 5, 6, and 7 as **LEFT EXCLUDING JOIN**, **RIGHT EXCLUDING JOIN**, and **OUTER EXCLUDING JOIN**, respectively. Some may argue that 5, 6, and 7 are not really joining the two tables, but for simplicity, I will still refer to these as Joins because you use a SQL Join in each of these queries (but exclude some records with a **WHERE** clause).

Inner JOIN



This is the simplest, most understood Join and is the most common. This query will return all of the records in the left table (table A) that have a matching record in the right table (table B). This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>
FROM Table_A A
INNER JOIN Table_B B
ON A.Key = B.Key
```

Left JOIN

This query will return all of the records in the left table (table A) regardless if any of those records have a match in the right table (table B). It will also return any matching records from the right table. This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>
FROM Table_A A
LEFT JOIN Table_B B
ON A.Key = B.Key
```

Right JOIN

This query will return all of the records in the right table (table B) regardless if any of those records have a match in the left table (table A). It will also return any matching records from the left table. This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>  
FROM Table_A A  
RIGHT JOIN Table_B B  
ON A.Key = B.Key
```

Outer JOIN

This Join can also be referred to as a **FULL OUTER JOIN** or a **FULL JOIN**. This query will return all of the records from both tables, joining records from the left table (table A) that match records from the right table (table B). This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>  
FROM Table_A A  
FULL OUTER JOIN Table_B B  
ON A.Key = B.Key
```

Left Excluding JOIN

This query will return all of the records in the left table (table A) that do not match any records in the right table (table B). This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>
FROM Table_A A
LEFT JOIN Table_B B
ON A.Key = B.Key
WHERE B.Key IS NULL
```

Right Excluding JOIN

This query will return all of the records in the right table (table B) that do not match any records in the left table (table A). This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>
FROM Table_A A
RIGHT JOIN Table_B B
ON A.Key = B.Key
WHERE A.Key IS NULL
```

Outer Excluding JOIN

This query will return all of the records in the left table (table A) and all of the records in the right table (table B) that do not match. I have yet to have a need for using this type of Join, but all of the others, I use quite frequently. This Join is written as follows:

[Hide](#) [Copy Code](#)

```
SELECT <select_list>
FROM Table_A A
FULL OUTER JOIN Table_B B
ON A.Key = B.Key
WHERE A.Key IS NULL OR B.Key IS NULL
```

Examples

Suppose we have two tables, *Table_A* and *Table_B*. The data in these tables are shown below:

[Hide](#) [Copy Code](#)

TABLE_A
PK Value

1 FOX
2 COP
3 TAXI
6 WASHINGTON
7 DELL
5 ARIZONA
4 LINCOLN
10 LUCENT

TABLE_B
PK Value

1 TROT
2 CAR
3 CAB
6 MONUMENT
7 PC
8 MICROSOFT
9 APPLE
11 SCOTCH

The results of the seven Joins are shown below:

[Hide](#) [Copy Code](#)

-- INNER JOIN

```
SELECT A.PK AS A_PK, A.Value AS A_Value,
       B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
INNER JOIN Table_B B
ON A.PK = B.PK
```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7

(5 row(s) affected)

[Hide](#) [Copy Code](#)**-- LEFT JOIN**

```
SELECT A.PK AS A_PK, A.Value AS A_Value,
       B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
LEFT JOIN Table_B B
ON A.PK = B.PK
```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
4	LINCOLN	NULL	NULL
5	ARIZONA	NULL	NULL
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7
10	LUCENT	NULL	NULL

(8 row(s) affected)

[Hide](#) [Copy Code](#)**-- RIGHT JOIN**

```
SELECT A.PK AS A_PK, A.Value AS A_Value,
       B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
RIGHT JOIN Table_B B
ON A.PK = B.PK
```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11

(8 row(s) affected)

[Hide](#) [Copy Code](#)**-- OUTER JOIN**

```
SELECT A.PK AS A_PK, A.Value AS A_Value,
```

```
B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
FULL OUTER JOIN Table_B B
ON A.PK = B.PK
```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11
5	ARIZONA	NULL	NULL
4	LINCOLN	NULL	NULL
10	LUCENT	NULL	NULL

(11 row(s) affected)

Hide Copy Code

```
-- LEFT EXCLUDING JOIN
SELECT A.PK AS A_PK, A.Value AS A_Value,
B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
LEFT JOIN Table_B B
ON A.PK = B.PK
WHERE B.PK IS NULL
```

A_PK	A_Value	B_Value	B_PK
4	LINCOLN	NULL	NULL
5	ARIZONA	NULL	NULL
10	LUCENT	NULL	NULL

(3 row(s) affected)

Hide Copy Code

```
-- RIGHT EXCLUDING JOIN
SELECT A.PK AS A_PK, A.Value AS A_Value,
B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
RIGHT JOIN Table_B B
ON A.PK = B.PK
WHERE A.PK IS NULL
```

A_PK	A_Value	B_Value	B_PK
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11

(3 row(s) affected)

Hide Copy Code

```
-- OUTER EXCLUDING JOIN
SELECT A.PK AS A_PK, A.Value AS A_Value,
B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
FULL OUTER JOIN Table_B B
ON A.PK = B.PK
WHERE A.PK IS NULL
```

```
OR B.PK IS NULL
```

A_PK	A_Value	B_Value	B_PK
-----	-----	-----	-----
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11
5	ARIZONA	NULL	NULL
4	LINCOLN	NULL	NULL
10	LUCENT	NULL	NULL

```
(6 row(s) affected)
```

Note on the **OUTER JOIN** that the inner joined records are returned first, followed by the right joined records, and then finally the left joined records (at least, that's how my Microsoft SQL Server did it; this, of course, is without using any **ORDER BY** statement).

You can visit the Wikipedia article for more info [here](#) (however, the entry is not graphical).

I've also created a cheat sheet that you can print out if needed. If you right click on the image below and select "Save Target As...", you will download the full size image.

- Initial release -- 02/03/2009.
- Version 1.0 -- 02/04/2009 -- Fixed cheat sheet and minor typos.

License

This article, along with any associated source code and files, is licensed under [The Code Project Open License \(CPOL\)](#)

Share

About the Author



C.L. Moffatt



Green Sand Software
United States 

No Biography provided

Comments and Discussions

You must [Sign In](#) to use this message board.



[First](#) [Prev](#) [Next](#)

[add definitions of left vs right](#) 

Member 14540477 24-Jul-19 10:08

[My vote of 5](#) 

James McCullough 12-Jul-17 7:06

[Message Closed](#) 

2-Sep-18 4:25

Excellent paper... **Mohamed Anis Bach Tobji** 9-Mar-17 23:42Re: Excellent paper... **C.L. Moffatt** 30-Mar-17 14:47Message Closed 

2-Sep-18 4:31

My vote of 5 **LittleEngineer** 27-Feb-17 20:28**I wish people didn't use confusing names** **Member 12137635** 13-Nov-15 7:51Re: I wish people didn't use confusing names **C.L. Moffatt** 13-Dec-15 12:36**My vote of 5** **0x01AA** 22-Aug-15 6:09**My vote of 5** **0x01AA** 22-Aug-15 5:55**Thanks.** **Gameslady** 25-Jul-15 4:31**How would we do two joins (on different variables)?** **Rumah Dijual** 11-Jan-15 5:23Re: How would we do two joins (on different variables)? **C.L. Moffatt** 23-Jan-15 15:23**Thanks** **Member 9859414** 25-Dec-14 19:15**Credit notice on stackoverflow** **daantimmer** 22-Dec-14 2:04Re: Credit notice on stackoverflow **C.L. Moffatt** 23-Jan-15 15:24**Great article!** **dgirard** 16-Oct-14 3:22**Explanation** **spgun** 15-Oct-14 1:39Re: Explanation **C.L. Moffatt** 23-Jan-15 15:24Message Closed 

26-Mar-18 4:48

My vote of 5

Member 11136616 7-Oct-14 17:32

visual representation of sql joins

pai1009 25-Sep-14 23:32

My vote of 5











Sibeesh KV 19-Sep-14 20:44

My vote of 5

Sibeesh Venu 1-Aug-14 7:17

Refresh

1 2 3 4 5 6 Next »

-  General
-  News
-  Suggestion
-  Question
-  Bug
-  Answer
-  Joke
-  Praise
-  Rant
-  Admin

Use Ctrl+Left/Right to switch messages, Ctrl+Up/Down to switch threads, Ctrl+Shift+Left/Right to switch pages.