

# **MACHINE LEARNING**

## **Lab File**

**Submitted by –**  
**Guneet Singh Sethi**  
**02913202717**  
**CSE-1**

# EXPERIMENT-1

## AIM:

Study and implement the Naive Bayes learner on a breast cancer dataset

## ALGORITHM:

1. Convert the data set into a frequency table
2. Create Likelihood table by finding the probabilities.
3. Now, use Naive\_Bayesian equation to calculate the posterior probability for each class. The class with the highest posterior probability is the outcome of prediction

## PROGRAM CODE SNIPPET:

### LOADING DATA SET:

```
In [5]: import pandas as pd
df = pd.read_csv("../data.csv")
df
```

Out[5]:

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	...
0	842302	M	17.99	10.38	122.80	1001.0	0.11840	0.27760	0.30010	0.14710	...
1	842517	M	20.57	17.77	132.90	1326.0	0.08474	0.07864	0.08690	0.07017	...
2	84300903	M	19.69	21.25	130.00	1203.0	0.10960	0.15990	0.19740	0.12790	...
3	84348301	M	11.42	20.38	77.58	386.1	0.14250	0.28390	0.24140	0.10520	...
4	84358402	M	20.29	14.34	135.10	1297.0	0.10030	0.13280	0.19800	0.10430	...
...	...	...	...	...	...	...	...	...	...	...	...
564	926424	M	21.56	22.39	142.00	1479.0	0.11100	0.11590	0.24390	0.13890	...
565	926682	M	20.13	28.25	131.20	1261.0	0.09780	0.10340	0.14400	0.09791	...
566	926954	M	16.60	28.08	108.30	858.1	0.08455	0.10230	0.09251	0.05302	...
567	927241	M	20.60	29.33	140.10	1265.0	0.11780	0.27700	0.35140	0.15200	...
568	92751	B	7.76	24.54	47.92	181.0	0.05263	0.04362	0.00000	0.00000	...

569 rows × 33 columns

### PREPROCESSING:

```
In [5]: #to read the last end of data
df.tail()
```

```
Out[5]:
```

	id	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	...	te
564	926424	M	21.56	22.39	142.00	1479.0	0.11100	0.11590	0.24390	0.13890	...	
565	926682	M	20.13	28.25	131.20	1281.0	0.09780	0.10340	0.14400	0.09791	...	
566	926954	M	18.60	28.08	108.30	858.1	0.08455	0.10230	0.09251	0.05302	...	
567	927241	M	20.60	29.33	140.10	1285.0	0.11780	0.27700	0.35140	0.15200	...	
568	92751	B	7.76	24.54	47.92	181.0	0.05263	0.04382	0.00000	0.00000	...	

5 rows x 33 columns

```
In [6]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 569 entries, 0 to 568
Data columns (total 33 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   id                                     569 non-null    int64
1   diagnosis                             569 non-null    object
2   radius_mean                           569 non-null    float64
3   texture_mean                           569 non-null    float64
4   perimeter_mean                         569 non-null    float64
5   area_mean                             569 non-null    float64
6   smoothness_mean                       569 non-null    float64
7   compactness_mean                      569 non-null    float64
8   concavity_mean                        569 non-null    float64
9   concave points_mean                   569 non-null    float64
10  symmetry_mean                         569 non-null    float64
11  fractal_dimension_mean                569 non-null    float64
12  radius_se                             569 non-null    float64
13  texture_se                             569 non-null    float64
14  perimeter_se                           569 non-null    float64
15  area_se                               569 non-null    float64
16  smoothness_se                         569 non-null    float64
17  compactness_se                        569 non-null    float64
18  concavity_se                          569 non-null    float64
19  concave points_se                     569 non-null    float64
20  symmetry_se                           569 non-null    float64
21  fractal_dimension_se                  569 non-null    float64
22  radius_worst                          569 non-null    float64
23  texture_worst                         569 non-null    float64
24  perimeter_worst                       569 non-null    float64
25  area_worst                            569 non-null    float64
26  smoothness_worst                     569 non-null    float64
27  compactness_worst                     569 non-null    float64
28  concavity_worst                       569 non-null    float64
29  concave points_worst                  569 non-null    float64
30  symmetry_worst                        569 non-null    float64
31  fractal_dimension_worst                569 non-null    float64
32  Unnamed: 32                           0 non-null      float64
dtypes: float64(31), int64(1), object(1)
memory usage: 146.8+ KB
```

```
In [7]: df.shape
```

```
Out[7]: (569, 33)
```

```
In [8]: #print all the columns of dataset
df.columns.values
```

```
Out[8]: array(['id', 'diagnosis', 'radius_mean', 'texture_mean', 'perimeter_mean',
               'area_mean', 'smoothness_mean', 'compactness_mean',
               'concavity_mean', 'concave points_mean', 'symmetry_mean',
               'fractal_dimension_mean', 'radius_se', 'texture_se',
               'perimeter_se', 'area_se', 'smoothness_se', 'compactness_se',
               'concavity_se', 'concave points_se', 'symmetry_se',
               'fractal_dimension_se', 'radius_worst', 'texture_worst',
               'perimeter_worst', 'area_worst', 'smoothness_worst',
               'compactness_worst', 'concavity_worst', 'concave points_worst',
               'symmetry_worst', 'fractal_dimension_worst', 'Unnamed: 32'],
              dtype=object)
```

```
In [9]: df.corr()
```

```
Out[9]:
```

	id	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean
id	1.000000	0.074626	0.099770	0.073159	0.098893	-0.012988	0.000096	0.050080	0.044158
radius_mean	0.074626	1.000000	0.323782	0.997855	0.987357	0.170581	0.506124	0.676764	0.822529
texture_mean	0.099770	0.323782	1.000000	0.329533	0.321086	-0.023389	0.236702	0.302418	0.293484
perimeter_mean	0.073159	0.997855	0.329533	1.000000	0.988507	0.207278	0.556936	0.716136	0.850977
area_mean	0.098893	0.987357	0.321086	0.988507	1.000000	0.177028	0.498502	0.685983	0.823269
smoothness_mean	-0.012988	0.170581	-0.023389	0.207278	0.177028	1.000000	0.659123	0.521984	0.553695
compactness_mean	0.000096	0.506124	0.236702	0.556936	0.498502	0.659123	1.000000	0.883121	0.831135
concavity_mean	0.050080	0.676764	0.302418	0.716136	0.685983	0.521984	0.883121	1.000000	0.921391
concave points_mean	0.044158	0.822529	0.293484	0.850977	0.823269	0.553695	0.831135	0.921391	1.000000
symmetry_mean	-0.022114	0.147741	0.071401	0.183027	0.151293	0.557775	0.602641	0.500667	0.482114
fractal_dimension_mean	-0.052511	-0.311631	-0.076437	-0.261477	-0.283110	0.584792	0.585369	0.336783	0.160426
radius_se	0.143048	0.679090	0.275889	0.691765	0.732562	0.301467	0.497473	0.631925	0.690909
texture_se	-0.007526	-0.097317	0.386358	-0.088761	-0.066280	0.068406	0.046205	0.076218	0.021331
perimeter_se	0.137331	0.674172	0.281673	0.693135	0.726628	0.296092	0.548905	0.660391	0.710331
area_se	0.177742	0.735884	0.256845	0.744983	0.800086	0.246552	0.455653	0.617427	0.690909
smoothness_se	0.098781	-0.222600	0.006614	-0.202694	-0.166777	0.332375	0.135299	0.098564	0.021331
compactness_se	0.033981	0.206000	0.191975	0.250744	0.212583	0.318943	0.738722	0.670279	0.490909
concavity_se	0.055239	0.194204	0.143293	0.228082	0.207660	0.248396	0.570517	0.691270	0.430909
concave points_se	0.078768	0.376169	0.163851	0.407217	0.372320	0.380676	0.642262	0.683260	0.610909
symmetry_se	-0.017306	-0.104321	0.009127	-0.081629	-0.072497	0.200774	0.229977	0.178009	0.090909
fractal_dimension_se	0.025725	-0.042641	0.054458	-0.005523	-0.019887	0.283607	0.507318	0.449301	0.250909
radius_worst	0.082405	0.969539	0.352573	0.969476	0.962746	0.213120	0.535315	0.688236	0.830909
texture_worst	0.064720	0.297008	0.912045	0.303038	0.287489	0.036072	0.248133	0.299879	0.290909
perimeter_worst	0.079986	0.965137	0.358040	0.970387	0.959120	0.238853	0.590210	0.728565	0.850909

```
In [10]: #check for the null value
df.isnull().sum()
```

```
Out[10]: id                0
diagnosis                0
radius_mean              0
texture_mean             0
perimeter_mean           0
area_mean                0
smoothness_mean          0
compactness_mean         0
concavity_mean           0
concave points_mean      0
symmetry_mean            0
fractal_dimension_mean   0
radius_se                0
texture_se               0
perimeter_se             0
area_se                  0
smoothness_se            0
compactness_se           0
concavity_se             0
concave points_se        0
symmetry_se              0
fractal_dimension_se     0
radius_worst             0
texture_worst            0
perimeter_worst          0
area_worst               0
smoothness_worst         0
compactness_worst        0
concavity_worst          0
concave points_worst     0
symmetry_worst           0
fractal_dimension_worst  0
Unnamed: 32              569
dtvov: int64
```

```
In [11]: for i in df.columns:
          print(i)
          print(df[i].value_counts())
          print('-----*****-----')
```

```
id
883263    1
906564    1
89122     1
9013579   1
868682    1
..
874158    1
914062    1
918192    1
872113    1
875878    1
Name: id, Length: 569, dtype: int64
-----*****-----
diagnosis
B      357
M      212
Name: diagnosis, dtype: int64
-----*****-----
radius_mean
```

```
In [12]: df['diagnosis'].value_counts()
```

```
Out[12]: B      357
         M      212
         Name: diagnosis, dtype: int64
```

```
In [13]: df = df.drop(["id"], axis = 1)
         df
```

```
Out[13]:
```

	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	symmetry_mean
0	M	17.99	10.38	122.80	1001.0	0.11840	0.27780	0.30010	0.14710	0.24
1	M	20.57	17.77	132.90	1326.0	0.08474	0.07864	0.08890	0.07017	0.18
2	M	19.69	21.25	130.00	1203.0	0.10980	0.15990	0.19740	0.12790	0.20
3	M	11.42	20.38	77.58	386.1	0.14250	0.28390	0.24140	0.10520	0.25
4	M	20.29	14.34	135.10	1297.0	0.10030	0.13280	0.19800	0.10430	0.18
...	...	...	...	...	...	...	...	...	...	...
564	M	21.56	22.39	142.00	1479.0	0.11100	0.11590	0.24390	0.13890	0.17
565	M	20.13	28.25	131.20	1261.0	0.09780	0.10340	0.14400	0.09791	0.17
566	M	18.60	28.08	108.30	858.1	0.08455	0.10230	0.09251	0.05302	0.15
567	M	20.60	29.33	140.10	1265.0	0.11780	0.27700	0.35140	0.15200	0.23
568	B	7.76	24.54	47.92	181.0	0.05263	0.04362	0.00000	0.00000	0.15

```
In [14]: df = df.drop(["Unnamed: 32"], axis = 1)
         df
```

```
Out[14]:
```

	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	symmetry_mean
0	M	17.99	10.38	122.80	1001.0	0.11840	0.27780	0.30010	0.14710	0.24
1	M	20.57	17.77	132.90	1326.0	0.08474	0.07864	0.08890	0.07017	0.18
2	M	19.69	21.25	130.00	1203.0	0.10980	0.15990	0.19740	0.12790	0.20
3	M	11.42	20.38	77.58	386.1	0.14250	0.28390	0.24140	0.10520	0.25
4	M	20.29	14.34	135.10	1297.0	0.10030	0.13280	0.19800	0.10430	0.18
...	...	...	...	...	...	...	...	...	...	...
564	M	21.56	22.39	142.00	1479.0	0.11100	0.11590	0.24390	0.13890	0.17
565	M	20.13	28.25	131.20	1261.0	0.09780	0.10340	0.14400	0.09791	0.17
566	M	18.60	28.08	108.30	858.1	0.08455	0.10230	0.09251	0.05302	0.15
567	M	20.60	29.33	140.10	1265.0	0.11780	0.27700	0.35140	0.15200	0.23
568	B	7.76	24.54	47.92	181.0	0.05263	0.04362	0.00000	0.00000	0.15

569 rows x 31 columns


## VISUALIZATION:

```
In [15]: import matplotlib.pyplot as plt  
import seaborn as sns
```

```
In [16]: benign, malignant=df['diagnosis'].value_counts()  
print("No of Benign cell", benign)  
print("No of malignant cell", malignant)
```

```
No of Benign cell 357  
No of malignant cell 212
```

```
In [17]: plt.figure(figsize=(10,10))  
sns.countplot(df['diagnosis'])  
plt.show()
```






```
In [18]: print("% of Benign cell is ", benign*100/len(df))
print("% of Malignant cell is ", malignant*100/len(df))

% of Benign cell is 62.74165202108963
% of Malignant cell is 37.25834797891037
```

```
In [19]: df.diagnosis.value_counts().plot(kind='pie', shadow=True, colors=('darkgreen', 'orange'), autopct='%2f', figsize=(8,6))
plt.title('Diagnosis')
plt.show()
```




Pairplot helps to plot among the most useful feature

```
In [20]: cols=['diagnosis','radius_mean', 'texture_mean', 'perimeter_mean',
'area_mean', 'smoothness_mean', 'compactness_mean', 'concavity_mean',
'concave points_mean', 'symmetry_mean', 'fractal_dimension_mean']
plt.figure(figsize=(10,10))
sns.pairplot(data=df[cols], hue='diagnosis', palette='RdBu')
```

Out[20]: <seaborn.axisgrid.PairGrid at 0x276b14608b0>

<Figure size 720x720 with 0 Axes>




```
In [23]: import numpy as np
```

```
In [24]: #generate the correlation matrix
corr=df.corr().round(2)
#mask for the upper triangle
mask=np.zeros_like(corr, dtype=np.bool)
mask[np.triu_indices_from(mask)]
# Set figure size
f, ax = plt.subplots(figsize=(20, 20))

#define custom colormap
cmap=sns.diverging_palette(220,10, as_cmap=True)

#draw the heatmap
sns.heatmap(corr, mask=mask, cmap=cmap, vmin=-1, vmax=1, center=0,
            square=True, linewidths=.5, cbar_kws={"shrink": .5}, annot=True)

plt.tight_layout()
```





```
In [25]: # Generate and visualize the correlation matrix
corr = df.corr().round(2)


# Mask for the upper triangle
mask = np.zeros_like(corr, dtype=np.bool)
mask[np.triu_indices_from(mask)] = True

# Set figure size
f, ax = plt.subplots(figsize=(20, 20))

# Define custom colormap
cmap = sns.diverging_palette(220, 10, as_cmap=True)

# Draw the heatmap
sns.heatmap(corr, mask=mask, cmap=cmap, vmin=-1, vmax=1, center=0,
            square=True, linewidths=.5, cbar_kws={"shrink": .5}, annot=True)

plt.tight_layout()
```



```
In [26]: M = df[df.diagnosis == "M"]
M.head()
```

Out[26]:

	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	symmetry_mean
0	M	17.99	10.38	122.80	1001.0	0.11840	0.27760	0.3001	0.14710	0.2411
1	M	20.57	17.77	132.90	1326.0	0.08474	0.07884	0.0889	0.07017	0.1811
2	M	19.69	21.25	130.00	1203.0	0.10960	0.15990	0.1974	0.12790	0.2061
3	M	11.42	20.38	77.58	386.1	0.14250	0.28390	0.2414	0.10520	0.2591
4	M	20.29	14.34	135.10	1297.0	0.10030	0.13280	0.1980	0.10430	0.1801

5 rows × 11 columns


```
In [27]: B = df[df.diagnosis == "B"]
B.head()
```

Out[27]:

	diagnosis	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	symmetry_mean
19	B	13.540	14.38	87.46	586.3	0.09779	0.08129	0.08864	0.047810	0.1811
20	B	13.080	15.71	85.63	520.0	0.10750	0.12700	0.04568	0.031100	0.1961
21	B	9.504	12.44	60.34	273.9	0.10240	0.08492	0.02958	0.020780	0.1811
37	B	13.030	18.42	82.61	523.8	0.08983	0.03786	0.02562	0.029230	0.1461
46	B	8.190	16.84	51.71	201.9	0.08800	0.05943	0.01588	0.005917	0.1761

5 rows × 11 columns

```
In [28]: plt.title("Malignant vs Benign Tumor")
plt.xlabel("Radius Mean")
plt.ylabel("Texture Mean")
plt.scatter(M.radius_mean, M.texture_mean, color = "red", label = "Malignant", alpha = 0.3)
plt.scatter(B.radius_mean, B.texture_mean, color = "lime", label = "Benign", alpha = 0.3)
plt.legend()
plt.show()
```



## ML ALGORITHM IMPLEMENTATION:

```
In [29]: feature_cols = ['radius_mean', 'texture_mean', 'perimeter_mean', 'area_mean', 'smoothness_mean', 'compactness_mean', 'concavity_m'
```

```
In [30]: x = df[feature_cols]
y = df.diagnosis.values
```

```
In [31]: x.head()
```

```
Out[31]:
```

	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	symmetry_mean	fractal_di
0	17.99	10.38	122.80	1001.0	0.11840	0.27760	0.3001	0.14710	0.2419	
1	20.57	17.77	132.90	1326.0	0.08474	0.07884	0.0869	0.07017	0.1812	
2	19.89	21.25	130.00	1203.0	0.10980	0.15990	0.1974	0.12790	0.2069	
3	11.42	20.38	77.58	386.1	0.14250	0.28390	0.2414	0.10520	0.2597	
4	20.29	14.34	135.10	1297.0	0.10030	0.13280	0.1980	0.10430	0.1809	

```
In [32]: # Normalization:
x = (x - np.min(x)) / (np.max(x) - np.min(x))
x
```

```
Out[32]:
```

	radius_mean	texture_mean	perimeter_mean	area_mean	smoothness_mean	compactness_mean	concavity_mean	concave points_mean	symmetry_mean	fractal_di
0	0.521037	0.022658	0.545989	0.363733	0.593753	0.792037	0.703140	0.731113	0.686364	
1	0.843144	0.272574	0.615783	0.501591	0.289880	0.181768	0.203608	0.348757	0.379798	
2	0.801498	0.390260	0.595743	0.449417	0.514309	0.431017	0.482512	0.835686	0.509598	
3	0.210090	0.380839	0.233501	0.102906	0.811321	0.811381	0.585804	0.522883	0.778283	
4	0.629893	0.158578	0.630988	0.489290	0.430351	0.347893	0.483918	0.518390	0.378283	
...	...	...	...	...	...	...	...	...	...	
564	0.890000	0.428813	0.678868	0.586490	0.528948	0.298055	0.571462	0.690358	0.338364	
565	0.822320	0.626987	0.604036	0.474019	0.407782	0.257714	0.337395	0.488630	0.349495	
566	0.455251	0.621238	0.445788	0.303118	0.288165	0.254340	0.216753	0.263519	0.287677	
567	0.844584	0.683510	0.685538	0.475716	0.588336	0.790197	0.823338	0.755487	0.675253	
568	0.038889	0.501522	0.028540	0.015907	0.000000	0.074351	0.000000	0.000000	0.286162	

569 rows x 10 columns

```
In [30]: ## Splitting the Dataset
from sklearn.model_selection import train_test_split
```

```
In [31]: x_train, x_test, y_train, y_test = train_test_split(x, y, test_size = 0.3)
```

```
In [32]: x_train.shape, x_test.shape, y_train.shape, y_test.shape
```

```
Out[32]: ((398, 30), (171, 30), (398,), (171,))
```

```
In [39]: ## Applying the Naive Bayes
from sklearn.naive_bayes import GaussianNB
nb = GaussianNB()
nb.fit(x_train, y_train)

print("Naive Bayes score: ",nb.score(x_test, y_test))
```

Naive Bayes score: 0.9239766081871345

```
In [40]: from sklearn.model_selection import train_test_split
from sklearn.metrics import classification_report, confusion_matrix
from sklearn.tree import plot_tree
y_pred = nb.predict(x_test)
cm=confusion_matrix(y_test,y_pred)
cm
```

```
Out[40]: array([[103,  5],
               [ 8, 55]], dtype=int64)
```

```
In [41]: import matplotlib.pyplot as plt
import seaborn as sns
pd.set_option('display.float_format', lambda x: '%.3f' % x)
```


```
In [42]: plt.figure(figsize=(5,5))
```

```
Out[42]: <Figure size 360x360 with 0 Axes>
```

```
<Figure size 360x360 with 0 Axes>
```

```
In [45]: sns.heatmap(data=cm,linewidths=1.0, annot=True,square = True, cmap = 'Blues', fmt='g')
plt.ylabel('Actual label')
plt.xlabel('Predicted label')
```


```
Out[45]: Text(0.5, 15.0, 'Predicted label')
```



## FINAL RESULT:

```
In [44]: all_sample_title = 'Accuracy Score: {}'.format(nb.score(x_test, y_test))  
plt.title(all_sample_title, size = 15)
```

```
Out[44]: Text(0.5, 1.0, 'Accuracy Score: 0.9239766081871345')
```



## GITHUB LINK:

<https://github.com/SethiGuneet/ML-Lab-Work/blob/main/Machine%20Learning%20Experiment%201.ipynb>