

Beyond Pink

**I-eBook Yokuqwashisa Ngokutholakala Komdlavuza Webele
Nokuthola Usizo, Eyenzelwe Abesifazane Nabesilisa Abahlala
Emiphakathini Yasemakhaya**

Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane

Table of Contents

Ukuqonda umdlavuza	5
Uyini umdlavuza webele?.....	6
Yiziphi izinhlobo ezivamile zomdlavuza webele?	6
Izimpawu zomdlavuza webele	12
Izimpawu zomdlavuza webele kubantu Besifazane.....	12
Izimpawu zomdlavuza webele kubantu Besilisa	13
Ungalufuna Kuphi Usizo?	16
Breast Health Foundation.....	16
Izindlela Zokwelapha Umdlavuza Webele.....	18
Ukuqonda Ukwelashwa Komdlavuza Webele	18
Ividiyo Emayelana Nokwelashwa Komdlavuza Webele	21
Ukufinyeleleka	21
Imithombo Yolwazi (References)	22
Ighokama lamagama (Glossary).....	23

Siyakwamukela ku-Beyond Pink

Siyakwamukela ku-Beyond Pink, i-eBook efundisayo emayelana nokuqwashisa ngomdlavuza webele nokuwuthola kusenesikhathi.

Umdlavuza webele ungahlasela abesifazane kanye nabesilisa (Miwaylife.co.za, 2020). Ukufunda ngomdlavuza webele, ukwazi izimpawu ezingaba yisixwayiso, kanye nokuqonda ukuthi kufanele ulufune nini usizo lwezempilo kungasiza abantu ukuba benze izinqumo ezinolwazi mayelana nempilo yabo.

Le eBook inikeza ulwazi ngolimi olulula noluqondakala kalula. Yenzelwe ukwenza ulwazi olumayelana nomdlavuza webele lutholakale kalula kubantu abaningi, ikakhulukazi kulabo abahlala emiphakathini yasemakhaya.



inhloso yale eBook?

Inhloso ye-eBook ethi Beyond Pink ukunikeza ulwazi olulula noluthembekile ngomdlavuza webele.

Ihlose ukusiza abafundi ukuba:

- Baqonde ukuthi uyini umdlavuza webele.
- Babone izimpawu ezingaba yisixwayiso.
- Bafunde ngokutholakala komdlavuza kusenesikhathi.
- Baqonde imibono eyiphutha namaqiniso avamile.
- Bazi ukuthi kufanele balufune nini usizo lwezempilo.

Le eBook yenzelwe obani?

I-Beyond Pink yenzelwe ikakhulukazi abesifazane nabesilisa abahlala emiphakathini yasemakhaya.

Ingaba usizo nakulaba abalandelayo:

Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane

- Imindeni nabanakekeli beziguli.
- Abasebenzi bezempilo emphakathini.
- Abafundi nothisha.
- Noma ubani ofisa ukufunda ngomdlavuza webele.

Ulwazi lubhalwe ngolimi olulula ukuze luqondakale kalula.

Kungani kubalulekile ukuqwashisa ngomdlavuza webele emiphakathini yasemakhaya?

Abantu abahlala emiphakathini yasemakhaya bangase babhekane nezinselele ezifana nokuhamba amabanga amade ukuze bafinyelele ezikhungweni zezempilo, izinsiza ezilinganiselwe kanye nolwazi lwezempilo olungathembekile.

Ukuqwashisa ngomdlavuza webele kungasiza abantu ukuba:

- Babone izinguquko ezingajwayelekile emizimbeni yabo.
- Baqonde ukubaluleka kokuthatha isinyathelo kusenesikhathi.
- Bagweme imibono eyiphutha engaba yingozi.
- Bazi ukuthi kufanele balufune nini usizo lochwepheshe bezempilo.

Yini le eBook engayenza nengeke ikwazi ukuyenza?

Le eBook INGA:

- Nikeza ulwazi ngomdlavuza webele.
- Chaza izimpawu ezingabonakala nezizwakala emzimbeni kanye nezinto ezingandisa amathuba okuba nomdlavuza.
- Nikeza ulwazi ngokutholakala komdlavuza kusenesikhathi.
- Lungisa imibono eyiphutha futhi ichaze amaqiniso.
- Khuthaza abantu ukuba bafune usizo lwezempilo.

Le eBook NGEKE:

- Ikwazi ukuxilonga umdlavuza.
- Ithathe indawo kadokotela noma yomhlengikazi.
- Ithathe indawo yokuhlolwa kwezokwelapha noma yokuhlololwa umdlavuza.
- Income ukwelashwa okuqondene nomuntu ngamunye.

Uma kukhona okukukhathazayo ngempilo yakho, khuluma nochwepheshe wezempilo oqeqeshiwe ngokushesha ngangokunokwenzeka.

Ngiyisebenzisa kanjani le eBook?

Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane

Le eBook yenzelwe ukusebenza kumakhalekhukhwini, kumathebhulethi nakumakhompyutha.

Ungenza lokhu okulandelayo:

1. Qala ngesingeniso.
2. Funda ngomdlavuza nangomdlavuza webele.
3. Hlola izimpawu nokutholakala komdlavuza kusenesikhathi.
4. Funda ingxenye ethi Imibono Eyiphutha Namaqiniso.
5. Sebenzisa Uhlu Lwezincazelo Zamagama ukuze uthole izincazelo zamagama ongawazi.
6. Khetha ulimi oluthandayo.
7. Sebenzisa izinsiza ezenza ulwazi lufinyeleleke kalula, njengomsindo nohlelo olufunda umbhalo osesikrinini.

Ukuqunda umdlavuza

Uyini umdlavuza?

Umdlavuza yisifo esenzeka lapho amanye amangqamuzana omzimba eqala ukukhula nokwanda ngendlela engalawuleki. Ngokuvamile, amangqamuzana ayakhula, ahlukane abe maningi bese efa ngendlela ehlelekile. Umdlavuza ungaqala lapho le nqubo ingasasebenzi ngendlela efanele.

Amangqamuzana angajwayelekile angase akhe iqoqo elibizwa ngokuthi isimila. Ezinye izimila azinawo amangqamuzana omdlavuza, kodwa izimila ezinomdlavuza zingangena ezicutshini eziseduze futhi zingasabalala ziye kwezinye izingxenye zomzimba.

Umdlavuza uqala kanjani?


Umdlavuza ungaqala lapho kuba nezinguquko eziqondisweni ezilawula indlela amangqamuzana asebenza ngayo. Ngokwesibonelo, i-DNA engaphakathi kwengqamuzana ingashintsha noma ilimale. Lokhu kungabangela ukuba amangqamuzana akhule ngesikhathi okungafanele akhule ngaso.

Ngokuhamba kwesikhathi, la mangqamuzana angajwayelekile angase akhe isimila. Ezinye izimila aziwona umdlavuza, kanti izimila ezinomdlavuza zingakhulela ezicutshini eziseduze.

Ingabe umdlavuza ungasabalala?

Yebo. Eminye imidlavuza ingasabalala isuke lapho iqale khona iye kwezinye izingxenye zomzimba.

Le nqubo ibizwa ngokuthi yi-**metastasis**, okusho ukusabalala komdlavuza.



Lapho umdlavuza usabalala, ungathinta ezinye izitho zomzimba futhi wenze ukwelashwa kube nzima kakhulu.

Akuyona yonke imidlavuza esabalalayo. Ukutholakala nokwelashwa komdlavuza kusenesikhathi kungasiza ukuwuvimbela ukuba ungasabalali.

Uyini umdlavuza webele?

Umdlavuza webele uwuhlobo lomdlavuza oqala emangqamuzaneni ebele.


Ungahlasela abesifazane kanye nabesilisa, nakuba uvame kakhulu kwabesifazane.

Umdlavuza webele ungathinta izingxenye ezahlukene zebele futhi ungakhula ngezindlela ezahlukene.


Yiziphi izinhlobo ezivamile zomdlavuza webele?

Kunezinhlobo ezahlukene zomdlavuza webele. Ezinye zezinhlobo ezivamile zihlanganisa:

I-Invasive ductal carcinoma (IDC): Lolu uhlobo oluvamile lomdlavuza webele oluqala emigudwini yobisi bese lusabalalela ezicutshini zebele eziseduze (Cancer.gov, 2025).




I-Invasive lobular carcinoma (ILC): Uhlobo lomdlavuza webele oluqala ezindlaleneni ezikhiqiza ubisi (ama-lobules) bese lusabalalela ezicutshini eziseduze (Cancer.gov, 2025).




I-Inflammatory breast cancer: Uhlobo lomdlavuza webele olungavamile futhi olukhula ngokushesha. Lungenza ibele libonakale libomvu, likhukhumale futhi libe nezimpawu zokuvuvukala (Cancer.gov, 2025).



I-Triple-negative breast cancer: Uhlobo lomdlavuza webele olungenazo izinhlobo ezintathu ezivamile zama-receptor noma amaprotheni amanye amangqamuzana omdlavuza webele awasebenzisayo ukuze akhule (Cancer.gov, 2025).




I-Metastatic breast cancer: Umdlavuza osusabalele usuka ebeleni waya kwezinye izingxenywe zomzimba. Waziwa nangokuthi **umdlavuza webele wesigaba sesi-4** (Cancer.gov, 2025).




Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane


I-Ductal carcinoma in situ (DCIS): Uhlobo lomdlavuza webele olusesigabeni sokuqala, oluhlala ngaphakathi emigudwini yobisi futhi olungakasabalaleli ezicutshini zebele ezizungezile (Cancer.gov, 2025).




I-Paget disease of the breast: Uhlobo lomdlavuza webele olungavamile oluthinta isikhumba sengono kanye nendawo yesikhumba emnyama ezungeze ingono, ebizwa ngokuthi yi-areola (Cancer.gov, 2025).



I-Phyllodes tumour: Isimila sebele esingavamile esiqala ezicutshini ezixhumanisayo. Iningi lezimila ze-phyllodes alinawo umdlavuza (Cancer.gov, 2025).



I-Lobular carcinoma in situ (LCIS): Isimo lapho amangqamuzana angajwayelekile ekhula khona ezindlaleni ezikhiqiza ubisi. Lesi simo sandisa ingozi yokuba umuntu abe nomdlavuza webele esikhathini esizayo (Cancer.gov, 2025).



Uchwepheshe wezempilo angakwazi ukuthola uhlobo oluqondile ngokusebenzisa ukuhlolwa kwezokwelapha okufanele.

Ingabe abesilisa bangaba nomdlavuza webele?

Yebo. Abesilisa nabo bangaba nomdlavuza webele.

Nakuba umdlavuza webele ungavamile kakhulu kwabesilisa, basengaba nawo ngoba nabo banezicubu zebele, nakuba ziyingcosana.

Ngakho-ke, abesilisa akufanele bazishaye indiva izinguquko ezingajwayelekile ebeleni noma esifubeni.

Yiziphi izici eziyinhloko ezandisa ingozi?

Isici esandisa ingozi yinoma yini engandisa amathuba okuba umuntu abe nesifo.

Ezinye zezici ezingandisa ingozi yomdlavuza webele zihlanganisa:

- Ukukhula ngeminyaka.
- Ukuba namalungu omndeni ake aba nomdlavuza webele.
- Izinguquko ezithile zofuzo ezitholwa kubazali.
- Izici ezithile ezihlobene namahomoni.
- Izici ezithile ezihlobene nendlela yokuphila nendawo umuntu ahlala kuyo.

Ukuba nesici esandisa ingozi akusho ukuthi umuntu uzoba nomdlavuza nakanjani.

Kungani kubalulekile ukuthola iKhensa kusenesisikhathi?

Ukuthola umdlavuza webele kusenesisikhathi kunganikeza umuntu ithuba elingcono lokuthola ukwelashwa ngokushesha.



Yingakho kubalulekile ukuba:

- Wazi ukuthi yini ejwayelekile emzimbeni wakho.
- Uqaphele izinguquko ezingajwayelekile.
- Ulandele izeluleko ezinconyiwe zokuhloliswa umdlavuza.
- Ufune usizo lochwepheshe bezempilo uma kukhona okukukhathazayo.

Ukuqaphela kusenesisikhathi kungaholela ekuthatheni isinyathelo kusenesisikhathi.

Izimpawu zomdlavuza webele

Izimpawu zomdlavuza webele kubantu Besifazane

 Izinguquko kusayizi webele Ibele elilodwa lingashintsha kungazelelwe ngosayizi noma ngobumo.	 Ubuhlungu bebele noma ben gono Ibele noma ingono kungazwa ubuhlungu, buhlungu noma kungahluleki ukukhululeka.	 Izinguquko kusikhumba Isikhumba singaba mahlahla, sibukeke sengathi ngulwelwe lwe-olintshi
 Ukumenyezela/Amadonana Izimbobo ezincane noma imifudlana engase ivuleke ebeleni.	 Izinguquko ku-lymph nodes Izimfumba noma ukuvuvukala kungavela ngaphanse kwesikhumba (isb. emakhwapheni).	 Ukwela ketshezi engonweni Uketshezi olungase luloke lupuphuma engonweni uma umuntu engagazi.
 Ingono eminyene/edonselwe ngaphakathi Ingono ingashintsha ngokuzuma idonseleke ngaphakathi.	 Izinguquko umbala wesikhumba Isikhumba sebele singaba bomvu, sibe mnyama kakhulu noma sibukeke silimele.	 Ukuvuvukala Ingxenye noma ibele lonke lingavuvukala noma lizwe lilikhulu.

Lezi zimpawu azisho ngaso sonke isikhathi ukuthi umuntu unomdlavuza webele. Nokho, noma yiluphi ushintsho olungajwayelekile ebeleni kufanele luhlolwe uchwepheshe wezempilo.

Izimpawu zomdlavuza webele kubantu Besilisa

Nakuba umdlavuza webele ungavamile kakhulu kwabesilisa, noma yiziphi izinguquko ezingajwayelekile kusafanele zihlolwe uchwepheshe wezempilo.

Abesilisa bangaba nezimpawu eziningi ezifana nalezo ezitholwa ngabesifazane, ezihlanganisa:

- Isigaxa noma ukuvuvukala esifubeni noma ekhwapheni.
- Izinguquko esikhunjani.
- Ukuphuma koketshezi engonweni.
- Ingono ephendukela ngaphakathi.
- Ubuhlungu noma ukuzwela lapho uthinta.
- Ukushintsha kobukhulu noma kwesimo sesifuba.
- Ukuqubuka noma isilonda eduze kwengono.

Kwabesilisa nakwabesifazane, lezi zinguquko azisho ngaso sonke isikhathi ukuthi umuntu unomdlavuza webele ngoba zingabangelwa ezinye izinto. Nokho, noma yiluphi ushintsho olusha, olungajwayelekile noma olungapheli ebeleni kufanele luhlolwe uchwepheshe wezempilo.

Ukuhlololwa Umdlavuza Nokuwuthola Kusenesikhathi

Uhambo lwakho nomdlavuza lungahluka ngokuphelele kolomunye umuntu. Lokho umuntu akubheka njengokujwayelekile kungase kube yinto ejwayelekile ngempela, noma kungaba yisizathu sokuba kuhlolisiswe. Okubaluleke kakhulu ukwenza okulungele umzimba wakho ukuze uthole usizo olufanele uma ludingeka.

Kungenzeka ukuthi uyazibuza ukuthi: “Ngiqala kuphi?” Nansi indlela ongaqala ngayo.

Ukuzihlola Amabele

Ukuzihlola amabele kuyindlela yokusiza ekutholeni izimpawu kusenesikhathi. Umuntu ubheka futhi athinte amabele akhe ukuze abone izimpawu ezingase zihlobane nomdlavuza webele (Shockney, 2026). Lokhu kwenziwa ukuze umuntu ajwayele indlela amabele akhe avame ukubukeka nokuzwakala ngayo futhi akwazi ukubona noma yini engajwayelekile.

Kubalulekile ukujwayela amabele akho ukuze ngisho nezinguquko ezincane endleleni avame ukuzwakala ngayo zibikwe kochwepheshe bezempilo futhi zihlolwe. Lezi zinguquko zingahlanganisa izigaxa nezinguquko esikhunjani, kodwa azigcini lapho (Shockney, 2026).

Kubalulekile ukuqaphela ukuthi akuzona zonke izinguquko ezingajwayelekile ezisho ukuthi kunenkinga enkulu. Nokho, kungcono ukuqapha nokuhlola kusenesikhathi kunokulinda kuze kube khona inkinga.

Kwenziwa kanjani?

I-CAN/SA inikeze izinyathelo zokuzihlola amabele.

Le vidiyo ye-YouTube ibonisa indlela yokuzihlola:

https://youtu.be/7ef2RF_9U4c?si=nRNXuZMcFGnccEXB

Izinyathelo ezivezwe kuvidiyo yilezi ezilandelayo:

1. Ukuhlola phambi kwesibuko
 - Uma umi phambi kwesibuko, bheka noma yiziphi izinguquko ezingajwayelekile ekubukekeni kwamabele. Lezi zingahlanganisa ukushona noma ukushwabana kwesikhumba, ukushintsha kobukhulu bebele nokuphuma koketshezi engonweni.
 - Hlola amabele ngezindlela ezine: izingalo zisemaceleni, izingalo ziphakanyiswe ngaphezu kwekhanda, izandla zicindezelwe okhalweni bese ugobela phambili (CAN/SA, 2019).
2. Ukuhlola ulele phansi
 - Lala ngomhlane ubheke phezulu. Beka umcamelo ngaphansi kwehlombe lakho langakwesokudla bese ubeka isandla sakho sokudla ngaphansi kwekhanda.
 - Sebenzisa iminwe emine yesandla sakho sobunxele ukwenza iminyakazo emincane eyindilinga. Hambisa iminwe wehla wenyuka kuyo yonke indawo yebele, ngaphansi kwekhwapha kuze kufike ethanjeni lehlombe, ucindezela ngokuqinile (CAN/SA, 2019).
 - Phinda le nqubo, usebenzise isandla sokudla ukuhlola ibele langakwesobunxele.
3. Ukuhlola ngesikhathi ugeza
 - Uma ugeza kubhavu noma eshaweni, phakamisa ingalo yakho yangakwesokudla. Sebenzisa isandla sobunxele esinensipho ukwenza iminyakazo echazwe esigabeni sokuhlola ulele phansi. Ngemva kwalokho, phinda le nqubo kolunye uhlangothi.

Izindlela Zokuhlola Ezisetshenziswa Ochwepheshe


Ngemva kokuzihlola, isigaba esilandelayo ukuhlolwa uchwepheshe wezempilo. Uma uthola okuthile okungajwayelekile ngesikhathi uzihlola, vakashela isikhungo sezempilo esiseduze ukuze uhlolwe ngokugcwele.

Uma ufika esikhungweni sezempilo, ochwepheshe bangasebenzisa izindlela ezahlukene ukuhlola izicubu zamabele. Lezi zindlela zihlanganisa:

1. I-Mammography noma i-Mammogram

- I-mammogram ukuhlolwa kwezicubu zamabele nge-X-ray, okusebenzisa umthamo omncane wemisebe (Malhotra, n.d.).
- Ama-mammogram e-2D ayizithombe ze-X-ray ezithathwa ngaphezulu nangasohlangothini lwebele. Izithombe ze-3D zithathwa ezinhlangothini eziningi ezizungeze ibele (Malhotra, n.d.).


Isithombe esibonisa isiguli sihlolwa ibele ngomshini we-mammogram. Umthombo: Cleveland Clinic (2024).



2. I-Ultrasound

- Ngesikhathi se-ultrasound, uchwepheshe uhambisa umshini omncane obanjwa ngesandla, obizwa ngokuthi yi-transducer, phezu kwebele nezicubu ezilizungezile (Cleveland Clinic, 2024).
- Lokhu kuhlolwa kungabonisa ukuthi isigaxa sigcwele uketshezi noma siqinile futhi sidinga ukuhlolwa okwengeziwe.


Isithombe esibonisa isiguli silele ngomhlane ngesikhathi kusetshenziswa umshini we-ultrasound ukuhlola ibele. Umthombo: Cleveland Clinic (2024).



3. I-Magnetic Resonance Imaging noma i-MRI

- I-MRI iyindlela yokuhlola amabele esebenzisa amaza omsakazo nozibuthe abanamandla ukuze kuthathwe izithombe ezicace kakhulu zezicubu zamabele (American Cancer Society, 2026).

Isithombe esibonisa owesifazane elele abheke phansi emshinini we-MRI. Umthombo: American Cancer Society (2026).



Ungalufuna Kuphi Usizo?

Breast Health Foundation

- Phone: 0860 283 343 / 011 489 1151
- Email: support@mybreast.org.za
- Address: Netcare Rehabilitation Centre, 18 Dorbie Street, Auckland Park, Johannesburg, 2006 (mybreast.org.za)

CANSA Bedfordview Care Centre / National Head Office

Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane

- Phone: 011 616 7662
- Toll-free: 0800 22 6622
- WhatsApp: 072 197 9305 / 071 867 3530
- Email: info@cansa.org.za
- Address: 26 Concorde Road West, Bedfordview, Johannesburg, 2008

CANSA Pretoria Care Centre

- Phone: 012 329 3036
- Email: pretoria@cansa.org.za
- Address: 32 Lys Street, Rietfontein, Pretoria, 0084 (CANSA)

CANSA Durban Care Centre

- Phone: 031 205 9525
- Email: admindurban@cansa.org.za
- General CANSA email: info@cansa.org.za (CANSA)
- Address: 619 Umbilo road, Umbilo, Durban 4001

CANSA Cape Metro Care Centre

- Phone: 021 689 5347
- Email: capemetro@cansa.org.za
- General CANSA email: info@cansa.org.za (CANSA)
- Address: 7 Dunbar street, Athlone, Cape Town, 7760

CANSA Bloemfontein Care Centre

- Phone: 051 444 2580
- Email: ttlali@cansa.org.za
- General CANSA email: info@cansa.org.za (CANSA)
- Address: 90 Melville Drive, Brandwag, Bloemfontein, 9301

CANSA Gqeberha Care Centre

- Phone: 041 373 5157 / 082 553 9676
- Screening contact email: nwagner@cansa.org.za

- General CANSA email: info@cansa.org.za (CANSA)
- Address: 8 Eden Road, Glendinningvale, Gqeberha, 6001

Reach for Recovery

- National Manager phone: 079 462 3973
- Email: nationalmanager@reach4recovery.org.za
- Pretoria / Gauteng North contact: 076 021 3022
- Pretoria contact email: minahsookane@gmail.com (Reach for Recovery)
- Address: Summit House, Rondebosch Medical Centre, 95 Klipfontein Road, Rondebosch, Cape Town, 7700

PinkDrive

- Johannesburg: 011 998 8022
- Durban: 060 508 3336
- Cape Town: 068 945 1264
- Head Office address: 3 Susan Street, Strydom Park, Johannesburg, 2194 (Pink Drive)

CANSA Rustenburg Care Centre

- Phone: 014 533 0694
- General CANSA email: info@cansa.org.za
- CANSA toll-free: 0800 22 6622
- WhatsApp: 072 197 9305 / 071 867 3530 (CANSA)
- Address: 89 Harris Crescent, Sherwood, Durban, 4001

Izindlela Zokwelapha Umdlavuza Webele


Ukuqonda Ukwelashwa Komdlavuza Webele



Ukwelashwa komdlavuza webele akufani kubo bonke abantu. Uhlelo lokwelashwa komuntu ngamunye luncike ezintweni ezahlukene, ezihlanganisa uhlobo nesigaba somdlavuza webele.

Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane


Luphinde luncike ekutheni umdlavuza ususabalele yini kwezinye izingxeny zomzimba, imiphumela yokuhlolwa kwama-hormone receptor*, isimo se-HER2* kanye nesimo sempilo yomuntu sisonke.

Ukwelashwa komdlavuza webele kuhlukaniswa kube ukwelashwa kwendawo ethile, okwelapha umdlavuza endaweni ethile yomzimba, kanye nokwelashwa komzimba wonke, okusebenzisa imithi ekwazi ukuhamba emzimbeni wonke (American Cancer Society, n.d.).

Indlela yokwelapha	Inhloso eyinhloko	Iyithombe
I-Surgery	Ukukhipha i-tumour noma izicubu zebele ezithintekile.	
Radiation Therapy (Imisebe)	Ukubulala amaselula e-khensa engxenyeni eqondiwe.	
I-Chemotherapy	Ukusebenzisa imithi ukubulala noma ukubambezela amaselula e-khensa emzimbeni wonke.	

I-Hormone Therapy	Ukuvimba noma ukunciphisa amahomoni angase ondle i-khensa eyahemukela ama-hormone.	
I-Targeted Therapy	Ukuqonda namaprotheni noma amatshe abhalwe ngemfuza (genetic characteristics) emaseluleni e-khensa.	How Herceptin Works  Protein receptor Nucleus Signal Too much HER2 generates too many protein receptors, signalling for cancer cells to divide and multiply Herceptin works to block receptors and stop signal responsible for cancer cell growth and division verywell
I-Immunotherapy	Ukusebenzisa nokunika amandla amasosha akho omzimba ukubona nofiphaza/ukubulala i-khensa.	 Antibody-based therapy ✓ Off the shelf ✓ Combination approaches ✓ Low/manageable toxicity ✗ Not curative ✗ Ongoing treatment TCR-Targeting T-cells ✓ Tumour specific treatment ✓ One-off treatment ✗ Expensive ✗ Not proven in human trials CAR-T cell therapy ✓ Curative intent ✓ Mutation agnostic ✓ Clinically proven in other ✗ Expensive ✗ High toxicity ✗ Lack of true cancer neo Tumour Infiltrating Lymphocytes ✓ No need for tumour marker/antigen ✓ Tumour subtype agnostic ✗ Not direct therapeutic target ✗ Personalised - expensive Stress related antigens: MUC1, Mesothelin, HER-2, ROR1, B7-H3 MHC presented antigen

Umfanekiso Obonisa Izindlela Zokwelapha Umdlavuzwa Webele



Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane

Ividiyo Emayelana Nokwelashwa Komdlavuzwa Webele

<https://www.youtube.com/watch?v=zo0MNjG3jPY>

Ukufinyeleleka

Iwebhusayithi yethu ye-khensa yabele idizayinelwe ukuba igcinwe ilungele wonke umuntu, kuhlanganise nabantu abanoludweshu nobulwelwe obungafani. Ukusiza abantu abanezinkinga zokuzwa, amavidiyo aqukethe imibhalo engezansi (captions). Ukusiza abantu abanezinkinga zokubona, kunezinsiza zokuskena isikrini, imibhalo ehlukile yezithombe, nemibhalo ebonakala kalula. Ulimi olulula nemisho emifushane kusetshenzisiwe ukusiza wonke umuntu uqonda kahle ulwazi (WHO, 2023; W3C, 2024).

Imithombo Yolwazi (References)

Alberts, Bouwer, & Jordaan. (n.d.). Available at:
<https://www.oncologysa.co.za/immunotherapy/>

American Cancer Society. (n.d.). Retrieved from <https://www.cancer.org/cancer/treatment-types/targeted-therapy.html>

Breast Health Foundation (n.d.) Contact us. Available at:
<https://www.mybreast.org.za/contact-us/>

Cancer Association of South Africa (CANSAs) (n.d.) CANSAs Care Centres: Contact details. Available at: <https://cansa.org.za/cansa-care-centres-contact-details/>

Cancer Association of South Africa (CANSAs) (n.d.) CANSAs Care Centres and support services. Available at: <https://cansa.org.za/>

Cancer.gov. (2025). *Breast cancer types*. [online] Available at:
<https://www.cancer.gov/types/breast/breast-cancer-types>

CANSAs's national helpline can also direct you to the nearest cancer-care and breast cancer support service in South Africa. (CANSAs)

Cleveland Clinic. (2025, October 10). Available at:
<https://my.clevelandclinic.org/health/articles/surgery>

Healthline. (2025, December 08). Available at:
<https://www.healthline.com/health/chemotherapy>

iStock. (2018). *Pink ribbon curve in breast shape. Breast Cancer Awareness Month Campaign* [Vector illustration]. Available at:
<https://www.istockphoto.com/vector/pinkribbon-curve-in-breast-shape-gm1053870490-281566810>

MiWayLife.co.za. (2020). *MiWayLife Blog: Breast Cancer Can Affect Both Males and Females*. [online] Available at: <https://www.miwaylife.co.za/blog/breast-cancer-can-affect-both-males-and-females/>

National Cancer Institute. (2025). *Metastatic Cancer: When Cancer Spreads*. [online] National Cancer Institute. Available at: <https://www.cancer.gov/types/metastaticcancer>

PinkDrive (n.d.) Contact us. Available at: <https://pinkdrive.org/contact-us/>

Reach for Recovery (n.d.) Contact us. Available at:
<https://www.reach4recovery.org.za/contact/>

World Health Organization (WHO). (2023). The critical role of accessibility in health information. World Health Organization.

World Wide Web Consortium (W3C). (2024). Web Accessibility Initiative (WAI). World Wide Web Consortium.

Ighokama lamagama (Glossary)

- **I-Chemotherapy:** Ukwelashwa ngemithi esebenzisa amakhemikhali anamandla ukubulala amaselula ekhula ngokushesha emzimbeni.
- **Ukuhlonza (Diagnose):** Ukubona nokuthola isifo noma isimo sezempilo ngokusebenzisa ukuhlolwa nezivivinyo zezokwelapha.
- **Amaqiniso (Facts):** Ulwazi olufakazelwe ukuthi luyiqiniso futhi lusekelwe ubufakazi obuthembekile.

- **Isimo se-Hormone-receptor:** Isimo esitshela odokotela ukuthi amaselula e-khensa anamaprotheni athile (amareceptor) anamathela emahormonini afana ne-progesterone ukukhuthaza ukukhula kwawo.
- **I-Hormone Therapy:** Ukwelashwa kwezokwelapha okwengeza, okuvimba noma okususa amahomoni emzimbeni ukuze kulawulwe izimpawu noma kwelashwe izifo ezinjenge-khensa.
- **I-Immunotherapy:** Uhlobo lokwelapha olusebenzisa amasosha omzimba wakho ukulwa nezifo ezifana ne-khensa.

- **I-Lymph node:** Ingxenywe encane yomzimba esiza ukulwa nezifo. Zitholakala ezindaweni ezifana namakhwapha, intamo nesezuze kwethambo lecollarbone.

- **I-Mammogram:** Ukuthatha izithombe ze-x-ray zebele kusetshenziswa umshini ocinga izicubu zebele ukuze kubonakale izinguquko ezingajwayelekile.

- **I-Metastasis:** Inqubo lapho i-khensa isakazeka ukusuka lapho egqale khona iye kwezinye izingxenywe zomzimba.

- **I-MRI:** Ukuhlola ibele okusebenzisa amagagasi omsindo noonsimbi ezinamandla ukuthatha izithombe ezicace kakhulu zezicubu zebele.

- **Izinsumansumane (Myths):** Izinkolelo noma imibono evamile engasekelwe ubufakazi obuthembekile.

- **Ingono (Nipple):** Ingxenywe encane ephakanyisiwe phakathi nendawo yebele lapho ubisi luphuma khona.

- **I-Radiation Therapy:** Ukwelashwa kwe-khensa okusebenzisa imisebe enamandla amakhulu ukubulala amaselula e-khensa nokunciphisa izimfumba.

- **Isici sobungozi (Risk factor):** Into engase yandise amathuba omuntu okuba nesifo.

- **Ukuhlola (Screening):** Izivivinyo zezokwelapha ezisetshenziselwa ukuhlola isifo ngaphambi kokuba izimpawu sivele.

- **Umdlavazi:** Isifo lapho amaselula angajwayelekile ekhula nokuqhekeka ngaphandle kokulawuleka.

- **Izimpawu ezibonakalayo**

(Signs): Izinguquko zomzimba ezingabonwa noma ezingaqashelwa, ezifana nesimfumba noma ukuvuvukala.

- **Ukuhlinzwa (Surgery):** Inqubo yezokwelapha lapho odokotela basika, balungise noma basuse izicubu zomzimba ukwelapha izifo.

- **Izimpawu zangaphakathi**
(Symptoms): Izinguquko noma izinkinga umuntu azizwayo, njengebuhlungu noma ukukhathala.

- **I-Targeted Therapy:** Ukwelashwa okunembile kwe-khensa okusebenzisa imithi ukuthola nokuhlasela izinguquko ezithile noma amaprotheni ngaphakathi emaseluleni e-khensa.

- **I-Transducer:** Ithuluzi eliphathwa ngesandla elikhiqiza amagagasi omsindo ukudala isithombe sobumo obungaphakathi ebele.

- **I-Tumour:** Inqwaba yamaselula angajwayelekile akhetheka uma amaselula ekhula ngokungamisiwe.

- **I-Ultrasound:** Inqubo yokuthatha izithombe lapho ithuluzi eliphathwa ngesandla lisebenzisa amagagasi omsindo ukudala isithombe zezicubu zebele.

Salome Machocho
Sethu Lushaba
Muziwakhe Mavuso
Siyabonga Motaung
Neri Chawane