

A003 . Aircraft Authorized for Operations to the United States

HQ Control: 02/01/2018

HQ Revision: 070

- a. The foreign air carrier is authorized to conduct its operations in the United States using only the following:

Table 1 - Authorized Aircraft, Configuration, Conditions and Certain Operations, and Data Link

Aircraft				Configuration, Conditions and Certain Operations Authorized					Data Link Flight Plan Code(s)
M/M/S	Serial Number	Registration Number	Configuration	En Route	Condition of Flight	Part 36 (Noise)	RVSM	Ground Deicing Program	
A-350-941	220	9V-SGA	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	223	9V-SGB	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	230	9V-SGC	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	232	9V-SGD	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	216	9V-SGE	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	238	9V-SGF	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	244	9V-SGG	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	364	9V-SJA	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	472	9V-SJB	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	564	9V-SJC	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	569	9V-SJD	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	460	9V-SJE	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	599	9V-SJF	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	629	9V-SJG	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	026	9V-SMA	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	030	9V-SMB	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	031	9V-SMC	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4

Foreign Operations Specifications

Aircraft				Configuration, Conditions and Certain Operations Authorized					Data Link Flight Plan Code(s)
M/M/S	Serial Number	Registration Number	Configuration	En Route	Condition of Flight	Part 36 (Noise)	RVSM	Ground Deicing Program	
A-350-941	037	9V-SMD	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	041	9V-SME	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	054	9V-SMF	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	062	9V-SMG	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	068	9V-SMH	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	077	9V-SMI	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	081	9V-SMJ	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	084	9V-SMK	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	096	9V-SML	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	099	9V-SMM	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	107	9V-SMN	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	116	9V-SMO	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	122	9V-SMP	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	133	9V-SMQ	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	140	9V-SMR	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	158	9V-SMS	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	170	9V-SMT	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	186	9V-SMU	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	329	9V-SMV	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	341	9V-SMW	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	344	9V-SMY	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-350-941	348	9V-SMZ	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0012	9V-SKF	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4

Foreign Operations Specifications

Aircraft				Configuration, Conditions and Certain Operations Authorized					Data Link Flight Plan Code(s)
M/M/S	Serial Number	Registration Number	Configuration	En Route	Condition of Flight	Part 36 (Noise)	RVSM	Ground Deicing Program	
A-380-841	0019	9V-SKG	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0021	9V-SKH	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0034	9V-SKI	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0045	9V-SKJ	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0051	9V-SKK	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0058	9V-SKL	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0065	9V-SKM	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0071	9V-SKN	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0076	9V-SKP	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0079	9V-SKQ	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0082	9V-SKR	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0085	9V-SKS	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0092	9V-SKT	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0243	9V-SKU	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0247	9V-SKV	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0251	9V-SKW	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0253	9V-SKY	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
A-380-841	0255	9V-SKZ	Passenger	IFR	Day/Night	STAGE IV	Yes	Yes	J3, J4
B-747-412F	28027	9V-SFI	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3
B-747-412F	28030	9V-SFK	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3
B-747-412F	32898	9V-SFM	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3
B-747-412F	32899	9V-SFN	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3
B-747-412F	32900	9V-SFO	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3

Foreign Operations Specifications

Aircraft				Configuration, Conditions and Certain Operations Authorized					Data Link Flight Plan Code(s)
M/M/S	Serial Number	Registration Number	Configuration	En Route	Condition of Flight	Part 36 (Noise)	RVSM	Ground Deicing Program	
B-747-412F	32902	9V-SFP	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3
B-747-412F	32901	9V-SFQ	All Cargo	IFR	Day/Night	STAGE III	Yes	Yes	J3
B-777-300ER	42240	9V-SNA	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	42241	9V-SNB	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	42242	9V-SNC	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34568	9V-SWA	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	33377	9V-SWB	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34569	9V-SWD	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34570	9V-SWE	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34571	9V-SWF	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34572	9V-SWG	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34573	9V-SWH	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34574	9V-SWI	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34575	9V-SWJ	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4

Foreign Operations Specifications

Aircraft				Configuration, Conditions and Certain Operations Authorized					Data Link Flight Plan Code(s)
M/M/S	Serial Number	Registration Number	Configuration	En Route	Condition of Flight	Part 36 (Noise)	RVSM	Ground Deicing Program	
B-777-300ER	34576	9V-SWK	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34577	9V-SWL	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34578	9V-SWM	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34579	9V-SWN	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34580	9V-SWO	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34581	9V-SWP	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34582	9V-SWQ	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34583	9V-SWR	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34584	9V-SWS	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	34585	9V-SWT	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	42235	9V-SWU	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	42236	9V-SWV	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-300ER	42237	9V-SWW	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-	42238	9V-SWY	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4

Foreign Operations Specifications

Aircraft				Configuration, Conditions and Certain Operations Authorized					Data Link Flight Plan Code(s)
M/M/S	Serial Number	Registration Number	Configuration	En Route	Condition of Flight	Part 36 (Noise)	RVSM	Ground Deicing Program	
300ER									
B-777-300ER	42239	9V-SWZ	Passenger	IFR	Day/Night	STAGE III	Yes	Yes	J4
B-777-F	67140	9V-DHA	All Cargo	IFR	Day/Night	STAGE IV	Yes	Yes	J4
B-777-F	67141	9V-DHB	All Cargo	IFR	Day/Night	STAGE IV	Yes	Yes	J4
B-777-F	67143	9V-DHC	All Cargo	IFR	Day/Night	STAGE IV	Yes	Yes	J4

b. Limitations. The following authorizations and limitations apply:

(1) All State of the Operator more restrictive limitations apply.

(2) IFR En Route Operations. IFR en route provisions must be met.

(a) When conducting IFR Class I navigation:

(i) An aircraft's position must be "reliably fixed" as necessary to navigate to the degree of accuracy required for Air Traffic Control (ATC).

(ii) The airways used must lie within the operational service volume of the facilities defining the airways or off-airway routing with the following exception: operations over routes with a minimum en route altitude (MEA) gap (or International Civil Aviation Organization (ICAO) equivalent).

(iii) The facilities which define an airway must be used as the primary navigation reference except as follows: An area navigation system may be used if the aircraft's position can be "reliably fixed" at least once each hour using airway navigation facilities to the degree of accuracy required for ATC. This system must be certificated for use in IFR flight for the conduct of Class I navigation over the routes being flown and authorized in accordance with paragraph B035.

(b) Except in Class G airspace, operate IFR flights:

(i) Over routing predicated on ATC radar vectoring services.

(ii) Over off-airway routings, which are predicated on airways navigation facilities, (including flights to alternate or diversionary airports), provided the following conditions are met:

(A) Airways navigation facilities must be the primary navigation reference for these off-airway routings and the off-airway routings must lie within the operational service volume of the facilities used. Such off-airway operation must be authorized by the appropriate ATC facility.

(B) The operation must be conducted in accordance with the route width and MEA criteria prescribed for or applied to the foreign air carrier by the appropriate ICAO contracting state.

(c) The foreign air carrier is not authorized to conduct IFR en route operations in Class G airspace.

1. The Foreign Air Carrier applies for the authorizations in this paragraph.
2. These Foreign Operations Specifications are approved by direction of the Administrator.



Digitally signed by Arlene G Wilske, Principal Operations Inspector (FS58)
[1] SUPPORT INFO: Added A359 9V-SJG, MSN 629
[2] EFFECTIVE DATE: 8/1/2023, [3] AMENDMENT #: 16
DATE: 2023.08.03 08:43:40 -05:00

3. I hereby accept and receive the Foreign Operations Specifications in this paragraph.

Digitally signed by Kim Lye Ng, Assistant Manager Route Planning
DATE: 2023.08.01 07:39:11 -05:00