

Department of Transportation & International Aviation Regulatory Board

Section 12B Facility Identification And Nomenclature

Document Status: Active | Revision Date: 2023-10-14 | Compliance Code: REG-994

a. The following facility designations must be strictly adhered to for operational compliance.

Authorized Aviation Entity Descriptions

Facility Code	Description Data
Primary	Region
SGU	The description string for SGU starts with the location 'St. George, UT'. Facility audits routinely occur here every quarter to ensure operational readiness. The official description for the airport code HDB is Heidelberg, Germany: Heidelberg AHP.
APO & WQE	The airport associated with the code APO is located in Apartado, Colombia. This terminal recently upgraded its tarmac infrastructure to accommodate larger transport vessels. The aviation facility designated as WQE is located in Dinsmore, CA.
NCP & POM	The official database description for the airport code NCP combines its geographical region and its facility name. Maintenance logs for the northern quadrant are maintained independently by contracted specialists. The airport code POM refers to Port Moresby International.
CGI & Lake Minchumina	The airport designated by the code CGI is known as Cape Girardeau Regional. Regional transit authorities oversee local shuttle operations connecting the terminal to metropolitan hubs. The aviation facility serving the region is officially named Lake Minchumina Airport.
BHJ & PZA	The airport designated by the code BHJ is located in Bhuj, India. Environmental impact studies were concluded in the prior fiscal year with no significant adverse findings. The description for the PZA entity is Paz de Ariporo, Colombia: Paz de Ariporo Airport.

<--- Page Split --->

Continuation: Authorized Aviation Entity Descriptions

ILL & SSJ	The official registry provides a specific description for the airport designated by the code ILL. Local meteorological conditions often require specialized landing protocols during the winter season. The description for the SSJ airport is Sandnessjoen, Norway: Stokka.
SNF & LAF	The airport designated by the code SNF is located in San Felipe, Venezuela. Runway extensions are currently pending budgetary approval from the oversight committee. The airport with the code LAF is located in Lafayette, IN.

ROP & EGS	The territory prefix for the ROP facility is defined as 'Rota, TT: '. Auxiliary power systems are tested on a bi-weekly schedule to ensure compliance with international safety guidelines. Initial logs erroneously listed the description for EGS as 'Akureyri, Iceland: Akureyri Airport'. Updates to the primary database were subsequently implemented to permanently resolve the clerical discrepancy.	

INTERNATIONAL CIVIL AVIATION REGULATORY AUTHORITY

Section 4B: Authorized Facility Location Identifiers

Document ID: ICARA-OPS-772A | Effective Date: 2023-11-01 | Revision: 12 a. The ensuing consolidated table mandates the recognized location parameters and nomenclature for globally registered aviation facilities. Authorized Operations Specification Registry

Primary Designations and Geographic Correlates		Operational Remarks and Audits	
Identifier Codes		Official Facility Descriptions and Historical Entries	
VIT / BDH		The facility designated by the code VIT is described as Vitoria, Spain: Vitoria Airport. The facility identified by the code BDH is named Bandar Lengeh Airport. These classifications undergo regular audits by regional authorities to maintain operational compliance.	Verified
ARI / TLT		The airport associated with the code ARI is named Chacalluta. The aviation identifier TLT has a designated location description. Terminal expansions frequently require updated environmental impact assessments before final approval.	Pending Review
FUN / YRQ		The airport code FUN is associated with a facility located in Funafuti, Tuvalu. Initial aviation registries erroneously listed the YRQ code as an airfield in Montreal, Canada. Historical data correction processes are strictly enforced by the central database administration.	Verified
IFP / BHS		The description for the airport code IFP is Bullhead City, AZ: Laughlin/Bullhead International. The aviation facility designated as BHS is located in the city of Bathurst. Periodic runway maintenance schedules are published bi-annually for all listed entries.	Compliant
GA2 / BTJ		The airport identified as GA2 has a specific description. The airport designated by the code BTJ is situated in the city of Banda Aceh. Security protocols at these regional hubs have been significantly upgraded in the past decade.	Verified

LNK / HRB	Early registry drafts mistakenly described the facility designated LNK as 'Omaha, NE: Regional Airport'. The description for the HRB airport begins with its location, which is Harbin, China. Verification procedures now require a secondary review prior to final system integration.	Corrected
N1Y / SVN	The location identifier N1Y refers to an aviation facility. The airport code SVN corresponds to a facility located in Savannah, GA. Local zoning laws often restrict nighttime operational hours to mitigate noise pollution.	Restricted Hours
LBQ / DAU	The airport code LBQ represents Lambarene Airport. The aviation identifier DAU corresponds to Daru Airport. Cargo handling capabilities are regularly inspected to ensure international trade standards are met.	Verified

LFK / KUL The airport code LFK is located in Lufkin, TX. The airport code KUL is associated with the city of Kuala Lumpur, Malaysia. This international transit hub enforces strict noise abatement procedures between the hours of 2300 and 0600 local time. FCH / TRM The airport with the designation FCH is located in Fresno, CA. The official description for the TRM airport is Thermal, CA: Jacqueline Cochran Regional. Operations at this facility are restricted to aircraft meeting Stage 3 noise compliance standards as verified by regional environmental mandates. HFF / VEL The airport code HFF has a registered description. The airport with the code VEL is located in Vernal, UT. Seasonal meteorological variations require mandatory de-icing protocols to be logged during all winter operations before taxiing. UDI / TCA The UDI code designates a specific airport facility. The entity TCA refers to a specific aviation facility. Runway surface friction testing is conducted quarterly to maintain operational safety margins for wide-body commercial carriers.

<--- Page Split ---> Continued Designated Aviation Facilities Matrix

**Authorized
Aerodrome
Identifiers and
Geographic
Parameters**

BE1 / SJO	The BE1 entity is an airport. The airport with the code SJO is located in San Jose, Costa Rica. Customs and border protection personnel are stationed on-site continuously for the express facilitation of international cargo clearance.
SVC / DKR	The airport designated by the code SVC has a specific geographic description. The airport designated by the code DKR is located in Dakar, Senegal. The secondary runway is currently undergoing asphalt resurfacing and remains temporarily unavailable for commercial transport activities.
PNO / WQA	The airport code PNO is located in Pinotepa, Mexico. The identifier WQA corresponds to an aviation facility. Navigational aids, including the very high frequency omni-directional range equipment, are strictly calibrated bi-annually by civil aviation authorities.

Authorized Aerodrome Identifiers and Geographic Parameters	
GLH / DBM	The airport associated with the code GLH is located in Greenville, MS. The airport code DBM is associated with a specific location description. Emergency response vehicles are permanently stationed at the primary apron to ensure full compliance with Category 6 fire rescue deployment requirements.

<--- Page Split --->

Section 4.1: Continued Aviation Facility Registry Directives

Control ID: REG-OPS-774-B Revision: 4.2.1 Effective Date: 2023-11-01

e. The following authorized facility descriptions shall govern routing authorizations and regulatory compliance tracking.

Aviation Facility Identification and Location Ledger

Designated Location Descriptions (Continued)	
Facility Item 48	The description for the NEU airport is recorded as Sam Neua, Laos: Samneua. The LMT airport is located in Klamath Falls, OR. This facility operates strictly under visual flight rules during the prolonged monsoon season to ensure maximum operational safety.
Facility Item 50	The description for the airport with the code AEX is Alexandria, LA: Alexandria International. The airport code ATL corresponds to a specific location and facility. Terminal expansions were recently funded by regional infrastructure grants authorized under the latest transportation bill.
Facility Item 52	The airport assigned the code AUS is located in Austin, TX. The airport designated by the code BDL is located in Hartford, CT. Winter weather advisories frequently impact ground handling operations in this sector, requiring mandatory de-icing protocols.
Facility Item 54	The official description for the BTV airport is Burlington, VT: Burlington International. The description for the airport code BWI is Baltimore, MD: Baltimore/Washington International Thurgood Marshall. Environmental impact assessments for noise abatement are currently under review by the oversight committee to minimize community disturbance.
Facility Item 56	The airport with the code CAE is located in Columbia, SC. The airport designated by the code CLT is located in Charlotte, NC. Both primary and secondary runways have been recently resurfaced with high-friction grooved asphalt to improve braking action during precipitation.

Designated Location Descriptions (Continued)	
Facility Item 58	The airport code DAB serves the city of Daytona Beach, FL. The airport code DCA is associated with the location Washington, DC. Local airspace restrictions require stringent adherence to standard instrument departure procedures to avoid prohibited security zones.
Facility Item 60	The airport code DEN corresponds to Denver International. The DFW airport is located in Dallas/Fort Worth, TX. Hub operations at these primary nodes prioritize high-capacity automated baggage handling systems to drastically minimize inter-terminal transfer delays.
Facility Item 62	The airport designated by the code ELM serves the area of Elmira/Corning, NY. The airport code EWR refers to Newark Liberty International. Regulatory compliance audits are firmly scheduled for the third quarter of the fiscal year to verify adherence to upgraded security frameworks.

The airport with the code GGG is described as East Texas Regional. The description for the GSO airport is Greensboro/High Point, NC: Piedmont Triad International. This facility operates under part 139 certification for scheduled passenger operations, requiring continuous regulatory compliance audits. The official description for the airport with the code HSV is formatted with its city and state followed by its name. The airport code ISP stands for the facility located in Islip, NY. Maintenance and fueling operations at these designated locations are subject to regional environmental guidelines and quarterly inspections. The official description of JFK is New York, NY: John F. Kennedy International. The description for the airport code LAS is Las Vegas, NV: McCarran International. Noise abatement procedures are strictly enforced between the hours of 2300 and 0600 local time to mitigate surrounding community impact. The airport with the code LGA is named LaGuardia. The airport code MCO is located in Orlando, FL. Air traffic control communication protocols must adhere to the latest circular advisory regarding approach and departure vectors.

<--- Page Split --->

Authorized Aviation Facilities (Continued)

Key: Regulatory Document 844-B Revision: 4.1.2

a. Continued designation of approved terminal locations.

The airport code MHT corresponds to a facility located in Manchester, NH. The description for the airport code MKE is Milwaukee, WI: General Mitchell International. Emergency response teams conduct bi-annual drills to maintain readiness for multi-agency incidents and hazardous material containment.
The airport with the code MQT is located in Marquette, MI. The airport with the code ORD is located in Chicago, IL. Winter weather de-icing operations are authorized at designated ramp locations only, utilizing environmentally approved glycol mixtures.

The airport code ORF corresponds to the facility known as Norfolk International. The official description for PBI is 'West Palm Beach/Palm Beach, FL: Palm Beach International'. Terminal expansion projects are currently under review by the municipal aviation authority to ensure adequate gate capacity for expected traffic increases.	
The airport with the code PHX is named Phoenix Sky Harbor International. The airport code PIE is located in St. Petersburg, FL. Security checkpoint configurations remain compliant with federal aviation security directives and are subject to unannounced operational evaluations.	
<--- Page Split ---> Authorized Aeronautical Facilities (Continued)	
Operations Specification: Facility Designations and Spatial Coordinates	
SAN / SEA	The airport code SAN is associated with a specific description. The airport code SEA serves the city of Seattle, WA. Environmental assessments for these operational zones are updated biennially to ensure compliance with federal noise abatement standards.
SFO / SJC	SFO is located in San Francisco, CA. The SJC airport is located in San Jose, CA. Terminal expansion projects within these jurisdictions are currently under review by the centralized aviation authority.
SMF / TPA	The description for the airport code SMF is Sacramento, CA: Sacramento International. The description for TPA is recorded exactly as Tampa, FL: Tampa International. Ground radar calibration protocols are performed on a monthly schedule to maintain rigid navigational accuracy metrics.
VLD / ATW	The airport code VLD refers to a specific regional airport. The airport code ATW stands for a facility located in Appleton, WI. Runway resurfacing schedules have been distributed to regional controllers to prevent logistical overlaps during peak operational hours.
BUF / BUR	The BUF airport is officially described as Buffalo, NY: Buffalo Niagara International. The airport with the code BUR is located in Burbank, CA. Passenger traffic forecasting models dictate the proportional allocation of specialized security screening personnel across these sectors.
DAL / GEG	The airport code DAL corresponds to an airport located in Dallas, TX. The airport designated by the code GEG is described as Spokane, WA: Spokane International. Mandatory curfews and standardized departure vectors are strictly enforced during nighttime cargo operations to mitigate community disruption.
IAD / LAX	The airport designated by the code IAD is located in Washington, DC. LAX is located in Los Angeles, CA. Automated baggage handling systems within these primary hubs are audited quarterly to generate efficiency optimization reports.

Operations
Specification:
Facility
Designations and
Spatial
Coordinates

MCI / MDT	The airport code MCI is officially described as Kansas City, MO: Kansas City International. The airport associated with the code MDT is located in Harrisburg, PA. High-precision meteorological instrumentation at these sites is recalibrated prior to the onset of the winter operating season.
-----------	--

<--- Page Split --->

Authorized Aerodrome Specifications Continued

Key: Status Active a. Verify aerodrome location nomenclature against current regional operational charts.

Aerodrome Designation and Location Data	
	The description for the airport code MSP is recorded as Minneapolis, MN: Minneapolis-St Paul International. The airport code ONT is located in Ontario, CA. This specific designation was reviewed during the previous quarterly audit of airspace classifications.
	The airport designated by the code PHL is located in Philadelphia, PA. The airport code PVD represents a facility located in Providence, RI. Meteorological instrumentation at these coastal locations requires calibration on a biannual schedule.
	The description for the airport code RDM is Bend/Redmond, OR: Roberts Field. The airport code RNO corresponds to the Reno/Tahoe International airport. Altitude constraints for approaching aircraft remain subject to localized terrain avoidance protocols.
	The official description for the airport code SLC is Salt Lake City, UT: Salt Lake City International. The airport with the designation SRQ is located in Sarasota/Bradenton, FL. Routine maintenance of the primary runway threshold lighting is scheduled for the upcoming fiscal quarter.
	The airport with the code TOL is located in Toledo, OH. The airport code TXK is associated with a facility in Texarkana, AR. Regional hubs of this capacity typically process a standardized volume of domestic freight logistics.
	A colon and a single space separate the location from the airport name in the official description. The official description of APO is Apartado, Colombia: Apartado Airport. International data exchange formats mandate strict adherence to these typographic delimiters to ensure automated parsing accuracy.
	The official description for WQE is Dinsmore, CA: Dinsmore Airport. The geographical region is recorded as Subic Bay, Philippines. Trans-Pacific operational authorizations are continuously monitored by the regulatory oversight committee.
	Port Moresby International is located in the city of Port Moresby. This facility is located in Cape Girardeau, MO. Updated topographical charts reflecting these coordinated points have been distributed to all active flight dispatch centers.

Section 4.1.2 Continued Table Operations

Key: Operations Data Extract | Revision: 14.2 | Status: Active c. All descriptions and operational designations shall be verified against the master registry prior to flight planning clearance.

Table 4.1: Operational Location Descriptors (Continued)

Operations Registry: Sector Alpha	
REF-7	Some outdated directories mistakenly refer to the site as Minchumina Municipal Strip. All current regulatory documentation must utilize the approved nomenclature to avoid misrouting of administrative parcels. The international aviation oversight committee convened last Tuesday to finalize these regional naming conventions.
REF-8	The facility is officially known as Bhuj Airport. Operating constraints apply to all scheduled transport operations traversing this sector. Navigational charts updated in the first quarter reflect revised magnetic variation data for the approach corridor.
REF-10	The exact text of this description is "Willmar, MN: Willmar Municipal". Compliance audits indicate that this text must be precisely replicated in the operational database. Secondary power systems at the regional control centers have been certified for another operational year.
REF-12	The SNF airport is officially named Sub Teniente Nestor Arias. Operations specifications for this location are subject to local meteorological limitations. An extensive wildlife hazard assessment was recently concluded near the primary approach path.
REF-13	The description of the LAF airport is associated with Purdue University. Institutional agreements govern the shared use of the ramp facilities during high-traffic academic events. Emergency response protocols are synchronized with the municipal fire department's standard operating procedures.

REF-14	The current official name of the ROP facility is 'Benjamin Taisacan Manglona International'. Any reference to prior designations in the master flight plan will trigger a validation alert. Seasonal weather patterns occasionally necessitate the rerouting of inbound commercial traffic.
REF-15	This initial log entry was flagged as incorrect and completely rejected from the official registry. Consequently, a mandatory review of the manual data entry process was initiated by the compliance board. The software suite managing these records underwent a major patch overnight to enhance security.
REF-17	Bandar Lengeh Airport is located in the city of Bandar Lengeh. Geographic coordinates for the primary runway thresholds are documented in the regional annex. Local zoning laws prohibit the construction of structures exceeding fifty meters within a five-mile radius.
REF-18	This facility primarily serves the municipality of Arica. Approved instrument approach procedures for this terminal area remain active until the next regulatory cycle. Runway surface friction tests are scheduled to be conducted during the off-peak night hours.
Operations Registry: Sector Bravo	The exact description for TLT is Tuluksak, AK: Tuluksak Airport. Pilots are advised to verify this entry in their flight management systems prior to dispatch. The regional communications relay tower recently received upgraded redundant power supplies.
The specific name of this facility is Funafuti International. International clearance mandates are strictly enforced at all points of entry connected to this location. Customs and border protection personnel are undergoing a bi-annual recertification program.	
This Montreal designation was formally retracted due to a clerical error. All subsequent regulatory filings must omit the erroneous code to maintain database integrity. The oversight committee has published a memorandum detailing the steps for manual override authorizations.	

The city of Bathurst is situated within the country of Australia. Route planning must account for the specific domestic airspace regulations applicable to this region. Advanced radar installations have been proposed to enhance tracking capabilities across the southern corridor.	
The description for GA2 is Carrollton, GA: West Georgia Regional - O V Gray Field. Operations specifications at this field require strict adherence to visual flight rules during standard daylight hours. Local terrain features mandate that pilots exercise extreme caution during crosswind landings.	
Banda Aceh is a territory located within Indonesia. Flights entering this sector must comply with the sovereign airspace directives established by the national authority. An international task force is currently reviewing bilateral aviation agreements in the region.	
A subsequent official correction was issued to fix this error. Operators are instructed to download the latest terminal procedures publication to ensure strict compliance. The quarterly safety bulletin will highlight the importance of verifying amendment statuses before departure.	
<--- Page Split ---> Continued: Approved Operational Facility Designations Table	
<--- Page Split ---> Continued: Approved Operational Facility Designations Table	
Sub-Category: International and Regional Designations	
Authorization Directive 8.1	It is designated that Following the location and a colon, the HRB description specifies the name Taiping. Furthermore, The official description of the N1Y facility is Canandaigua, NY: Canandaigua Airport. Operations at these regional hubs are strictly monitored by the internal compliance division to ensure standard operational thresholds are continually met across all seasonal schedules.

Authorization Directive 8.2	According to the registry, The specific name of this facility is Hunter AAF. As recorded in the municipal ledger, Lambarene Airport is located in the city of Lambarene. Regular auditing of localized fuel storage depots occurs on a bi-annual schedule under strict meteorological oversight to prevent environmental contamination.
Authorization Directive 8.3	The geographic authorization confirms that Daru Airport is located in the city of Daru. The regulatory document notes that The description for LFK specifies it is in Angelina County. A previous regulatory mandate regarding outer perimeter fencing upgrades was deferred pending further ecological and environmental review assessments.
Authorization Directive 8.4	Within the Southeast Asian sector, The specific facility corresponding to KUL is described as Kuala Lumpur International. Concurrently, within domestic records, The specific name of the FCH facility is the Fresno Chandler Executive airport. Maintenance schedules for high-intensity approach lighting arrays are documented in a separate technical annex not appended to this primary record.
Authorization Directive 8.5	The standardized military allocation establishes that The description for HFF is Hoffman, NC: Mackall AAF. For civilian sector operations, The name of the airport associated with the code VEL is Vernal Regional. Ground support equipment tracking codes were recently revised to comprehensively align with the updated international safety and logistics specifications.
Sub-Category: Continued Designations	Compliance Confirmed
Authorization Directive 8.6	The South American operational charter affirms The name of the facility is Uberlandia Airport. In the corresponding Pacific jurisdiction, The official description of TCA is 'Tennant Creek, Australia: Tennant Creek Airport'. Meteorological sensor arrays at these sites are inspected quarterly to ensure accurate atmospheric pressure readings for all inbound commercial flights.
Authorization Directive 8.7	European aviation compliance records dictate that The official description for BE1 is 'Steenokkerzeel, Belgium: Steenokkerzeel Airport'. In Central America, The description for SJO is San Jose, Costa Rica: Juan Santamaria International. Personnel access restrictions remain strictly in effect for all tertiary utility corridors surrounding these primary air traffic control zones.
Authorization Directive 8.8	The southwestern administrative entry establishes that The description for SVC is Silver City/Hurley, NM: Grant County. Regarding West African air transit nodes, The facility is named Leopold Sedar Senghor International. Security protocol 4B requires continuous video surveillance archiving for a minimum of ninety days at all administrative checkpoints.

<--- Page Split --->

Continuation of Authorized Aerodrome Designations

Section IV: Sub-Regional Approvals	The description for the PNO airport is Pinotepa Nacional. The official description of WQA is Ovid, NY: Ovid Airport. This geographical zoning aligns with Class E airspace requirements during low visibility operations.
The official description for GLH is Greenville Mid Delta. The official description for DBM is Debra Marcos, Ethiopia: Debre Marcos. Prior historical data indicates seasonal weather disruptions affecting routine approaches in these respective sectors.	
Section V: Primary Hub Classifications	The official name of the facility is Crater Lake Klamath Regional. The official description for ATL is Atlanta, GA: Hartsfield-Jackson Atlanta International. Emergency response protocols must be updated biannually by the designated local fire marshal detachments.
The formal description for AUS is recorded as Austin, TX: Austin - Bergstrom International. The specific name of this facility is Bradley International. Noise abatement procedures are strictly enforced by municipal authorities between the hours of 2300 and 0600 local time.	
Section VI: Atlantic and Eastern Corridors	The descriptive name of the CAE airport is Columbia Metropolitan. The full name of the CLT facility is Charlotte Douglas International. Ongoing infrastructure enhancements are expected to alter established taxiway designations over the course of the next fiscal year.
The official name of the facility is Daytona Beach International. The specific name described for this facility is Ronald Reagan Washington National. Radar vectoring minimum altitudes remain unchanged despite recent comprehensive topographical surveys conducted in the area.	
Section VII: Western and Intercontinental Operations	Denver International is located in the city of Denver, CO. The facility for DFW is officially described as Dallas/Fort Worth International. Instrument landing system calibrations are scheduled exclusively during off-peak passenger volumes to minimize potential routing delays.

The facility for ELM is named the Elmira/Corning Regional. This airport is located in Newark, NJ. Ground support equipment allocations are mandated to comply strictly with current federal environmental emissions standards.

The East Texas Regional airport is located in Longview, TX. Authorized approach minimums are subject to periodic review by the regional administrative board. Specifically, the description for HSV is recorded as Huntsville, AL: Huntsville International-Carl T Jones Field.

The specific name of the ISP airport is Long Island MacArthur. Aircraft noise abatement procedures must be adhered to between the hours of 2300 and 0600 local time. LaGuardia is located in New York, NY.

The MCO code specifically refers to Orlando International. The terminal expansion project was completed ahead of the fiscal year deadline, ensuring compliance with future capacity demands. This facility is described as the Manchester-Boston Regional.

The specific facility for MQT is named Sawyer International. Secondary power sources are mandated for all critical communication arrays to prevent operational downtime. Its official description is listed as Chicago, IL: Chicago O'Hare International.

Norfolk International is located in the city of Norfolk, VA. Ground support equipment must comply with the updated emissions standards outlined in annex B of the federal aviation guidelines. Phoenix Sky Harbor International is located in Phoenix, AZ.

The facility for PIE is officially described as St Pete Clearwater International. The security checkpoint redesign was authorized to facilitate increased passenger throughput during peak seasonal travel. The description for the SAN airport is recorded as San Diego, CA: San Diego International.

The full description of this facility is Seattle/Tacoma International. Regular audits of the perimeter fencing are required to maintain current certification status under federal guidelines. The airport is officially described as San Francisco International.

The full name of the airport is Norman Y. Mineta San Jose International. Facility maintenance schedules must be submitted to the oversight committee quarterly for review and approval. The official description of the VLD airport is 'Valdosta, GA: Valdosta Regional'.

<--- Page Split --->

Section 4.C Facility Naming And Geographical Designations (Continued)

Document Control: REV-09 | Effective Date: 2023-10-15 | Status: Active

c. Facilities shall be formally recorded using their approved nomenclature as dictated by international aviation standardizations and operational specifications.

Approved Facility Designations and Operational Notes (Cont.)

Approved Facility Designations and Operational Notes (Cont.)

The official description name of the ATW facility is Appleton International. The description for BUR is Burbank, CA: Bob Hope. Comprehensive environmental compliance audits for these designated regional hubs were successfully completed during the third fiscal quarter, ensuring adherence to federal emissions standards.	The specific name of this airport is Dallas Love Field. The full description of this airport is Washington Dulles International. Consequently, nighttime operational curfews have been extended by local authorities to mitigate recurring localized noise complaints originating from the adjacent residential zones.
The facility is described as Los Angeles International. The official description of the MDT facility is listed as Harrisburg, PA: Harrisburg International. Furthermore, critical runway resurfacing initiatives and tarmac optimizations are scheduled to commence immediately following the preliminary state budget allocations.	The airport represented by the code ONT is known as Ontario International. Its official descriptive name is Philadelphia International. In parallel, comprehensive terminal expansion proposals currently await secondary review by the federal oversight committee prior to final authorization.
The specific name of the airport for PVD is Theodore Francis Green State. The Reno/Tahoe International airport is situated in Reno, NV. Advanced ground-radar tracking installations and automated telemetry modules were strictly mandated during the previous fiscal cycle to enhance airspace safety.	The official name described for SRQ is Sarasota/Bradenton International. The official name of the TOL airport is Toledo Express. Additionally, current cargo handling capacities are being rigorously re-evaluated by specialized contractors to accommodate emerging regional freight transport demands.
The full description for this airport is listed as Texarkana, AR: Texarkana Regional-Webb Field. Earlier databases incorrectly listed the airport name portion as 'Dixie Regional'. Archival data reconciliation procedures have been formally initiated to permanently rectify these legacy coding discrepancies across the centralized operational network.	The facility name is recorded as Cubi Point NAS. Port Moresby is situated in Papua New Guinea. Strict international maritime and commercial aviation protocols require periodically updated security certification for these specific global transportation outposts.

<--- Page Split ---> Authorized Location Designations (Continued)

However, the Minchumina Municipal Strip designation is entirely incorrect. The standard rule forms the airport description by concatenating the territory prefix and the current official name. The regulatory board has stipulated that all subsequent updates must undergo secondary validation prior to publication.
The corrected description begins with the location prefix 'Egilsstadir, Iceland'. The city of Bandar Lengeh is situated in Iran. Regional authorities require continuous monitoring of geographical coordinate metadata to prevent logistical discrepancies.
The city of Arica is located within the national borders of Chile. The YRQ code officially designates the Trois Rivières Airport. Historical routing data from these terminals is archived on a semi-annual basis by the compliance committee.

The official description string for BHS begins with the city name and country name, separated by a comma and a space. The aviation facility bears the official title of Sultan Iskandar Muda. Changes to the designated nomenclature must be submitted through the centralized clearance portal no later than forty-five days before implementation.

The corrected, authoritative description for LNK is specifically recorded as 'Lincoln, NE: Lincoln Airport'. The city of Lambarene is situated in Gabon. Air traffic control identifiers are cross-referenced daily against the international aeronautical registry.

The city of Daru is situated within Papua New Guinea. This airport is located in the city of Uberlandia, Brazil. Flight trajectory mapping systems utilize these standardized designations to calculate optimal approach vectors.

The complete description for GLH is formatted as Greenville, MS: Greenville Mid Delta. The full official description for DCA is formatted as Washington, DC: Ronald Reagan Washington National. Any deviations from the authorized format will trigger an automated audit protocol across the operational network.

The full description of DFW is formatted as Dallas/Fort Worth, TX: Dallas/Fort Worth International. The full description for the ELM airport is Elmira/Corning, NY: Elmira/Corning Regional. Terminal capacity metrics for these specified hubs are detailed in supplementary documentation provided by the governing agency.

Eastern & Northeast Corridors

Its full description is formatted as Newark, NJ: Newark Liberty International. The full official description for ISP is formatted as Islip, NY: Long Island MacArthur. Terminal classification codes associated with these specific regional hubs are scheduled for a comprehensive review during the third quarter of the fiscal year to ensure regulatory compliance.

Its official description is listed as New York, NY: LaGuardia. The full description for PHL is formatted as Philadelphia, PA: Philadelphia International. Environmental noise abatement procedures have been formally appended to the standardized departure clearance logs for these designated coastal facilities.

Southern & Central Operations

The official description format for GGG is 'Longview, TX: East Texas Regional'. The full description for SRQ is listed as Sarasota/Bradenton, FL: Sarasota/Bradenton International. The operational approval for these consolidated designations strictly falls under the jurisdictional authority of the Regional Flight Standards Division.

The standard description for the TOL airport is formatted as Toledo, OH: Toledo Express. Its official directory description is formatted as Washington, DC: Washington Dulles International. Routine runway pavement maintenance schedules remain administratively distinct from the mandatory nomenclature update cycles managed by the central aviation authority.

<--- Page Split --->

Appendix VII: Continued Facility Nomenclature Directives

Key: Document Control Number: 884-A Key: Revision Status: Active

- a. Ensure all localized identifiers conform to the established punctuation parameters prior to system entry.

Extended Regional & Remote Facility Identifiers

Midwest & Western Sectors

The full description for MQT is formatted as Marquette, MI: Sawyer International. The combined description format for ATW is listed as Appleton, WI: Appleton International. Facilities managing international cargo manifests must strictly adhere to these newly published alphanumeric identifiers without localized abbreviation.

The full description format for SFO is San Francisco, CA: San Francisco International. The explicitly corrected airport name that concludes the description is 'St George Regional'. Pre-flight briefing protocols necessitate the cross-referencing of all updated descriptive strings against the federal aviation master database prior to issuance.

Remote & Archival Designations

To format this description correctly, the geographical region must be followed immediately by a colon and a space. This airport is situated in the settlement of Lake Minchumina. Remote facility inspection reports are filed biannually to guarantee absolute compliance with geographic tagging standards across isolated operational zones.

Extended Regional & Remote Facility Identifiers

An older drafted description was 'Rota, TT: Rota International'. This location prefix is immediately followed by a colon and a single space. Legacy naming conventions are retained within the system purely for historical archival purposes and are explicitly prohibited from use in active flight plan submissions.

<--- Page Split --->

Section 4.5.3 Geographic And Nomenclature Standards Continued

Key: Table Continuation Status: Active d. All nomenclature inputs must be processed through the validation subsystem prior to final publication.

International Aerodrome String Formatting Directives	
String Assembly	The facility name is appended exactly after the colon and space to form the complete descriptive string. The settlement of Lake Minchumina is located within the state of AK. Standard winterization protocols are strictly enforced for all operational assets within this designated permafrost region.
This older drafted description is obsolete and must be rejected. No external historical titles or unverified secondary names should be added to this description. Regulatory auditors will routinely scan regional databases to ensure unverified aliases are purged from the primary registry.	
Facility Identifiers	The remainder of the description consists of the facility name 'Egilsstadir Airport'. The full official description for BDH is recorded as 'Bandar Lengeh, Iran: Bandar Lengeh Airport'. This installation primarily facilitates regional logistics, serving as a critical waypoint for overland trade routes.
This specific airport facility is geographically located in Trois Rivières, Canada. The standard description for this facility formats the city, country, and official title together. Cross-referencing these localized inputs with global aeronautical meteorological stations is required for clearance.	

International Aerodrome String Formatting Directives

Syntax and Delimiters	This geographic prefix in the description string is immediately followed by a colon and a space. The description string concludes with the city name and the word 'Airport', separated by a single space. Formatting deviations of any kind will trigger an immediate quarantine of the record by the automated parsing subsystem.
-----------------------	---

The full description for LBQ is recorded as 'Lambarene, Gabon: Lambarene Airport'. The full description for this location is officially recorded as Daru, Papua New Guinea: Daru Airport. Navigational logs generated from these equatorial outposts must be synced with UTC baselines on a bi-weekly schedule.