SURVIVING THE FUTURE

Crisis, Climate, and Human Resilience

A Data-Driven, Academically Grounded Guide to Living Through the Crises Caused by Global Warming

Setyo Wisodo

2026

Academic Edition

TABLE OF CONTENTS

Preface: Why Future Global Warming Is Certain 5
Chapter 1: Introduction: The Warming World 7
Chapter 2: The Physical Science of Global Warming 16
Chapter 3: Climate Systems, Feedbacks and Monitoring 27
Chapter 4: Extreme Heat and Urban Health 36
Chapter 5: Water Scarcity and Drought 45
Chapter 6: Floods and Sea Level Rise 54
Chapter 7: Food Security and Agriculture 61
Chapter 8: Ecosystems and Biodiversity Loss 68
Chapter 9: Health Impacts of Climate Change 75
Chapter 10: Economic Impacts and Financial Resilience 82
Chapter 11: Migration and Displacement 89
Chapter 12: Conflict, Security and Stability 96
Chapter 13: Infrastructure, Shelter and Energy Resilience 103
Chapter 14: Climate Literacy and Education 110
Chapter 15: Data, Statistics and Misinformation 117
Chapter 16: Household Preparedness: Water, Food, Shelter and Risk 124
Chapter 17: Health, Emergency Response and Special Populations 131
Chapter 18: Social Capital, Mutual Aid and Governance 138
Chapter 19: Renewable Energy and Appropriate Technologies 145
Chapter 20: Climate Psychology and Mental Health 152
Chapter 21: Governance, Justice and Civic Engagement 159
Chapter 22: Case Studies: Heat, Fire, Flood and Urban Extremes 166
Chapter 23: Case Studies: Drought, Food, Water and Security 173
Chapter 24: Action Plans and Checklists for Survival 180
Appendix A: Lampiran (Checklists & Panduan) 183
Appendix B: Glosarium 184
Appendix C: Indeks 185
Appendix D: References 186
Appendix E: About the Author 191
Appendix F: Extended Analytical Notes 192

LIST OF TABLES

Table P.1 Key global climate indicators (2024) 5
Table 1.1 Three futures for the next two decades 15
Table 2.1 Three physical trajectories to 2100 (relative to 1850–1900) 26
Table 3.1 System thresholds and what to watch for 34
Table 4.1 Heat exposure in selected cities, present and 2050 43
Table 5.1 Water stress in major basins, present and 2050 52
Table 6.1 Future scenarios and predictions for floods and sea level rise (2030-2100) 60
Table 7.1 Future scenarios and predictions for food security and agriculture under climate change (2030-2100) 67
Table 8.1 Future scenarios and predictions for ecosystems and biodiversity loss (2030-2100) 74
Table 9.1 Future scenarios and predictions for health impacts of climate change (2030-2100) 81
Table 10.1 Future scenarios and predictions for economic impacts and financial preparedness under climate change (2030-2100) 87
Table 11.1 Future scenarios and predictions for climate migration and displacement (2030-2100) 95
Table 12.1 Future scenarios and predictions for climate change, conflict and security (2030-2100) 102
Table 13.1 Future scenarios and predictions for infrastructure, shelter and energy resilience (2030-2100) 109
Table 14.1 Future scenarios and predictions for climate literacy and education (2030-2100) 116
Table 15.1 Future scenarios and predictions for data, statistics and misinformation in the climate era (2030-2100) 123
Table 16.1 Future scenarios and predictions for household preparedness for water, food, shelter and local risk (2030-2100) 130
Table 17.1 Future scenarios and predictions for health, emergency response and protecting vulnerable populations (2030-2100) 137
Table 18.1 Future scenarios and predictions for social capital, mutual aid and community governance (2030-2100) 144
Table 19.1 Future scenarios and predictions for renewable energy and appropriate technologies for climate adaptation (2030-2100) 151
Table 20.1 Future scenarios and predictions for climate anxiety, trauma and building psychological resilience (2030-2100) 158

Table 21.1 Future scenarios and predictions for climate governance, justice, equity and civic engagement (2030-2100) 165
Table 22.1 Future scenarios and predictions for regional case studies of heat, wildfire, flood and urban climate extremes (2030-2100) 172
Table 23.1 Future scenarios and predictions for regional case studies of drought, food crisis, water stress and security (2030-2100) 179
Table 24.1 Future scenarios and predictions for personal and community action plans, checklists and templates for surviving the future (2030-2100) 182

PREFACE: WHY FUTURE GLOBAL WARMING IS CERTAIN

Global warming is not a hypothesis; it is an observed, measured, and physically explained reality. The certainty of future warming rests on three pillars: (1) the physics of the greenhouse effect, (2) the observed accumulation of greenhouse gases in the atmosphere, and (3) the inertia of the climate system. Even if all emissions stopped today, committed warming from past emissions would continue for decades. This book is written to be debated in academic spaces: every major claim is tied to peer-reviewed literature, data, and expert statements.

The Three Pillars of Certainty

- **Physics:** Greenhouse gases absorb outgoing infrared radiation. This is established physics, tested for over a century (Arrhenius, 1896; modern radiative transfer models).
- **Observation:** Atmospheric CO2 has risen from ~280 ppm (pre-industrial) to ~420 ppm (2024). Global mean temperature has risen ~1.1-1.2 C. These are direct measurements.
- **Inertia:** The ocean stores heat; ice sheets respond slowly. Even with zero emissions, warming continues for decades (committed warming).

Data underpinning the discussion is summarized as follows:

Table P.1 Key global climate indicators (2024)

Indicator	Value	Source
Global mean temperature rise since 1850-1900	~1.1-1.2 C	IPCC (2023)
CO2 concentration (2024)	~420 ppm	NOAA (2024)
Sea level rise since 1900	~20-25 cm	IPCC (2023)
Arctic sea ice decline	~13% per decade	NASA
People affected by climate disasters (annual)	~100 million+	IFRC
Economic damage from climate disasters (annual)	~$200-300 billion	World Bank

The expert consensus underpinning this book is summarized as follows.

Dr. James Hansen, former NASA GISS Director (2013 op-ed/2016 paper): 'Sea level rise of several meters could be expected with 2°C warming — 2°C would have consequences that can be described as disastrous.'

Prof. Katharine Hayhoe, Texas Tech Chief Scientist (2014, post-IPCC AR5): 'Climate change is here and now, and not in some distant time or place — the choices we make today will have a significant impact on our future.'

Dr. Michael Mann, Penn State climatologist (2004/2021): 'There is about as much scientific consensus about human-caused climate change as there is about gravity — multiple independent lines of evidence converge.'

Dr. Friederike Otto, Imperial College / World Weather Attribution co-founder (2021): 'The Pacific Northwest 2021 heatwave would have been virtually impossible without human-caused climate change.'

Prof. Johan Rockström, Potsdam Institute & Stockholm Resilience Centre (2009 Nature; 2023 update): 'We define planetary boundaries within which humanity can operate safely — six of nine boundaries are now transgressed, well outside the safe operating space.'

Preface (Extended)

This extended preface provides additional context for the reader. The book is organized to move from foundational science to practical action, ensuring that every reader can find relevant material. The structure reflects the complexity of the climate crisis and the need for multi-level responses.

Additional context: The climate crisis demands sustained attention and coordinated action across all sectors of society. This book aims to equip readers with the knowledge and tools needed to contribute meaningfully to that effort.

CHAPTER 1

INTRODUCTION: THE WARMING WORLD

Theme: the global crisis of warming and why survival begins with understanding it

In the summer of 2022, a monsoon system carried moisture from the Arabian Sea across Pakistan for eight consecutive weeks. By the end of August, one-third of the country was under water, thirty-three million people had been affected, and the national highway network had been cut in more than a hundred places. The flood was not a single event but a sequence: heat that dried the soil, then rain that could not infiltrate it, then reservoir releases that arrived after the rivers had already filled. Six months later, the same country was negotiating with the International Monetary Fund while its farmers reported that two million hectares of cropland would not be planted that season.

A year later, in 2023, Canada burned. More than eighteen million hectares of forest burned, an area larger than England, and the smoke crossed the Atlantic and turned the skies of New York orange. In September of the same year, two dams above the Libyan city of Derna failed after a storm that had been forecast days in advance; the water killed more than eleven thousand people in a city that had been warned but could not act. In October 2024, a year's worth of rain fell on the Spanish province of Valencia in a few hours and killed more than two hundred people in towns that had never been mapped as floodplains.

These events are usually described as natural disasters. They are not. Each of them required a physical trigger — rain, wind, heat — but the scale of the loss was determined by conditions that people created: where houses were built, how rivers were managed, whether warnings reached the people who needed them, whether the soil had been left compacted and bare, whether the population was old, poor, or living in informal settlements. The trigger is weather. The disaster is a failure of preparation, and preparation is something human beings can change.

This book is an attempt to describe that failure and the ways out of it, in both directions: backward, into the record of what has already happened, and forward, into the range of futures that the physical system has made possible. It is not a book of prophecy. It is a book about the conditions under which communities continue to function, and the conditions under which they do not.

1.1 The Decade That Changed the Baseline

The 2020s began with a global pandemic and ended their first half with the four hottest years ever measured. The World Meteorological Organization confirmed that 2024 was the first calendar year to average more than 1.5°C above the 1850–1900 baseline, at about 1.55°C, with 2023 close behind at 1.45°C. The two years were lifted by a strong El Niño, but the underlying trend was not: the previous ten years were the ten warmest in the instrumental record, and every one of them exceeded the average of the decade before it.

The warming has not been evenly distributed in time or space. The Arctic has warmed three to four times faster than the global mean; the Mediterranean and the Middle East have warmed roughly twice as fast; the North Atlantic has cooled in some patches even as the ocean as a whole has gained heat, because melting ice and shifting winds have altered circulation. A global average of 1.5°C therefore describes a world in which some regions have already experienced 2.5°C or 3°C of local warming, and in which the statistics of extreme heat have shifted far more than the mean.

The decade also changed the character of the evidence. Attribution studies that once took a year now take a month. Satellite records that began in the 1970s now span half a century. Insurance losses, crop models, hospital admissions and migration data have accumulated to the point where the effect of climate on society can be measured rather than inferred. The result is a body of evidence that is no longer primarily about the future: it is about what has already happened, to identifiable people, in identifiable places, at a cost that can be counted.

1.2 The Anatomy of a Global Crisis

A global crisis is not simply a large disaster. It is a set of stresses that arrive together, reinforce one another, and exceed the capacity of institutions to respond. Climate change qualifies because it acts on every sector at once: it raises food prices by reducing yields, raises insurance costs by increasing losses, raises migration by making some places uninhabitable, and raises the cost of borrowing by increasing uncertainty. Each effect is modest in isolation. Together they consume the fiscal and administrative space that governments need to cope with the next shock.

The reinforcement is the part that is usually missing from public discussion. A drought reduces the harvest; the reduced harvest raises food prices; higher food prices increase poverty; poverty increases vulnerability to the next flood; the flood destroys the assets that the household would have used to recover. The sequence can turn a single bad season into a decade of lost development, and it explains why the same hazard produces a few dozen deaths in one country and thousands in another.

This is also why the language of 'natural disaster' is misleading in a second sense. It suggests a boundary between the hazard and the society exposed to it, when in reality the boundary is the thing that policy controls. A levee, a building code, a crop insurance scheme, a heat action plan and a functioning weather service are all ways of moving that boundary. The chapters that follow examine each of them, but the logic is the same throughout: the physical hazard sets the pressure, and the social system determines whether the pressure becomes a catastrophe.

1.3 From Local Hazard to Systemic Failure

Most climate impacts begin as local events, but their consequences travel through markets, supply chains and migration routes. The 2011 floods in Thailand are the standard example: a sequence of monsoon rains inundated industrial estates north of Bangkok, global hard-drive production fell by about a quarter, and computer prices rose around the world. The flood was national; the shortage was global. The same mechanism now operates through semiconductor production in Taiwan, wheat exports

from the Black Sea, and container shipping through the Red Sea.

Systems fail when a shock exceeds redundancy. A power grid with spare capacity survives a heatwave; a grid without it cascades. A port with alternative routes survives a blockage; a port that is the only route does not. The 2021 Texas winter storm, the 2022 European gas crisis, and the 2023 Panama Canal drought all demonstrated the same principle in different sectors: the failure was not caused by the weather alone but by the absence of slack that would have absorbed it. Climate change is, among other things, a systematic reduction in slack.

For households, the translation is direct. A family that depends on one income, one water source, one road and one food market is exposed to every shock that touches any of them. Diversification — of income, of water storage, of food sources, of social contacts — is the household equivalent of redundancy in a grid. It is also the reason preparedness is not a single purchase but a set of overlapping capabilities, each of which buys time when another fails.

1.4 The Human Cost: What the Record Shows

The human cost of climate change is usually reported through disasters, and the disaster statistics are stark enough. The Centre for Research on the Epidemiology of Disasters recorded more than 7,000 major disasters between 2000 and 2019, affecting 4.2 billion people and killing 1.2 million. Weather and climate events accounted for the large majority of them. In the 2020s the pattern has continued: the 2022 Pakistan floods affected thirty-three million people; the 2023 Turkey–Syria earthquakes — geological rather than climatic, but a reminder of compound vulnerability — killed more than fifty thousand; the 2024 Valencia floods killed more than two hundred in a high-income country with a modern warning system.

But disasters capture only the visible part of the cost. The World Health Organization attributes about 150,000 deaths a year to climate change through heat, disease, malnutrition and displacement, a figure that most epidemiologists consider conservative because it excludes the long tail of chronic illness and lost livelihood. Heat alone is estimated to cause more than 500,000 deaths a year globally, with the European summer of 2022 accounting for about 61,700 of them. Air pollution, much of it from the same fuels that drive warming, kills about seven million people a year.

The economic record is equally uneven. The World Bank estimates that climate-related losses in developing countries already exceed US$200 billion a year, and that the figure understates the true cost because it counts damaged assets rather than lost development. A child who is malnourished during a drought does not recover the cognitive development that was lost; a farmer who sells livestock to survive a season does not rebuild the herd at the same rate. These effects are rarely counted in disaster statistics, but they are the mechanism by which a temporary shock becomes a permanent reduction in welfare.

1.5 Why the Worst Outcomes Are Not Yet Fixed

The physical system has inertia, and that inertia is usually presented as bad news: the warming already committed will continue for decades, sea level will rise for centuries, and some changes are irreversible. All of that is true. But the same inertia means that the future is not yet determined, because the emissions that would produce the worst outcomes have not yet happened. The difference between 1.8°C and 4.4°C at the end of the century is not a difference in physics; it is a difference in cumulative carbon, and cumulative carbon is still being decided.

The remaining carbon budget makes the arithmetic explicit. To have a fifty per cent chance of holding warming to 1.5°C, the world can emit roughly 250 billion tonnes of carbon dioxide more — about six years at current rates. For 2°C the budget is roughly 1,150 billion tonnes. These numbers are uncertain at the margins, but their order of magnitude is not, and it implies that every year of delay consumes a substantial share of the remaining budget. It also implies that the choice is not between action and no action but between action now and much larger, more expensive action later.

There is a second reason for qualified optimism. The cost of the technologies that reduce emissions has fallen faster than almost anyone predicted. Solar photovoltaic costs have fallen by roughly ninety per cent since 2010, onshore wind by about seventy per cent, and lithium-ion battery packs by about eighty-five per cent. In 2023 the world added more renewable generating capacity than fossil capacity for the first time, and the International Energy Agency now expects renewables to account for the majority of new power capacity through 2030. The obstacle is no longer primarily engineering; it is the speed at which grids, permits and political coalitions can change.

1.6 What 'Surviving' Actually Means

The word survival suggests a single moment: the storm passes, the flood recedes, the family is alive. In practice, survival is a process that extends long after the water leaves. A household that survives the flood but loses its documents, its savings and its access to credit may not survive the next two years. A city that survives the heatwave but loses its power grid for a week may lose thousands of people to hospitals that cannot run. The relevant question is not whether a system survives the event but whether it returns to a level of functioning from which it can absorb the next one.

This book therefore treats survival at three levels. Personal survival is about water, food, shelter, health and the knowledge to use them. Community survival is about mutual aid, local institutions and the physical infrastructure that connects households to services. Societal survival is about the fiscal capacity, the legitimacy and the administrative competence that allow a state to keep functioning when several crises arrive at once. The levels are nested: a household cannot be secure in a failed state, and a state cannot be stable when its households are desperate.

The nesting also explains why purely individual preparation is insufficient. A family that stores water and food is better off than one that does not, but it still depends on a functioning water utility, a supply chain, a hospital and a road. Preparedness that ignores the collective is a bet that everyone else will continue to provide the services on which the prepared household depends. That bet may pay off in a short emergency; it fails in a prolonged crisis, which is precisely the scenario that climate change makes

more likely.

1.7 Knowledge, Preparedness and Adaptive Capacity

Adaptive capacity is the ability of a system to adjust to change while remaining functional. It is not the same as wealth, though wealth helps; it is the combination of information, resources, institutions and social trust that allows a community to anticipate, absorb and recover. Bangladesh has far less wealth than the United States, but its cyclone preparedness is widely regarded as superior, because it has invested in shelters, volunteers, early warnings and drills that reach the village level. Adaptive capacity is therefore a choice about where to invest, not simply a by-product of income.

Knowledge is the cheapest component and the one most often neglected. A household that knows which road floods first, which neighbour has a generator, and which clinic stays open can make better decisions in the first six hours than one that has to discover those facts in the middle of the emergency. A city that knows which neighbourhoods have the oldest residents and the least tree cover can target cooling measures before the heatwave arrives. The information is rarely secret; it is simply not assembled, not practised, and not shared.

The chapters that follow treat knowledge as infrastructure. That means writing down the plan, testing it, updating it, and making sure the people who need it can find it in a language and format they can use. It also means distinguishing between knowledge that is stable — the physics of heat, the geography of a floodplain — and knowledge that changes, such as the location of a shelter or the phone number of a clinic. A plan that does not distinguish between the two will either become obsolete or become too vague to act on.

1.8 The Argument of This Book

The argument can be stated in four propositions. First, the climate has already changed enough to produce measurable harm, and the harm will increase because of warming that is already committed. Second, the harm is not distributed evenly: it falls hardest on people with the fewest resources, in places with the weakest institutions, and on hazards — heat, drought, flood — that are least insured. Third, the capacity to reduce harm exists and is largely a matter of preparation, governance and investment rather than of inventing new technology. Fourth, the difference between a manageable future and a catastrophic one is still a political choice, made year by year, in decisions about energy, land use and finance.

The book is organised around those propositions. The first part establishes the physical and observational basis: how warming works, how it is measured, and why the record is trustworthy. The second part examines the main channels through which harm arrives — heat, water, food, ecosystems, health, economies, migration and conflict. The third part turns to response: infrastructure, education, information, household preparedness, emergency health, social capital, technology and governance. The fourth part presents case studies and closes with action plans that a household, a community or a city can use.

Each chapter follows the same discipline. It begins with field conditions — what has actually happened, where, and to whom. It then brings in the research literature to explain why those conditions produced those outcomes, and it distinguishes between what is well established, what is contested, and what is not yet known. It ends with a set of future scenarios built from historical data, present observations and explicit assumptions. The aim is not to persuade the reader of a conclusion but to give the reader the materials to reach one.

1.9 How the Chapters Fit Together

The first six chapters are diagnostic. Chapters 1 to 3 establish the physical science and the observation systems; chapters 4 to 6 examine heat, water and flooding as the three hazards that account for most direct losses. Chapters 7 to 12 follow the consequences through food, ecosystems, health, economies, migration and conflict. These chapters are ordered by the sequence in which a shock typically propagates: heat and water arrive first, food and health follow within weeks, economies and migration follow within months, and conflict, where it occurs, emerges from the interaction of all of them.

Chapters 13 to 21 are about response. They cover infrastructure, education, data and misinformation, household preparedness, emergency health, social capital, renewable energy, psychology and governance. The order is deliberate: physical infrastructure is the most visible response and the slowest to build; education and information are the cheapest and the most durable; social capital is the resource that determines whether the other responses reach the people who need them. Governance appears last because it determines whether any of the others can be sustained.

Chapters 22 to 24 are applied. Two chapters of case studies examine what happened in specific places — heatwaves, fires, floods, droughts, food crises and security emergencies — and what distinguished the responses that worked from those that did not. The final chapter provides action plans at three scales: the household, the community and the city. Readers who need immediate guidance can begin there and return to the analytical chapters later; readers who want to understand the reasoning can read in order.

1.10 Reading in an Emergency

A book is a poor instrument in an emergency, and this one is designed with that limitation in mind. If a hazard is imminent, the priority is to act on the guidance of local authorities, not to consult a chapter. If the hazard has passed and the household is safe, the chapter on household preparedness provides a checklist for the next seventy-two hours and the next three months. If the reader is a planner or a teacher, the chapters on infrastructure, education and governance are the relevant starting points.

The book is also designed to be updated. Climate science, disaster statistics and technology costs change faster than books can be reprinted, and a reader who relies on a number without checking its date will eventually be misled. Each chapter therefore identifies the kind of evidence that would change its conclusions, and the final chapter lists the data sources that are updated most frequently. The habit of checking the date of

a claim is itself a survival skill, because misinformation often consists of true statements that were true once.

Finally, the book is written for readers who are not specialists. Technical terms are explained when they first appear; numbers are given with their units and their dates; and uncertainty is stated rather than concealed. The aim is not to make the reader a climate scientist but to make the reader capable of following an argument, detecting an exaggeration, and deciding what to do. That capacity — not the memorisation of facts — is what allows a community to adapt when the facts change.

1.11 Case Study: The 2022 Pakistan Floods

The floods began in June 2022 with monsoon rain that was heavy but not unprecedented. What made them catastrophic was the sequence. A spring heatwave had melted snow and glaciers early and baked the soil into a crust; when the rain arrived, it ran off instead of infiltrating. The Indus and its tributaries rose together, and the dams and barrages that had been built to control them released water downstream to protect their own structures. By late August, the government had declared a national emergency, and satellite imagery showed a lake stretching across Sindh.

The numbers are a case study in how climate impacts are counted. About 33 million people were affected, 1,700 died, and 2.2 million houses were damaged or destroyed. The Post-Disaster Needs Assessment estimated damage at US$14.9 billion and economic losses at US$15.2 billion, together about 4.8 per cent of GDP. Agriculture lost most of a season: two million hectares of crops were destroyed, and the cotton harvest fell by about a third. The damage was concentrated in Sindh and Balochistan, the two poorest provinces, which is a pattern repeated in disaster after disaster.

Attribution research found that climate change made the extreme rainfall more likely, though the magnitude of the effect varied between studies and depended on the definition of the event (Otto et al., 2023). But attribution explains only the trigger. The vulnerability had been built over decades: irrigation systems that had silted up, embankments that had not been maintained, housing in floodplains, and a population whose livelihoods depended on a single crop season. The flood was a climate event; the disaster was a development event.

The response revealed both the strengths and the limits of international aid. Donor pledges eventually exceeded US$10 billion, but they arrived over months, while the most urgent needs were in the first weeks. The Pakistani military, which has the country's largest logistics capacity, led the relief effort; provincial governments coordinated shelters; and local charities, particularly religious foundations, distributed food faster than the formal system. The pattern — rapid local response, slow international finance — is typical, and it is why the chapters on governance and social capital treat local institutions as part of the infrastructure.

Recovery has been uneven. By 2024, many households had rebuilt with the same materials in the same places, because they had no alternative and because reconstruction assistance covered only a fraction of the cost. The lesson is not that Pakistan should have prevented the rain. It is that recovery which restores the

pre-existing vulnerability is not recovery; it is the preparation of the next disaster. The same lesson appears in the case studies of every chapter that follows.

For readers outside Pakistan, the case has three implications. It shows that a climate hazard can erase years of development in a single season. It shows that vulnerability is produced by decisions about land, water and housing that are made long before the hazard arrives. And it shows that the difference between a disaster and a catastrophe is often the speed and reach of the response — which is a matter of institutions, not of meteorology.

1.12 Future Scenarios and Predictions: What the Next Two Decades Hold

The historical record provides the starting point. Since 1970, global surface temperature has risen by about 0.18°C per decade, sea level by about 3.4 millimetres per year, and the frequency of extreme heat has increased by a factor of roughly three in many regions. The number of weather-related disasters reported to EM-DAT has risen from about 100 a year in the 1970s to more than 300 a year in the 2010s, though part of that increase reflects better reporting. The losses, adjusted for inflation, have grown by about 5 to 7 per cent a year, faster than exposure alone would predict.

The present position is that the world is on a trajectory consistent with about 2.7°C of warming by 2100 if current policies are maintained, according to the International Energy Agency's assessment of announced pledges and implemented measures. That is below the 4.4°C of the highest scenario but well above the 1.5°C target. The near-term trajectory is largely locked in by emissions already released and by infrastructure already built: even if every country met its net-zero pledge, the next two decades would still warm by about 0.4°C above the current level.

The scenarios below are therefore not predictions of what will happen but conditional projections of what could happen under stated assumptions. They differ mainly in the speed of decarbonisation and in the response of slow variables such as ice sheets and the overturning circulation. Each is anchored to observed data: the 2024 concentration of 424 parts per million, the 1.55°C annual anomaly, the 4.5 millimetres per year of sea-level rise, and the current rate of energy transition.

Table 1.1 Three futures for the next two decades

Scenario	Assumption	2035	2050	Signature impacts
Accelerated transition	Emissions peak before 2025, halve by 2035, net zero by 2060	~1.7°C	~1.8°C	Heat extremes stabilise; sea-level rise ~0.3 m by 2050; coral reefs still decline
Current policies	Implemented measures only, slow tightening after 2030	~1.9°C	~2.1°C	Severe heatwaves annual in South Asia; crop losses 5–10%; 200 million displaced by 2050
Delayed transition	Emissions plateau until 2040, rapid catch-up afterwards	~2.1°C	~2.4°C	Arctic summers ice-free; reef collapse; 400 million in coastal flood zones

The difference between the first and third rows is about half a degree by 2050 and nearly a degree by 2100, but the difference in consequences is much larger than the temperature numbers suggest. Half a degree is the difference between a heatwave that kills hundreds and one that kills tens of thousands; between a harvest that fails once a decade and one that fails every other year; between a reef that bleaches and recovers and one that dissolves. The reason is that impacts are non-linear: they depend on thresholds, and thresholds are crossed at particular temperatures rather than spread evenly across the range.

What would change these projections? A faster collapse in the cost of storage would make the first row more likely; a sustained failure of international cooperation would make the third more likely. A large release of methane from permafrost or a faster loss of Antarctic ice would push all three rows upward. The one thing that would not change them is better forecasting: the projections already incorporate the best available science, and the uncertainty that remains is dominated by choices, not by ignorance.

CHAPTER 2

THE PHYSICAL SCIENCE OF GLOBAL WARMING

Theme: the physical science of global warming and its history

In March 1958, a thirty-year-old geochemist named Charles David Keeling hauled a gas analyser up the northern slope of Mauna Loa, a volcano in Hawai'i, and began measuring the carbon dioxide content of clean Pacific air. The first readings came in at about 315 parts per million. Keeling had chosen the site for the same reason meteorologists choose mountain tops: the air there has travelled thousands of kilometres over open ocean and carries no local smoke, no city traffic, no factory exhaust. What it carries is the background composition of the atmosphere. Within two years the measurements showed something no laboratory experiment could show — the background itself was rising, year after year.

That single instrument turned a nineteenth-century physics argument into an accounting problem. Fourier, Foote, Tyndall and Arrhenius had established that carbon dioxide absorbs infrared radiation and that more of it should warm the surface. Keeling established the other half of the ledger: how fast humans were adding it. By 2024 the same series stood at roughly 424 parts per million, about fifty per cent above the pre-industrial value, with the increase still accelerating (NOAA Global Monitoring Laboratory, 2025). No other number in this book is measured so directly, over so long a period, by so few instruments.

The physics matters for the rest of the book because it sets the boundary conditions for everything else. A heatwave in Karachi, a harvest failure in the Brazilian Cerrado, an insurance withdrawal in Florida and a flood in Emilia-Romagna are different events with different proximate causes, but they share a common denominator: an atmosphere holding more energy and more water vapour than it did a century ago. This chapter establishes that denominator. It explains the mechanism that warms the surface, the gases that drive it, the evidence that the warming is real, the accounting that attributes it, and the range of futures consistent with what is already in the pipeline.

It also shows where the certainty stops. The direction of change is not in serious dispute; the magnitude of the response to a given concentration still is, within limits that matter enormously for policy. The difference between a climate that warms by 1.8°C and one that warms by 4.4°C by 2100 is not a matter of scientific taste. It is the difference between a world in which adaptation is expensive and a world in which parts of it are impossible, and it turns on assumptions about emissions that no physical model can settle on its own.

2.1 The Greenhouse Effect

The argument began with a puzzle about temperature. In 1824 Joseph Fourier calculated that a body at the Earth's distance from the Sun should be colder than the Earth actually is, and proposed that the atmosphere slows the escape of heat — a blanket, in his image, though he did not know what the blanket was made of. Thirty-two years later, Eunice Foote ran a simple experiment with glass cylinders in sunlight and found that a cylinder filled with carbon dioxide heated more than one filled with

ordinary air, writing that an atmosphere of that gas 'would give to our earth a high temperature'. In 1859 John Tyndall built an apparatus sensitive enough to measure which gases absorb infrared radiation and found that water vapour was the strongest absorber, with carbon dioxide and ozone close behind (Tyndall, 1861).

The mechanism those experiments revealed is straightforward. Sunlight arrives mostly as visible light, to which the atmosphere is largely transparent. The surface absorbs it and re-emits the energy as infrared radiation, and it is at those wavelengths that greenhouse gases intercept the outgoing beam. They re-radiate in all directions, including downward, so the effective altitude at which the planet finally loses heat to space rises. Because the air at higher altitude is colder, it radiates less efficiently, and the surface must warm until the outgoing energy again balances the incoming sunlight. In 1896 Svante Arrhenius carried out the first quantitative calculation of this balance, estimating that a doubling of carbon dioxide would raise global temperature by roughly five degrees Celsius — an estimate strikingly close to modern values, reached with pencil, paper and a great deal of patience.

The most common objection to this account is that carbon dioxide is a trace gas, four hundredths of one per cent of the atmosphere, and that something so scarce cannot govern the temperature of a planet. The objection misunderstands how absorption works. A gas does not need to be abundant to be opaque at particular wavelengths; it needs only to be present in sufficient quantity to absorb the radiation that tries to pass. At the centre of the carbon dioxide bands the atmosphere is already nearly opaque, so added molecules matter most at the edges of those bands, where absorption is incomplete. That is why the warming effect grows roughly with the logarithm of concentration rather than in direct proportion: each doubling adds about the same increment of forcing as the one before, regardless of how high the starting point already is.

2.2 Greenhouse Gases and Their Sources

Four gases do almost all of the work. Carbon dioxide is the largest single contributor and the one that accumulates; methane is far more potent per molecule but short-lived; nitrous oxide is potent and long-lived in roughly equal measure; and a family of fluorinated industrial gases, present in minute quantities, traps heat thousands of times more effectively than CO2. In 2024 the global average concentration of carbon dioxide reached about 424 parts per million, methane about 1,934 parts per billion and nitrous oxide about 336 parts per billion — values that have no precedent in the ice-core record of the last 800,000 years (NOAA, 2025; IPCC, 2021).

The sources are known with unusual precision because they are counted twice: once from the bottom up, by adding up fuel sales, land-use change and industrial processes, and once from the top down, by measuring the changing composition of the atmosphere and the ocean. The two accounts now agree to within a few per cent. Fossil fuel combustion and industry released about 37.4 billion tonnes of CO2 in 2024, land-use change perhaps four billion more (Friedlingstein et al., 2024). Energy use accounts for roughly three-quarters of total greenhouse gas emissions; agriculture, forestry and land use for about a fifth; the rest comes from industry and waste (IPCC,

2022c).

The difference in lifetimes between the gases is the most policy-relevant fact in this section. A molecule of methane survives in the atmosphere for about a decade before it is oxidised, so cutting methane emissions reduces warming within years rather than centuries. Carbon dioxide is different: perhaps a third of what is emitted today will still be in the atmosphere in a thousand years. That asymmetry explains why climate strategy pursues two tracks at once — rapid methane cuts to slow the rate of warming in the near term, and deep CO2 cuts to determine where the warming finally stops. Confusing the two tracks is a common source of bad policy, because a methane success can look like progress on the problem while the cumulative CO2 ledger continues to grow.

2.3 Evidence of Warming

The evidence for warming does not rest on a single thermometer or a single group. Surface stations, weather balloons, satellites, ocean buoys, glacier surveys, tide gauges, boreholes, the timing of spring, the poleward movement of fish stocks and the retreat of mountain glaciers all point the same way. Each system has its own errors and its own blind spots; what makes the conclusion robust is that the errors are different and the signal is common. When independent records built from different instruments by different groups agree, the probability that all of them are wrong in the same direction falls sharply (IPCC, 2021, Chapter 2).

The last two years illustrate both the strength and the subtlety of the evidence. The World Meteorological Organization estimated 2023 at about 1.45°C above the 1850–1900 average and 2024 at about 1.55°C, the warmest year in the instrumental record (WMO, 2025). Neither figure should be read as 'the climate has reached 1.5°C'; a single year bounces above and below the trend because of El Niño, volcanic aerosols, solar variability and the weather of the ocean. The trend itself, averaged over a decade, is currently rising at roughly 0.2°C per decade — about twenty times faster than the average rate of change since the last ice age (IPCC, 2021).

A related dispute concerns the satellites. Microwave sounding units have measured the temperature of the lower troposphere since 1979, and early analyses appeared to show less warming than the surface record. The discrepancy was traced to the slow drift of satellite orbits, which changed the time of day at which measurements were taken, and to the decay of the instruments themselves. Once those effects were corrected, the satellite record agreed with the surface stations within their respective uncertainties, and both agreed with model simulations driven by observed forcings (IPCC, 2021). The episode is worth remembering because it illustrates a general rule: a disagreement between two measurement systems is usually a clue about the instruments, not a refutation of the phenomenon they are both trying to measure.

2.4 Temperature Records and Trends

A global temperature record is not a single measurement but a statistical construction, and it is worth knowing how it is built because the construction is where most public argument about it goes wrong. Stations move, instruments change, cities

grow around once-rural sites, and ships once measured sea temperature by dipping buckets and now measure it at the engine intake. Each of these changes introduces a bias of a few tenths of a degree, and each bias has to be estimated and removed. Four independent groups — HadCRUT in Britain, NASA GISS in the United States, Berkeley Earth and NOAA — do this work with different methods, and their global series agree to within about 0.05°C (Morice et al., 2021; Lenssen et al., 2019; Rohde and Hausfather, 2020).

What the corrected record shows is a rise of about 1.2°C since the late nineteenth century, unevenly distributed: land has warmed faster than ocean, the Arctic three to four times faster than the global average, and nights faster than days. The record also shows that the warming has not been smooth. There are decades of little change, sharp El Niño years, and pauses that lasted a decade; all of them sit on an upward slope that has steepened since the 1970s. The apparent contradiction between short pauses and long trends is the single most exploited feature of the record in public debate, and it is resolved by the same rule that governs financial markets: look at the trend, not the last quarter.

The exceptional warmth of 2023 and 2024 has a partial explanation that is worth separating from the trend. An El Niño event transferred heat from the tropical Pacific to the atmosphere; the eruption of Hunga Tonga in 2022 injected water vapour, itself a greenhouse gas, into the stratosphere; a sharp reduction in sulphur emissions from shipping removed a reflective aerosol that had been masking part of the warming; and the solar cycle was near its maximum. Each of these contributed a fraction of a degree. Taken together they can explain why the two years sat above the trend line, but not why the trend line itself is where it is. That distinction — between the noise on the signal and the signal — is the difference between a weather story and a climate one.

2.5 Industrial Revolution and Emissions

For most of human history the carbon content of the atmosphere was remarkably stable, varying by only a few parts per million between ice ages and warm periods. That stability ended with coal. The concentration had been about 280 parts per million for thousands of years; by 1900 it had reached roughly 296, and the curve began to bend upward sharply after 1950, when oil, gas and industrial agriculture were added to coal. Historians of the environment call this inflection the Great Acceleration: in a single generation after the Second World War, population, fertiliser use, water consumption, vehicle ownership and carbon emissions all rose together, faster than at any previous point in human history (Steffen et al., 2015).

The arithmetic of that rise is usually summarised by an identity rather than a story. Emissions equal population multiplied by income per person, multiplied by the energy needed for each unit of income, multiplied by the carbon emitted for each unit of energy. Improvements in the last two terms have been real and substantial; they have simply been outpaced by growth in the first two. The same identity explains why emissions are so unequally distributed. The richest tenth of the world's population accounts for roughly half of consumption-based emissions, while the poorest half accounts for about twelve per cent (Chancel, 2022). That distribution is not a moral

footnote; it is the reason historical responsibility remains the most contested question in climate negotiations.

The geography of emissions has shifted faster than the geography of responsibility. China is now the largest annual emitter, responsible for roughly thirty per cent of current fossil CO2, followed by the United States at about eleven, the European Union at about seven and India at about seven (Friedlingstein et al., 2024). Measured cumulatively since 1850, the order is different: the United States and Europe together account for roughly forty per cent of historical emissions, China for about fourteen and India for about four. Per person, the gap is wider still: an average American emits several times more than an average Indian or African. Which accounting is used determines which obligations follow, and that is why the choice of metric is itself a political act.

2.6 IPCC Assessments

The Intergovernmental Panel on Climate Change was created in 1988 by two United Nations bodies, the World Meteorological Organization and the UN Environment Programme, in response to a simple political problem: governments needed an authoritative account of a scientific literature that none of them could read in full. Its method is unusual. Hundreds of scientists volunteer to assess published research, they produce a technical report running to thousands of pages, and then governments negotiate the summary for policymakers line by line. The process is slow, conservative and occasionally painful to read, but it has one great virtue: no single government, industry or scientist can determine its conclusions.

The sixth assessment cycle, published between 2021 and 2023, is the most important single source in this book. Its first working group concluded that it is 'unequivocal that human influence has warmed the atmosphere, ocean and land', and that the best estimate of the warming already experienced is about 1.1°C above 1850–1900 (IPCC, 2021). The second group found that roughly 3.3 to 3.6 billion people live in contexts that are highly vulnerable to climate change (IPCC, 2022b). The third found that the policies in place at the time of writing would produce warming of about 2.7°C by the end of the century (IPCC, 2022c). Those three sentences, taken together, are the empirical spine of the argument that follows.

Reading an IPCC summary requires attention to its grammar. The panel uses a calibrated vocabulary in which 'likely' means a probability between 66 and 100 per cent, 'very likely' between 90 and 100, and 'virtually certain' above 99. It also distinguishes between an assessed range, which reflects the judgement of the author team across all available evidence, and the spread of model results, which reflects only the models. Statements such as 'warming of 1.5°C will be reached in the early 2030s' are assessments, not model outputs, and they carry the authority and the caution of that distinction. Readers who quote the panel without that grammar tend to overstate either its certainty or its doubt.

2.7 Ocean Heat and Sea Level

The ocean has absorbed about ninety per cent of the excess heat trapped by greenhouse gases, and roughly a quarter of the carbon dioxide. That absorption is why the surface has not warmed faster, and it is also why the consequences arrive late. Water has an enormous heat capacity, so the ocean integrates warming over decades and then releases it slowly. Ocean heat content has set a record every year for the past decade; the increase in the upper two kilometres between 2022 and 2023 alone was larger than the total energy used by humanity in a year (Cheng et al., 2024). Marine heatwaves have roughly doubled in frequency since the 1980s, and the fourth global coral bleaching event was declared in 2024.

Sea level is the slowest and most consequential of these responses. Global mean sea level rose about 21 centimetres between 1900 and 2018, and the rate has accelerated from roughly 1.3 millimetres a year in the early twentieth century to about 4.5 millimetres a year today (IPCC, 2021; NASA, 2024). Roughly forty per cent of that rise comes from thermal expansion, a quarter from glaciers and a quarter from the ice sheets, with the remainder from changes in land water storage. Because the processes that drive it respond slowly, sea level will continue to rise for centuries even if emissions fall to zero. The practical question is therefore not whether to adapt, but how much and how soon — and the answer differs by an order of magnitude between a low-emission and a high-emission trajectory.

The coast is where the global average becomes a local emergency. Global mean sea level is an abstraction; what floods a street is relative sea level, which combines the global rise with local subsidence, sediment compaction and changing storminess. Jakarta has been sinking at rates of several centimetres a year in some districts, so its relative sea level rises far faster than the global average; Semarang and parts of Manila face similar combinations. About 1.1 billion people live in low-elevation coastal zones and about 900 million of them in Asia (Neumann et al., 2015). For those populations, the difference between 0.4 and 0.8 metres of rise by 2100 is not a scientific interval; it is the difference between a managed retreat and an unmanaged one.

2.8 Ice Loss and Cryosphere

The cryosphere is where the climate system keeps its slowest and least reversible commitments. Arctic sea ice has declined by roughly 12 to 13 per cent per decade in September since satellite records began in 1979, and the remaining summer ice is thinner and younger than it was a generation ago (Notz and Stroeve, 2016). The Greenland ice sheet has been losing mass at about 260 billion tonnes a year, Antarctica at roughly 150 billion tonnes, and the world's glaciers at about 270 billion tonnes a year outside the ice sheets (Shepherd et al., 2020; IMBIE, 2018; Zemp et al., 2019). Each of those numbers is small relative to the total ice stored on the planet and large relative to anything human infrastructure has had to absorb before.

Three consequences follow. The first is a feedback: white ice reflects sunlight that dark ocean absorbs, so lost ice accelerates local warming. The second is freshwater forcing: meltwater changes the density of the North Atlantic and can slow the

circulation that carries heat northward, with consequences for European weather that remain actively debated (Caesar et al., 2021; Ditlevsen and Ditlevsen, 2023). The third is commitment: ice sheets respond to temperature over centuries, so the sea level implied by today's warming will continue to arrive long after the emissions that caused it have stopped. This is why the difference between 1.5°C and 2°C matters far more for coasts than the difference between two decades of weather.

The Arctic case also illustrates how definitions carry consequences. 'Ice-free' does not mean an ocean without ice; it means less than one million square kilometres of ice at the September minimum, a threshold chosen because it is roughly the area at which the remaining ice becomes fragmented and mobile. Under all plausible emission trajectories the Arctic is expected to reach that state at least once before 2050, and under high emissions it becomes the normal summer condition (Notz and Stroeve, 2016). The consequences extend beyond the region: darker water absorbs more sunlight, the jet stream responds to the changed temperature gradient, and new shipping routes open across a sea that was once a barrier.

2.9 Carbon Cycle and Feedbacks

Of every tonne of carbon dioxide released by human activity, roughly half stays in the atmosphere. The other half is taken up in approximately equal measure by the ocean and by land ecosystems, and that service is the reason atmospheric concentrations have risen more slowly than emissions. The service is not guaranteed. Measurements suggest that the fraction absorbed by land and ocean sinks has been declining as a share of emissions, and that the land sink in particular is becoming more variable as droughts and fires reduce uptake (Friedlingstein et al., 2024). A weakening sink means that the same emissions produce a larger atmospheric increase — a feedback that is already visible in the data.

The ocean also absorbs carbon dioxide chemically, and the resulting change in seawater chemistry is direct and measurable: surface pH has fallen by about 0.1 units since the pre-industrial period, equivalent to a roughly thirty per cent increase in hydrogen ion concentration (IPCC, 2021). Organisms that build shells from calcium carbonate are sensitive to that change, which is why acidification is treated in this book as a parallel crisis rather than a footnote to warming. The same arithmetic that makes the ocean a buffer makes it a slow victim: it has absorbed the heat and the carbon, and it will pay for both for centuries.

The carbon budget is the bridge between physics and policy, and its arithmetic is brutally simple. Every tonne of CO2 emitted adds roughly the same amount of warming, regardless of when it is emitted; the total that can be emitted while holding warming below a given threshold is therefore a finite quantity. The best estimate for a fifty per cent chance of staying below 1.5°C was about 500 billion tonnes of CO2 from 2020, and continued emissions have since reduced it to roughly 200 billion — about five years at current rates (IPCC, 2021; Friedlingstein et al., 2024). The budget does not care about pledges, announcements or targets; it responds only to the tonnage that actually leaves the ground.

2.10 Attribution of Warming

Attribution is the discipline of asking not whether the climate has changed but why. Its central tool is the fingerprint: climate models are run with all known forcings, then with human influences removed, and the resulting spatial patterns are compared with observations. The pattern of greenhouse warming — tropospheric warming with stratospheric cooling, more warming over land than ocean, more at high northern latitudes — is distinctive, and no combination of solar and volcanic variability reproduces it (Hegerl et al., 1996; IPCC, 2021). This is why the sixth assessment could describe human influence as unequivocal rather than merely likely.

A younger branch of the field applies the same logic to individual events. Event attribution compares the probability or intensity of a heatwave, flood or drought in a world with and without human influence, using large ensembles of model simulations constrained by observations. The method has produced conclusions that are now widely cited: the 2021 Pacific Northwest heat dome was judged virtually impossible without climate change, and the 2023 Derna flood in Libya was made far more likely by warming sea surface temperatures. The method has limits — it says little about vulnerability, and single-event results carry wide uncertainty — but it has changed the terms of the compensation debate, because it allows a specific loss to be connected to a specific cause.

Attribution also has a geography of evidence. Events in wealthy countries tend to be studied quickly because they are insured, instrumented and politically salient; events in poorer countries are studied later, if at all, and often with fewer observations. The result is an asymmetry in what can be said, not in what is happening. Researchers call this the attribution gap, and it matters for compensation: a country that cannot demonstrate attribution finds it harder to claim loss and damage, even when the physical case is strong. Closing the gap is therefore a matter of both science and justice.

2.11 Case Study: The Keeling Curve

The most consequential measurement in climate science began as a side project. Charles David Keeling, a chemist by training, had developed a technique for measuring carbon dioxide with far greater precision than his contemporaries, and in 1956 he took a set of flasks to the Olympic Peninsula in Washington State and to the mountains of California to test it. The results surprised him: background concentrations were higher than the accepted value, and they varied with the season in a way nobody had documented. When he presented the finding, Roger Revelle and Hans Suess at the Scripps Institution of Oceanography invited him to continue the work as part of the International Geophysical Year.

The location he chose — Mauna Loa Observatory, 3,400 metres above the Pacific — gave the record its authority. Air arriving there has spent days or weeks over open ocean, so it samples the global background rather than a local plume. Keeling insisted on calibrating his instrument against a set of reference gases, on continuous operation rather than occasional sampling, and on publishing the raw data alongside the analysis. Those choices, which seemed pedantic at the time, are the reason the curve has

survived decades of scrutiny without revision of its central finding.

The data themselves tell a story in two layers. The first is a saw-tooth: carbon dioxide rises through the northern winter and falls through the northern summer as the forests of Siberia, Canada and Europe take up carbon during the growing season. That annual pulse is the breathing of the biosphere, and its amplitude has grown as the land has warmed. The second is the trend beneath it: a steady climb from about 315 parts per million in 1958 to roughly 424 in 2024, with no year below the previous decade's average since the record began.

The curve is also a record of what one instrument cannot see. It measures the atmosphere at one latitude and one altitude; it says nothing directly about the ocean, which absorbs most of the added heat, or about the land, which absorbs a quarter of the carbon. Those measurements came later, from ships, buoys, aircraft and satellites, and they are consistent with the mountain-top series. The Keeling record functions as a keystone rather than a complete arch: remove it and the rest still stands, but the structure becomes much harder to date and to defend.

The project was nearly cancelled twice. In the 1960s the funding agency cut the budget on the grounds that the work was routine monitoring rather than research, and Keeling had to fight to keep the instruments running; a decade later similar pressures returned. Each time the record was preserved by a small group of scientists who understood that a time series is only valuable if it is unbroken. The episode is instructive for anyone designing a monitoring system today: continuity is a scientific asset that is easy to destroy and impossible to reconstruct.

What the curve did politically was to make the abstract concrete. Before Mauna Loa, the greenhouse effect was a calculation; after it, it was a graph that a parliamentarian could hold up. The same function is served today by the satellite record of sea level and by the global temperature series, and the lesson generalises beyond climate: a long, clean, public measurement is one of the most powerful instruments a society can build, because it converts a contested claim into a shared reference point.

There is a final, quieter lesson in the project's design. Keeling published his data in full, including the seasonal wiggles that his colleagues found distracting, and he insisted that the calibration gases be exchanged between laboratories so that independent groups could compare results. That practice — open data, shared standards, documented methods — became the template for every subsequent global observing system. It is also the reason the curve has survived political attack: a record that anyone can check is much harder to dismiss than a conclusion that must be trusted.

2.12 Future Scenarios and Predictions: The Physical Science

Any statement about the physical future of the climate is conditional, and it is worth being explicit about the condition. The atmosphere responds to the total accumulated carbon dioxide, not to the annual rate at which it is emitted. That single fact determines the shape of every projection in this chapter: two trajectories that emit the same cumulative total produce roughly the same peak warming, whether they reach that total quickly or slowly. What differs is the damage along the way, the options available for adaptation, and the risk of crossing thresholds that cannot be reversed on

human timescales.

The historical record supplies the baseline. Concentrations were stable at about 280 parts per million for six thousand years before 1750; they reached 315 in 1958, about 370 in 2000 and roughly 424 in 2024, with cumulative emissions since 1850 now close to 2,500 billion tonnes of CO2 (Friedlingstein et al., 2024). Global mean temperature has risen about 1.2°C over the same period and is currently rising at roughly 0.2°C per decade. Sea level, which lagged the temperature rise for most of the twentieth century, is now accelerating.

The present position can be stated with unusual precision. For a fifty per cent chance of holding warming below 1.5°C, the remaining carbon budget is roughly 200 billion tonnes of CO2 — about five years of current emissions. For 2°C the budget is larger but still finite, and the policies in place in 2025 imply warming of about 2.7°C by 2100 rather than the 1.5°C target governments have endorsed (IPCC, 2022c; Friedlingstein et al., 2024). Three trajectories bracket the plausible range, and each rests on a different assumption about policy, technology and behaviour.

The first assumes rapid decarbonisation: emissions fall by about half by 2030 and reach net zero around mid-century, with carbon removal compensating for residual sources. Warming peaks near 1.8°C and declines slowly thereafter. The second assumes that current policies continue and are strengthened gradually, producing net zero late in the century; warming reaches about 2.7°C. The third assumes that decarbonisation stalls and that coal, oil and gas remain dominant; warming reaches roughly 4.4°C, with the largest increases over land and at high northern latitudes (IPCC, 2021, Table 4.5).

A useful thought experiment clarifies what is already committed. If every emission stopped tomorrow, the atmosphere would stop accumulating CO2 within a few years, but global temperature would stabilise rather than fall, and sea level would continue to rise for centuries as the ocean and the ice sheets finished responding to the warming that has already occurred. The commitment is not a reason for fatalism; it is a reason to distinguish between the warming that cannot now be avoided and the warming that can still be prevented. The first determines how much adaptation is necessary, the second determines whether adaptation remains possible.

Regionally, the three trajectories diverge far more than the global averages suggest. Under the high trajectory, the Mediterranean and the Middle East approach conditions in which summer heat becomes a chronic hazard rather than an episodic one; South Asia faces combinations of heat and humidity that exceed the physiological limits of outdoor work for part of the year; and the Arctic warms by several degrees more than the global mean. Under the low trajectory those outcomes are attenuated but not eliminated. The difference between the scenarios is therefore not a difference in global average temperature; it is a difference in which regions remain habitable in the way their inhabitants currently understand the term.

Table 2.1 Three physical trajectories to 2100 (relative to 1850–1900)

Trajectory	Policy assumption	2050	2100	Observable markers
Rapid decarbonisation (SSP1-2.6)	Emissions halve by 2030, net zero around 2060	~1.6°C	~1.8°C (1.3–2.4)	Atmospheric CO2 peaks below 450 ppm; sea-level rise near 0.4 m
Current policies strengthened (SSP2-4.5)	Slow tightening, net zero late century	~2.0°C	~2.7°C (2.1–3.5)	CO2 near 500 ppm by 2060; Arctic summers ice-free before 2050
Stalled decarbonisation (SSP5-8.5)	Fossil dominance continues to 2100	~2.6°C	~4.4°C (3.3–5.7)	CO2 above 700 ppm; sea-level rise above 0.8 m and accelerating

What would change these numbers is worth stating as plainly as the numbers themselves. A larger climate sensitivity than the central estimate, a faster loss of the land carbon sink, or an earlier collapse of Arctic summer sea ice would all push the outcomes toward the upper end. A faster decline in methane, a stronger aerosol effect from air-quality policy, or large-scale carbon removal would push them down. None of these possibilities can be resolved by argument; they will be resolved by measurement, and the measurements that matter are the ones this chapter has described — concentration, temperature, ocean heat, ice mass and sea level.

For the reader, the practical implication is a shift in attention. The question is no longer whether the physics is settled; it is which of three trajectories is being followed, and how quickly the answer becomes visible. That question is answered not by climate models but by the energy system, which is the subject of the chapters that follow.

CHAPTER 3

CLIMATE SYSTEMS, FEEDBACKS AND MONITORING

Theme: climate systems, feedback mechanisms and monitoring

A climate is not a temperature. It is a machine with several moving parts — an atmosphere, an ocean, a cryosphere, a biosphere and a land surface — coupled so tightly that a change in one is felt in all the others, usually after a delay. The atmosphere responds in days, the ocean in decades, the ice sheets in centuries. This difference in response time is the single most important fact for anyone trying to understand why the consequences of emissions arrive long after the emissions themselves, and why some of those consequences cannot be reversed on any timetable that matters to the people experiencing them.

The couplings also explain why the climate does not warm smoothly. Heat stored in the ocean can be released years later; a shift in wind patterns can cool a continent for a decade while the planet as a whole warms; a volcanic eruption can suppress global temperature for two or three years. These internal variations are not noise in the sense of meaningless — they are the weather of the climate system, and they determine whether a particular harvest fails or survives, whether a particular city floods this year or next.

Feedback is the mechanism that turns a small push into a large response, or a large push into a small one. Warming increases atmospheric water vapour, which is itself a greenhouse gas, which produces more warming; that is a positive feedback, and it roughly doubles the effect of carbon dioxide alone. Warming melts reflective ice, exposing dark ocean that absorbs more sunlight; another positive feedback. But warming also increases the radiation the planet emits to space, which is a negative feedback and the reason the system has not run away. The balance between these effects, not the strength of any one of them, determines how sensitive the climate is.

This chapter is about that balance, about the thresholds where it can change abruptly, and about the instruments that allow us to watch it happen. It closes with the least glamorous and most consequential subject in climate science: data quality, and the question of what a measurement can and cannot tell you.

3.1 The Climate System

The Earth receives about 340 watts of solar energy for every square metre of its surface, averaged over day and night and over the seasons. Roughly thirty per cent of that is reflected back to space by clouds, ice and bright surfaces — the albedo — and the remainder is absorbed by the atmosphere, the ocean and the land. Because the planet is neither heating nor cooling catastrophically on human timescales, the energy leaving must roughly equal the energy arriving. The greenhouse effect works by slowing the departure, not by adding energy; the system compensates by warming until the outgoing radiation again balances the incoming sunlight (Trenberth, Fasullo and Kiehl, 2009).

What makes the system complicated is that its components have different memories. The atmosphere forgets a temperature anomaly within weeks; the surface ocean remembers it for months to years; the deep ocean for centuries; an ice sheet for

millennia. A pulse of heat injected into the atmosphere is therefore partitioned: some escapes to space immediately, some is absorbed by the ocean and returned decades later, and some is consumed melting ice. The same is true of carbon dioxide, which is exchanged continuously among the atmosphere, the biosphere and the ocean, with a small fraction remaining airborne for thousands of years.

The practical consequence is that the climate responds to a change in forcing with a lag that depends on the component being observed. Surface temperature responds within a few years, sea level over centuries, and ice sheets over millennia. Policymakers who expect a rapid visible response to emission cuts are therefore looking at the wrong variable; the response is real but it arrives first in the ocean and only later at the coast.

3.2 Atmosphere and Ocean Circulation

The atmosphere moves heat from the tropics toward the poles through three great cells in each hemisphere: the Hadley cell, which lifts moist air at the equator and brings it down over the subtropics; the Ferrel cell, which drives the mid-latitude westerlies; and the polar cell. The boundaries between these cells are where the jet streams run, and the position of the jets determines whether a winter storm reaches Lisbon or stalls over the North Sea. As the tropics warm faster than the poles, the temperature gradient weakens and the jets tend to shift poleward, though the effect is uneven and remains an active research question (IPCC, 2021, Chapter 4).

The ocean moves heat in parallel, and more slowly. The Atlantic Meridional Overturning Circulation carries warm surface water northward, cools it in the Nordic seas, and returns it southward as cold, dense deep water; the Gulf Stream is its most visible surface expression. The circulation transports roughly eighteen million cubic metres of water per second — about a hundred times the flow of the Amazon — and delivers heat to Europe that helps keep its winters milder than those of comparable latitudes in Canada. It is driven by differences in temperature and salinity, which is why added freshwater from Greenland's melting ice is watched so closely.

Superimposed on these steady circulations are oscillations: the El Niño–Southern Oscillation, which shifts heat across the tropical Pacific every two to seven years and alters rainfall from Peru to Indonesia; the North Atlantic Oscillation, which governs European winter weather; the Indian Ocean Dipole; the Southern Annular Mode. These patterns do not create the long-term trend, but they determine which years are hot, which are wet, and where the damage falls.

3.3 Positive and Negative Feedback Loops

The largest feedback is also the least visible. Warmer air holds more water vapour — about seven per cent more for each degree of warming, following the Clausius–Clapeyron relation — and water vapour is a powerful greenhouse gas. The increase in water vapour roughly doubles the warming that carbon dioxide would produce on its own, which is why the climate sensitivity to a doubling of CO2 is about three degrees rather than one and a half. This is not a speculative mechanism; it is measured, and it is the reason the same physics that gives a modest direct effect gives a large total one (IPCC, 2021, Chapter 7).

Ice and snow provide a second positive feedback. White surfaces reflect sunlight; dark ocean and dark land absorb it. When ice retreats, the newly exposed surface absorbs more energy, which warms the region, which melts more ice. The feedback is strongest in the Arctic, where it contributes to the three- to fourfold amplification of warming relative to the global mean. A third comes from the carbon cycle: warming increases the respiration of soil microbes and the frequency of fire, releasing carbon that had been stored, which produces further warming.

Against these stand the negative feedbacks that keep the system stable. The planet radiates more energy as it warms, following the Stefan–Boltzmann law; the lapse rate — the rate at which temperature falls with altitude — adjusts in a way that damps the response in the tropics; and increased weathering of silicate rocks removes carbon dioxide from the atmosphere over geological time. Clouds are the great uncertainty: low clouds reflect sunlight and cool, high clouds trap heat and warm, and how their balance changes with warming remains the largest single source of spread among climate models.

3.4 Tipping Points and Abrupt Change

Some parts of the climate system do not respond gradually. They behave like a see-saw held just past its balance point: a small additional push produces a large, rapid and often irreversible change. Researchers call these tipping elements, and a 2022 assessment identified sixteen of them, including the Greenland and West Antarctic ice sheets, the Atlantic overturning circulation, the Amazon rainforest, boreal permafrost and warm-water coral reefs (Armstrong McKay et al., 2022). The assessment found that several would be at risk at warming levels between 1.5 and 2°C, which is to say within the range that current policies are likely to produce.

The concept is easy to misunderstand. A tipping point is not a cliff edge at a precise temperature; it is a region of the parameter space in which the system loses stability, and the exact location is uncertain because the systems are complex and poorly observed. Nor does crossing a threshold always produce an instantaneous change: the Greenland ice sheet may take centuries to disappear once committed, and the Amazon may degrade over decades through fire and drought. What changes at the threshold is not the speed of the change but its reversibility.

The policy implication is asymmetric. If the system were linear, overshooting a target and returning later would be an acceptable strategy. If it contains thresholds, overshoot becomes a gamble with a permanent loss on the other side. That asymmetry, rather than any single temperature number, is the strongest argument for treating 1.5°C as a limit to be approached with caution rather than a target to be traded against other priorities.

3.5 Temperature and Satellite Monitoring

The global temperature record is assembled from about thirty thousand land stations, several thousand ships and buoys, and a handful of satellite instruments, all processed by four independent groups using different methods. Satellites have measured the temperature of the lower troposphere since 1979, first with microwave sounders and

later with infrared interferometers; they provide global coverage but suffer from orbital drift, calibration changes and the difficulty of separating the signal of the lower atmosphere from that of the surface. Reanalysis products, which combine observations with a weather model, fill the gaps and provide consistent fields of temperature, wind and humidity over the whole planet (Hersbach et al., 2020).

Each system has a characteristic error. Surface stations are precise but unevenly distributed, with dense coverage in Europe and North America and sparse coverage in parts of Africa and South America. Satellites are uniform but indirect, measuring radiance rather than temperature and requiring a radiative transfer model to convert one into the other. Reanalyses are complete but inherit the biases of their models. The skill of the system comes from the disagreement: when independent methods converge, the result is robust; when they diverge, the divergence points to a problem worth investigating.

The architecture of that system is itself a policy achievement. The Global Climate Observing System, established in 1992, sets standards for instruments, data exchange and continuity, and the Paris Agreement's transparency framework depends on it. When a country reports its emissions or its progress, it relies on measurements that are only credible because they are comparable across borders. Monitoring, in other words, is not a technical appendix to climate policy; it is the infrastructure that makes policy verifiable.

3.6 Ocean and Ice Monitoring

The ocean was, until recently, the least observed part of the climate system — a gap that mattered because it stores more than ninety per cent of the excess heat. That changed with Argo, an international programme that began deploying autonomous profiling floats in 2000 and now maintains roughly four thousand of them. Each float sinks to two thousand metres, measures temperature and salinity as it rises, transmits its data by satellite and repeats the cycle every ten days. The result is a three-dimensional picture of the ocean's heat content, updated continuously, available to anyone with an internet connection.

Ice is observed by a different combination of instruments. Satellite altimetry, which has measured sea surface height since 1992, also measures the height of ice sheets; the GRACE mission, launched in 2002, weighs them by detecting tiny changes in the Earth's gravity field. Radar and laser altimeters measure thinning, and microwave sensors map the extent of sea ice every day. Each method has blind spots — altimetry struggles at the steep margins of ice sheets, gravity missions have coarse spatial resolution — but together they have produced a consistent picture of accelerating loss (Shepherd et al., 2020).

The data from these systems are open, which is unusual for expensive infrastructure and essential for credibility. A government that disputes a sea-level projection can download the altimetry, the tide-gauge record and the gravity data and check the arithmetic itself. That openness does not settle political disputes, but it narrows the space in which they can be conducted by assertion rather than evidence.

3.7 Extreme Event Attribution

Attribution began with a question about a single heatwave. After the European summer of 2003 killed tens of thousands of people, a team led by Peter Stott asked whether the probability of such an event had changed because of human influence, and answered by comparing model simulations with and without greenhouse gases (Stott, Stone and Allen, 2004). The answer — that the risk had roughly doubled — established a method that has since been applied to hundreds of events, from the Russian heatwave of 2010 to the floods of 2022 in Pakistan.

The method has become faster and more standardised. The World Weather Attribution group, founded in 2014, now produces rapid analyses within weeks of an event, using peer-reviewed protocols and large ensembles of model runs. Its findings are stated as changes in probability or intensity rather than as certainties: the 2021 Pacific Northwest heat dome was judged to be virtually impossible without climate change; the 2022 Pakistan floods were made more likely by warming, though vulnerability and land management determined the scale of the disaster; the 2023 Derna flood in Libya was linked to warmer-than-usual Mediterranean waters.

Attribution has limits that are easy to forget. It is more reliable for heat than for rainfall, more reliable at continental than at local scales, and weakest where observations are sparse — which is usually where the most vulnerable populations live. It also says nothing about who is responsible or who should pay; those are political questions that attribution can inform but cannot answer. Used carefully, it converts a diffuse sense of injustice into a defensible claim; used carelessly, it invites the expectation that every disaster has a single attributable cause.

3.8 Early Warning Systems

Early warning is the most cost-effective adaptation measure available, and it is still missing where it is needed most. The United Nations' Early Warnings for All initiative, launched in 2022, estimated that about half of the world's countries lack a multi-hazard early warning system, and that where systems exist they often fail at the last mile — the warning reaches a capital city but not a village, or arrives in a language and format that the people at risk cannot use (UNDRR and WMO, 2023). The same reports estimate that a twenty-four-hour warning of a coming storm can reduce damage by about thirty per cent.

Bangladesh is the standard example of what is possible. After the Bhola cyclone of 1970 killed an estimated three hundred thousand people, the country built a system of cyclone shelters, volunteer networks and mobile-phone alerts that has cut fatalities dramatically: Cyclone Amphan in 2020, a storm of comparable strength, killed roughly a hundred people. The improvement was not primarily technological. It came from shelters placed where people live, warnings issued in local languages, and drills that made evacuation routine.

Heat is the harder case, because heat kills quietly and without a visible landfall. Ahmedabad's heat action plan, adopted after a 2010 heatwave killed more than a thousand people, combines colour-coded forecasts, cooling centres, altered working

hours and outreach to vulnerable groups; evaluations suggest it has reduced mortality substantially. The lesson generalises: a warning is only an early warning if it arrives with the capacity to act on it.

3.9 Data Quality and Uncertainty

Uncertainty is not the same as ignorance, and the distinction matters for how scientific statements should be read. A measurement can be uncertain in a way that is precisely quantified — plus or minus a tenth of a degree, with a stated confidence interval — and a projection can be uncertain in a way that reflects genuine disagreement among plausible models. The first kind of uncertainty shrinks with better instruments; the second shrinks with better understanding, and sometimes not at all. Confusing the two leads either to false confidence or to unwarranted paralysis.

Climate science distinguishes between internal variability, which is the unpredictable component generated by the system itself; model uncertainty, which is the spread produced by different representations of the same physics; and scenario uncertainty, which reflects the fact that future emissions depend on choices not yet made. Only the first is reduced by more data, and only the third is reduced by policy. When a projection is presented as a range, the width of that range is usually dominated by scenario uncertainty at the end of the century and by model uncertainty in the near term.

There is also a discipline problem that the field has only recently begun to address. A dataset that is used to make a political argument will be scrutinised in a way that a dataset used only for research is not, and the scrutiny often targets the processing rather than the physics. The defence is transparency: open code, documented adjustments, published uncertainty ranges, and an explicit account of what would change the conclusion. Those practices are now standard in the major temperature and sea-level products, and they are the reason the records have survived decades of political attack.

3.10 Using Data for Decisions

The final step is the one most often skipped: converting a probabilistic projection into a decision. The standard approach in engineering is to design for a return period — a flood defence built for the one-in-a-hundred-year event — but that approach assumes a stationary climate, which is precisely what no longer holds. A defence designed for the statistics of the twentieth century will be overtopped more often than its designers intended, not because it was badly built but because the statistics it was built against have moved.

The alternative is robust decision-making: rather than optimising for a single best estimate, identify the options that perform acceptably across a wide range of futures, and prefer those that can be adjusted as information arrives. The Netherlands' Delta Programme, which plans for sea-level rise up to several metres while building in stages that can be accelerated or paused, is the clearest example. The Thames Barrier, designed in the 1970s for a scenario that now looks optimistic, is another: its closure rate has risen from a few times a year to several times a year, and the decision to raise it

further is taken on the basis of monitoring rather than prediction.

What these examples share is a willingness to treat uncertainty as a design parameter rather than an obstacle. That requires institutions capable of revisiting decisions, budgets that can be reallocated, and a public that understands why a plan might change. The technical tools are available; the constraint is almost always institutional, which is why the chapters that follow devote as much attention to governance as to physics.

3.11 Case Study: Argo and the Ocean That Was Hiding

Before 2000, the ocean's interior was sampled the way a continent might be mapped by a few dozen travellers: ships lowered instruments at chosen points, took a reading, and moved on. The coverage was sparse, biased toward shipping lanes, and concentrated in the northern hemisphere. Estimates of ocean heat content therefore carried uncertainties large enough to obscure the trend for a decade at a time, which meant that the largest reservoir of the climate system was also the least measured.

Argo changed that with a design of remarkable simplicity. A float is dropped from a ship; it sinks to a programmed depth, drifts with the current, then rises while measuring temperature and salinity. At the surface it transmits its data and its position by satellite, then sinks again. Each cycle takes about ten days, each float lasts about four years, and the international programme maintains roughly four thousand of them, distributed across every ocean basin. The data are released within a day and are free to use.

The scientific consequences were immediate. Ocean heat content became measurable with an uncertainty small enough to detect the annual increase; the seasonal cycle of the upper ocean became visible; and the deep ocean's role in absorbing heat could be quantified rather than inferred. When the record was extended backward with older ship data and forward with Argo, it showed a steady accumulation of heat that has continued every year since, with the last decade the warmest in the record (Cheng et al., 2024).

Argo also demonstrates a governance lesson. The programme works because countries contribute floats, share data and accept common standards without a central authority that can compel them. It is coordinated by a small international secretariat and sustained by the self-interest of the participants, each of whom gets access to the whole dataset in exchange for contributing a share. That model — voluntary, standardised, open — has proved more durable than many formal treaties.

The gaps that remain are instructive. Ice-covered seas, marginal seas and the deep ocean below two thousand metres are still poorly sampled, and the floats themselves are biased toward regions where deployment is easy. The next generation of instruments, including deep Argo and under-ice floats, is being deployed to close those gaps. The lesson for other domains is that a monitoring system is never finished; it is a commitment to keep looking, renewed each time the technology changes.

3.12 Future Scenarios and Predictions: Systems, Feedbacks and Thresholds

The future of the climate system is not a single number but a set of conditional paths, and the condition is the same one that governs the previous chapter: the cumulative carbon emitted. What this chapter adds is the possibility of abruptness. The historical record shows that the system has changed gradually for most of the last ten thousand years, and that it has also changed abruptly in the more distant past — the Younger Dryas cold snap, the collapse of ice sheets at the end of the last glaciation — when a threshold was crossed. The question for the next century is whether the thresholds now being approached will be crossed slowly or quickly.

The present position is that several of the slower variables have already begun to move. The Atlantic overturning circulation is weaker than at any time in the last millennium according to proxy reconstructions, though the size and significance of the decline remain contested (Caesar et al., 2021). Arctic sea ice is on a trajectory to be essentially absent in September before mid-century under all but the lowest emission scenarios. Warm-water coral reefs have already suffered four global bleaching events, and the interval between them has shortened.

The assumptions that drive the scenarios are therefore not only about emissions but about the response of these slow variables. If the overturning circulation weakens moderately, European winters cool slightly while the tropics warm faster; if it collapses, the regional consequences are severe and the global consequences are still debated. If the Greenland ice sheet is committed to long-term loss, sea level rises for centuries regardless of what happens to emissions after mid-century. These are not alternative theories; they are different positions on a continuum of probability, and the monitoring systems described above are what allow the probabilities to be updated.

Table 3.1 System thresholds and what to watch for

Element	Threshold of concern	Time to observe change	Signal to monitor
Atlantic overturning	Weakening beyond ~15% of baseline	Decades	Florida Strait transport; Labrador Sea density
Arctic summer sea ice	Below 1 million km² in September	Years	NSIDC extent; ice thickness from CryoSat
Greenland ice sheet	Committed loss above ~1.5°C	Centuries	GRACE gravity; surface melt days
Amazon rainforest	Dieback beyond ~20–25% forest loss	Decades	Fire counts; dry-season length; carbon flux
Coral reefs	Frequent bleaching at 1.5°C; collapse at 2°C	Years	Degree-heating weeks; reef surveys

Two conclusions follow for decisions. The first is that monitoring is not a scientific luxury but an early-warning system for the planet: the sooner a threshold is detected, the more options remain. The second is that the standard tools of cost-benefit analysis are poorly suited to a system with thresholds, because they average over outcomes that are not interchangeable. A small probability of an irreversible change is not equivalent to a larger probability of a recoverable one, and any appraisal that treats them as equivalent will systematically underinvest in prevention.

What would change these conclusions? A clear, sustained weakening of the overturning circulation would raise the urgency of every adaptation decision in Europe and West Africa. A decade without further Arctic sea-ice decline would suggest that the system is more resilient than the models assume. Neither is likely to be decisive on its own, and that is the nature of a system observed at the pace of decades: the evidence arrives slowly, and the decisions cannot wait for it.

CHAPTER 4

EXTREME HEAT AND URBAN HEALTH

Theme: extreme heat, urban heat islands and the physiology of heat death

Heat is the deadliest climate hazard in most years, and the least visible. A flood leaves debris, a fire leaves ash, a hurricane leaves a coastline that can be photographed from space. A heatwave leaves bodies in apartments, morgues that fill quietly, and death certificates that list cardiac arrest rather than exposure. The number of people killed by heat is therefore almost always discovered later, by epidemiologists comparing the deaths that occurred with the deaths that would have been expected, rather than by officials counting at the scene.

The physical basis is simple. The human body produces heat continuously and must lose it to the environment. It does so by radiation, convection, evaporation of sweat and, to a small extent, by breathing. When air temperature approaches skin temperature, radiation and convection stop working and evaporation becomes the only route. When humidity is also high, evaporation slows, and the body's core temperature begins to rise. At a wet-bulb temperature near 35°C — the theoretical limit at which sweat can no longer cool the body — even a healthy adult at rest will overheat within hours.

Cities make this worse in ways that are measurable. Concrete and asphalt absorb solar radiation during the day and release it at night, so the urban heat island is strongest after sunset, when the body most needs relief. Buildings block wind, traffic adds waste heat, and the loss of trees removes shade and transpiration. The result is that a heatwave of the same meteorological magnitude can be survivable in a village and lethal in a city, and that the difference is concentrated in the neighbourhoods with the least green cover and the oldest housing.

This chapter examines heat as a physical hazard, as a physiological stress, as an urban design problem and as a public health emergency. It pays particular attention to the question that determines whether a heatwave becomes a disaster: who is exposed, who is warned, and who has somewhere cooler to go.

4.1 Measuring Heat: Temperature, Humidity and Wet-Bulb

A thermometer in the shade measures air temperature, but the body responds to a combination of temperature, humidity, wind and radiation. The heat index, familiar from weather forecasts, approximates the apparent temperature by combining temperature and relative humidity. Wet-bulb temperature goes further: it is the lowest temperature to which a surface can be cooled by evaporation, and it is the variable most closely tied to the body's ability to shed heat. A dry 45°C is dangerous; a humid 35°C wet-bulb is close to unsurvivable for more than a few hours.

The theoretical limit of 35°C wet-bulb was proposed by Sherwood and Huber (2010) on the basis of a resting metabolic rate. Laboratory work since then has found that the critical wet-bulb temperature for healthy young adults at rest is closer to 31°C, and lower still during light activity (Vecellio, Wolf, Cottle and Kenney, 2022). Older people, people with cardiovascular disease, pregnant women and children reach their

limits earlier. The practical implication is that conditions once considered rare are already occurring in South Asia and the Persian Gulf, and that the margin between discomfort and death is narrower than the 35°C figure suggests.

Heat is also cumulative. A single hot day is survivable; a week of hot nights is not, because sleep is when the body recovers. Public health agencies therefore increasingly report heat in terms of consecutive days above a threshold, or degree-days, rather than daily maxima. The distinction matters for warnings: a forecast of 40°C for one afternoon is a different emergency from a forecast of 35°C for seven consecutive days with nights above 28°C.

4.2 The Physiology of Heat Illness

Heat illness progresses along a continuum. Heat cramps are painful muscle spasms caused by salt loss; heat exhaustion produces weakness, dizziness, headache and nausea as blood pools in the skin and the heart struggles to maintain blood pressure; heatstroke occurs when the core temperature exceeds about 40°C and the body's thermoregulation fails. Heatstroke is a medical emergency with a mortality rate that can exceed 50 per cent if cooling is delayed, and it can leave survivors with permanent neurological damage.

The pathway to death is often cardiovascular rather than thermal. During a heatwave, the heart works harder to pump blood to the skin for cooling, while sweating reduces blood volume. People with narrowed coronary arteries, heart failure or kidney disease can die of a heart attack or kidney failure without ever reaching the temperature that defines heatstroke. This is why excess mortality during heatwaves is dominated by cardiovascular and respiratory causes, and why death certificates rarely mention heat.

Certain medications increase risk. Diuretics reduce blood volume; beta-blockers limit the heart's ability to increase output; anticholinergics reduce sweating; some antidepressants impair the perception of thirst. People who live alone may not notice the onset of symptoms, and people with dementia may not be able to seek help. The physiological and the social therefore combine: the same temperature that causes discomfort in a healthy adult can be lethal to an isolated elderly person on the top floor of a building without shade.

4.3 The Urban Heat Island

The urban heat island is one of the best-documented effects of human settlement. Cities are typically 3 to 7°C warmer than their rural surroundings during the day and can be more than 10°C warmer at night. The causes are well understood: dark surfaces absorb more solar radiation, buildings have a high thermal mass and release heat slowly, the geometry of streets traps radiation, vehicles and air-conditioning units release waste heat, and vegetation that would otherwise cool the air through transpiration is scarce.

The intensity varies enormously within a single city. Satellite measurements of land surface temperature in Jakarta, Delhi, Manila and São Paulo show differences of 5 to 10°C between neighbourhoods a few kilometres apart, with the hottest areas corresponding to dense informal settlements, industrial zones and bare ground, and the

coolest to parks, tree-lined streets and water bodies. Because these differences track income, the urban heat island is also a map of inequality: the people with the least capacity to buy cooling live in the hottest places.

Urban form determines how the heat island will change. A city that grows through sprawl with dark roofs and wide asphalt roads will intensify it; a city that protects green space, plants street trees, uses reflective materials and preserves ventilation corridors can keep it in check even as the climate warms. The decisions are made in building codes, zoning rules and investment plans, which is why heat policy is inseparable from urban planning.

4.4 Who Dies in a Heatwave

The epidemiology of heat mortality is remarkably consistent across countries. The elderly account for the majority of deaths, particularly those over 75 and those living alone. People with pre-existing cardiovascular, respiratory, renal or psychiatric conditions are at elevated risk. Outdoor workers, construction labourers, agricultural workers and delivery riders are exposed to the highest temperatures for the longest periods. Homeless people, prisoners, refugees and people in informal settlements are exposed both to heat and to the absence of cooling.

The Chicago heatwave of July 1995 is the canonical study. More than 700 people died in five days, most of them in their homes, and the distribution was not explained by temperature alone. Eric Klinenberg's social autopsy found that neighbourhoods with similar demographics and similar temperatures had very different death rates, and that the difference was associated with social isolation, fear of crime, and the quality of the local social infrastructure — whether people knew their neighbours, whether they trusted the city, whether they were willing to leave their apartments (Klinenberg, 2002).

The European heatwave of August 2003 killed an estimated 70,000 people, with France alone accounting for nearly 15,000. The deaths were concentrated among the elderly, many of whom were left in apartments without air conditioning while their families were on holiday, and the crisis exposed the absence of a public health plan for heat. The 2022 European summer, by contrast, killed about 61,700 people despite a much better warning system, which suggests that warnings alone are insufficient when the underlying vulnerability remains (Ballester et al., 2023).

4.5 Counting the Dead: Excess Mortality

Heat deaths are counted by comparing the number of deaths observed during a heatwave with the number expected from historical averages for the same period. The difference is excess mortality. The method is robust to the misclassification of individual death certificates, because it does not require the certifier to recognise heat as a cause; it only requires that the total number of deaths be counted accurately. This is why epidemiological estimates of heat deaths are usually much higher than official counts.

The method has limitations. Heat can displace deaths that would have occurred within weeks — a phenomenon known as mortality displacement, or harvesting — which means that a heatwave may accelerate deaths rather than cause them. Studies generally find that displacement accounts for a minority of excess deaths, especially for severe heatwaves, but the size of the effect is contested. Excess mortality also captures deaths from other causes that rise during heatwaves, such as heart attacks and kidney failure, which may not be recorded as heat-related.

The global burden is large. The Lancet Countdown estimates that heat-related mortality among people over 65 has increased by about 70 per cent since the early 1990s, and that more than 500,000 deaths a year are associated with heat. The figure is an estimate, not a count, and it depends on assumptions about temperature-mortality relationships that vary by location. But the direction is unambiguous, and the trend is one of the clearest signals that climate change is already affecting human health.

4.6 Heat Action Plans and Early Warning

Ahmedabad, India, adopted one of the first heat action plans in South Asia after a 2010 heatwave killed more than 1,300 people. The plan combines a colour-coded forecast system, cooling centres in public buildings, adjusted working hours for outdoor labourers, water distribution, and outreach to slum communities through community health workers. An evaluation published in 2018 estimated that the plan had prevented about 1,190 deaths a year, though the authors cautioned that the estimate depended on assumptions about the counterfactual (Hess et al., 2018).

The components of an effective plan are now fairly standard. A warning system that triggers specific actions at specific thresholds; a communication strategy that reaches people in their own languages through channels they trust; a registry of vulnerable people, particularly the elderly living alone; designated cooling spaces that are open, accessible and free; and a protocol for hospitals and emergency services to prepare for surges. The weakest link is usually the last mile: the warning exists, but the person at risk does not hear it, cannot act on it, or has nowhere to go.

Plans also fail when they are designed for the wrong hazard. A plan built around daily maximum temperature will miss a heatwave with moderate daytime temperatures and very hot nights, which is precisely the pattern that kills in humid cities. Plans built around a single city will miss rural workers and informal settlements outside the administrative boundary. And plans that are not rehearsed will not be implemented when the emergency arrives, because the agencies involved will be learning their roles in real time.

4.7 Heat at Work: Productivity and Labour

Heat affects economies through labour as well as through death. The International Labour Organization estimates that heat stress already reduces global working hours by about 2.2 per cent, equivalent to 80 million full-time jobs, and that the loss could rise to 2.4 per cent by 2030 under a high-emission scenario. Agriculture accounts for about 60 per cent of the lost hours, followed by construction and industry. The losses are concentrated in South Asia, Sub-Saharan Africa and Southeast Asia,

where outdoor work is common and cooling is scarce.

The mechanism is physiological. Above about 26°C wet-bulb, the body must divert blood to the skin to dissipate heat, which reduces the blood available to muscles and the brain. Physical capacity declines, error rates rise, and the risk of accidents increases. Workers adapt by taking breaks, shifting hours to early morning or night, and drinking more water, but these adaptations have limits, and they are often unavailable to workers paid by output rather than by time.

The economic consequence is not only lost output but lost income. A construction worker who cannot work during the hottest hours loses a fraction of daily wages; a farmer whose crop fails loses a season. Because informal workers rarely have heat insurance or sick leave, the cost is transferred to the household. Heat policy is therefore also labour policy, and the most effective interventions often involve collective bargaining, enforceable rest breaks and access to shade and water on site.

4.8 Cooling, Energy and Equity

Air conditioning saves lives, and its spread is one of the reasons heat mortality has fallen in high-income countries even as heatwaves have become more severe. The International Energy Agency counted about 1.6 billion air-conditioning units in 2016 and projected that the number could reach 5.6 billion by 2050, with most of the growth in developing countries. Cooling already accounts for about a tenth of global electricity consumption, and demand peaks during exactly the hours when the grid is most stressed.

The equity problem is that the people who most need cooling are least able to afford it. In many cities, electricity is unreliable, the upfront cost of an air conditioner is prohibitive, and landlords do not pay for efficiency improvements. Passive cooling — shade, insulation, reflective roofs, cross-ventilation, courtyards, trees — is cheaper and does not increase emissions, but it requires design decisions that are locked in for decades and is difficult to retrofit into informal housing.

There is also a feedback loop. Air conditioning releases waste heat into the street, raising the outdoor temperature and increasing the demand for cooling in neighbouring buildings. The effect is small relative to the heat island but measurable in dense districts. The solution is not to discourage cooling but to combine it with efficiency standards, building codes, urban greening and protection for people who cannot pay — a package that treats cooling as infrastructure rather than as a consumer good.

4.9 Designing Cooler Cities

Urban heat can be reduced by design, and the interventions are well understood. Street trees are the most effective single measure: a mature canopy can lower surface temperature by 10 to 15°C and air temperature by 2 to 4°C within its shade. Reflective roofs and pavements raise albedo and reduce heat absorption. Green roofs and walls insulate buildings and cool the air through transpiration. Water features, parks and ventilation corridors allow cool air to move through the city.

The evidence base has improved. A study of 601 European cities estimated that increasing tree cover to 30 per cent could have prevented about 2,600 heat deaths a year, roughly a third of the total, and that the benefit was largest in southern and eastern Europe (Iungman et al., 2023). Modelling of US cities found that reflective roofs and street trees could reduce afternoon temperatures by 1.5 to 3°C in dense neighbourhoods. The interventions pay for themselves through reduced cooling demand, improved air quality and lower mortality.

The obstacle is not knowledge but implementation. Trees take decades to mature, compete for space with utilities and parking, and require maintenance that municipal budgets often lack. Reflective roofs need building codes that are enforced. Ventilation corridors need planning rules that resist the pressure to build on every open space. The cities that succeed tend to have a dedicated heat office, a long-term budget and a political constituency that treats heat as a public health issue rather than an inconvenience.

4.10 The Limits of Adaptation

Adaptation to heat has real limits. Once wet-bulb temperatures approach the physiological threshold, no amount of shading, cooling or behaviour change can make outdoor work safe, and even indoor spaces without mechanical cooling become lethal. The regions most exposed — the Indus Valley, the Persian Gulf, the North China Plain, parts of West Africa — are also regions with large populations, limited air conditioning and fragile grids. In those places, adaptation buys time but does not remove the hazard.

The second limit is economic. Cooling for everyone would require a massive expansion of electricity generation, much of which would need to be low-carbon to avoid worsening the problem it addresses. The International Energy Agency estimates that efficient cooling could halve the growth in demand relative to a business-as-usual path, but efficiency requires standards, financing and enforcement that many countries lack. The third limit is behavioural: people underestimate their own vulnerability, especially if they have survived previous heatwaves, and warnings that are repeated without visible consequences lose credibility.

These limits do not make adaptation pointless. They define the boundary between what can be managed and what must be prevented. A city that plants trees, insulates homes, protects outdoor workers and opens cooling centres can prevent most heat deaths at 1.5°C or 2°C of warming. At 3°C or 4°C, the same city will face conditions that no amount of planning can fully offset. That is why heat policy must be paired with emission reduction: adaptation and mitigation are not alternatives but two halves of the same decision.

4.11 Case Study: The European Summer of 2022

The summer of 2022 was the hottest in Europe since records began, and it was preceded by a spring drought that had already lowered rivers and dried soils. Temperatures exceeded 40°C in Britain for the first time, reached 47°C in Portugal, and persisted across the Mediterranean for weeks. Wildfires burned more than 800,000 hectares across the continent, the largest area in the European record, and the combined

effect of heat and drought reduced maize and sunflower harvests by double-digit percentages.

The mortality estimate published in Nature Medicine attributed about 61,700 deaths to the summer, with the highest numbers in Italy, Spain, Germany and France (Ballester et al., 2023). The figure was lower than the 70,000 of 2003 in absolute terms, but the summer was hotter, which suggests that adaptation had reduced the death rate per degree even as the absolute burden remained enormous. The authors noted that the estimate depended on the choice of temperature-mortality model and that the true figure could be higher.

The pattern of deaths revealed the limits of adaptation. Most deaths occurred among people over 75, many with cardiovascular or respiratory disease, and many in households without air conditioning. Southern European countries with older housing stock and less air conditioning had higher death rates than northern countries with cooler climates but better building standards. The lesson is that vulnerability is not simply a function of latitude: it is a function of housing, income, age structure and the presence of a plan.

The policy response varied. France, which had built a national heat plan after 2003, activated a colour-coded alert system, opened cooling centres and sent text messages to vulnerable households. Spain and Italy introduced restrictions on outdoor work during the hottest hours. Britain, which had no comparable plan, declared a national emergency for the first time and cancelled appointments at hospitals that were already under pressure. The differences in outcome are difficult to isolate because many factors changed at once, but the comparison suggests that plans reduce deaths when they are specific, funded and rehearsed.

The summer also exposed the interaction between heat and other systems. Railways buckled in Britain, nuclear plants in France reduced output because river water was too warm for cooling, and hospitals cancelled surgeries because operating theatres could not be kept cool. These failures were not caused by the temperature itself but by infrastructure designed for a cooler climate. They illustrate the central point of this chapter: heat becomes a disaster when it encounters systems that were not built to tolerate it.

For planners, the case suggests three priorities. The first is to treat heat as a health emergency with a dedicated budget, not as a weather inconvenience. The second is to identify the people at risk before the heatwave, through registries of elderly and isolated residents, rather than trying to find them during it. The third is to protect the infrastructure that heat disables — power, water, transport, hospitals — because a heatwave that shuts down the grid becomes a different and much larger emergency.

4.12 Future Scenarios and Predictions: Heat in a Warmer World

The historical record shows a clear trend. The number of days with extreme heat has increased on every continent, the frequency of heatwaves has risen by a factor of roughly three since the 1950s, and the hottest year on record has been exceeded repeatedly in the past decade. Heat mortality has risen with it: the Lancet Countdown estimates that heat deaths among people over 65 have increased by about 70 per cent

since the 1990s, and that the trend is accelerating in Europe and South Asia.

Present conditions vary enormously by place. In Delhi, the summer of 2024 produced weeks of temperatures above 45°C and a record electricity demand; in Jakarta, the combination of high humidity and a strong urban heat island produces wet-bulb conditions that are already dangerous for outdoor workers; in Karachi, the 2015 heatwave killed more than 1,200 people in a city where many neighbourhoods lack reliable water and power. These are not future scenarios. They are the baseline from which the projections begin.

The assumptions that drive the projections are therefore about adaptation as much as about emissions. If cities invest in shade, cooling, warning systems and housing, mortality can fall even as temperatures rise. If they do not, mortality will rise faster than the temperature because exposure is growing with urbanisation and ageing. The scenarios below combine the two: they show what happens to heat risk under different emission paths and different levels of adaptive investment.

Table 4.1 Heat exposure in selected cities, present and 2050

City	Days above 35°C now	Days above 35°C in 2050 (SSP2-4.5)	Wet-bulb risk	Critical adaptation
Delhi	~100	~140	High in monsoon	Cooling centres; outdoor work bans
Karachi	~60	~100	Very high	Water supply; power reliability
Jakarta	~30	~70	Very high	Shade; drainage; social housing
Lagos	~20	~60	High	Grid; informal settlement upgrading
Athens	~30	~55	Moderate	Building codes; tree canopy
Phoenix	~110	~150	Low but extreme	Cooling for homeless; grid capacity

Two conclusions follow. The first is that heat risk is not determined by temperature alone: the same number of hot days produces very different mortality depending on housing, water, power and social protection. The second is that the largest gains come from interventions that are boring and cheap — shade, water, warnings, check-ins on elderly neighbours — rather than from technologies that are expensive and unproven. A city that does the boring things well can save thousands of lives at 1.5°C and still save many at 2.5°C, though the margin narrows.

What would change these conclusions? A breakthrough in cheap, efficient cooling would reduce mortality in hot countries but would increase electricity demand and emissions unless it were paired with clean generation. A collapse of the power grid during a heatwave would turn a manageable event into a catastrophe, as happened in Texas in 2021 and in India in 2012. And a wet-bulb event above the physiological threshold would create a situation in which adaptation is impossible and only evacuation remains.

CHAPTER 5

WATER SCARCITY AND DROUGHT

Theme: water scarcity, drought and the politics of a finite resource

In June 2019, the reservoirs that supply Chennai, a city of about nine million people, fell to one per cent of their capacity. The city government declared a water emergency, trucks delivered water to neighbourhoods that had none, and trains carried water from the Cauvery river more than three hundred kilometres to the city. Offices asked employees to work from home. Restaurants closed. The monsoon arrived in October, and within weeks the reservoirs were full again — but the crisis had lasted four months, and it had been predicted for more than a decade.

Chennai is not an arid city. It receives about 1,400 millimetres of rain a year, more than London or Paris. The crisis was not caused by a lack of rainfall in the long term but by a sequence of weak monsoons, the loss of lakes and wetlands to construction, the depletion of groundwater, and a supply system that had not kept pace with growth. The city had built its prosperity on the assumption that water would always be available somewhere nearby, and the assumption failed.

The same assumption is failing across much of the world. Fresh water is a small fraction of the planet's water — about 2.5 per cent — and most of that is locked in glaciers or buried deep underground. The water that is accessible, in rivers, lakes and shallow aquifers, is renewed by rainfall and snowmelt at a rate that is essentially fixed. Humanity uses about half of that renewable supply, and in many regions it uses more, mining groundwater that took thousands of years to accumulate.

This chapter examines water scarcity as a physical, economic and political problem. It distinguishes between drought, which is a temporary shortage of rain, and scarcity, which is a persistent imbalance between demand and supply. It examines the agricultural, urban and industrial demands that drive the imbalance, and the adaptations — storage, efficiency, reuse, desalination, pricing and institutions — that can restore it. It closes with the question that will shape the next century: what happens when a shared river no longer carries enough water for the people who depend on it.

5.1 The Physics and Geography of Fresh Water

The global water cycle moves about 500,000 cubic kilometres of water through evaporation and precipitation each year, but only about 40,000 cubic kilometres falls on land, and only a fraction of that is accessible to humans at a reasonable cost. Rivers and lakes hold about 90,000 cubic kilometres; groundwater holds about 10 million cubic kilometres, but most of it is deep, saline or unrenewable. The renewable freshwater supply that humanity can use is therefore a thin and unevenly distributed layer of the planet's water.

Distribution is as important as quantity. Nine countries hold about half of the world's renewable freshwater, while forty countries have less than 1,000 cubic metres per person per year — the threshold commonly used to define water scarcity. The Middle East and North Africa are the most water-scarce regions, but scarcity is also severe in parts of India, Pakistan, Mexico and South Africa, where growing populations

and economies have outgrown the supply that rainfall provides.

Climate change alters the cycle in three ways. It increases evaporation as temperatures rise, which reduces the water available in soils and reservoirs. It changes precipitation patterns, making rain more concentrated in intense events and less reliable as a steady supply. And it reduces snowpack and glacier storage, which acts as a natural reservoir that releases water slowly through the dry season. The third effect is especially important in the Himalayas, the Andes and the Alps, where millions of people depend on meltwater.

These physical facts do not by themselves produce scarcity. Scarcity is produced by the interaction between supply and the institutions that allocate it. A country can have abundant water and still experience shortages if its infrastructure leaks, its agriculture is inefficient, its cities grow without planning, or its water rights are allocated to uses that no longer make sense. Understanding that distinction is the first step toward treating scarcity as a problem that can be governed rather than as a fate that must be endured.

5.2 Drought: Four Definitions

Drought is usually defined in four ways. Meteorological drought is a prolonged period of below-average rainfall. Agricultural drought is a shortage of soil moisture during the growing season, which can occur even when rainfall is normal if the rain falls at the wrong time or runs off compacted ground. Hydrological drought is a depletion of rivers, reservoirs and groundwater, which usually develops more slowly than the other two. Socioeconomic drought occurs when the shortage begins to affect the supply of goods and services, including food, energy and water.

The four definitions explain why drought is often declared late. A government may see normal rainfall and conclude that there is no drought, while farmers are already losing a season because the rain came in one week instead of eight. Hydrological drought may persist for years after the rain returns, because aquifers and reservoirs recover slowly. The 2022 Horn of Africa drought was declared after five consecutive failed rainy seasons, by which time more than twenty million people were acutely food insecure.

Drought also has a long tail. The economic losses extend beyond the harvest: livestock die, rural incomes collapse, migration accelerates, and children drop out of school. A study of the 2011–2017 drought in the Horn of Africa found that the effects on nutrition and education persisted for years after the rains returned. Drought is therefore not an event that ends when the rain begins; it is a shock whose consequences are transmitted through households and institutions.

5.3 Groundwater: The Invisible Reserve

Groundwater is the largest accessible store of fresh water on Earth and the source of drinking water for about half the world's population. It is also the most vulnerable to overuse, because it is invisible: a farmer who pumps a well cannot see the aquifer declining, and a city that licenses new wells cannot easily measure the cumulative effect. The result is a global pattern of depletion that has been called a

slow-moving crisis.

The Ogallala aquifer under the US Great Plains is the canonical example. It supplies water to about 30 per cent of US irrigated land, and parts of it have lost more than half their saturated thickness. In some areas of Kansas and Texas, the water table has fallen by more than 50 metres, and farmers have abandoned irrigation. The aquifer recharges at a rate of a few millimetres a year, while withdrawals are measured in metres, which means that the resource is being mined rather than used.

Similar patterns appear in the Indo-Gangetic Plain, the North China Plain, Mexico's central plateau, and the Arabian Peninsula. In Jakarta, groundwater extraction has caused land subsidence of up to 25 centimetres a year in some districts, which increases flood risk and has contributed to the decision to move the national capital. The common feature is that the water is being used faster than it is replenished, and that the users have no direct incentive to stop because the cost of depletion falls on someone else, often on future generations.

There are success stories. Arizona's Groundwater Management Act of 1980 required new developments to demonstrate a hundred-year water supply, and it slowed depletion in the most populated areas, though it did not eliminate it. Israel's water economy combines drip irrigation, recycled wastewater and desalination to support agriculture and a growing population with less water per capita than any other developed country. The lesson is that groundwater can be governed, but only with measurement, enforcement and a legal framework that treats the aquifer as a shared resource.

5.4 Rivers Under Stress

The great rivers of the world are the clearest visible measure of water stress. The Colorado River no longer reaches the sea in most years; its flow has declined by about 20 per cent since the early twentieth century, and the two largest reservoirs, Lake Mead and Lake Powell, fell below 30 per cent of capacity in 2022. The river supplies water to about 40 million people and 1.2 million hectares of farmland across seven US states and northern Mexico, under an allocation system designed in 1922 that assumed a flow larger than the river has delivered.

The Yellow River in China has been fully allocated since the 1990s and sometimes fails to reach the sea; the Indus supplies a basin that is home to more than 250 million people and is dependent on snow and glacier melt that is projected to decline; the Murray–Darling in Australia has experienced severe droughts and ecosystem collapse in its lower reaches. In each case, the river is both a water supply and an ecosystem, and the two uses compete for the same flow.

The politics of rivers are upstream-downstream politics. A dam built upstream reduces the flow available downstream; a city that withdraws water for its residents reduces the water available for farmers; a country that claims a share based on historical use may be claiming water that other countries believe is theirs. International river basins cover about half the land surface of the planet and are home to about 40 per cent of its population, which is why water is often described as a source of both cooperation and conflict.

5.5 Water Quality and the Hidden Scarcity

Water can be physically present and still unusable. Contamination by pathogens, nitrogen and phosphorus from agriculture, heavy metals, arsenic and industrial chemicals reduces the supply of safe water as effectively as a drought. The World Health Organization estimates that about 2.2 billion people lack access to safely managed drinking water, and that contaminated water is associated with hundreds of thousands of diarrhoeal deaths a year, most of them among children under five.

Arsenic is a particularly insidious example. Wells drilled in Bangladesh and West Bengal in the 1970s to provide microbiologically safe water inadvertently tapped aquifers contaminated with naturally occurring arsenic. Tens of millions of people were exposed, and the health consequences — skin lesions, cancers, cardiovascular disease — appeared decades later. The episode is a reminder that a technological solution can create a new problem while solving an old one, and that water quality must be monitored as carefully as water quantity.

Salinity is another hidden form of scarcity. In coastal aquifers, over-extraction draws seawater inland; in irrigated regions, rising water tables bring salts to the surface, where evaporation concentrates them. Salinisation has degraded hundreds of millions of hectares of farmland and continues to spread in the Indus basin, the Tigris–Euphrates plain and parts of Australia. Unlike a drought, salinity does not end when the rain returns; it can make land unusable for decades.

5.6 Agriculture: The Largest User

Agriculture accounts for about 70 per cent of global freshwater withdrawals, and in some developing countries the share is closer to 90 per cent. Irrigation underpins about 20 per cent of cultivated land but produces about 40 per cent of global food, which means that any constraint on irrigation has an outsized effect on food security. The efficiency of that use is often low: flood irrigation loses large amounts to evaporation and runoff, and poorly maintained canals leak before the water reaches the field.

The gains from improving efficiency are large but not automatic. Drip irrigation can reduce water use by 30 to 50 per cent compared with flood irrigation while maintaining or increasing yields, but it requires capital, maintenance and a reliable supply of clean water. In India, the world's largest user of groundwater, subsidised electricity for pumping has encouraged over-extraction, and the response has been a mix of subsidies for drip systems, restrictions on new wells and, in some states, direct payments to farmers who switch to less water-intensive crops.

The deeper problem is that water is usually priced below its cost. A farmer who pays nothing for water has no incentive to economise, and a city that charges less than the cost of supply cannot maintain its pipes. Pricing reform is politically difficult because water is a basic need and because farmers are organised. The alternatives — quotas, tradable rights, tiered tariffs that protect basic consumption while charging more for luxury use — are all attempts to impose a price signal without denying people the water they need to survive.

5.7 Urban Water Systems

Cities concentrate demand and lose water before it reaches the tap. Non-revenue water — the difference between what a utility produces and what it bills — averages about 30 per cent globally and exceeds 50 per cent in some cities. The losses come from leaking pipes, illegal connections, metering errors and unbilled public use. In a city with a shortage, repairing the distribution network can be cheaper than building a new reservoir.

Urban growth also consumes the landscapes that once stored water. Chennai's lakes and wetlands were built over as the city expanded; Jakarta's groundwater was pumped because the piped network did not reach most neighbourhoods; Mexico City's aquifers were drained faster than they could recharge. The result is that the city becomes dependent on distant sources, which increases cost, vulnerability and political tension with the regions that supply it.

The responses that work combine supply, demand and storage. Singapore's water strategy — local catchment, imported water, desalination and recycled water, known as the four national taps — is the most cited example, and it has allowed a city-state with no natural aquifer to achieve water security. Windhoek, Namibia, has been recycling wastewater directly into the drinking supply since 1968. These cases show that scarcity is not simply a function of rainfall; it is a function of how deliberately a city manages the cycle.

5.8 Drought, Food and Prices

Drought transmits to the economy through food prices. When a major producing region loses a harvest, global prices rise, and the effect is largest for poor households that spend a large share of their income on food. The 2010–2011 drought in Russia and the subsequent export ban contributed to the global food price spike that year; the 2022 drought in Europe reduced maize and sunflower output and added to the price pressures already caused by the war in Ukraine.

The transmission is not automatic, because trade, storage and substitution can absorb part of the shock. But those buffers are thinner than they appear. Global grain stocks are held by a small number of countries, and exporters sometimes restrict shipments in a crisis, which amplifies the price increase. Importing countries respond by buying more, which amplifies it further. The result is that a regional drought can become a global price event through the interaction of policy responses rather than through the physical shortage alone.

For households, the consequence is a change in diet. When prices rise, families substitute cheaper staples, reduce protein and fresh produce, and sometimes skip meals. The nutritional effect persists long after prices fall, particularly for children, whose growth and cognitive development can be permanently affected. Drought is therefore a food security problem as much as a water problem, and the two cannot be addressed separately.

5.9 Water Conflict and Cooperation

Water has been called a source of war, but the historical record is more complex. The Pacific Institute's Water Conflict Chronology records thousands of water-related tensions, most of them local, and far more instances of cooperation than of armed conflict over water. The Nile, the Indus, the Mekong and the Rhine all have long histories of negotiation, and some of the most durable treaties in the world are water treaties.

That does not mean water is not a source of conflict. It means that the conflict usually takes the form of displacement, dispossession and violence within countries rather than war between them. Dam construction displaces communities; irrigation withdrawals deprive downstream farmers; pollution destroys fisheries; water tariffs provoke protests. The risk of interstate war over water is real but rare, and it is highest where water scarcity interacts with existing political hostility and weak institutions.

The cooperative record offers lessons. The Indus Waters Treaty of 1960 survived three wars between India and Pakistan and has been remarkably resilient, because it created a joint commission with technical authority and a dispute-resolution mechanism. The Nile Basin Initiative, the Mekong River Commission and the Senegal River Organisation show that shared basins can be governed when the parties have an interest in the information and the rules that the institution provides. Water is more often a reason to talk than a reason to fight.

5.10 Adaptation: Storage, Efficiency and Reuse

The portfolio of water adaptations is well known. Storage — dams, reservoirs, aquifer recharge, rainwater harvesting — bridges the gap between wet and dry seasons. Efficiency — drip irrigation, leak repair, industrial recycling — produces more output per cubic metre. Reuse — treating wastewater for irrigation or industry — turns a waste stream into a resource. Desalination — removing salt from seawater or brackish groundwater — creates new supply at a cost in energy and money.

Each option has limits. Dams displace people and silt up; the world has built most of the good sites. Efficiency can be offset by rebound effects, in which farmers use the saved water to expand irrigated area. Desalination is expensive, energy-intensive and produces brine that must be disposed of carefully; it is affordable for wealthy coastal cities but not for inland agriculture. Reuse requires treatment, monitoring and public acceptance, which is often the hardest part.

The most important adaptation is institutional. Water is managed through rights, prices, quotas and basin agreements, and the difference between a well-managed basin and a poorly managed one is often larger than the difference between a wet year and a dry one. Australia's Murray–Darling Basin Plan, which caps total withdrawals and allows water to be traded, is an example of an attempt to manage a basin as a system rather than as a collection of individual claims. It has been criticised for the environmental outcomes it has not delivered, but it demonstrates that the institutional design is at least as important as the engineering.

5.11 Case Study: Chennai's Day Zero

Chennai's water crisis did not arrive without warning. The city depends on four reservoirs and on groundwater, and the reservoirs had been declining for years as urban expansion covered the lakes that once captured monsoon rain. In 2018 the northeast monsoon failed, and by June 2019 the reservoirs held about one per cent of their capacity. The city government declared a water emergency and began to truck water to neighbourhoods, while the state arranged for trains to carry water from the Cauvery.

The crisis affected different residents differently. Households with private wells and storage tanks managed; households in informal settlements, which depended on public taps and tanker deliveries, queued for hours. Schools closed, restaurants reduced service, and information technology companies asked staff to work from home. The economic cost was estimated in the hundreds of millions of dollars, and the political cost was higher: the crisis became a symbol of the failure of urban water management in a rapidly growing city.

The response included short-term measures — tankers, trains, restrictions on non-essential use — and longer-term investments in desalination, sewage treatment and rainwater harvesting. The city also began to restore some of the lakes and wetlands that had been built over, recognising that the cheapest storage was the landscape itself. By 2024, the reservoirs had recovered, but the underlying imbalance had not been resolved: the city still depends on a monsoon that is becoming less reliable and on groundwater that is being depleted.

The case illustrates a pattern that appears in cities around the world. Water crises are rarely caused by a single year of low rainfall; they are caused by the accumulation of decisions that reduced storage, increased demand and deferred maintenance. The crisis is the moment when the accumulated deficit becomes visible. Because the deficit is institutional, the solution must be institutional: a plan that combines supply, demand, storage and governance, and that is implemented before the reservoirs empty.

For other cities, the lessons are specific. First, measure and publicly report the water balance, including losses in the distribution network and the rate of groundwater depletion. Second, protect the landscapes that store water — lakes, wetlands, floodplains and recharge areas — before they are built over. Third, diversify supply, including reuse and desalination where affordable, and price water in a way that funds maintenance. Fourth, identify the households that will be hit first and build a delivery system that reaches them, because the crisis will expose the difference between a city that has water and a city that has access to it.

5.12 Future Scenarios and Predictions: Water in 2050

The historical data show a consistent trend. Global water withdrawals have roughly tripled since 1950, driven by population growth, irrigation and industrial demand. Groundwater depletion has accelerated in the past two decades, and the area of land affected by drought has increased. The World Bank estimates that water scarcity could reduce GDP growth in some regions by up to 6 per cent by 2050, and the United Nations Convention to Combat Desertification estimates that drought could displace

700 million people by 2030.

Present conditions give the baseline. About 4 billion people experience severe water scarcity for at least one month a year, and 2.2 billion lack safely managed drinking water. Agriculture uses about 70 per cent of withdrawals, and in many basins the allocation of water exceeds the renewable supply. The gap is filled by groundwater mining, which cannot continue indefinitely. The question is not whether the deficit will be closed but how: by efficiency, by reallocation, by new supply, or by crisis.

The assumptions that drive the projections are population, diet, technology and governance. A world that converges toward efficient irrigation, recycles more water and limits groundwater withdrawal can meet demand with less water than it uses today. A world that continues current trends will face a shortfall of about 40 per cent between available supply and projected demand by 2030, according to the 2030 Water Resources Group. The scenarios below show what the main basins might look like under different assumptions.

Table 5.1 Water stress in major basins, present and 2050

Basin	Population (million)	Current stress	2050 gap (SSP2-4.5)	Main adaptation
Indus	~300	Extreme	30–40%	Drip irrigation; groundwater regulation
Colorado	~40	Extreme	20–30%	Demand caps; reuse; fallowing
Nile	~280	High	25–35%	Storage; efficiency; basin agreement
Citarum (Java)	~25	Very high	20–30%	Wastewater treatment; reforestation
Murray–Darling	~2.4	High	10–20%	Water trading; environmental flows
Tigris–Euphrates	~60	Very high	30–40%	Dam coordination; irrigation reform

Two conclusions follow. The first is that the gap is largest in basins where agriculture dominates and groundwater is unregulated, which means that the most important interventions are agricultural rather than urban. The second is that the gap can be closed with existing technology; the obstacle is the political cost of reallocating water from one user to another. A basin that caps withdrawals will produce less in the short term, and the farmers who lose water will resist.

What would change these conclusions? A breakthrough in cheap desalination would expand supply for coastal cities but not for inland agriculture. A change in diet toward less water-intensive food would reduce demand substantially, since meat and dairy require far more water per calorie than grains. And a sustained increase in precipitation in some basins, which some climate projections suggest, would relieve pressure in those places — but the same projections show declines in others, and the uncertainty is largest where the stakes are highest.

CHAPTER 6

FLOODS AND SEA LEVEL RISE

Theme: floods and sea level rise

The subject of this chapter is floods and sea level rise. The argument proceeds in three steps: what is happening, how we know, and what follows for decisions. Sources are cited as they are used, and contested points are marked as contested rather than presented as settled.

6.1 Flood Types and Causes

As Scott Kulp & Benjamin Strauss (2019) argues, three times more people live below future high tide than old models showed — coastal risk was underestimated.

Kulp and Strauss corrected coastal elevation data using radar and found that far more land and people sit below future high-tide lines than earlier models showed. Their estimates made exposure visible at the scale of individual settlements. The projections assume stated emissions pathways. For flood types and causes, the bearing is direct: the constraint is institutional as much as physical.

Institutional performance in flood types and causes depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of coastal planning and flood defence, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Most disagreements about flood types and causes are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For coastal planning and flood defence, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

The evidence base behind flood types and causes is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). Within coastal planning and flood defence, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it is decoration.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as coastal planning and flood defence is concerned, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

The news cycle supplies a concrete marker: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). It is one line in a longer ledger, and the ledger is what matters. In the work of coastal planning and flood defence, what matters is not the record but the lead time it implies.

Certainty is unevenly distributed across this literature. Detection is firm, projection is conditional, and cost estimates are contingent on choices not yet made. A reader who wants a single number will be disappointed; a reader who wants a defensible decision has what is needed. In the work of coastal planning and flood defence, the operational reading is to record which limit applies to each decision before the decision is taken.

6.2 Sea Level Rise Mechanisms

As Michael Oppenheimer (2020) argues, there is no scenario that stops sea level rise in this century — sea level is committed to rise for centuries due to ocean heat and ice-sheet response.

Oppenheimer's statement draws on his role as Lead Author of IPCC SROCC Chapter 4 (2019) on sea-level rise and coastal implications. 'No scenario stops sea level rise in this century' means even with strong mitigation, ocean thermal expansion and ice-sheet response continue due to system inertia. 'Committed to rise for centuries' indicates that sea level is a long-term commitment, with multi-meter potential depending on emissions, as grounded in paleoclimate and process models. The rate of rise — roughly doubled since the 1990s — already increases coastal flood frequency, even without stronger storms. Oppenheimer warned that planning based on historical flood maps underestimates future exposure for islands, deltas, and low-lying cities. For sea level rise mechanisms within floods and sea level rise, the analysis must shift from preventing rise to managing inevitable rise through elevation, protection, accommodation, and managed retreat, with timelines spanning decades to centuries. Read against sea level rise mechanisms, the point is that intention without capacity changes little.

Discussion of sea level rise mechanisms usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022).

Read that way, the question for coastal planning and flood defence is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. For coastal planning and flood defence, that is the difference between a plan that can be defended and one that merely exists.

The evidence base for sea level rise mechanisms is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. Within coastal planning and flood defence, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as coastal planning and flood defence is concerned, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). In the work of coastal planning and flood defence, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

Current reporting adds detail rather than a new direction: Peru's Cyclone Yaku (Mar 2023) brought unprecedented rains to arid north, 70 deaths (SENAMHI, Reuters). Set beside the record, the episode indicates direction without fixing the rate. For coastal planning and flood defence, the item is useful mainly as a date stamp on a trend.

What emerges is less a prediction than a test. A measure is adequate if it still works when the upper end of the range arrives; a plan is credible if it names who acts, with what authority and with what money. Judged that way, the gap between what is known and what is done is not a knowledge gap. For coastal planning and flood defence, the question is which of these decisions can be taken before the next event rather than during it.

6.3 Coastal Flood Risk

W. Neil Adger (2006) puts it plainly: vulnerability is not only exposure to hazards but the social architecture of entitlements, power, and capacity that determines who adapts.

Adger reframes vulnerability as a property of social arrangements rather than of hazards. Entitlements, power and access to resources decide who can prepare, who can leave and who recovers. The point is structural, not semantic. The implication for coastal flood risk is a question of sequence: what has to be in place before the event, not after it.

The record on coastal flood risk is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how coastal planning and flood defence should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. Within coastal planning and flood defence, the test is whether the arrangement survives contact with a bad week.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as coastal planning and flood defence is concerned, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. In the work of coastal planning and flood defence, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

How a problem is framed decides what counts as a solution, and coastal flood risk is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). For coastal planning and flood defence, the practical consequence is that the frame has to be chosen before the plan,

not after it. Frames are cheap to change on paper and expensive to change in an institution.

A recent marker points the same way: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). Read against the longer record, it is an illustration rather than a proof. Within coastal planning and flood defence, the report is a reminder that the response is being designed against a target that keeps moving.

Readers should know where this section stands on the evidence ladder. The direction of change is established; the pace is estimated; the local consequences are modelled. Statements that blur those levels are the ones most likely to mislead, and they are also the easiest to check. Within coastal planning and flood defence, the operational reading is to record which limit applies to each decision before the decision is taken.

6.4 Riverine and Flash Floods

As James Hansen (2013) argues, sea level rise of several meters could be expected with 2°C warming — 2°C would have consequences that can be described as disastrous.

Hansen's statement originates from his 2016 paper 'Ice melt, sea level rise and superstorms' and a 2013 op-ed that warned about the long-term consequences of 2°C warming. The phrase 'several meters' refers to paleoclimate evidence where past periods about 1-2°C warmer than preindustrial left sea levels 6-9 meters higher. The mechanism is not a slow linear creep but non-linear disintegration of the West Antarctic and Greenland ice sheets, amplified by ocean warming from below. The threshold of 2°C matters because it is widely presented as the upper Paris Agreement limit, often implying relative safety. Hansen argues this framing underestimates committed, century-scale risks that continue long after emissions peak. The word 'disastrous' captures his view that multi-meter rise would inundate major coastal cities, deltas, and displace hundreds of millions, with cascading economic and security effects. For riverine and flash floods within floods and sea level rise, the implication is that near-term temperature targets must be judged against long-term, irreversible sea-level commitments, not just mid-century warming levels. In the terms of riverine and flash floods, the claim shifts attention from prediction to preparation.

Impacts do not follow directly from a change in the average; they follow from the interaction between a shifting hazard and a fixed exposure. A house built to a hundred-year flood standard meets a twenty-five-year event with alarming regularity once the distribution has moved (IPCC, 2022). Nothing about the house changed; the standard it was designed against did. The shift is quantifiable: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as coastal planning and flood defence is concerned, the lesson is that design standards have a shelf life and need a review date attached to them. An unrevised standard is a decision to accept a higher level of risk than the one originally debated.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt

(UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. In the work of coastal planning and flood defence, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

It helps to ask what question riverine and flash floods is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). For coastal planning and flood defence, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on riverine and flash floods rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~100 million people are affected by climate disasters annually (IFRC, 2022). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. Within coastal planning and flood defence, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The news cycle supplies a concrete marker: Peru's Cyclone Yaku (Mar 2023) brought unprecedented rains to arid north, 70 deaths (SENAMHI, Reuters). The value of such reports is that they date the change rather than explain it. As far as coastal planning and flood defence is concerned, what matters is not the record but the lead time it implies.

What the section establishes is narrower than a prediction and firmer than an opinion. It establishes that the direction is known, that the costs of inaction are concentrated on those least able to bear them, and that the available measures are known well enough to be tested. As far as coastal planning and flood defence is concerned, the question is which of these decisions can be taken before the next event rather than during it.

6.5 Case Study: Floods and Sea Level Rise

The case that anchors this chapter is documented and recent: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. As far as coastal planning and flood defence is concerned, the record supplies both the warning and the timetable.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted

savings — a sequence coastal planning and flood defence can measure in its own records.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

6.6 Future Scenarios and Predictions: Floods and Sea Level Rise

For floods and sea-level rise, the near term rewrites return periods: by 2040 a 1-in-100-year flood becomes 1-in-20 in Jakarta Bay, the Mekong and Mississippi deltas, levees are overtopped 2–3 times more often, and tidal flooding reaches 30–50 days a year in zones below 2 m.

By 2050, 0.2–0.3 m of sea-level rise combines with heavier rainfall to make compound floods routine, and by 2100 a 0.6–1.0 m rise permanently claims 10–15% of coastal farmland and forces retreat from the lowest neighborhoods (IPCC, 2021; Oppenheimer et al., 2019).

Elevated roads and houses, mangrove belts 500 m wide, polders with reliable pumps, and buy-out or relocation offers for zones below 1 m, paired with livelihood support.

Table 6.1 Future scenarios and predictions for floods and sea level rise (2030-2100)

Horizon	What changes for this chapter
2030	1-in-100 → 1-in-30 flood; +0.10 m sea
2050	1-in-100 → 1-in-15; 20–30 tidal days
2100	0.6–1.0 m; 10–15% coastal farmland lost

Watch annual tidal-flood days, the highest monthly tide against your street level, and drainage overflow after ordinary storms; sea level is high-confidence, but local flooding depends on subsidence and pumps (IPCC, 2022).

CHAPTER 7

FOOD SECURITY AND AGRICULTURE

Theme: food security and agriculture under climate change

This chapter deals with food security and agriculture under climate change. Each section opens with a claim, tests it against the evidence and draws out the implication for the people who have to act on it. The aim is not completeness but a defensible line through a large literature.

7.1 Food Systems Overview

As David Lobell (2011) argues, warming since 1980 has already cut wheat and maize yields, masking gains from technology.

Lobell's analysis separated climate effects from technology and management in global crop records. Warming since 1980 reduced wheat and maize yields relative to a counterfactual without it. Adaptation and carbon fertilisation offset part, but not all, of the loss. Applied to food systems overview, the argument sets a test: does the measure still work when capacity is stretched?

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. As far as food systems and rural livelihoods is concerned, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

An honest account of food systems overview distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~100 million people are affected by climate disasters annually (IFRC, 2022). Numbers carry confidence intervals, and those intervals should travel with them into any decision. In the work of food systems and rural livelihoods, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: ~800 million people face food insecurity (FAO, 2023). Averages describe the size of the problem, not who carries it. Decisions taken by food systems and rural livelihoods — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. For food systems and rural livelihoods, the practical question is what would have to change first.

The relevant question for food systems overview is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). Within food systems and rural livelihoods, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

The news cycle supplies a concrete marker: Spain's 2023 olive harvest halved after drought+heat, driving global olive oil prices up 112% (FAO, IOC). The event is best read as a measurement, not as a verdict. For food systems and rural livelihoods, the item is useful mainly as a date stamp on a trend.

The evidence is not unanimous on pace and regional detail, and the gaps should be named rather than smoothed over. Where estimates differ, the difference usually traces back to assumptions about emissions, adaptation and measurement. That does not weaken the case for action; it defines the range within which action has to be robust. As far as food systems and rural livelihoods is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

7.2 Crop Yield Impacts

Cynthia Rosenzweig (2020) puts it plainly: the potential risk of multi-breadbasket failure is increasing — food systems face escalating extremes that demand systemic adaptation.

Rosenzweig's statement reflects her leadership of AgMIP and NASA GISS research and her 2022 World Food Prize, with a 2019 New York Times interview on climate and food. 'Potential risk of multi-breadbasket failure is increasing' refers to the growing likelihood that major grain regions — North America, Europe, Asia — suffer simultaneous yield shocks in the same year. The drivers are overlapping heat, drought, and extreme rainfall made more likely by warming, combined with tightly coupled markets. 'Food systems face escalating extremes that demand systemic adaptation' means incremental farm-level tweaks alone are insufficient; supply chains, storage, trade, and diets must adapt together. Her work shows wheat, maize, and rice yields decline with each degree of warming, with larger regional variability. For crop yield impacts within food security and agriculture under climate change, this frames food and agriculture as systemic risk requiring diversification, resilient varieties, ecosystem-based practices, and early action on storage and distribution. For crop yield impacts, the bearing is direct: the constraint is institutional as much as physical.

Not all statements about crop yield impacts carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~100 million people are affected by climate disasters annually (IFRC, 2022). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. In the work of food systems and rural livelihoods, the safeguard is to record the source, period and

assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

The aggregate picture hides the distribution, and in crop yield impacts the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~800 million people face food insecurity (FAO, 2023). For food systems and rural livelihoods, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Any assessment of crop yield impacts will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. Within food systems and rural livelihoods, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The economics of crop yield impacts are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as food systems and rural livelihoods is concerned, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Current reporting adds detail rather than a new direction: Spain's 2023 olive harvest halved after drought+heat, driving global olive oil prices up 112% (FAO, IOC). Reported in isolation the figure looks dramatic; reported against the baseline it looks consistent. Within food systems and rural livelihoods, the report is a reminder that the response is being designed against a target that keeps moving.

The strands point in one direction: the physical signal is established, the human consequences depend on exposure and capacity, and the response depends on decisions taken before the event. That sequence is what makes the problem tractable, and what makes delay expensive. In the work of food systems and rural livelihoods, the question is which of these decisions can be taken before the next event rather than during it.

7.3 Heat and Water Stress on Crops

As Cynthia Rosenzweig (2020) argues, the potential risk of multi-breadbasket failure is increasing — food systems face escalating extremes that demand systemic adaptation.

Rosenzweig's statement reflects her leadership of AgMIP and NASA GISS research and her 2022 World Food Prize, with a 2019 New York Times interview on climate and food. 'Potential risk of multi-breadbasket failure is increasing' refers to the growing likelihood that major grain regions — North America, Europe, Asia — suffer simultaneous yield shocks in the same year. The drivers are overlapping heat, drought, and extreme rainfall made more likely by warming, combined with tightly coupled markets. 'Food systems face escalating extremes that demand systemic adaptation' means incremental farm-level tweaks alone are insufficient; supply chains, storage, trade, and diets must adapt together. Her work shows wheat, maize, and rice yields decline with each degree of warming, with larger regional variability. For heat and water stress on crops within food security and agriculture under climate change, this frames food and agriculture as systemic risk requiring diversification, resilient varieties, ecosystem-based practices, and early action on storage and distribution. Read against heat and water stress on crops, the point is that intention without capacity changes little.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: ~800 million people face food insecurity (FAO, 2023). For that reason, average-based targets can be met while the most exposed end up worse off. For food systems and rural livelihoods, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). None of those signals is a perfect measure, but together they indicate direction. Within food systems and rural livelihoods, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: ~100 million people are affected by climate disasters annually (IFRC, 2022). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. As far as food systems and rural livelihoods is concerned, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The strength of the claim about heat and water stress on crops varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~800 million people face food insecurity (FAO, 2023). A central estimate without its range is not more precise, only less honest. In the work of food systems and rural livelihoods, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

A recent marker points the same way: Spain's 2023 olive harvest halved after drought+heat, driving global olive oil prices up 112% (FAO, IOC). On its own it proves little; placed against the trend it shows the direction of travel. As far as food systems and rural livelihoods is concerned, what matters is not the record but the lead time it implies.

Two cautions apply to everything in this section. First, most figures are aggregates, and aggregates travel badly between countries and neighbourhoods. Second, published estimates lag the climate they describe. Both cautions argue for revisiting the numbers rather than treating them as fixed. For food systems and rural livelihoods, the operational reading is to record which limit applies to each decision before the decision is taken.

7.4 Pests and Diseases

As Tim Wheeler (2013) argues, food shocks travel through prices and nutrition, striking import-dependent poor first.

Wheeler and von Braun trace how food shocks travel through prices, trade and nutrition. Import-dependent poor households absorb the first and deepest losses. Short-term food aid does not prevent the next shock. The implication for pests and diseases is a question of sequence: what has to be in place before the event, not after it.

Anyone deciding about pests and diseases is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). Within food systems and rural livelihoods, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: ~100 million people are affected by climate disasters annually (IFRC, 2022). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. As far as food systems and rural livelihoods is concerned, the relevant question is not whether prevention pays but

who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

Uncertainty in pests and diseases is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~800 million people face food insecurity (FAO, 2023). In the work of food systems and rural livelihoods, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. For food systems and rural livelihoods, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

The news cycle supplies a concrete marker: Spain's 2023 olive harvest halved after drought+heat, driving global olive oil prices up 112% (FAO, IOC). Taken alone the episode is weather; taken with the record it is a data point on a slope. In the work of food systems and rural livelihoods, the item is useful mainly as a date stamp on a trend.

The argument, reduced to its shortest form, is this: the physical signal is robust, the human exposure is uneven, and the response is a choice. Each element rests on evidence of different strength, and the weakest link is not the science but the capacity to act before the event rather than after it. Within food systems and rural livelihoods, the question is which of these decisions can be taken before the next event rather than during it.

7.5 Case Study: Food Security and Agriculture

One documented episode makes the argument concrete: Spain's 2023 olive harvest halved after drought+heat, driving global olive oil prices up 112% (FAO, IOC). It repays attention less as an outlier than as a chain of decisions — where the hazard was allowed to concentrate, how the response was organised, and who bore the residual loss. In the work of food systems and rural livelihoods, the sequence is worth reconstructing before the next season rather than after it.

Cases of this kind are useful because they compress several mechanisms into a short period. Exposure, capacity and institutional reach become visible at once, and the gaps between them stop being abstract (UNDRR, 2015). For food systems and rural livelihoods, the episode works as a readiness test rather than a weather story.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

7.6 Future Scenarios and Predictions: Food Security and Agriculture

For food security and agriculture, the near term appears in yields and prices: by 2040 wheat yields fall 8–15% and maize 10–18% in South Asia and the Sahel, rice drops 5–10% from night heat, and tropical fish catch falls 10–20%, pushing 40–60 million more people into hunger.

By 2050, simultaneous breadbasket failures become plausible and food prices swing 20–35% in bad years; by 2100 a high-emissions path cuts staple output 20–30% without adaptation, while irrigation demand rises 30–40% (Zhao et al., 2017; FAO, 2023).

Heat-tolerant seeds, sowing 2–3 weeks earlier, drip and mulch saving 30% of water, fish ponds and village grain banks smooth the lean months.

Table 7.1 Future scenarios and predictions for food security and agriculture under climate change (2030-2100)

Horizon	What changes for this chapter
2030	wheat −5%; maize −8% in hot zones
2050	price swings 20–35%; 40–60 m hungry
2100	staples −20–30% without adaptation

Watch local yields per hectare, the date of the first reliable rain, and staple prices in the nearest market; crop response to heat is high-confidence, but farm-level losses depend on soil, seed choice and irrigation.

CHAPTER 8

ECOSYSTEMS AND BIODIVERSITY LOSS

Theme: ecosystems and biodiversity loss

What follows concerns ecosystems and biodiversity loss. The chapter separates observation from projection, and projection from speculation, because the three carry different obligations for anyone making a decision. Readers who disagree with the conclusion should be able to see exactly where.

8.1 Biodiversity and Ecosystem Services

Carl Folke (2010) puts it plainly: resilience thinking reframes crisis as reorganization, focusing on thresholds, diversity, and learning.

Folke's resilience thinking treats crises as reorganisation rather than collapse. Thresholds, diversity and learning determine whether a system absorbs a shock or flips into a less desirable state. Management therefore aims at keeping options open. For biodiversity and ecosystem services, the practical consequence is to name the decision that would have to change.

The record on biodiversity and ecosystem services is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: ~800 million people face food insecurity (FAO, 2023). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how conservation and land management should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. Within conservation and land management, the test is whether the arrangement survives contact with a bad week.

How a problem is framed decides what counts as a solution, and biodiversity and ecosystem services is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as conservation and land management is concerned, the practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: Arctic sea ice declines by ~13% per decade (NASA, 2024). In the work of conservation and land management, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

Uncertainty in biodiversity and ecosystem services is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~800 million people face food insecurity (FAO, 2023). For conservation and land management, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

The news cycle supplies a concrete marker: Coral bleaching events are becoming more frequent, threatening marine ecosystems (IPCC, NOAA). Set beside the record, the episode indicates direction without fixing the rate. Within conservation and land management, the report is a reminder that the response is being designed against a target that keeps moving.

It is worth separating what would change the conclusion from what would merely add detail. A revision of the observed trend, or evidence that adaptation is failing faster than expected, would matter; another confirmation of the same direction would not. That test keeps attention on the claims that carry weight. Within conservation and land management, the operational reading is to record which limit applies to each decision before the decision is taken.

8.2 Habitat Loss

As Elizabeth Kolbert (2006) argues, extinction and climate change are not separate stories but one story of human planetary impact.

Kolbert's reporting treats extinction and climate change as one story of cumulative human pressure. Species loss removes the ecological margin that absorbs variability. The narrative connects field observation with paleoclimate evidence. Applied to habitat loss, the argument sets a test: does the measure still work when capacity is stretched?

It helps to ask what question habitat loss is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as conservation and land management is concerned, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: Arctic sea ice declines by ~13% per decade (NASA, 2024). In the work of conservation and land management, the practical implication is to plan for combinations

rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

An honest account of habitat loss distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~800 million people face food insecurity (FAO, 2023). Numbers carry confidence intervals, and those intervals should travel with them into any decision. For conservation and land management, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

Evidence on habitat loss rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. Within conservation and land management, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

Current reporting adds detail rather than a new direction: Coral bleaching events are becoming more frequent, threatening marine ecosystems (IPCC, NOAA). Read against the longer record, it is an illustration rather than a proof. As far as conservation and land management is concerned, what matters is not the record but the lead time it implies.

Taken together, the mechanism, the observed record and the institutional response describe a risk that is measurable but not fixed. The practical question is not whether the trend is real, but which decisions today remain defensible across the full range of projections — and those are usually the decisions that are cheap to reverse. As far as conservation and land management is concerned, the question is which of these decisions can be taken before the next event rather than during it.

8.3 Species Extinction Risk

As Johan Rockström (2009) argues, we define planetary boundaries within which humanity can operate safely — six of nine boundaries are now transgressed, well outside the safe operating space.

Rockström's statement originates from the 2009 Nature paper 'A safe operating space for humanity' and its 2023 update that now finds six of nine boundaries transgressed. 'Planetary boundaries' are quantitative thresholds for climate, biosphere, freshwater, nutrients, and other Earth-system processes that define a Holocene-like stability zone. 'Operate safely' means staying within these thresholds reduces risk of abrupt, irreversible shifts. 'Six of nine transgressed' indicates humanity has left the safe zone on climate, biodiversity, land, freshwater, biogeochemical flows, and novel entities, far outside preindustrial variability. The update emphasizes interactions — transgressing one boundary tightens others, such as deforestation amplifying carbon release. The concept reframes species extinction risk from isolated sectoral problem to

systemic interdependence. For ecosystems and biodiversity loss, it implies solutions must be integrated across energy, food, and ecosystem management rather than siloed. For species extinction risk, the bearing is direct: the constraint is institutional as much as physical.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: Arctic sea ice declines by ~13% per decade (NASA, 2024). In the work of conservation and land management, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

Not all statements about species extinction risk carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~800 million people face food insecurity (FAO, 2023). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. For conservation and land management, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

The evidence base behind species extinction risk is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Within conservation and land management, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it is decoration.

Most disagreements about species extinction risk are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: Arctic sea ice declines by ~13% per decade (NASA, 2024). As far as conservation and land management is concerned, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

A recent marker points the same way: Coral bleaching events are becoming more frequent, threatening marine ecosystems (IPCC, NOAA). The value of such reports is that they date the change rather than explain it. In the work of conservation and land management, the item is useful mainly as a date stamp on a trend.

Certainty is unevenly distributed across this literature. Detection is firm, projection is conditional, and cost estimates are contingent on choices not yet made. A reader who wants a single number will be disappointed; a reader who wants a defensible decision has what is needed. In the work of conservation and land management, the operational reading is to record which limit applies to each decision before the decision is taken.

8.4 Forest Ecosystems

Carl Folke (2010) puts it plainly: resilience thinking reframes crisis as reorganization, focusing on thresholds, diversity, and learning.

Folke's resilience thinking treats crises as reorganisation rather than collapse. Thresholds, diversity and learning determine whether a system absorbs a shock or flips into a less desirable state. Management therefore aims at keeping options open. Read against forest ecosystems, the point is that intention without capacity changes little.

The strength of the claim about forest ecosystems varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~800 million people face food insecurity (FAO, 2023). A central estimate without its range is not more precise, only less honest. For conservation and land management, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

The evidence base for forest ecosystems is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. Within conservation and land management, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

Discussion of forest ecosystems usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: Arctic sea ice declines by ~13% per decade (NASA, 2024). Read that way, the question for conservation and land management is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. As far as conservation and land management is concerned, the practical question is what would have to change first.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: ~800 million people face food insecurity (FAO, 2023). In the work of conservation and land management, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

The news cycle supplies a concrete marker: Coral bleaching events are becoming more frequent, threatening marine ecosystems (IPCC, NOAA). It matters less as a record than as evidence that the baseline has already moved. For conservation and land management, the report is a reminder that the response is being designed against a target that keeps moving.

What emerges is less a prediction than a test. A measure is adequate if it still works when the upper end of the range arrives; a plan is credible if it names who acts, with what authority and with what money. Judged that way, the gap between what is known and what is done is not a knowledge gap. For conservation and land management, the question is which of these decisions can be taken before the next event rather than during it.

8.5 Case Study: Ecosystems and Biodiversity Loss

A single episode illustrates the mechanism: Coral bleaching events are becoming more frequent, threatening marine ecosystems (IPCC, NOAA). Read closely, it is a record of thresholds crossed, capacities exhausted and responsibilities disputed — the same elements that recur, at different scales, in every chapter of this book. For conservation and land management, the episode fixes the date at which the argument stops being hypothetical.

The instructive part is the asymmetry between the event and its aftermath. Response times are measured in hours, recovery in years, and the difference between the two is usually decided before the event — by land use, insurance and local authority, all of which conservation and land management controls.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

8.6 Future Scenarios and Predictions: Ecosystems and Biodiversity Loss

For ecosystems and biodiversity, the near term is measured in bleaching and range shifts: by 2040 coral reefs face annual bleaching across 90% of tropical reefs, 15–25% of bird ranges move upslope, and mangroves lose 10–20% where seas rise fastest.

By 2050, one in ten species faces a high risk of extinction at 2 °C, and by 2100 narrow-range species face 2–3 times the extinction risk under high emissions; ecosystem services that shield coasts and pollinate crops weaken in step (IPCC, 2022; IPBES, 2019).

Marine protected networks, corridors linking forest patches, replanting diverse native species, and community ranger patrols keep ecosystems connected enough to adapt.

Table 8.1 Future scenarios and predictions for ecosystems and biodiversity loss (2030-2100)

Horizon	What changes for this chapter
2030	bleaching hits 50–70% of reefs
2050	1 in 10 species at high extinction risk
2100	narrow-range species risk ×2–3

Watch coral bleaching alerts, the arrival dates of migratory birds, and mangrove cover in your district; global reef and range trends are high-confidence, but local species losses vary with habitat fragmentation.

CHAPTER 9

HEALTH IMPACTS OF CLIMATE CHANGE

Theme: health impacts of climate change

This chapter examines health impacts of climate change. It moves from mechanism to evidence to what can be done, and each section states its main claim before the supporting material. Where the evidence is uncertain, the text says so; where it is strong, the language is correspondingly direct.

9.1 Direct and Indirect Health Impacts

As Gilbert Cissé (2022) argues, informal urban settlements face compounded climate-health risks that require integrated planning.

Cissé's assessment shows that informal urban settlements carry compound climate-health risks: heat, water contamination, crowding and absent services. Adaptation that assumes formal tenure and piped water misses most of the affected population. Planning has to start from the settlement, not the grid. In the terms of direct and indirect health impacts, the claim shifts attention from prediction to preparation.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: ~7 million air-pollution deaths occur annually (WHO, 2023). For that reason, average-based targets can be met while the most exposed end up worse off. For health systems and epidemiology, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. Within health systems and epidemiology, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. As far as health systems and epidemiology is concerned, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: ~7 million air-pollution deaths occur annually (WHO, 2023). None of those signals is a perfect measure, but together they indicate direction. In the work of health systems and epidemiology, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The news cycle supplies a concrete marker: European summer 2022 heatwave caused over 61,000 excess deaths, the continent's deadliest heat event (Nature Medicine, 2023). Reported in isolation the figure looks dramatic; reported against the baseline it looks consistent. As far as health systems and epidemiology is concerned, what matters is not the record but the lead time it implies.

Two limits apply. The first is scale: global figures say little about a district, and district figures are often unavailable. The second is time: the record is long enough to detect a trend but not long enough to rule out rare extremes. Good planning treats both as design constraints rather than reasons to postpone. For health systems and epidemiology, the operational reading is to record which limit applies to each decision before the decision is taken.

9.2 Heat-Related Illness

As Nick Obradovich (2018) argues, higher temperatures measurably increase mental-health hospitalizations and suicide risk.

Obradovich and colleagues matched temperature records with mental-health hospital admissions and suicide data. Both rise with heat, and the effect persists beyond a single day. The mechanism runs through sleep, medication and social contact. For heat-related illness, the practical consequence is to name the decision that would have to change.

Institutional performance in heat-related illness depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: ~100 million people are affected by climate disasters annually (IFRC, 2022). Within health systems and epidemiology, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. As far as health systems and epidemiology is

concerned, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

Anyone deciding about heat-related illness is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: ~7 million air-pollution deaths occur annually (WHO, 2023). In the work of health systems and epidemiology, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. For health systems and epidemiology, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Current reporting adds detail rather than a new direction: Heat waves in South Asia in 2022 and 2023 caused thousands of deaths and crop losses (IPCC, 2022; WMO, 2023). On its own it proves little; placed against the trend it shows the direction of travel. In the work of health systems and epidemiology, the item is useful mainly as a date stamp on a trend.

None of this settles the political question of how much to spend and who should pay. It does settle a prior question: whether there is anything worth spending on. The evidence says there is, and that the returns depend on acting while the options are still open. Within health systems and epidemiology, the question is which of these decisions can be taken before the next event rather than during it.

9.3 Vector-Borne Diseases

Kristie Ebi (2018) puts it plainly: if you have cancer, you need the doctor to tell you how serious it is — people are suffering and dying right now; risks rise without urgent investment in health systems.

Ebi's statement comes from her IPCC SR15 lead authorship and long-term research at the University of Washington CHanGE on heat and health. 'If you have cancer, you need the doctor to tell you how serious it is' is her analogy for clear risk communication — understating severity delays life-saving action. 'People are suffering and dying right now' counters the view that climate health impacts are future, citing documented rises in heat-related illness and mortality among outdoor workers, elders, and low-income groups. 'Risks rise without urgent investment in health systems' points to the need for heat early warning, expanded primary care, and climate-resilient facilities. Ebi stresses that health evidence is actionable and economically justified, with

co-benefits for productivity and equity. For vector-borne diseases within health impacts of climate change, her framing treats adaptation as public health preparedness, requiring surveillance, workforce training, and funding that reaches the front lines. Applied to vector-borne diseases, the argument sets a test: does the measure still work when capacity is stretched?

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. As far as health systems and epidemiology is concerned, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

The relevant question for vector-borne diseases is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: ~7 million air-pollution deaths occur annually (WHO, 2023). In the work of health systems and epidemiology, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: ~100 million people are affected by climate disasters annually (IFRC, 2022). Averages describe the size of the problem, not who carries it. Decisions taken by health systems and epidemiology — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. For health systems and epidemiology, the practical question is what would have to change first.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Within health systems and epidemiology, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

A recent marker points the same way: European summer 2022 heatwave caused over 61,000 excess deaths, the continent's deadliest heat event (Nature Medicine, 2023). Taken alone the episode is weather; taken with the record it is a data point on a slope. For health systems and epidemiology, the report is a reminder that the response is being designed against a target that keeps moving.

The evidence is not unanimous on pace and regional detail, and the gaps should be named rather than smoothed over. Where estimates differ, the difference usually traces back to assumptions about emissions, adaptation and measurement. That does not weaken the case for action; it defines the range within which action has to be robust. As far as health systems and epidemiology is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

9.4 Water-Borne Diseases

As Caroline Hickman (2021) argues, 45% of youth say climate feelings impair daily life, tied to perceived government inaction.

Hickman's international survey of young people found widespread distress about climate and government inaction. Respondents reported that worry interfered with daily life and decisions about the future. The sample is large but self-selected in some countries. For water-borne diseases, the bearing is direct: the constraint is institutional as much as physical.

Any assessment of water-borne diseases will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: ~7 million air-pollution deaths occur annually (WHO, 2023). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. In the work of health systems and epidemiology, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The aggregate picture hides the distribution, and in water-borne diseases the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~100 million people are affected by climate disasters annually (IFRC, 2022). For health systems and epidemiology, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What the record does show is that authority, money and information have to move together; any one without the others stalls. Within health systems and epidemiology, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

The economics of water-borne diseases are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: ~7 million air-pollution deaths occur annually (WHO, 2023). As far as health systems and epidemiology is concerned, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

The news cycle supplies a concrete marker: Heat waves in South Asia in 2022 and 2023 caused thousands of deaths and crop losses (IPCC, 2022; WMO, 2023). The item is useful because it fixes a date to a trend that otherwise drifts. Within health systems and epidemiology, what matters is not the record but the lead time it implies.

The strands point in one direction: the physical signal is established, the human consequences depend on exposure and capacity, and the response depends on decisions taken before the event. That sequence is what makes the problem tractable, and what makes delay expensive. In the work of health systems and epidemiology, the question is which of these decisions can be taken before the next event rather than during it.

9.5 Case Study: Health Impacts of Climate Change

The case that anchors this chapter is documented and recent: European summer 2022 heatwave caused over 61,000 excess deaths, the continent's deadliest heat event (Nature Medicine, 2023). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. Within health systems and epidemiology, it is the clearest recent test of whether the arrangements on paper survive contact with an event.

Cases of this kind are useful because they compress several mechanisms into a short period. Exposure, capacity and institutional reach become visible at once, and the gaps between them stop being abstract (UNDRR, 2015). As far as health systems and epidemiology is concerned, the episode works as a readiness test rather than a weather story.

In the work of health systems and epidemiology, the transferable lesson is procedural: identify which decision failed first, and fix that decision rather than the symptom.

9.6 Future Scenarios and Predictions: Health Impacts of Climate Change

For health impacts, the near term shows up in clinics: by 2040 heat deaths rise 30–50% in cities above 35 °C, dengue expands 150–200 km poleward, and diarrheal cases jump 10–20% after floods.

By 2050, heat and vector-borne disease stretch health systems thin, with 500,000+ heat deaths a year already recorded; by 2100 highland malaria doubles under high emissions without control, and mental-health burden grows alongside physical

illness (Watts et al., 2021; WHO, 2023).

Heat-health alerts, screened housing, oral rehydration stocks, and clinics with flood-proof power and records protect the most exposed first.

Table 9.1 Future scenarios and predictions for health impacts of climate change (2030-2100)

Horizon	What changes for this chapter
2030	heat deaths +20–30%; dengue +100 km
2050	500k+ heat deaths/yr; systems strained
2100	highland malaria ×2; mental burden up

Watch heat-related admissions, dengue case counts, and clinic closures after storms; the direction of health risk is high-confidence, but local caseloads depend on sanitation, housing and health-system capacity.

CHAPTER 10

ECONOMIC IMPACTS AND FINANCIAL RESILIENCE

Theme: economic impacts and financial preparedness under climate change

The subject of this chapter is economic impacts and financial preparedness under climate change. The argument proceeds in three steps: what is happening, how we know, and what follows for decisions. Sources are cited as they are used, and contested points are marked as contested rather than presented as settled.

10.1 Damage Cost Estimates

As Fatih Birol (2023) argues, the energy crisis sped the transition, but fossil demand must fall far faster for 1.5°C.

Birol's World Energy Outlook tracks the gap between stated goals and investment flows. Crises have accelerated renewables while leaving fossil demand too high for 1.5°C. The series is a scenario exercise, not a forecast. The implication for damage cost estimates is a question of sequence: what has to be in place before the event, not after it.

The economics of damage cost estimates are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of finance ministries and insurers, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Most disagreements about damage cost estimates are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). For finance ministries and insurers, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

The evidence base behind damage cost estimates is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Within finance ministries and insurers, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it is decoration.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as finance ministries and insurers is concerned, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

The news cycle supplies a concrete marker: Hurricane Ian (Sept 2022) caused $113 billion in US damages and was the costliest Florida hurricane (NOAA NHC). Read against the longer record, it is an illustration rather than a proof. In the work of finance ministries and insurers, the item is useful mainly as a date stamp on a trend.

Readers should know where this section stands on the evidence ladder. The direction of change is established; the pace is estimated; the local consequences are modelled. Statements that blur those levels are the ones most likely to mislead, and they are also the easiest to check. In the work of finance ministries and insurers, the operational reading is to record which limit applies to each decision before the decision is taken.

10.2 Sectoral Impacts

Andrew Dessler (2021) puts it plainly: greenhouse physics has been settled since the 1800s; debate is about impacts and choices, not reality.

Dessler points out that the physics of the greenhouse effect has been settled since the nineteenth century. What remains open is the magnitude of impacts and the choices that determine them. Public debate often confuses the two. In the terms of sectoral impacts, the claim shifts attention from prediction to preparation.

Discussion of sectoral impacts usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Read that way, the question for finance ministries and insurers is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. For finance ministries and insurers, that is the difference between a plan that can be defended and one that merely exists.

The evidence base for sectoral impacts is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). The appropriate response to a strong signal with weak

local detail is not to wait for precision but to design for the range. Within finance ministries and insurers, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

Impacts do not follow directly from a change in the average; they follow from the interaction between a shifting hazard and a fixed exposure. A house built to a hundred-year flood standard meets a twenty-five-year event with alarming regularity once the distribution has moved (IPCC, 2022). Nothing about the house changed; the standard it was designed against did. The shift is quantifiable: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as finance ministries and insurers is concerned, the lesson is that design standards have a shelf life and need a review date attached to them. An unrevised standard is a decision to accept a higher level of risk than the one originally debated.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. In the work of finance ministries and insurers, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

Current reporting adds detail rather than a new direction: US 2023 billion-dollar disasters hit record 28 events, costing $92.9B (NOAA NCEI). The value of such reports is that they date the change rather than explain it. For finance ministries and insurers, the report is a reminder that the response is being designed against a target that keeps moving.

What the section establishes is narrower than a prediction and firmer than an opinion. It establishes that the direction is known, that the costs of inaction are concentrated on those least able to bear them, and that the available measures are known well enough to be tested. For finance ministries and insurers, the question is which of these decisions can be taken before the next event rather than during it.

10.3 Labor Productivity Loss

As Naomi Klein (2014) argues, climate change changes everything about how we live, consume, and govern.

Klein connects climate policy to the economic model that produced it. She argues that market instruments alone cannot deliver the pace required. The claim is a political argument rather than an empirical finding. For labor productivity loss, the practical consequence is to name the decision that would have to change.

The record on labor productivity loss is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What remains contested is

attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how finance ministries and insurers should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. Within finance ministries and insurers, the test is whether the arrangement survives contact with a bad week.

Between the physical change and the harm there is a sequence, and each step can be examined on its own. A shift in the mean moves the tail of the distribution first; the tail meets exposure; exposure meets capacity; capacity fails at thresholds rather than gradually (IPCC, 2022). That is why impacts arrive in jumps and why the same event produces different outcomes in neighbouring districts. The arithmetic of the shift is blunt: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as finance ministries and insurers is concerned, the useful question is which threshold comes first and what happens on the day it is crossed. Thresholds are where a gradual problem becomes a sudden one.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. In the work of finance ministries and insurers, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

How a problem is framed decides what counts as a solution, and labor productivity loss is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For finance ministries and insurers, the practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

A recent marker points the same way: Hurricane Ian (Sept 2022) caused $113 billion in US damages and was the costliest Florida hurricane (NOAA NHC). It matters less as a record than as evidence that the baseline has already moved. Within finance ministries and insurers, what matters is not the record but the lead time it implies.

It is worth separating what would change the conclusion from what would merely add detail. A revision of the observed trend, or evidence that adaptation is failing faster than expected, would matter; another confirmation of the same direction would not. That test keeps attention on the claims that carry weight. Within finance ministries and insurers, the operational reading is to record which limit applies to each decision before the decision is taken.

10.4 Infrastructure Damage

As Marshall Burke (2015) argues, economic output peaks at cool temperatures and declines sharply with heat, with non-linear losses for warm countries.

Burke and colleagues found that economic output peaks at moderate temperatures and falls sharply in hot conditions. Losses are non-linear and concentrated in tropical and already-warm economies. The result implies that warming redistributes income as much as it destroys it. Applied to infrastructure damage, the argument sets a test: does the measure still work when capacity is stretched?

The chain of causation is short enough to follow and long enough to intervene in. Physical change alters the frequency and intensity of events; exposure determines who meets them; capacity determines what happens next (IPCC, 2022). Because the links are separable, they can be addressed separately — and the cheapest link is usually exposure. The pattern is not hypothetical: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as finance ministries and insurers is concerned, the lesson is to intervene where the leverage is greatest rather than where the damage is most visible. Response is necessary; prevention is cheaper.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. In the work of finance ministries and insurers, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

It helps to ask what question infrastructure damage is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For finance ministries and insurers, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on infrastructure damage rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~100 million people are affected by climate disasters annually (IFRC, 2022). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. Within finance ministries and insurers, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The news cycle supplies a concrete marker: US 2023 billion-dollar disasters hit record 28 events, costing $92.9B (NOAA NCEI). Treated as a single observation it invites over-reading; treated as one of many it is informative. As far as finance

ministries and insurers is concerned, the item is useful mainly as a date stamp on a trend.

Taken together, the mechanism, the observed record and the institutional response describe a risk that is measurable but not fixed. The practical question is not whether the trend is real, but which decisions today remain defensible across the full range of projections — and those are usually the decisions that are cheap to reverse. As far as finance ministries and insurers is concerned, the question is which of these decisions can be taken before the next event rather than during it.

10.5 Case Study: Economic Impacts and Financial Resilience

One documented episode makes the argument concrete: Hurricane Ian (Sept 2022) caused $113 billion in US damages and was the costliest Florida hurricane (NOAA NHC). It repays attention less as an outlier than as a chain of decisions — where the hazard was allowed to concentrate, how the response was organised, and who bore the residual loss. As far as finance ministries and insurers is concerned, the record supplies both the warning and the timetable.

Cases of this kind are useful because they compress several mechanisms into a short period. Exposure, capacity and institutional reach become visible at once, and the gaps between them stop being abstract (UNDRR, 2015). In the work of finance ministries and insurers, the episode works as a readiness test rather than a weather story.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

10.6 Future Scenarios and Predictions: Economic Impacts and Financial Resilience

For economic impacts and financial resilience, the near term is visible in budgets: by 2040 climate disasters cost 2–4% of GDP a year in exposed provinces, coastal insurance premiums rise 30–60%, and heat cuts work hours 10–15%.

By 2050, loss and damage claims and adaptation costs together reach hundreds of billions a year, and by 2100 a high-emissions path shaves 15–25% off incomes in vulnerable deltas compared with a low-emissions path (IPCC, 2022; World Bank, 2022).

Emergency funds equal to three months of expenses, micro-insurance pools, diversified incomes, and building codes for wind, flood and heat reduce the shock.

Table 10.1 Future scenarios and predictions for economic impacts and financial preparedness under climate change (2030-2100)

Horizon	What changes for this chapter
2030	disaster cost 1–2% GDP; premiums +20%
2050	hundreds of billions/yr; adaptation gap
2100	incomes −15–25% in vulnerable deltas

Watch local insurance renewals, disaster-related budget reallocations, and days of work lost to heat; global cost estimates are medium-confidence, but household exposure can be tracked directly.

CHAPTER 11

MIGRATION AND DISPLACEMENT

Theme: climate migration and displacement

This chapter deals with climate migration and displacement. Each section opens with a claim, tests it against the evidence and draws out the implication for the people who have to act on it. The aim is not completeness but a defensible line through a large literature.

11.1 Drivers of Climate Migration

Diana Liverman (2020) puts it plainly: climate justice means accounting for who is most responsible, who is most vulnerable, and that those least responsible for emissions bear the greatest burdens.

Liverman's climate justice scholarship, including her 2019 testimony to the Arizona House and IPCC authorship, underpins her statement on responsibility and vulnerability. 'Accounting for who is most responsible, who is most vulnerable' calls for attributing emissions historically and geographically, not just current national totals. 'Those least responsible bear the greatest burdens' points to smallholder farmers, small islands, and low-income urban communities facing the earliest and harshest impacts despite low per-capita emissions. Liverman argues that responses must address land tenure, gender, and access to resources, not just technical fixes. She emphasizes that top-down prescriptions often fail when they ignore local knowledge and power imbalances. For drivers of climate migration within climate migration and displacement, her lens requires assessing interventions by who benefits, who pays, and who decides, integrating equity metrics into planning and evaluation. Read against drivers of climate migration, the point is that intention without capacity changes little.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: ~100 million people are affected by climate disasters annually (IFRC, 2022). Averages describe the size of the problem, not who carries it. Decisions taken by migration policy and urban services — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. As far as migration policy and urban services is concerned, that is the difference between a plan that can be defended and one that merely exists.

An honest account of drivers of climate migration distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Numbers carry confidence intervals, and those intervals should travel with them into any decision. In the work of migration policy and urban services, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. For migration policy and urban services, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

The relevant question for drivers of climate migration is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: ~100 million people are affected by climate disasters annually (IFRC, 2022). Within migration policy and urban services, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

The news cycle supplies a concrete marker: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). On its own it proves little; placed against the trend it shows the direction of travel. For migration policy and urban services, the report is a reminder that the response is being designed against a target that keeps moving.

Two cautions apply to everything in this section. First, most figures are aggregates, and aggregates travel badly between countries and neighbourhoods. Second, published estimates lag the climate they describe. Both cautions argue for revisiting the numbers rather than treating them as fixed. As far as migration policy and urban services is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

11.2 Internal Displacement

As Saleemul Huq (2020) argues, it is adapt or die — adaptation is survival, and loss-and-damage must be permanent in the Paris Agreement for vulnerable nations.

Huq's statement was delivered repeatedly at COPs from 2015 to 2023 and reflects his leadership at ICCCAD in Dhaka and IPCC authorship from AR3 to AR5. 'Adapt or die' was his stark shorthand that for low-lying Bangladesh and small islands, adaptation is not optional but survival. 'Loss-and-damage must be permanent in the Paris Agreement' refers to his advocacy for a third pillar beyond mitigation and adaptation to address unavoidable harms. The phrase captures that vulnerable nations face impacts they did not cause, raising justice and finance obligations. Huq linked local experience — cyclones, floods, salinity — to global negotiations, insisting that affected communities have voice. His work bridges research on community-based adaptation with policy for climate finance and compensation. For internal displacement within climate migration and displacement, his perspective centers equity, local leadership, and the limits of adaptation when warming exceeds coping capacity. The implication for

internal displacement is a question of sequence: what has to be in place before the event, not after it.

Not all statements about internal displacement carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. In the work of migration policy and urban services, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

Institutional performance in internal displacement depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: ~20 million people are displaced by climate annually (UNHCR, 2023). For migration policy and urban services, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Any assessment of internal displacement will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: ~100 million people are affected by climate disasters annually (IFRC, 2022). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. Within migration policy and urban services, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The aggregate picture hides the distribution, and in internal displacement the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as migration policy and urban services is concerned, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Current reporting adds detail rather than a new direction: Mediterranean wildfires in Greece (July 2023) forced 20,000 evacuations on Rhodes, largest in Greek history (Greek Civil Protection). Taken alone the episode is weather; taken with the record it is a data point on a slope. Within migration policy and urban services, what matters is not the record but the lead time it implies.

The argument, reduced to its shortest form, is this: the physical signal is robust, the human exposure is uneven, and the response is a choice. Each element rests on evidence of different strength, and the weakest link is not the science but the capacity to act before the event rather than after it. In the work of migration policy and urban services, the question is which of these decisions can be taken before the next event rather than during it.

11.3 Cross-Border Movement

As Diana Liverman (2020) argues, climate justice means accounting for who is most responsible, who is most vulnerable, and that those least responsible for emissions bear the greatest burdens.

Liverman's climate justice scholarship, including her 2019 testimony to the Arizona House and IPCC authorship, underpins her statement on responsibility and vulnerability. 'Accounting for who is most responsible, who is most vulnerable' calls for attributing emissions historically and geographically, not just current national totals. 'Those least responsible bear the greatest burdens' points to smallholder farmers, small islands, and low-income urban communities facing the earliest and harshest impacts despite low per-capita emissions. Liverman argues that responses must address land tenure, gender, and access to resources, not just technical fixes. She emphasizes that top-down prescriptions often fail when they ignore local knowledge and power imbalances. For cross-border movement within climate migration and displacement, her lens requires assessing interventions by who benefits, who pays, and who decides, integrating equity metrics into planning and evaluation. In the terms of cross-border movement, the claim shifts attention from prediction to preparation.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: ~20 million people are displaced by climate annually (UNHCR, 2023). For migration policy and urban services, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: ~100 million people are affected by climate disasters annually (IFRC, 2022). None of those signals is a perfect measure, but together they indicate direction. Within migration policy and urban services, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: ~500,000+ heat-related deaths occur annually (Watts et

al., 2021). For that reason, average-based targets can be met while the most exposed end up worse off. As far as migration policy and urban services is concerned, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

The strength of the claim about cross-border movement varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~20 million people are displaced by climate annually (UNHCR, 2023). A central estimate without its range is not more precise, only less honest. In the work of migration policy and urban services, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

A recent marker points the same way: Amazon drought in late 2023 lowered Rio Negro to 120-year low, isolating 500,000 people (Brazil INPE, Reuters). The item is useful because it fixes a date to a trend that otherwise drifts. As far as migration policy and urban services is concerned, the item is useful mainly as a date stamp on a trend.

Two limits apply. The first is scale: global figures say little about a district, and district figures are often unavailable. The second is time: the record is long enough to detect a trend but not long enough to rule out rare extremes. Good planning treats both as design constraints rather than reasons to postpone. For migration policy and urban services, the operational reading is to record which limit applies to each decision before the decision is taken.

11.4 Legal Status and Rights

Saleemul Huq (2020) puts it plainly: it is adapt or die — adaptation is survival, and loss-and-damage must be permanent in the Paris Agreement for vulnerable nations.

Huq's statement was delivered repeatedly at COPs from 2015 to 2023 and reflects his leadership at ICCCAD in Dhaka and IPCC authorship from AR3 to AR5. 'Adapt or die' was his stark shorthand that for low-lying Bangladesh and small islands, adaptation is not optional but survival. 'Loss-and-damage must be permanent in the Paris Agreement' refers to his advocacy for a third pillar beyond mitigation and adaptation to address unavoidable harms. The phrase captures that vulnerable nations face impacts they did not cause, raising justice and finance obligations. Huq linked local experience — cyclones, floods, salinity — to global negotiations, insisting that affected communities have voice. His work bridges research on community-based adaptation with policy for climate finance and compensation. For legal status and rights within climate migration and displacement, his perspective centers equity, local leadership, and the limits of adaptation when warming exceeds coping capacity. For legal status and rights, the practical consequence is to name the decision that would have to change.

Anyone deciding about legal status and rights is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence

matters because early options buy the time that later options need. The pressure is documented rather than projected: ~100 million people are affected by climate disasters annually (IFRC, 2022). Within migration policy and urban services, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. As far as migration policy and urban services is concerned, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Uncertainty in legal status and rights is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~20 million people are displaced by climate annually (UNHCR, 2023). In the work of migration policy and urban services, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: ~100 million people are affected by climate disasters annually (IFRC, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. For migration policy and urban services, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

The news cycle supplies a concrete marker: Libya's Derna dam collapse after Storm Daniel (Sept 2023) killed >4,300 and displaced 40,000 (UN OCHA, Libyan Red Crescent). What the report adds is timing, not a new mechanism. In the work of migration policy and urban services, the report is a reminder that the response is being designed against a target that keeps moving.

None of this settles the political question of how much to spend and who should pay. It does settle a prior question: whether there is anything worth spending on. The evidence says there is, and that the returns depend on acting while the options are still open. Within migration policy and urban services, the question is which of these decisions can be taken before the next event rather than during it.

11.5 Case Study: Migration and Displacement

A single episode illustrates the mechanism: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). Read closely, it is a record of thresholds crossed, capacities exhausted and responsibilities disputed — the same elements that recur, at different scales, in every chapter of this book. In the work of migration policy and urban services, the sequence is worth reconstructing before the next season rather than after it.

Cases of this kind are useful because they compress several mechanisms into a short period. Exposure, capacity and institutional reach become visible at once, and the gaps between them stop being abstract (UNDRR, 2015). For migration policy and urban services, the episode works as a readiness test rather than a weather story.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

11.6 Future Scenarios and Predictions: Migration and Displacement

For migration and displacement, the near term is counted in people on the move: by 2040, 15–25 million a year are displaced by floods, storms and drought, and cities such as Dhaka, Lagos and Manila absorb 300,000–500,000 climate newcomers annually.

By 2050, slow-onset loss of farmland and coastal land adds to sudden displacement, and by 2100 a high-emissions path displaces 100–150 million cumulatively from sub-3 m coasts and drying farmland (UNHCR, 2023; IPCC, 2022).

Legal aid, portable IDs and health records, rental support, and receiving-city plans for water, jobs and schools turn displacement from crisis into managed transition.

Table 11.1 Future scenarios and predictions for climate migration and displacement (2030-2100)

Horizon	What changes for this chapter
2030	15–20 m displaced/yr; +300k city arrivals
2050	slow-onset adds to sudden moves
2100	100–150 m cumulative (high path)

Watch arrival numbers in your city, shelter occupancy, and school enrollment of newcomer children; displacement totals are medium-confidence, but local inflows are recorded and can guide planning.

CHAPTER 12

CONFLICT, SECURITY AND STABILITY

Theme: climate change, conflict and security

What follows concerns climate change, conflict and security. The chapter separates observation from projection, and projection from speculation, because the three carry different obligations for anyone making a decision. Readers who disagree with the conclusion should be able to see exactly where.

12.1 Resource Competition

As Solomon Hsiang (2014) argues, climate variability is robustly linked to conflict risk, though institutions decide whether stress becomes violence.

Hsiang's work links climate variability to conflict risk across several hundred studies. The association is robust but conditional, with institutions and livelihoods deciding whether stress becomes violence. Climate is a risk multiplier, not a cause. For resource competition, the bearing is direct: the constraint is institutional as much as physical.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. Within security services and local government, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

How a problem is framed decides what counts as a solution, and resource competition is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: ~20 million people are displaced by climate annually (UNHCR, 2023). As far as security services and local government is concerned, the practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

The record on resource competition is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: ~100 million people are affected by climate disasters annually (IFRC, 2022). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how security services and local government should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. In the work of

security services and local government, the implication is a shorter list of decisions than the analysis suggests.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For security services and local government, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

The news cycle supplies a concrete marker: Horn of Africa's 2022 failed rainy seasons pushed 22 million into acute food insecurity (FEWS NET, IPC). The value of such reports is that they date the change rather than explain it. Within security services and local government, what matters is not the record but the lead time it implies.

Certainty is unevenly distributed across this literature. Detection is firm, projection is conditional, and cost estimates are contingent on choices not yet made. A reader who wants a single number will be disappointed; a reader who wants a defensible decision has what is needed. Within security services and local government, the operational reading is to record which limit applies to each decision before the decision is taken.

12.2 Climate and Violence Evidence

As Solomon Hsiang (2014) argues, climate variability is robustly linked to conflict risk, though institutions decide whether stress becomes violence.

Hsiang's work links climate variability to conflict risk across several hundred studies. The association is robust but conditional, with institutions and livelihoods deciding whether stress becomes violence. Climate is a risk multiplier, not a cause. Read against climate and violence evidence, the point is that intention without capacity changes little.

It helps to ask what question climate and violence evidence is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: ~20 million people are displaced by climate annually (UNHCR, 2023). As far as security services and local government is concerned, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on climate and violence evidence rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~100 million people are affected by climate disasters annually (IFRC, 2022). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. In the

work of security services and local government, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For security services and local government, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. Within security services and local government, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

Current reporting adds detail rather than a new direction: Brazil's Rio Grande do Sul floods (Apr-May 2024) displaced 600,000, deadliest climate disaster in state history (Brazil Civil Defense). It matters less as a record than as evidence that the baseline has already moved. As far as security services and local government is concerned, the item is useful mainly as a date stamp on a trend.

What emerges is less a prediction than a test. A measure is adequate if it still works when the upper end of the range arrives; a plan is credible if it names who acts, with what authority and with what money. Judged that way, the gap between what is known and what is done is not a knowledge gap. As far as security services and local government is concerned, the question is which of these decisions can be taken before the next event rather than during it.

12.3 Fragile States

Solomon Hsiang (2014) puts it plainly: climate variability is robustly linked to conflict risk, though institutions decide whether stress becomes violence.

Hsiang's work links climate variability to conflict risk across several hundred studies. The association is robust but conditional, with institutions and livelihoods deciding whether stress becomes violence. Climate is a risk multiplier, not a cause. The implication for fragile states is a question of sequence: what has to be in place before the event, not after it.

The evidence base behind fragile states is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place

(IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of security services and local government, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it is decoration.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For security services and local government, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

Institutional performance in fragile states depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: ~20 million people are displaced by climate annually (UNHCR, 2023). Within security services and local government, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Most disagreements about fragile states are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as security services and local government is concerned, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

A recent marker points the same way: Cyclone Mocha (May 2023) displaced 1.7 million in Myanmar and Bangladesh (UN OCHA, WMO). Treated as a single observation it invites over-reading; treated as one of many it is informative. In the work of security services and local government, the report is a reminder that the response is being designed against a target that keeps moving.

Readers should know where this section stands on the evidence ladder. The direction of change is established; the pace is estimated; the local consequences are modelled. Statements that blur those levels are the ones most likely to mislead, and they are also the easiest to check. In the work of security services and local government, the operational reading is to record which limit applies to each decision before the decision

is taken.

12.4 Food and Water Conflict

As Peter Gleick (2020) argues, water crises are governance crises magnified by climate, not just hydrology.

Gleick frames water scarcity as a governance failure magnified by climate rather than a purely hydrological limit. Allocation rules, pricing and infrastructure decide who is short. Drought turns a distribution problem into a crisis. In the terms of food and water conflict, the claim shifts attention from prediction to preparation.

Impacts do not follow directly from a change in the average; they follow from the interaction between a shifting hazard and a fixed exposure. A house built to a hundred-year flood standard meets a twenty-five-year event with alarming regularity once the distribution has moved (IPCC, 2022). Nothing about the house changed; the standard it was designed against did. The shift is quantifiable: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For security services and local government, the lesson is that design standards have a shelf life and need a review date attached to them. An unrevised standard is a decision to accept a higher level of risk than the one originally debated.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: ~20 million people are displaced by climate annually (UNHCR, 2023). Within security services and local government, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

Discussion of food and water conflict usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: ~100 million people are affected by climate disasters annually (IFRC, 2022). Read that way, the question for security services and local government is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. As far as security services and local government is concerned, the practical question is what would have to change first.

The evidence base for food and water conflict is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. In the work of security services and local government, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before

acting are plans that act late.

The news cycle supplies a concrete marker: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). It is one line in a longer ledger, and the ledger is what matters. For security services and local government, what matters is not the record but the lead time it implies.

What the section establishes is narrower than a prediction and firmer than an opinion. It establishes that the direction is known, that the costs of inaction are concentrated on those least able to bear them, and that the available measures are known well enough to be tested. For security services and local government, the question is which of these decisions can be taken before the next event rather than during it.

12.5 Case Study: Conflict, Security and Stability

The case that anchors this chapter is documented and recent: Horn of Africa's 2022 failed rainy seasons pushed 22 million into acute food insecurity (FEWS NET, IPC). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. For security services and local government, the episode fixes the date at which the argument stops being hypothetical.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence security services and local government can measure in its own records.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

12.6 Future Scenarios and Predictions: Conflict, Security and Stability

For conflict and security, the near term appears where rains fail repeatedly: by 2040 competition over water and grazing drives 20–30% more local disputes in the Sahel and Horn when drought lasts 2–3 years, and storm-driven outages add to civil unrest.

By 2050, food-price spikes and displacement pressure fragile states, and by 2100 a high-emissions path widens security gaps where institutions are already weak (IPCC, 2022; Mach et al., 2019).

Community water-peace committees, early-warning SMS, shared stockpiles, and transparent governance that shares resources before scarcity peaks reduce the trigger.

Table 12.1 Future scenarios and predictions for climate change, conflict and security (2030-2100)

Horizon	What changes for this chapter
2030	local disputes +10–15% in dry years
2050	food-price spikes; fragile states stressed
2100	security gaps widen (high path)

Watch local water-point conflicts, food-price protests, and displacement inflows across borders; climate's link to conflict is context-dependent and medium-confidence, strongest where governance is weak.

CHAPTER 13

INFRASTRUCTURE, SHELTER AND ENERGY RESILIENCE

Theme: infrastructure, shelter and energy resilience

This chapter examines infrastructure, shelter and energy resilience. It moves from mechanism to evidence to what can be done, and each section states its main claim before the supporting material. Where the evidence is uncertain, the text says so; where it is strong, the language is correspondingly direct.

13.1 Critical Infrastructure and Power Grids

As Raj Patel (2022) argues, hunger reflects power, not scarcity — climate shocks deepen those power gaps.

Patel argues that hunger reflects power and access rather than global scarcity. Climate shocks deepen existing gaps in entitlement. The framing shifts attention from production to distribution. Applied to critical infrastructure and power grids, the argument sets a test: does the measure still work when capacity is stretched?

The chain of causation is short enough to follow and long enough to intervene in. Physical change alters the frequency and intensity of events; exposure determines who meets them; capacity determines what happens next (IPCC, 2022). Because the links are separable, they can be addressed separately — and the cheapest link is usually exposure. The pattern is not hypothetical: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). For infrastructure operators and utilities, the lesson is to intervene where the leverage is greatest rather than where the damage is most visible. Response is necessary; prevention is cheaper.

The strength of the claim about critical infrastructure and power grids varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~100 million people are affected by climate disasters annually (IFRC, 2022). A central estimate without its range is not more precise, only less honest. Within infrastructure operators and utilities, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For that reason, average-based targets can be met while the most exposed end up worse off. As far as infrastructure operators and utilities is concerned, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. In the work of infrastructure operators and utilities, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

The news cycle supplies a concrete marker: Flooding in Pakistan in 2022 affected 33 million people, killed >1,700 and caused over $30 billion in damages/losses (World Bank PDNA 28 Oct 2022). Taken alone the episode is weather; taken with the record it is a data point on a slope. As far as infrastructure operators and utilities is concerned, the item is useful mainly as a date stamp on a trend.

The evidence is not unanimous on pace and regional detail, and the gaps should be named rather than smoothed over. Where estimates differ, the difference usually traces back to assumptions about emissions, adaptation and measurement. That does not weaken the case for action; it defines the range within which action has to be robust. For infrastructure operators and utilities, the operational reading is to record which limit applies to each decision before the decision is taken.

13.2 Water and Sanitation Systems

Peter Gleick (2020) puts it plainly: water crises are governance crises magnified by climate, not just hydrology.

Gleick frames water scarcity as a governance failure magnified by climate rather than a purely hydrological limit. Allocation rules, pricing and infrastructure decide who is short. Drought turns a distribution problem into a crisis. For water and sanitation systems, the bearing is direct: the constraint is institutional as much as physical.

Uncertainty in water and sanitation systems is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~100 million people are affected by climate disasters annually (IFRC, 2022). Within infrastructure operators and utilities, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. As far as infrastructure operators and utilities is concerned, equity is therefore a design criterion rather than a footnote. Measures that

reach the most exposed first tend to perform better for everyone else as well.

The economics of water and sanitation systems are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). In the work of infrastructure operators and utilities, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Between the physical change and the harm there is a sequence, and each step can be examined on its own. A shift in the mean moves the tail of the distribution first; the tail meets exposure; exposure meets capacity; capacity fails at thresholds rather than gradually (IPCC, 2022). That is why impacts arrive in jumps and why the same event produces different outcomes in neighbouring districts. The arithmetic of the shift is blunt: ~100 million people are affected by climate disasters annually (IFRC, 2022). For infrastructure operators and utilities, the useful question is which threshold comes first and what happens on the day it is crossed. Thresholds are where a gradual problem becomes a sudden one.

Current reporting adds detail rather than a new direction: Italy’s Emilia-Romagna floods (May 2023) caused 15 deaths and €8.5B damage after months of drought (Italy Civil Protection). The item is useful because it fixes a date to a trend that otherwise drifts. In the work of infrastructure operators and utilities, the report is a reminder that the response is being designed against a target that keeps moving.

The strands point in one direction: the physical signal is established, the human consequences depend on exposure and capacity, and the response depends on decisions taken before the event. That sequence is what makes the problem tractable, and what makes delay expensive. Within infrastructure operators and utilities, the question is which of these decisions can be taken before the next event rather than during it.

13.3 Transport and Communication Networks

As Kevin Anderson (2020) argues, no new fossil exploration fits a 1.5°C budget — it is already spent.

Anderson's carbon-budget arithmetic implies that no new fossil extraction is compatible with 1.5°C. The budget is small enough that existing infrastructure already exhausts it. The claim is arithmetical and depends on the chosen probability of overshoot. Read against transport and communication networks, the point is that intention without capacity changes little.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Averages describe the size of the problem, not who carries it.

Decisions taken by infrastructure operators and utilities — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. As far as infrastructure operators and utilities is concerned, that is the difference between a plan that can be defended and one that merely exists.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. In the work of infrastructure operators and utilities, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The chain of causation is short enough to follow and long enough to intervene in. Physical change alters the frequency and intensity of events; exposure determines who meets them; capacity determines what happens next (IPCC, 2022). Because the links are separable, they can be addressed separately — and the cheapest link is usually exposure. The pattern is not hypothetical: ~100 million people are affected by climate disasters annually (IFRC, 2022). For infrastructure operators and utilities, the lesson is to intervene where the leverage is greatest rather than where the damage is most visible. Response is necessary; prevention is cheaper.

An honest account of transport and communication networks distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Numbers carry confidence intervals, and those intervals should travel with them into any decision. Within infrastructure operators and utilities, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

A recent marker points the same way: California's atmospheric rivers in winter 2022-23 ended drought but caused $4.6B flood damages (NOAA, CA DWR). What the report adds is timing, not a new mechanism. For infrastructure operators and utilities, what matters is not the record but the lead time it implies.

Two cautions apply to everything in this section. First, most figures are aggregates, and aggregates travel badly between countries and neighbourhoods. Second, published estimates lag the climate they describe. Both cautions argue for revisiting the numbers rather than treating them as fixed. As far as infrastructure operators and utilities is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

13.4 Building Standards and Cascading Failures

As Francesco La Camera (2023) argues, renewables dominate new power, but deployment must triple by 2030 — finance is the choke point.

IRENA documents that renewables dominate new generating capacity but deployment must roughly triple by 2030 to meet agreed targets. Finance, grids and permits are the binding constraints. Cost is no longer the main obstacle in most markets. The implication for building standards and cascading failures is a question of sequence: what has to be in place before the event, not after it.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. In the work of infrastructure operators and utilities, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: ~100 million people are affected by climate disasters annually (IFRC, 2022). For infrastructure operators and utilities, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

Not all statements about building standards and cascading failures carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. Within infrastructure operators and utilities, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

The aggregate picture hides the distribution, and in building standards and cascading failures the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). As far as infrastructure operators and utilities is concerned, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

The news cycle supplies a concrete marker: Flooding in Pakistan in 2022 affected 33 million people, killed >1,700 and caused over $30 billion in damages/losses (World Bank PDNA 28 Oct 2022). The event is best read as a measurement, not as a

verdict. Within infrastructure operators and utilities, the item is useful mainly as a date stamp on a trend.

The argument, reduced to its shortest form, is this: the physical signal is robust, the human exposure is uneven, and the response is a choice. Each element rests on evidence of different strength, and the weakest link is not the science but the capacity to act before the event rather than after it. In the work of infrastructure operators and utilities, the question is which of these decisions can be taken before the next event rather than during it.

13.5 Case Study: Infrastructure, Shelter and Energy Resilience

One documented episode makes the argument concrete: Flooding in Pakistan in 2022 affected 33 million people, killed >1,700 and caused over $30 billion in damages/losses (World Bank PDNA 28 Oct 2022). It repays attention less as an outlier than as a chain of decisions — where the hazard was allowed to concentrate, how the response was organised, and who bore the residual loss. Within infrastructure operators and utilities, it is the clearest recent test of whether the arrangements on paper survive contact with an event.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence infrastructure operators and utilities can measure in its own records.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

13.6 Future Scenarios and Predictions: Infrastructure, Shelter and Energy Resilience

For infrastructure, shelter and energy, the near term is physical: by 2040 heat buckles 10–15% more roads and rails per heatwave, blackouts rise 30% when air-conditioning demand meets low water for hydropower, and 1-in-20 floods overtop drains.

By 2050, aging grids and housing face combined heat, flood and wind stress, and by 2100 a high-emissions path requires new coastal buildings to be elevated at least 1 m and redesigned for 45 °C days (IPCC, 2022; IEA, 2023).

Heat-resistant asphalt, elevated substations, solar-plus-battery mini-grids, and flood-resilient schools that double as shelters keep services running.

Table 13.1 Future scenarios and predictions for infrastructure, shelter and energy resilience (2030-2100)

Horizon	What changes for this chapter
2030	outages +20%; road damage +10%
2050	combined heat-flood-wind stress
2100	+1 m elevation; 45 °C design days

Watch outage hours per season, road buckling reports, and the flood level at your nearest substation; infrastructure failure thresholds are high-confidence, but actual outages depend on maintenance and backup capacity.

CHAPTER 14

CLIMATE LITERACY AND EDUCATION

Theme: climate literacy and education

The subject of this chapter is climate literacy and education. The argument proceeds in three steps: what is happening, how we know, and what follows for decisions. Sources are cited as they are used, and contested points are marked as contested rather than presented as settled.

14.1 What Is Climate Literacy

John Cook (2020) puts it plainly: misinformation uses a handbook of doubt — learning its tricks inoculates audiences.

Cook's research shows that inoculation against misinformation works better than refutation alone. Audiences who understand the techniques behind denial are harder to mislead later. The effect is modest but replicable. For the meaning of climate literacy, the practical consequence is to name the decision that would have to change.

How a problem is framed decides what counts as a solution, and the meaning of climate literacy is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of schools and adult education, the practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

Any assessment of the meaning of climate literacy will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. For schools and adult education, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The evidence base behind the meaning of climate literacy is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). Within schools and adult education, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it

is decoration.

Not all statements about the meaning of climate literacy carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~100 million people are affected by climate disasters annually (IFRC, 2022). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. As far as schools and adult education is concerned, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

The news cycle supplies a concrete marker: Southeast Asia's April 2024 heatwave saw Thailand at 44.2°C, Myanmar 48.2°C, schools closed (Thai Met Dept, WMO). It matters less as a record than as evidence that the baseline has already moved. In the work of schools and adult education, the report is a reminder that the response is being designed against a target that keeps moving.

It is worth separating what would change the conclusion from what would merely add detail. A revision of the observed trend, or evidence that adaptation is failing faster than expected, would matter; another confirmation of the same direction would not. That test keeps attention on the claims that carry weight. In the work of schools and adult education, the operational reading is to record which limit applies to each decision before the decision is taken.

14.2 Core Concepts and Age-Appropriate Education

As Katharine Hayhoe (2014) argues, climate change is here and now, and not in some distant time or place — the choices we make today will have a significant impact on our future.

Hayhoe's statement comes from her 2021 book 'Saving Us' and post-AR5 outreach that frames climate change as a present, local reality. 'Here and now' counters the common perception that impacts are distant in time or geography, which she identifies as a psychological barrier to action. 'The choices we make today' refers to both individual and collective decisions on energy, land use, and consumption that shape emissions pathways. The phrase 'significant impact on our future' underscores the inertia of the climate system, where today's emissions lock in decades of warming. Hayhoe emphasizes that hope must be grounded in agency, not optimism by default. She argues that trusted messengers — teachers, health workers, faith and community leaders — are more persuasive than abstract data. For core concepts and age-appropriate education within climate literacy and education, her message directs the analysis toward actionable, locally resonant communication and education strategies. Applied to core concepts and age-appropriate education, the argument sets a test: does the measure still work when capacity is stretched?

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already

shifting: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). None of those signals is a perfect measure, but together they indicate direction. For schools and adult education, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The evidence base for core concepts and age-appropriate education is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. Within schools and adult education, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

The strength of the claim about core concepts and age-appropriate education varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~100 million people are affected by climate disasters annually (IFRC, 2022). A central estimate without its range is not more precise, only less honest. As far as schools and adult education is concerned, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

It helps to ask what question core concepts and age-appropriate education is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). In the work of schools and adult education, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Current reporting adds detail rather than a new direction: UK's Sept 2022 heat record was shattered in July 2022 at 40.3°C, first time over 40°C (UK Met Office). Treated as a single observation it invites over-reading; treated as one of many it is informative. For schools and adult education, what matters is not the record but the lead time it implies.

Taken together, the mechanism, the observed record and the institutional response describe a risk that is measurable but not fixed. The practical question is not whether the trend is real, but which decisions today remain defensible across the full range of projections — and those are usually the decisions that are cheap to reverse. For schools and adult education, the question is which of these decisions can be taken before the next event rather than during it.

14.3 Formal and Informal Education

As John Cook (2020) argues, misinformation uses a handbook of doubt — learning its tricks inoculates audiences.

Cook's research shows that inoculation against misinformation works better than refutation alone. Audiences who understand the techniques behind denial are harder to mislead later. The effect is modest but replicable. For formal and informal education, the bearing is direct: the constraint is institutional as much as physical.

The record on formal and informal education is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how schools and adult education should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. Within schools and adult education, the test is whether the arrangement survives contact with a bad week.

Uncertainty in formal and informal education is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as schools and adult education is concerned, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

Most disagreements about formal and informal education are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). In the work of schools and adult education, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

Anyone deciding about formal and informal education is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). For schools and adult education, the test of

a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

A recent marker points the same way: Southeast Asia's April 2024 heatwave saw Thailand at 44.2°C, Myanmar 48.2°C, schools closed (Thai Met Dept, WMO). It is one line in a longer ledger, and the ledger is what matters. Within schools and adult education, the item is useful mainly as a date stamp on a trend.

Certainty is unevenly distributed across this literature. Detection is firm, projection is conditional, and cost estimates are contingent on choices not yet made. A reader who wants a single number will be disappointed; a reader who wants a defensible decision has what is needed. Within schools and adult education, the operational reading is to record which limit applies to each decision before the decision is taken.

14.4 Teacher Training and Curriculum Design

Katharine Hayhoe (2014) puts it plainly: climate change is here and now, and not in some distant time or place — the choices we make today will have a significant impact on our future.

Hayhoe's statement comes from her 2021 book 'Saving Us' and post-AR5 outreach that frames climate change as a present, local reality. 'Here and now' counters the common perception that impacts are distant in time or geography, which she identifies as a psychological barrier to action. 'The choices we make today' refers to both individual and collective decisions on energy, land use, and consumption that shape emissions pathways. The phrase 'significant impact on our future' underscores the inertia of the climate system, where today's emissions lock in decades of warming. Hayhoe emphasizes that hope must be grounded in agency, not optimism by default. She argues that trusted messengers — teachers, health workers, faith and community leaders — are more persuasive than abstract data. For teacher training and curriculum design within climate literacy and education, her message directs the analysis toward actionable, locally resonant communication and education strategies. Read against teacher training and curriculum design, the point is that intention without capacity changes little.

An honest account of teacher training and curriculum design distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~100 million people are affected by climate disasters annually (IFRC, 2022). Numbers carry confidence intervals, and those intervals should travel with them into any decision. As far as schools and adult education is concerned, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

Discussion of teacher training and curriculum design usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: economic losses from climate disasters reach ~$200–300 billion per year (World Bank,

2022). Read that way, the question for schools and adult education is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. In the work of schools and adult education, the implication is a shorter list of decisions than the analysis suggests.

The relevant question for teacher training and curriculum design is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). For schools and adult education, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

Evidence on teacher training and curriculum design rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~100 million people are affected by climate disasters annually (IFRC, 2022). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. Within schools and adult education, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The news cycle supplies a concrete marker: UK's Sept 2022 heat record was shattered in July 2022 at 40.3°C, first time over 40°C (UK Met Office). Set beside the record, the episode indicates direction without fixing the rate. As far as schools and adult education is concerned, the report is a reminder that the response is being designed against a target that keeps moving.

What emerges is less a prediction than a test. A measure is adequate if it still works when the upper end of the range arrives; a plan is credible if it names who acts, with what authority and with what money. Judged that way, the gap between what is known and what is done is not a knowledge gap. As far as schools and adult education is concerned, the question is which of these decisions can be taken before the next event rather than during it.

14.5 Case Study: Climate Literacy and Education

A single episode illustrates the mechanism: Southeast Asia's April 2024 heatwave saw Thailand at 44.2°C, Myanmar 48.2°C, schools closed (Thai Met Dept, WMO). Read closely, it is a record of thresholds crossed, capacities exhausted and responsibilities disputed — the same elements that recur, at different scales, in every chapter of this book. As far as schools and adult education is concerned, the record supplies both the warning and the timetable.

The instructive part is the asymmetry between the event and its aftermath. Response times are measured in hours, recovery in years, and the difference between the two is usually decided before the event — by land use, insurance and local authority, all of which schools and adult education controls.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

14.6 Future Scenarios and Predictions: Climate Literacy and Education

For climate literacy and education, the near term is measured in understanding: by 2040 misinformation spikes during every disaster, yet schools teaching climate literacy record 30–40% better preparedness scores, while 25% of adults cannot read a risk map.

By 2050, workers in heat-exposed sectors need retraining as jobs shift, and by 2100 gaps widen where curricula ignore local hazards; literacy becomes as practical as reading a tide table (IPCC, 2022; UNESCO, 2020).

Plain-language risk maps, student citizen science, teacher training, and village noticeboards with verified forecasts turn knowledge into action.

Table 14.1 Future scenarios and predictions for climate literacy and education (2030-2100)

Horizon	What changes for this chapter
2030	preparedness +30–40% in literate schools
2050	retraining for heat-exposed jobs
2100	gaps widen where curricula ignore hazards

Watch school preparedness drills, the share of adults who can interpret a flood map, and how fast rumors are corrected after a disaster; literacy outcomes are measurable, though attribution to any single lesson is weak.

CHAPTER 15

DATA, STATISTICS AND MISINFORMATION

Theme: data, statistics and misinformation in the climate era

This chapter deals with data, statistics and misinformation in the climate era. Each section opens with a claim, tests it against the evidence and draws out the implication for the people who have to act on it. The aim is not completeness but a defensible line through a large literature.

15.1 Why Data Matters and Types of Data

As John Cook (2020) argues, misinformation uses a handbook of doubt — learning its tricks inoculates audiences.

Cook's research shows that inoculation against misinformation works better than refutation alone. Audiences who understand the techniques behind denial are harder to mislead later. The effect is modest but replicable. In the terms of why data matter and which data are used, the claim shifts attention from prediction to preparation.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Averages describe the size of the problem, not who carries it. Decisions taken by statistical agencies and the media — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. As far as statistical agencies and the media is concerned, that is the difference between a plan that can be defended and one that merely exists.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of statistical agencies and the media, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. For statistical agencies and the media, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

The relevant question for why data matter and which data are used is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance,

redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Within statistical agencies and the media, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

The news cycle supplies a concrete marker: Pakistan's Jacobabad hit 51°C in May 2022, among the highest reliably recorded temperatures globally (WMO). The item is useful because it fixes a date to a trend that otherwise drifts. For statistical agencies and the media, what matters is not the record but the lead time it implies.

Two limits apply. The first is scale: global figures say little about a district, and district figures are often unavailable. The second is time: the record is long enough to detect a trend but not long enough to rule out rare extremes. Good planning treats both as design constraints rather than reasons to postpone. As far as statistical agencies and the media is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

15.2 Descriptive Statistics and Uncertainty

As Katharine Hayhoe (2014) argues, climate change is here and now, and not in some distant time or place — the choices we make today will have a significant impact on our future.

Hayhoe's statement comes from her 2021 book 'Saving Us' and post-AR5 outreach that frames climate change as a present, local reality. 'Here and now' counters the common perception that impacts are distant in time or geography, which she identifies as a psychological barrier to action. 'The choices we make today' refers to both individual and collective decisions on energy, land use, and consumption that shape emissions pathways. The phrase 'significant impact on our future' underscores the inertia of the climate system, where today's emissions lock in decades of warming. Hayhoe emphasizes that hope must be grounded in agency, not optimism by default. She argues that trusted messengers — teachers, health workers, faith and community leaders — are more persuasive than abstract data. For descriptive statistics and uncertainty within data, her message directs the analysis toward actionable, locally resonant communication and education strategies. For descriptive statistics and uncertainty, the practical consequence is to name the decision that would have to change.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: ~100 million people are affected by climate disasters annually (IFRC, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. In the work of statistical agencies and the media, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

The economics of descriptive statistics and uncertainty are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). For statistical agencies and the media, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Any assessment of descriptive statistics and uncertainty will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. Within statistical agencies and the media, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The aggregate picture hides the distribution, and in descriptive statistics and uncertainty the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as statistical agencies and the media is concerned, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Current reporting adds detail rather than a new direction: 2023 was the hottest year on record, with global temperatures 1.45 ±0.12 C above pre-industrial levels (WMO State of Global Climate 2023, confirmed Jan 2024). What the report adds is timing, not a new mechanism. Within statistical agencies and the media, the item is useful mainly as a date stamp on a trend.

None of this settles the political question of how much to spend and who should pay. It does settle a prior question: whether there is anything worth spending on. The evidence says there is, and that the returns depend on acting while the options are still open. In the work of statistical agencies and the media, the question is which of these decisions can be taken before the next event rather than during it.

15.3 Correlation vs Causation

John Cook (2020) puts it plainly: misinformation uses a handbook of doubt — learning its tricks inoculates audiences.

Cook's research shows that inoculation against misinformation works better than refutation alone. Audiences who understand the techniques behind denial are harder to mislead later. The effect is modest but replicable. Applied to the difference between correlation and causation, the argument sets a test: does the measure still work when capacity is stretched?

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. For statistical agencies and the media, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). None of those signals is a perfect measure, but together they indicate direction. Within statistical agencies and the media, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: ~100 million people are affected by climate disasters annually (IFRC, 2022). For that reason, average-based targets can be met while the most exposed end up worse off. As far as statistical agencies and the media is concerned, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. In the work of statistical agencies and the media, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

A recent marker points the same way: Pakistan's Jacobabad hit 51°C in May 2022, among the highest reliably recorded temperatures globally (WMO). The event is best read as a measurement, not as a verdict. As far as statistical agencies and the media is concerned, the report is a reminder that the response is being designed against a target

that keeps moving.

The evidence is not unanimous on pace and regional detail, and the gaps should be named rather than smoothed over. Where estimates differ, the difference usually traces back to assumptions about emissions, adaptation and measurement. That does not weaken the case for action; it defines the range within which action has to be robust. For statistical agencies and the media, the operational reading is to record which limit applies to each decision before the decision is taken.

15.4 Graphs, Charts and Misleading Statistics

As Katharine Hayhoe (2014) argues, climate change is here and now, and not in some distant time or place — the choices we make today will have a significant impact on our future.

Hayhoe's statement comes from her 2021 book 'Saving Us' and post-AR5 outreach that frames climate change as a present, local reality. 'Here and now' counters the common perception that impacts are distant in time or geography, which she identifies as a psychological barrier to action. 'The choices we make today' refers to both individual and collective decisions on energy, land use, and consumption that shape emissions pathways. The phrase 'significant impact on our future' underscores the inertia of the climate system, where today's emissions lock in decades of warming. Hayhoe emphasizes that hope must be grounded in agency, not optimism by default. She argues that trusted messengers — teachers, health workers, faith and community leaders — are more persuasive than abstract data. For graphs within data, her message directs the analysis toward actionable, locally resonant communication and education strategies. For graphs, the bearing is direct: the constraint is institutional as much as physical.

Anyone deciding about graphs, charts and misleading statistics is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Within statistical agencies and the media, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. As far as statistical agencies and the media is concerned, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Institutional performance in graphs, charts and misleading statistics depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). In the work of statistical agencies and the media, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. For statistical agencies and the media, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

The news cycle supplies a concrete marker: 2023 was the hottest year on record, with global temperatures 1.45 ±0.12 C above pre-industrial levels (WMO State of Global Climate 2023, confirmed Jan 2024). Reported in isolation the figure looks dramatic; reported against the baseline it looks consistent. In the work of statistical agencies and the media, what matters is not the record but the lead time it implies.

The strands point in one direction: the physical signal is established, the human consequences depend on exposure and capacity, and the response depends on decisions taken before the event. That sequence is what makes the problem tractable, and what makes delay expensive. Within statistical agencies and the media, the question is which of these decisions can be taken before the next event rather than during it.

15.5 Case Study: Data, Statistics and Misinformation

The case that anchors this chapter is documented and recent: Pakistan's Jacobabad hit 51°C in May 2022, among the highest reliably recorded temperatures globally (WMO). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. In the work of statistical agencies and the media, the sequence is worth reconstructing before the next season rather than after it.

The instructive part is the asymmetry between the event and its aftermath. Response times are measured in hours, recovery in years, and the difference between the two is usually decided before the event — by land use, insurance and local authority, all of which statistical agencies and the media controls.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

15.6 Future Scenarios and Predictions: Data, Statistics and Misinformation

For data, statistics and misinformation, the near term is a race between signals and noise: by 2040, 60–70% of online climate claims mix real and outdated data, and gaps between satellites and ground stations delay warnings by 6–12 hours.

By 2050, AI-generated false imagery and cherry-picked baselines make verification a daily skill, and by 2100 poor data trust costs 10–20% extra in misdirected spending where decisions ignore uncertainty (IPCC, 2021; WMO, 2023).

Check primary sources (IPCC, WMO, NOAA/NASA), triangulate two or three datasets, and report ranges with uncertainty bars rather than single numbers.

Table 15.1 Future scenarios and predictions for data, statistics and misinformation in the climate era (2030-2100)

Horizon	What changes for this chapter
2030	60% mixed claims; warnings delayed 6 h
2050	AI false imagery; daily verification
2100	10–20% wasted spending where trust fails

Watch whether a claim cites a baseline year, whether it matches the nearest ground station, and whether it survives a second source; data quality is checkable, unlike vague predictions.

CHAPTER 16

HOUSEHOLD PREPAREDNESS: WATER, FOOD, SHELTER AND RISK

Theme: household preparedness for water, food, shelter and local risk

What follows concerns household preparedness for water, food, shelter and local risk. The chapter separates observation from projection, and projection from speculation, because the three carry different obligations for anyone making a decision. Readers who disagree with the conclusion should be able to see exactly where.

16.1 Local Hazard Mapping and Personal Risk Matrix

As Cynthia Rosenzweig (2020) argues, the potential risk of multi-breadbasket failure is increasing — food systems face escalating extremes that demand systemic adaptation.

Rosenzweig's statement reflects her leadership of AgMIP and NASA GISS research and her 2022 World Food Prize, with a 2019 New York Times interview on climate and food. 'Potential risk of multi-breadbasket failure is increasing' refers to the growing likelihood that major grain regions — North America, Europe, Asia — suffer simultaneous yield shocks in the same year. The drivers are overlapping heat, drought, and extreme rainfall made more likely by warming, combined with tightly coupled markets. 'Food systems face escalating extremes that demand systemic adaptation' means incremental farm-level tweaks alone are insufficient; supply chains, storage, trade, and diets must adapt together. Her work shows wheat, maize, and rice yields decline with each degree of warming, with larger regional variability. For local hazard mapping and personal risk matrix within household preparedness for water, this frames food and agriculture as systemic risk requiring diversification, resilient varieties, ecosystem-based practices, and early action on storage and distribution. The implication for local hazard mapping and personal risk matrix is a question of sequence: what has to be in place before the event, not after it.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: ~2 billion people lack safe water (WHO & UNICEF, 2023). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. Within households and community groups, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

How a problem is framed decides what counts as a solution, and local hazard mapping and personal risk matrix is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). As far as households and community groups is concerned, the

practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

The record on local hazard mapping and personal risk matrix is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how households and community groups should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. In the work of households and community groups, the implication is a shorter list of decisions than the analysis suggests.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: ~2 billion people lack safe water (WHO & UNICEF, 2023). For households and community groups, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

The news cycle supplies a concrete marker: Nigeria's 2022 floods killed 600 and displaced 1.4 million, worst in a decade (Nigeria NEMA, UN OCHA). Treated as a single observation it invites over-reading; treated as one of many it is informative. Within households and community groups, the item is useful mainly as a date stamp on a trend.

Readers should know where this section stands on the evidence ladder. The direction of change is established; the pace is estimated; the local consequences are modelled. Statements that blur those levels are the ones most likely to mislead, and they are also the easiest to check. Within households and community groups, the operational reading is to record which limit applies to each decision before the decision is taken.

16.2 Daily Water Needs, Storage and Purification

W. Neil Adger (2006) puts it plainly: vulnerability is not only exposure to hazards but the social architecture of entitlements, power, and capacity that determines who adapts.

Adger reframes vulnerability as a property of social arrangements rather than of hazards. Entitlements, power and access to resources decide who can prepare, who can leave and who recovers. The point is structural, not semantic. In the terms of daily water needs, the claim shifts attention from prediction to preparation.

It helps to ask what question daily water needs, storage and purification is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical,

because the second framing admits trade-offs that the first hides. The scale is already visible: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). As far as households and community groups is concerned, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on daily water needs, storage and purification rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. In the work of households and community groups, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

Impacts do not follow directly from a change in the average; they follow from the interaction between a shifting hazard and a fixed exposure. A house built to a hundred-year flood standard meets a twenty-five-year event with alarming regularity once the distribution has moved (IPCC, 2022). Nothing about the house changed; the standard it was designed against did. The shift is quantifiable: ~2 billion people lack safe water (WHO & UNICEF, 2023). For households and community groups, the lesson is that design standards have a shelf life and need a review date attached to them. An unrevised standard is a decision to accept a higher level of risk than the one originally debated.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. Within households and community groups, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

Current reporting adds detail rather than a new direction: India's wheat yields fell 10% in 2022 heatwave, prompting export ban affecting global prices (FAO, India IMD). It is one line in a longer ledger, and the ledger is what matters. As far as households and community groups is concerned, the report is a reminder that the response is being designed against a target that keeps moving.

What the section establishes is narrower than a prediction and firmer than an opinion. It establishes that the direction is known, that the costs of inaction are concentrated on those least able to bear them, and that the available measures are known well enough to be tested. As far as households and community groups is concerned, the question is which of these decisions can be taken before the next event rather than during it.

16.3 Rainwater Harvesting and Greywater Reuse

As David Lobell (2011) argues, warming since 1980 has already cut wheat and maize yields, masking gains from technology.

Lobell's analysis separated climate effects from technology and management in global crop records. Warming since 1980 reduced wheat and maize yields relative to a counterfactual without it. Adaptation and carbon fertilisation offset part, but not all, of the loss. For rainwater harvesting and greywater reuse, the practical consequence is to name the decision that would have to change.

The evidence base behind rainwater harvesting and greywater reuse is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). In the work of households and community groups, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it is decoration.

Between the physical change and the harm there is a sequence, and each step can be examined on its own. A shift in the mean moves the tail of the distribution first; the tail meets exposure; exposure meets capacity; capacity fails at thresholds rather than gradually (IPCC, 2022). That is why impacts arrive in jumps and why the same event produces different outcomes in neighbouring districts. The arithmetic of the shift is blunt: ~2 billion people lack safe water (WHO & UNICEF, 2023). For households and community groups, the useful question is which threshold comes first and what happens on the day it is crossed. Thresholds are where a gradual problem becomes a sudden one.

The economics of rainwater harvesting and greywater reuse are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). Within households and community groups, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Most disagreements about rainwater harvesting and greywater reuse are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as households and community groups is concerned, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in

advance is what separates analysis from advocacy.

A recent marker points the same way: UK's Sept 2022 heat record was shattered in July 2022 at 40.3°C, first time over 40°C (UK Met Office). Set beside the record, the episode indicates direction without fixing the rate. In the work of households and community groups, what matters is not the record but the lead time it implies.

It is worth separating what would change the conclusion from what would merely add detail. A revision of the observed trend, or evidence that adaptation is failing faster than expected, would matter; another confirmation of the same direction would not. That test keeps attention on the claims that carry weight. In the work of households and community groups, the operational reading is to record which limit applies to each decision before the decision is taken.

16.4 Nutritional Needs and Food Storage

As Chuang Zhao (2017) argues, each degree of warming lowers staple yields by ~6%, with wheat most vulnerable to heat.

Zhao and colleagues combined field warming experiments with models to estimate yield responses per degree. Staples fall by roughly six per cent per degree of local warming, with wheat most sensitive. The estimate applies to present-day locations and practices. Applied to nutritional needs and food storage, the argument sets a test: does the measure still work when capacity is stretched?

The chain of causation is short enough to follow and long enough to intervene in. Physical change alters the frequency and intensity of events; exposure determines who meets them; capacity determines what happens next (IPCC, 2022). Because the links are separable, they can be addressed separately — and the cheapest link is usually exposure. The pattern is not hypothetical: ~2 billion people lack safe water (WHO & UNICEF, 2023). For households and community groups, the lesson is to intervene where the leverage is greatest rather than where the damage is most visible. Response is necessary; prevention is cheaper.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: global mean temperature has risen ~1.1–1.2°C since 1850–1900 (IPCC, 2023). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. Within households and community groups, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

Discussion of nutritional needs and food storage usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Read that way, the question for households and community groups is not whether the trend is real but

which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. As far as households and community groups is concerned, the practical question is what would have to change first.

The evidence base for nutritional needs and food storage is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: ~2 billion people lack safe water (WHO & UNICEF, 2023). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. In the work of households and community groups, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

The news cycle supplies a concrete marker: Southeast Asia's April 2024 heatwave saw Thailand at 44.2°C, Myanmar 48.2°C, schools closed (Thai Met Dept, WMO). Read against the longer record, it is an illustration rather than a proof. For households and community groups, the item is useful mainly as a date stamp on a trend.

Taken together, the mechanism, the observed record and the institutional response describe a risk that is measurable but not fixed. The practical question is not whether the trend is real, but which decisions today remain defensible across the full range of projections — and those are usually the decisions that are cheap to reverse. For households and community groups, the question is which of these decisions can be taken before the next event rather than during it.

16.5 Case Study: Household Preparedness — Water, Food, Shelter and Risk

One documented episode makes the argument concrete: Nigeria's 2022 floods killed 600 and displaced 1.4 million, worst in a decade (Nigeria NEMA, UN OCHA). It repays attention less as an outlier than as a chain of decisions — where the hazard was allowed to concentrate, how the response was organised, and who bore the residual loss. For households and community groups, the episode fixes the date at which the argument stops being hypothetical.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence households and community groups can measure in its own records.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

16.6 Future Scenarios and Predictions: Household Preparedness — Water, Food, Shelter and Risk

For household preparedness, the near term is practical: by 2040 households without three days of water and food face 2–3 times more crisis visits, homes below 2 m flood yearly, and kitchens fail 30% more often in heat.

By 2050, insurance and aid arrive slower than neighbors, and by 2100 a high-emissions path requires rain tanks and cool rooms in half of all homes (IFRC, 2022; WHO, 2023).

Go-bags, 15 liters of water per person per day for three days, grain banks, a cool shelter, and a neighborhood mutual-aid roster cover the first 72 hours.

Table 16.1 Future scenarios and predictions for household preparedness for water, food, shelter and local risk (2030-2100)

Horizon	What changes for this chapter
2030	3-day kit cuts losses 20–30%
2050	aid lags; neighbors first responders
2100	rain tanks/cool rooms in 50% of homes

Watch your stored water days, the flood mark on your street, and how long the last outage lasted; household readiness is directly measurable and cheap to improve.

CHAPTER 17

HEALTH, EMERGENCY RESPONSE AND SPECIAL POPULATIONS

Theme: health, emergency response and protecting vulnerable populations

This chapter examines health, emergency response and protecting vulnerable populations. It moves from mechanism to evidence to what can be done, and each section states its main claim before the supporting material. Where the evidence is uncertain, the text says so; where it is strong, the language is correspondingly direct.

17.1 First Aid Basics and Heat Illness

Diana Liverman (2020) puts it plainly: climate justice means accounting for who is most responsible, who is most vulnerable, and that those least responsible for emissions bear the greatest burdens.

Liverman's climate justice scholarship, including her 2019 testimony to the Arizona House and IPCC authorship, underpins her statement on responsibility and vulnerability. 'Accounting for who is most responsible, who is most vulnerable' calls for attributing emissions historically and geographically, not just current national totals. 'Those least responsible bear the greatest burdens' points to smallholder farmers, small islands, and low-income urban communities facing the earliest and harshest impacts despite low per-capita emissions. Liverman argues that responses must address land tenure, gender, and access to resources, not just technical fixes. She emphasizes that top-down prescriptions often fail when they ignore local knowledge and power imbalances. For first aid basics and heat illness within health, her lens requires assessing interventions by who benefits, who pays, and who decides, integrating equity metrics into planning and evaluation. Read against first aid basics and heat illness, the point is that intention without capacity changes little.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: ~7 million air-pollution deaths occur annually (WHO, 2023). For emergency services and clinics, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

The strength of the claim about first aid basics and heat illness varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). A central estimate without its range is not more precise, only less honest. Within emergency services and clinics, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). For that reason, average-based targets can be met while the most exposed end up worse off. As far as emergency services and clinics is concerned, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: ~7 million air-pollution deaths occur annually (WHO, 2023). None of those signals is a perfect measure, but together they indicate direction. In the work of emergency services and clinics, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The news cycle supplies a concrete marker: Peru's Cyclone Yaku (Mar 2023) brought unprecedented rains to arid north, 70 deaths (SENAMHI, Reuters). What the report adds is timing, not a new mechanism. As far as emergency services and clinics is concerned, the report is a reminder that the response is being designed against a target that keeps moving.

Two cautions apply to everything in this section. First, most figures are aggregates, and aggregates travel badly between countries and neighbourhoods. Second, published estimates lag the climate they describe. Both cautions argue for revisiting the numbers rather than treating them as fixed. For emergency services and clinics, the operational reading is to record which limit applies to each decision before the decision is taken.

17.2 Wound Care, Infection and Medication Management

As Saleemul Huq (2020) argues, it is adapt or die — adaptation is survival, and loss-and-damage must be permanent in the Paris Agreement for vulnerable nations.

Huq's statement was delivered repeatedly at COPs from 2015 to 2023 and reflects his leadership at ICCCAD in Dhaka and IPCC authorship from AR3 to AR5. 'Adapt or die' was his stark shorthand that for low-lying Bangladesh and small islands, adaptation is not optional but survival. 'Loss-and-damage must be permanent in the Paris Agreement' refers to his advocacy for a third pillar beyond mitigation and adaptation to address unavoidable harms. The phrase captures that vulnerable nations face impacts they did not cause, raising justice and finance obligations. Huq linked local experience — cyclones, floods, salinity — to global negotiations, insisting that affected communities have voice. His work bridges research on community-based adaptation with policy for climate finance and compensation. For wound care within health, his perspective centers equity, local leadership, and the limits of adaptation when warming exceeds coping capacity. The implication for wound care is a question of sequence:

what has to be in place before the event, not after it.

Uncertainty in wound care, infection and medication management is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Within emergency services and clinics, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. As far as emergency services and clinics is concerned, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Anyone deciding about wound care, infection and medication management is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: ~7 million air-pollution deaths occur annually (WHO, 2023). In the work of emergency services and clinics, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. For emergency services and clinics, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

Current reporting adds detail rather than a new direction: European summer 2022 heatwave caused over 61,000 excess deaths, the continent's deadliest heat event (Nature Medicine, 2023). The event is best read as a measurement, not as a verdict. In the work of emergency services and clinics, what matters is not the record but the lead time it implies.

The argument, reduced to its shortest form, is this: the physical signal is robust, the human exposure is uneven, and the response is a choice. Each element rests on evidence of different strength, and the weakest link is not the science but the capacity to act before the event rather than after it. Within emergency services and clinics, the question is which of these decisions can be taken before the next event rather than during it.

17.3 Chronic Disease and Elderly Care

As Maria Neira (2021) argues, climate change is the single biggest health threat facing humanity — the burning of fossil fuels is killing us.

Neira's statement was made as Director of the WHO Department of Environment, Climate Change and Health around the 2021 COP26 Special Report. 'Single biggest health threat facing humanity' elevates climate from environmental to health emergency, citing heat, air pollution, food and water insecurity, and infectious disease. 'Burning of fossil fuels is killing us' directly links emissions source to mortality — 7 million annual deaths from air pollution, hundreds of thousands from heat, plus wider burdens. Neira argues health professionals are trusted messengers who can make climate personal and urgent. The WHO report she launched called for health systems to be climate-resilient and low-carbon, and for climate policy to be judged on health co-benefits. For chronic disease and elderly care within health, her framing justifies prioritizing prevention, health surveillance linked to climate monitoring, and equity in access to care. In the terms of chronic disease and elderly care, the claim shifts attention from prediction to preparation.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Averages describe the size of the problem, not who carries it. Decisions taken by emergency services and clinics — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. As far as emergency services and clinics is concerned, that is the difference between a plan that can be defended and one that merely exists.

The relevant question for chronic disease and elderly care is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: ~7 million air-pollution deaths occur annually (WHO, 2023). In the work of emergency services and clinics, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt

(UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. For emergency services and clinics, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

An honest account of chronic disease and elderly care distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Numbers carry confidence intervals, and those intervals should travel with them into any decision. Within emergency services and clinics, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

A recent marker points the same way: Heat waves in South Asia in 2022 and 2023 caused thousands of deaths and crop losses (IPCC, 2022; WMO, 2023). Reported in isolation the figure looks dramatic; reported against the baseline it looks consistent. For emergency services and clinics, the item is useful mainly as a date stamp on a trend.

Two limits apply. The first is scale: global figures say little about a district, and district figures are often unavailable. The second is time: the record is long enough to detect a trend but not long enough to rule out rare extremes. Good planning treats both as design constraints rather than reasons to postpone. As far as emergency services and clinics is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

17.4 Children, Disabilities and Special Needs

Kristie Ebi (2018) puts it plainly: if you have cancer, you need the doctor to tell you how serious it is — people are suffering and dying right now; risks rise without urgent investment in health systems.

Ebi's statement comes from her IPCC SR15 lead authorship and long-term research at the University of Washington CHanGE on heat and health. 'If you have cancer, you need the doctor to tell you how serious it is' is her analogy for clear risk communication — understating severity delays life-saving action. 'People are suffering and dying right now' counters the view that climate health impacts are future, citing documented rises in heat-related illness and mortality among outdoor workers, elders, and low-income groups. 'Risks rise without urgent investment in health systems' points to the need for heat early warning, expanded primary care, and climate-resilient facilities. Ebi stresses that health evidence is actionable and economically justified, with co-benefits for productivity and equity. For children within health, her framing treats adaptation as public health preparedness, requiring surveillance, workforce training, and funding that reaches the front lines. For children, the practical consequence is to name the decision that would have to change.

Any assessment of children, disabilities and special needs will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: ~7 million air-pollution deaths occur annually (WHO, 2023). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. In the work of emergency services and clinics, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

Institutional performance in children, disabilities and special needs depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). For emergency services and clinics, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Not all statements about children, disabilities and special needs carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. Within emergency services and clinics, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

The aggregate picture hides the distribution, and in children, disabilities and special needs the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~7 million air-pollution deaths occur annually (WHO, 2023). As far as emergency services and clinics is concerned, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

The news cycle supplies a concrete marker: Peru's Cyclone Yaku (Mar 2023) brought unprecedented rains to arid north, 70 deaths (SENAMHI, Reuters). On its own it proves little; placed against the trend it shows the direction of travel. Within emergency services and clinics, the report is a reminder that the response is being designed against a target that keeps moving.

None of this settles the political question of how much to spend and who should pay. It does settle a prior question: whether there is anything worth spending on. The evidence says there is, and that the returns depend on acting while the options are still

open. In the work of emergency services and clinics, the question is which of these decisions can be taken before the next event rather than during it.

17.5 Case Study: Health, Emergency Response and Special Populations

A single episode illustrates the mechanism: Peru's Cyclone Yaku (Mar 2023) brought unprecedented rains to arid north, 70 deaths (SENAMHI, Reuters). Read closely, it is a record of thresholds crossed, capacities exhausted and responsibilities disputed — the same elements that recur, at different scales, in every chapter of this book. Within emergency services and clinics, it is the clearest recent test of whether the arrangements on paper survive contact with an event.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence emergency services and clinics can measure in its own records.

In the work of emergency services and clinics, the transferable lesson is procedural: identify which decision failed first, and fix that decision rather than the symptom.

17.6 Future Scenarios and Predictions: Health, Emergency Response and Special Populations

For emergency response and vulnerable populations, the near term is counted in minutes: by 2040 ambulance delays rise 20% during heat and floods, clinics lose power 10–15% of storm days, and mortality among older and disabled people runs 2–3 times higher without outreach.

By 2050, simultaneous heat, flood and disease events stretch responders beyond capacity, and by 2100 a high-emissions path overwhelms formal services without community-based teams (WHO, 2023; IFRC, 2022).

Volunteer responder teams, door-to-door registries of vulnerable residents, clinic backup power, and mobile health units close the gap in the first hours.

Table 17.1 Future scenarios and predictions for health, emergency response and protecting vulnerable populations (2030-2100)

Horizon	What changes for this chapter
2030	ambulance delays +20%; outages 10–15%
2050	compound events exceed capacity
2100	formal services overwhelmed without volunteers

Watch response times, the number of vulnerable residents with a named contact, and clinic backup-power hours; response capacity is testable through drills, not guesswork.

CHAPTER 18

SOCIAL CAPITAL, MUTUAL AID AND GOVERNANCE

Theme: social capital, mutual aid and community governance

The subject of this chapter is social capital, mutual aid and community governance. The argument proceeds in three steps: what is happening, how we know, and what follows for decisions. Sources are cited as they are used, and contested points are marked as contested rather than presented as settled.

18.1 What Is Social Capital and Trust

As Daniel P. Aldrich (2015) argues, social networks, especially bridging ties, are the strongest predictor of post-disaster survival and recovery.

Aldrich finds that social capital, and especially bridging ties across groups, predicts post-disaster survival better than physical defences. Networks deliver information, shelter and credit before agencies arrive. Bonding ties alone can also exclude outsiders. For the meaning of social capital and trust, the bearing is direct: the constraint is institutional as much as physical.

Uncertainty in the meaning of social capital and trust is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). In the work of civil society and local associations, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

Most disagreements about the meaning of social capital and trust are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: ~7 million air-pollution deaths occur annually (WHO, 2023). For civil society and local associations, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

The evidence base behind the meaning of social capital and trust is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: ~100 million people are affected by climate disasters annually (IFRC, 2022). Within civil society and local associations, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not

evidence; it is decoration.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as civil society and local associations is concerned, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

The news cycle supplies a concrete marker: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). It is one line in a longer ledger, and the ledger is what matters. In the work of civil society and local associations, what matters is not the record but the lead time it implies.

Certainty is unevenly distributed across this literature. Detection is firm, projection is conditional, and cost estimates are contingent on choices not yet made. A reader who wants a single number will be disappointed; a reader who wants a defensible decision has what is needed. In the work of civil society and local associations, the operational reading is to record which limit applies to each decision before the decision is taken.

18.2 Network Mapping, Bridging and Bonding

As Naomi Klein (2014) argues, climate change changes everything about how we live, consume, and govern.

Klein connects climate policy to the economic model that produced it. She argues that market instruments alone cannot deliver the pace required. The claim is a political argument rather than an empirical finding. Read against network mapping, the point is that intention without capacity changes little.

Discussion of network mapping, bridging and bonding usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: ~7 million air-pollution deaths occur annually (WHO, 2023). Read that way, the question for civil society and local associations is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. For civil society and local associations, that is the difference between a plan that can be defended and one that merely exists.

The evidence base for network mapping, bridging and bonding is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: ~100 million people are affected by climate disasters annually (IFRC, 2022). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. Within

civil society and local associations, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as civil society and local associations is concerned, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

An honest account of network mapping, bridging and bonding distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~7 million air-pollution deaths occur annually (WHO, 2023). Numbers carry confidence intervals, and those intervals should travel with them into any decision. In the work of civil society and local associations, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

Current reporting adds detail rather than a new direction: Amazon drought in late 2023 lowered Rio Negro to 120-year low, isolating 500,000 people (Brazil INPE, Reuters). Set beside the record, the episode indicates direction without fixing the rate. For civil society and local associations, the item is useful mainly as a date stamp on a trend.

What emerges is less a prediction than a test. A measure is adequate if it still works when the upper end of the range arrives; a plan is credible if it names who acts, with what authority and with what money. Judged that way, the gap between what is known and what is done is not a knowledge gap. For civil society and local associations, the question is which of these decisions can be taken before the next event rather than during it.

18.3 Community Leaders and Inclusive Participation

Susan L. Cutter (2008) puts it plainly: resilience is place-based — community traits explain recovery far better than hazard magnitude alone.

Cutter's place-based work shows that community characteristics explain recovery better than hazard size does. Her social-vulnerability mapping combines age, income, tenure and access to services into an index that local planners can use. The method is a screening tool, not a verdict. The implication for community leaders and inclusive participation is a question of sequence: what has to be in place before the event, not after it.

The record on community leaders and inclusive participation is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is

consistent across methods (IPCC, 2023). The headline figure is blunt: ~100 million people are affected by climate disasters annually (IFRC, 2022). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how civil society and local associations should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. Within civil society and local associations, the test is whether the arrangement survives contact with a bad week.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as civil society and local associations is concerned, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

Not all statements about community leaders and inclusive participation carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~7 million air-pollution deaths occur annually (WHO, 2023). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. In the work of civil society and local associations, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

How a problem is framed decides what counts as a solution, and community leaders and inclusive participation is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: ~100 million people are affected by climate disasters annually (IFRC, 2022). For civil society and local associations, the practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

A recent marker points the same way: Libya's Derna dam collapse after Storm Daniel (Sept 2023) killed >4,300 and displaced 40,000 (UN OCHA, Libyan Red Crescent). Read against the longer record, it is an illustration rather than a proof. Within civil society and local associations, the report is a reminder that the response is being designed against a target that keeps moving.

Readers should know where this section stands on the evidence ladder. The direction of change is established; the pace is estimated; the local consequences are modelled. Statements that blur those levels are the ones most likely to mislead, and they

are also the easiest to check. Within civil society and local associations, the operational reading is to record which limit applies to each decision before the decision is taken.

18.4 Principles of Mutual Aid and Starting a Group

As Fikret Berkes (2013) argues, linking Indigenous and scientific knowledge creates legitimate, effective adaptation that neither can achieve alone.

Berkes documents how indigenous and local knowledge systems support adaptation through fine-grained observation over generations. Linking that knowledge with scientific monitoring produces options neither can generate alone. The combination requires reciprocity, not extraction. In the terms of principles of mutual aid and starting a group, the claim shifts attention from prediction to preparation.

Impacts do not follow directly from a change in the average; they follow from the interaction between a shifting hazard and a fixed exposure. A house built to a hundred-year flood standard meets a twenty-five-year event with alarming regularity once the distribution has moved (IPCC, 2022). Nothing about the house changed; the standard it was designed against did. The shift is quantifiable: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). As far as civil society and local associations is concerned, the lesson is that design standards have a shelf life and need a review date attached to them. An unrevised standard is a decision to accept a higher level of risk than the one originally debated.

The strength of the claim about principles of mutual aid and starting a group varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~7 million air-pollution deaths occur annually (WHO, 2023). A central estimate without its range is not more precise, only less honest. In the work of civil society and local associations, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

It helps to ask what question principles of mutual aid and starting a group is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: ~100 million people are affected by climate disasters annually (IFRC, 2022). For civil society and local associations, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on principles of mutual aid and starting a group rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. Within civil society and local associations, that means planning against a range

rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The news cycle supplies a concrete marker: Drought in the Horn of Africa from 2020-2023 was the worst in 40 years, affecting 23 million people (WMO, UN OCHA). The value of such reports is that they date the change rather than explain it. As far as civil society and local associations is concerned, what matters is not the record but the lead time it implies.

What the section establishes is narrower than a prediction and firmer than an opinion. It establishes that the direction is known, that the costs of inaction are concentrated on those least able to bear them, and that the available measures are known well enough to be tested. As far as civil society and local associations is concerned, the question is which of these decisions can be taken before the next event rather than during it.

18.5 Case Study: Social Capital, Mutual Aid and Governance

The case that anchors this chapter is documented and recent: Typhoon Doksuri flooded Beijing in July 2023 with heaviest rain in 140 years, 1 million displaced (China CMA, Reuters). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. As far as civil society and local associations is concerned, the record supplies both the warning and the timetable.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence civil society and local associations can measure in its own records.

The test of any lesson drawn from the case is whether it changes a budget line, a standard or a protocol. If it changes none of the three, it remains a story.

18.6 Future Scenarios and Predictions: Social Capital, Mutual Aid and Governance

For social capital and mutual aid, the near term is relational: by 2040 neighborhoods with strong mutual aid recover 30–40% faster and report 20% fewer losses, while fragmented areas wait one to two weeks longer for help.

By 2050, trust becomes a form of infrastructure as repeated disasters exhaust formal systems, and by 2100 a high-emissions path widens the gap between connected and isolated communities (Aldrich & Meyer, 2015; IPCC, 2022).

Block captains, tool libraries, community funds, and joint decisions on water and evacuation turn neighbors into a first-response network.

Table 18.1 Future scenarios and predictions for social capital, mutual aid and community governance (2030-2100)

Horizon	What changes for this chapter
2030	recovery 30–40% faster with strong ties
2050	trust as infrastructure; repeated shocks
2100	connected vs isolated gap widens

Watch how many households know their block captain, how quickly a tool library responds, and whether decisions are shared; social cohesion is measurable through simple surveys and drills.

CHAPTER 19

RENEWABLE ENERGY AND APPROPRIATE TECHNOLOGIES

Theme: renewable energy and appropriate technologies for climate adaptation

This chapter deals with renewable energy and appropriate technologies for climate adaptation. Each section opens with a claim, tests it against the evidence and draws out the implication for the people who have to act on it. The aim is not completeness but a defensible line through a large literature.

19.1 Renewable Energy Systems and Solar/Battery

As Saleemul Huq (2020) argues, it is adapt or die — adaptation is survival, and loss-and-damage must be permanent in the Paris Agreement for vulnerable nations.

Huq's statement was delivered repeatedly at COPs from 2015 to 2023 and reflects his leadership at ICCCAD in Dhaka and IPCC authorship from AR3 to AR5. 'Adapt or die' was his stark shorthand that for low-lying Bangladesh and small islands, adaptation is not optional but survival. 'Loss-and-damage must be permanent in the Paris Agreement' refers to his advocacy for a third pillar beyond mitigation and adaptation to address unavoidable harms. The phrase captures that vulnerable nations face impacts they did not cause, raising justice and finance obligations. Huq linked local experience — cyclones, floods, salinity — to global negotiations, insisting that affected communities have voice. His work bridges research on community-based adaptation with policy for climate finance and compensation. For renewable energy within renewable energy and appropriate technologies for climate adaptation, his perspective centers equity, local leadership, and the limits of adaptation when warming exceeds coping capacity. Applied to renewable energy, the argument sets a test: does the measure still work when capacity is stretched?

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). None of those signals is a perfect measure, but together they indicate direction. As far as energy planners and regulators is concerned, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: ~100 million people are affected by climate disasters annually (IFRC, 2022). For that reason, average-based targets can be met while the most exposed end up worse off. In the work of energy planners and regulators, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. For energy planners and regulators, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. Within energy planners and regulators, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The news cycle supplies a concrete marker: Nigeria's 2022 floods killed 600 and displaced 1.4 million, worst in a decade (Nigeria NEMA, UN OCHA). The event is best read as a measurement, not as a verdict. For energy planners and regulators, the item is useful mainly as a date stamp on a trend.

The evidence is not unanimous on pace and regional detail, and the gaps should be named rather than smoothed over. Where estimates differ, the difference usually traces back to assumptions about emissions, adaptation and measurement. That does not weaken the case for action; it defines the range within which action has to be robust. As far as energy planners and regulators is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

19.2 Water Technologies and Purification

Fatih Birol (2023) puts it plainly: the energy crisis sped the transition, but fossil demand must fall far faster for 1.5°C.

Birol's World Energy Outlook tracks the gap between stated goals and investment flows. Crises have accelerated renewables while leaving fossil demand too high for 1.5°C. The series is a scenario exercise, not a forecast. For water technologies and purification, the bearing is direct: the constraint is institutional as much as physical.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. In the work of energy planners and regulators, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Institutional performance in water technologies and purification depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: atmospheric CO2 now stands at ~420 ppm in 2024 (NOAA, 2024). For energy planners and regulators, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. Within energy planners and regulators, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

Anyone deciding about water technologies and purification is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as energy planners and regulators is concerned, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

Current reporting adds detail rather than a new direction: Vanuatu's twin cyclones Judy and Kevin (Mar 2023) hit within 48 hours, affecting 80% of population (UNICEF, WMO). Reported in isolation the figure looks dramatic; reported against the baseline it looks consistent. Within energy planners and regulators, the report is a reminder that the response is being designed against a target that keeps moving.

The strands point in one direction: the physical signal is established, the human consequences depend on exposure and capacity, and the response depends on decisions taken before the event. That sequence is what makes the problem tractable, and what makes delay expensive. In the work of energy planners and regulators, the question is which of these decisions can be taken before the next event rather than during it.

19.3 Agricultural Technologies and Adaptive Practices

As Francesco La Camera (2023) argues, renewables dominate new power, but deployment must triple by 2030 — finance is the choke point.

IRENA documents that renewables dominate new generating capacity but deployment must roughly triple by 2030 to meet agreed targets. Finance, grids and permits are the binding constraints. Cost is no longer the main obstacle in most markets. Read against agricultural technologies and adaptive practices, the point is that intention without capacity changes little.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: atmospheric CO2 now stands at ~420 ppm in 2024 (NOAA, 2024). For energy planners and regulators, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. Within energy planners and regulators, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

The relevant question for agricultural technologies and adaptive practices is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as energy planners and regulators is concerned, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: atmospheric CO2 now stands at ~420 ppm in 2024 (NOAA, 2024). Averages describe the size of the problem, not who carries it. Decisions taken by energy planners and regulators — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. In the work of energy planners and regulators, the test is whether the arrangement survives contact with a bad week.

A recent marker points the same way: Italy’s Emilia-Romagna floods (May 2023) caused 15 deaths and €8.5B damage after months of drought (Italy Civil Protection). On its own it proves little; placed against the trend it shows the direction of travel. As far as energy planners and regulators is concerned, what matters is not the record but the lead time it implies.

Two cautions apply to everything in this section. First, most figures are aggregates, and aggregates travel badly between countries and neighbourhoods. Second, published estimates lag the climate they describe. Both cautions argue for revisiting the numbers rather than treating them as fixed. For energy planners and regulators, the operational reading is to record which limit applies to each decision before the decision is taken.

19.4 Early Warning Systems and AI for Climate

As Inger Andersen (2023) argues, adaptation finance gaps are widening, leaving the vulnerable to pay with lives.

UNEP's adaptation-gap reports compare finance needs with flows actually disbursed. The gap has widened every year the series has been published. Adaptation remains the smaller share of climate finance by a wide margin. The implication for early warning systems and AI for climate is a question of sequence: what has to be in place before the event, not after it.

The economics of early warning systems and AI for climate are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Within energy planners and regulators, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Any assessment of early warning systems and AI for climate will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: ~100 million people are affected by climate disasters annually (IFRC, 2022). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. As far as energy planners and regulators is concerned, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The aggregate picture hides the distribution, and in early warning systems and AI for climate the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: atmospheric CO2 now stands at ~420 ppm in 2024 (NOAA, 2024). In the work of energy planners and regulators, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. For energy planners and regulators, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

The news cycle supplies a concrete marker: US 2023 billion-dollar disasters hit record 28 events, costing $92.9B (NOAA NCEI). Taken alone the episode is weather; taken with the record it is a data point on a slope. In the work of energy planners and regulators, the item is useful mainly as a date stamp on a trend.

The argument, reduced to its shortest form, is this: the physical signal is robust, the human exposure is uneven, and the response is a choice. Each element rests on evidence of different strength, and the weakest link is not the science but the capacity to act before the event rather than after it. Within energy planners and regulators, the question is which of these decisions can be taken before the next event rather than during it.

19.5 Case Study: Renewable Energy and Appropriate Technologies

One documented episode makes the argument concrete: Nigeria's 2022 floods killed 600 and displaced 1.4 million, worst in a decade (Nigeria NEMA, UN OCHA). It repays attention less as an outlier than as a chain of decisions — where the hazard was allowed to concentrate, how the response was organised, and who bore the residual loss. In the work of energy planners and regulators, the sequence is worth reconstructing before the next season rather than after it.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence energy planners and regulators can measure in its own records.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

19.6 Future Scenarios and Predictions: Renewable Energy and Appropriate Technologies

For renewable energy and appropriate technologies, the near term is economic: by 2040 solar-plus-storage is cheaper than diesel in 70% of off-grid areas, but heat cuts panel output 5–10% and storms damage 15% of exposed installations.

By 2050, mini-grids and battery cooperatives become the backbone of resilient power, and by 2100 a high-emissions path still leaves 20% of demand on fossil fuels without storage scale-up (IEA, 2023; IPCC, 2022).

Elevated solar arrays, cyclone clips, battery cooperatives, and repair training for young people keep power on when the grid fails.

Table 19.1 Future scenarios and predictions for renewable energy and appropriate technologies for climate adaptation (2030-2100)

Horizon	What changes for this chapter
2030	solar+storage cheaper in 50% off-grid
2050	mini-grids backbone; battery co-ops
2100	20% fossil demand without storage scale

Watch your system's output on the hottest day, battery autonomy hours, and the number of trained local technicians; technology costs are high-confidence, but storm resilience depends on installation quality.

CHAPTER 20

CLIMATE PSYCHOLOGY AND MENTAL HEALTH

Theme: climate anxiety, trauma and building psychological resilience

What follows concerns climate anxiety, trauma and building psychological resilience. The chapter separates observation from projection, and projection from speculation, because the three carry different obligations for anyone making a decision. Readers who disagree with the conclusion should be able to see exactly where.

20.1 Climate Anxiety and Rational Alarm

Kristie Ebi (2018) puts it plainly: if you have cancer, you need the doctor to tell you how serious it is — people are suffering and dying right now; risks rise without urgent investment in health systems.

Ebi's statement comes from her IPCC SR15 lead authorship and long-term research at the University of Washington CHanGE on heat and health. 'If you have cancer, you need the doctor to tell you how serious it is' is her analogy for clear risk communication — understating severity delays life-saving action. 'People are suffering and dying right now' counters the view that climate health impacts are future, citing documented rises in heat-related illness and mortality among outdoor workers, elders, and low-income groups. 'Risks rise without urgent investment in health systems' points to the need for heat early warning, expanded primary care, and climate-resilient facilities. Ebi stresses that health evidence is actionable and economically justified, with co-benefits for productivity and equity. For climate anxiety and rational alarm within climate anxiety, her framing treats adaptation as public health preparedness, requiring surveillance, workforce training, and funding that reaches the front lines. For climate anxiety and rational alarm, the practical consequence is to name the decision that would have to change.

Most disagreements about climate anxiety and rational alarm are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: ~100 million people are affected by climate disasters annually (IFRC, 2022). Within mental-health services and schools, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

The evidence base behind climate anxiety and rational alarm is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: ~7 million air-pollution deaths occur annually (WHO, 2023). As far as mental-health services and schools is concerned, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not

evidence; it is decoration.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). In the work of mental-health services and schools, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

Uncertainty in climate anxiety and rational alarm is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: ~100 million people are affected by climate disasters annually (IFRC, 2022). For mental-health services and schools, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

The news cycle supplies a concrete marker: Heat waves in South Asia in 2022 and 2023 caused thousands of deaths and crop losses (IPCC, 2022; WMO, 2023). Set beside the record, the episode indicates direction without fixing the rate. Within mental-health services and schools, the report is a reminder that the response is being designed against a target that keeps moving.

It is worth separating what would change the conclusion from what would merely add detail. A revision of the observed trend, or evidence that adaptation is failing faster than expected, would matter; another confirmation of the same direction would not. That test keeps attention on the claims that carry weight. Within mental-health services and schools, the operational reading is to record which limit applies to each decision before the decision is taken.

20.2 Youth Anxiety and Government Inaction

As Susan Clayton (2020) argues, climate anxiety is a rational alarm, especially for youth sensing betrayal by elders.

Clayton argues that climate anxiety is a rational response to a real threat rather than a disorder. Distress concentrates among people who trust the science and feel unheard by institutions. Clinical framing and political framing therefore point in different directions. Applied to youth anxiety and government inaction, the argument sets a test: does the measure still work when capacity is stretched?

The evidence base for youth anxiety and government inaction is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: ~7 million air-pollution deaths occur annually (WHO, 2023). The appropriate response to a strong signal with weak

local detail is not to wait for precision but to design for the range. As far as mental-health services and schools is concerned, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). In the work of mental-health services and schools, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

An honest account of youth anxiety and government inaction distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: ~100 million people are affected by climate disasters annually (IFRC, 2022). Numbers carry confidence intervals, and those intervals should travel with them into any decision. For mental-health services and schools, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

Discussion of youth anxiety and government inaction usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: ~7 million air-pollution deaths occur annually (WHO, 2023). Read that way, the question for mental-health services and schools is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. Within mental-health services and schools, the test is whether the arrangement survives contact with a bad week.

Current reporting adds detail rather than a new direction: European summer 2022 heatwave caused over 61,000 excess deaths, the continent's deadliest heat event (Nature Medicine, 2023). Read against the longer record, it is an illustration rather than a proof. As far as mental-health services and schools is concerned, what matters is not the record but the lead time it implies.

Taken together, the mechanism, the observed record and the institutional response describe a risk that is measurable but not fixed. The practical question is not whether the trend is real, but which decisions today remain defensible across the full range of projections — and those are usually the decisions that are cheap to reverse. As far as mental-health services and schools is concerned, the question is which of these decisions can be taken before the next event rather than during it.

20.3 Trauma, PTSD and Mental Health Impacts

As Kristie Ebi (2018) argues, if you have cancer, you need the doctor to tell you how serious it is — people are suffering and dying right now; risks rise without urgent investment in health systems.

Ebi's statement comes from her IPCC SR15 lead authorship and long-term research at the University of Washington CHanGE on heat and health. 'If you have cancer, you need the doctor to tell you how serious it is' is her analogy for clear risk communication — understating severity delays life-saving action. 'People are suffering and dying right now' counters the view that climate health impacts are future, citing documented rises in heat-related illness and mortality among outdoor workers, elders, and low-income groups. 'Risks rise without urgent investment in health systems' points to the need for heat early warning, expanded primary care, and climate-resilient facilities. Ebi stresses that health evidence is actionable and economically justified, with co-benefits for productivity and equity. For trauma within climate anxiety, her framing treats adaptation as public health preparedness, requiring surveillance, workforce training, and funding that reaches the front lines. For trauma, the bearing is direct: the constraint is institutional as much as physical.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). In the work of mental-health services and schools, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

Not all statements about trauma, PTSD and mental health impacts carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: ~100 million people are affected by climate disasters annually (IFRC, 2022). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. For mental-health services and schools, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

How a problem is framed decides what counts as a solution, and trauma, PTSD and mental health impacts is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: ~7 million air-pollution deaths occur annually (WHO, 2023). Within mental-health services and schools, the practical consequence is that the frame

has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

The record on trauma, PTSD and mental health impacts is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how mental-health services and schools should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. As far as mental-health services and schools is concerned, the practical question is what would have to change first.

A recent marker points the same way: Heat waves in South Asia in 2022 and 2023 caused thousands of deaths and crop losses (IPCC, 2022; WMO, 2023). The value of such reports is that they date the change rather than explain it. In the work of mental-health services and schools, the item is useful mainly as a date stamp on a trend.

Certainty is unevenly distributed across this literature. Detection is firm, projection is conditional, and cost estimates are contingent on choices not yet made. A reader who wants a single number will be disappointed; a reader who wants a defensible decision has what is needed. In the work of mental-health services and schools, the operational reading is to record which limit applies to each decision before the decision is taken.

20.4 Building Psychological Resilience

Susan Clayton (2020) puts it plainly: climate anxiety is a rational alarm, especially for youth sensing betrayal by elders.

Clayton argues that climate anxiety is a rational response to a real threat rather than a disorder. Distress concentrates among people who trust the science and feel unheard by institutions. Clinical framing and political framing therefore point in different directions. Read against building psychological resilience, the point is that intention without capacity changes little.

The strength of the claim about building psychological resilience varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: ~100 million people are affected by climate disasters annually (IFRC, 2022). A central estimate without its range is not more precise, only less honest. For mental-health services and schools, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

It helps to ask what question building psychological resilience is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical,

because the second framing admits trade-offs that the first hides. The scale is already visible: ~7 million air-pollution deaths occur annually (WHO, 2023). Within mental-health services and schools, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on building psychological resilience rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. As far as mental-health services and schools is concerned, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of mental-health services and schools, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

The news cycle supplies a concrete marker: European summer 2022 heatwave caused over 61,000 excess deaths, the continent's deadliest heat event (Nature Medicine, 2023). It matters less as a record than as evidence that the baseline has already moved. For mental-health services and schools, the report is a reminder that the response is being designed against a target that keeps moving.

What emerges is less a prediction than a test. A measure is adequate if it still works when the upper end of the range arrives; a plan is credible if it names who acts, with what authority and with what money. Judged that way, the gap between what is known and what is done is not a knowledge gap. For mental-health services and schools, the question is which of these decisions can be taken before the next event rather than during it.

20.5 Case Study: Climate Psychology and Mental Health

A single episode illustrates the mechanism: Heat waves in South Asia in 2022 and 2023 caused thousands of deaths and crop losses (IPCC, 2022; WMO, 2023). Read closely, it is a record of thresholds crossed, capacities exhausted and responsibilities disputed — the same elements that recur, at different scales, in every chapter of this book. For mental-health services and schools, the episode fixes the date at which the argument stops being hypothetical.

Cases of this kind are useful because they compress several mechanisms into a short period. Exposure, capacity and institutional reach become visible at once, and the gaps between them stop being abstract (UNDRR, 2015). Within mental-health services and schools, the episode works as a readiness test rather than a weather story.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

20.6 Future Scenarios and Predictions: Climate Psychology and Mental Health

For climate anxiety and mental health, the near term is emotional: by 2040, 35–45% of teenagers report weekly climate anxiety, heat and displacement raise depression 15–25%, and post-flood trauma lasts 6–12 months without support.

By 2050, chronic stress becomes a public-health cost in hot and insecure regions, and by 2100 a high-emissions path doubles chronic stress burdens where heat and displacement persist (Watts et al., 2021; WHO, 2023).

Peer groups, green spaces, counseling in schools and clinics, and action projects that restore a sense of agency turn anxiety into engagement.

Table 20.1 Future scenarios and predictions for climate anxiety, trauma and building psychological resilience (2030-2100)

Horizon	What changes for this chapter
2030	anxiety 35–45% of teens weekly
2050	chronic stress raises health costs
2100	chronic burden ×2 in hot, insecure zones

Watch school counseling referrals, sleep loss during heatwaves, and community participation in recovery projects; mental-health trends are medium-confidence, but local service demand is visible.

CHAPTER 21

GOVERNANCE, JUSTICE AND CIVIC ENGAGEMENT

Theme: climate governance, justice, equity and civic engagement

This chapter examines climate governance, justice, equity and civic engagement. It moves from mechanism to evidence to what can be done, and each section states its main claim before the supporting material. Where the evidence is uncertain, the text says so; where it is strong, the language is correspondingly direct.

21.1 International Frameworks and Paris Agreement

As Diana Liverman (2020) argues, climate justice means accounting for who is most responsible, who is most vulnerable, and that those least responsible for emissions bear the greatest burdens.

Liverman's climate justice scholarship, including her 2019 testimony to the Arizona House and IPCC authorship, underpins her statement on responsibility and vulnerability. 'Accounting for who is most responsible, who is most vulnerable' calls for attributing emissions historically and geographically, not just current national totals. 'Those least responsible bear the greatest burdens' points to smallholder farmers, small islands, and low-income urban communities facing the earliest and harshest impacts despite low per-capita emissions. Liverman argues that responses must address land tenure, gender, and access to resources, not just technical fixes. She emphasizes that top-down prescriptions often fail when they ignore local knowledge and power imbalances. For international frameworks and paris agreement within climate governance, her lens requires assessing interventions by who benefits, who pays, and who decides, integrating equity metrics into planning and evaluation. In the terms of international frameworks and paris agreement, the claim shifts attention from prediction to preparation.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: ~100 million people are affected by climate disasters annually (IFRC, 2022). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. For courts, legislatures and civic organisations, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Averages describe the size of the problem, not who carries it. Decisions taken by courts, legislatures and civic organisations — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to

solve. Within courts, legislatures and civic organisations, the implication is a shorter list of decisions than the analysis suggests.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). As far as courts, legislatures and civic organisations is concerned, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

The next decade will show whether preparation or improvisation prevails. Three signals are worth tracking: how often events exceed design thresholds, how much public spending goes to prevention rather than repair, and whether the most exposed groups gain access before a disaster rather than after it (IPCC, 2023). The baseline is already shifting: ~100 million people are affected by climate disasters annually (IFRC, 2022). None of those signals is a perfect measure, but together they indicate direction. In the work of courts, legislatures and civic organisations, adaptation is not a state to be reached but a standing capacity to revise decisions as evidence changes. The test is whether the next surprise is met with a plan or with a scramble.

The news cycle supplies a concrete marker: Hurricane Ian (Sept 2022) caused $113 billion in US damages and was the costliest Florida hurricane (NOAA NHC). Reported in isolation the figure looks dramatic; reported against the baseline it looks consistent. As far as courts, legislatures and civic organisations is concerned, what matters is not the record but the lead time it implies.

Two limits apply. The first is scale: global figures say little about a district, and district figures are often unavailable. The second is time: the record is long enough to detect a trend but not long enough to rule out rare extremes. Good planning treats both as design constraints rather than reasons to postpone. For courts, legislatures and civic organisations, the operational reading is to record which limit applies to each decision before the decision is taken.

21.2 National Adaptation Plans and Local Governance

As Mark Howden (2020) argues, adapting Agriculture to Climate Change)

Howden's statement comes from his 2007 PNAS paper 'Adapting agriculture to climate change' and his role as IPCC WGII Vice-Chair. 'Dealing with barriers to effective adaptation will require a comprehensive and dynamic policy approach' means technical options alone fail when institutions, markets, and knowledge systems are misaligned. 'Science, too, has to adapt' calls for linking scientific, local, and Indigenous knowledge, and for research that is co-produced with farmers and communities. Barriers he identifies include fragmented governance, short-term incentives, and poor access to tailored forecasts and finance. Howden emphasizes iterative learning — piloting, monitoring, and adjusting — rather than one-off plans. For national adaptation plans and local governance within climate governance, this directs attention to enabling conditions for adoption: trusted extension, tenure security, and policy that supports

diversification and ecosystem-based practices alongside technology. For national adaptation plans and local governance, the practical consequence is to name the decision that would have to change.

The aggregate picture hides the distribution, and in national adaptation plans and local governance the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Within courts, legislatures and civic organisations, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). What the record does show is that authority, money and information have to move together; any one without the others stalls. As far as courts, legislatures and civic organisations is concerned, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

Anyone deciding about national adaptation plans and local governance is choosing under conditions that will not improve before the choice has to be made. That makes sequencing the central skill: measures that are cheap, reversible and useful under several futures go first, and irreversible commitments wait for better information (IPCC, 2022). The sequence matters because early options buy the time that later options need. The pressure is documented rather than projected: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of courts, legislatures and civic organisations, the test of a plan is not whether it is optimal for one forecast but whether it survives several. Decisions taken now will be judged by events that were not in the forecast.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. For courts, legislatures and civic organisations, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

Current reporting adds detail rather than a new direction: Flooding in Pakistan in 2022 affected 33 million people, killed >1,700 and caused over $30 billion in damages/losses (World Bank PDNA 28 Oct 2022). On its own it proves little; placed against the trend it shows the direction of travel. In the work of courts, legislatures and

civic organisations, the item is useful mainly as a date stamp on a trend.

None of this settles the political question of how much to spend and who should pay. It does settle a prior question: whether there is anything worth spending on. The evidence says there is, and that the returns depend on acting while the options are still open. Within courts, legislatures and civic organisations, the question is which of these decisions can be taken before the next event rather than during it.

21.3 Carbon Pricing and Climate Finance

Francesco La Camera (2023) puts it plainly: renewables dominate new power, but deployment must triple by 2030 — finance is the choke point.

IRENA documents that renewables dominate new generating capacity but deployment must roughly triple by 2030 to meet agreed targets. Finance, grids and permits are the binding constraints. Cost is no longer the main obstacle in most markets. Applied to carbon pricing and climate finance, the argument sets a test: does the measure still work when capacity is stretched?

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. As far as courts, legislatures and civic organisations is concerned, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

The relevant question for carbon pricing and climate finance is not what will happen but what to do while the answer is still forming. That favours measures that are cheap, reversible and useful across several futures. Early warning, insurance, redundant systems and protected water sources meet that test; megaprojects tied to one scenario do not (IPCC, 2023). Pressure is building regardless: ~100 million people are affected by climate disasters annually (IFRC, 2022). In the work of courts, legislatures and civic organisations, the portfolio matters more than any single measure. Robustness, not optimality, is the right criterion under uncertainty.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. For courts, legislatures and civic organisations, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: economic losses from climate disasters reach

~$200–300 billion per year (World Bank, 2022). For that reason, average-based targets can be met while the most exposed end up worse off. Within courts, legislatures and civic organisations, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

A recent marker points the same way: Hurricane Ian (Sept 2022) caused $113 billion in US damages and was the costliest Florida hurricane (NOAA NHC). Taken alone the episode is weather; taken with the record it is a data point on a slope. For courts, legislatures and civic organisations, the report is a reminder that the response is being designed against a target that keeps moving.

The evidence is not unanimous on pace and regional detail, and the gaps should be named rather than smoothed over. Where estimates differ, the difference usually traces back to assumptions about emissions, adaptation and measurement. That does not weaken the case for action; it defines the range within which action has to be robust. As far as courts, legislatures and civic organisations is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

21.4 Adaptation Finance Gaps and Investment

As Inger Andersen (2023) argues, adaptation finance gaps are widening, leaving the vulnerable to pay with lives.

UNEP's adaptation-gap reports compare finance needs with flows actually disbursed. The gap has widened every year the series has been published. Adaptation remains the smaller share of climate finance by a wide margin. For adaptation finance gaps and investment, the bearing is direct: the constraint is institutional as much as physical.

Any assessment of adaptation finance gaps and investment will turn less on what is promised now than on what is in place when the next event arrives. Plans that exist only on paper, thresholds that trigger no action, and funds that cannot be released quickly are the recurring failure modes (UNDRR, 2015). The pressure is not hypothetical: ~100 million people are affected by climate disasters annually (IFRC, 2022). Progress can be measured in lead times, in the share of exposed households covered by warning and insurance, and in how quickly services return. In the work of courts, legislatures and civic organisations, reviewing those measures on a fixed cycle works better than reviewing them after each disaster. Iteration is the difference between adaptation and repeated recovery.

The economics of adaptation finance gaps and investment are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). For courts, legislatures and civic organisations, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against

one budget year is often cheap against ten.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Because disadvantages compound, the same event can be an inconvenience for one family and a permanent loss for another. Within courts, legislatures and civic organisations, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Institutional performance in adaptation finance gaps and investment depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: ~100 million people are affected by climate disasters annually (IFRC, 2022). As far as courts, legislatures and civic organisations is concerned, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

The news cycle supplies a concrete marker: Flooding in Pakistan in 2022 affected 33 million people, killed >1,700 and caused over $30 billion in damages/losses (World Bank PDNA 28 Oct 2022). The item is useful because it fixes a date to a trend that otherwise drifts. Within courts, legislatures and civic organisations, what matters is not the record but the lead time it implies.

The strands point in one direction: the physical signal is established, the human consequences depend on exposure and capacity, and the response depends on decisions taken before the event. That sequence is what makes the problem tractable, and what makes delay expensive. In the work of courts, legislatures and civic organisations, the question is which of these decisions can be taken before the next event rather than during it.

21.5 Case Study: Governance, Justice and Civic Engagement

The case that anchors this chapter is documented and recent: Hurricane Ian (Sept 2022) caused $113 billion in US damages and was the costliest Florida hurricane (NOAA NHC). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. Within courts, legislatures and civic organisations, it is the clearest recent test of whether the arrangements on paper survive contact with an event.

The instructive part is the asymmetry between the event and its aftermath. Response times are measured in hours, recovery in years, and the difference between the two is usually decided before the event — by land use, insurance and local authority, all of which courts, legislatures and civic organisations controls.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

21.6 Future Scenarios and Predictions: Governance, Justice and Civic Engagement

For governance, justice and civic engagement, the near term is budgetary: by 2040 climate lawsuits double while adaptation budgets meet only 15–25% of needs, and low-income wards receive 30% less protection.

By 2050, unequal exposure becomes a political fault line, and by 2100 a high-emissions path locks in injustice where decisions are made without community voice (IPCC, 2022; Schlosberg, 2007).

Participatory budgeting, equity audits, legal aid, and public transparency boards that track spending put resources where risk is highest.

Table 21.1 Future scenarios and predictions for climate governance, justice, equity and civic engagement (2030-2100)

Horizon	What changes for this chapter
2030	adaptation budgets 15–25% of needs
2050	unequal exposure becomes political
2100	injustice locked in without voice

Watch per-capita adaptation spending by ward, the number of community consultations, and lawsuit outcomes; distributional data are available and can be audited.

CHAPTER 22

CASE STUDIES: HEAT, FIRE, FLOOD AND URBAN EXTREMES

Theme: regional case studies of heat, wildfire, flood and urban climate extremes

The subject of this chapter is regional case studies of heat, wildfire, flood and urban climate extremes. The argument proceeds in three steps: what is happening, how we know, and what follows for decisions. Sources are cited as they are used, and contested points are marked as contested rather than presented as settled.

22.1 Heat in South Asia and Urban Heat in Global Cities

As Friederike Otto (2021) argues, the Pacific Northwest 2021 heatwave would have been virtually impossible without human-caused climate change.

Otto's statement comes from the 2021 World Weather Attribution rapid study of the Pacific Northwest heat dome, which found such heat virtually impossible without climate change. 'Virtually impossible' is a probabilistic attribution conclusion, not rhetoric, meaning the event's likelihood increased many tens of times due to warming. The method compares observed temperatures with climate model simulations of worlds with and without anthropogenic greenhouse gases. The heatwave — with Lytton, Canada reaching 49.6°C — illustrated how a few degrees of mean warming can shift extremes non-linearly. Otto's lab pioneered rapid attribution to link specific disasters to climate change within days, aiding public understanding. The finding underscores that heat in south asia and urban heat in global cities extremes are not random bad luck but part of a detectable trend. For regional case studies of heat, it strengthens the case for updating standards for infrastructure, health, and labor based on new extremes, not historical averages. The implication for heat in south asia and urban heat in global cities is a question of sequence: what has to be in place before the event, not after it.

Uncertainty in heat in south asia and urban heat in global cities is not a single quantity, and treating it as one is the most common analytic error in the field. Physical uncertainty, scenario uncertainty and model uncertainty behave differently: the first narrows with data, the second depends on choices, the third on structure (IPCC, 2021). Only the first is reduced by waiting; the other two are reduced by deciding. The range is wide enough to matter for planning: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). In the work of urban authorities in fire- and flood-prone regions, the correct response to the wide part of the range is a decision that performs acceptably across it, not a postponement until it narrows. Plans that require certainty before they begin are plans that begin too late.

Most disagreements about heat in south asia and urban heat in global cities are not disagreements about facts. They are disagreements about weight: which risks count, over what horizon, and for whom (IPCC, 2022). That is why the same evidence can support both alarm and complacency without either side misreading the data. The scale involved is not marginal: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). For urban authorities in fire- and flood-prone regions, clarity about the weighting matters as much as clarity about the measurement. Stating the criterion in advance is what separates analysis from advocacy.

The evidence base behind heat in south asia and urban heat in global cities is larger than its public profile suggests, and more uneven. Satellite records, station data, insurance claims and household surveys answer different questions, and they rarely agree on the same decimal place (IPCC, 2021). Where they disagree, the disagreement is usually about coverage rather than about the direction of change. Confidence is highest on aggregates and lowest on localities: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). Within urban authorities in fire- and flood-prone regions, the sensible use of the record is to establish direction and then test local plausibility rather than to import a global average wholesale. A number that cannot be traced to a source is not evidence; it is decoration.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale (UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). As far as urban authorities in fire- and flood-prone regions is concerned, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

The news cycle supplies a concrete marker: Wildfires in Canada in 2023 burned ~15 million ha, more than double the previous record (1989, 6.7 Mha), sending smoke across North America (CIFFC, Nature 2024). Read against the longer record, it is an illustration rather than a proof. In the work of urban authorities in fire- and flood-prone regions, the item is useful mainly as a date stamp on a trend.

Readers should know where this section stands on the evidence ladder. The direction of change is established; the pace is estimated; the local consequences are modelled. Statements that blur those levels are the ones most likely to mislead, and they are also the easiest to check. In the work of urban authorities in fire- and flood-prone regions, the operational reading is to record which limit applies to each decision before the decision is taken.

22.2 Wildfires in Australia and North America

Friederike Otto (2021) puts it plainly: the Pacific Northwest 2021 heatwave would have been virtually impossible without human-caused climate change.

Otto's statement comes from the 2021 World Weather Attribution rapid study of the Pacific Northwest heat dome, which found such heat virtually impossible without climate change. 'Virtually impossible' is a probabilistic attribution conclusion, not rhetoric, meaning the event's likelihood increased many tens of times due to warming. The method compares observed temperatures with climate model simulations of worlds with and without anthropogenic greenhouse gases. The heatwave — with Lytton, Canada reaching 49.6°C — illustrated how a few degrees of mean warming can shift extremes non-linearly. Otto's lab pioneered rapid attribution to link specific disasters to climate change within days, aiding public understanding. The finding underscores that

wildfires in australia and north america extremes are not random bad luck but part of a detectable trend. For regional case studies of heat, it strengthens the case for updating standards for infrastructure, health, and labor based on new extremes, not historical averages. In the terms of wildfires in australia and north america, the claim shifts attention from prediction to preparation.

Discussion of wildfires in australia and north america usually begins as a technical question, and that framing hides the decisions underneath it. The technical part is real: measurement, modelling and attribution have improved sharply over two decades (IPCC, 2023). But the contested part is rarely the measurement; it is what the numbers imply for who acts, who pays and who is protected. One figure sets the scale: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). Read that way, the question for urban authorities in fire- and flood-prone regions is not whether the trend is real but which choices remain defensible across the plausible range. A framing that treats uncertainty as a reason to wait gets the logic backwards: uncertainty is what makes early, reversible decisions valuable. For urban authorities in fire- and flood-prone regions, that is the difference between a plan that can be defended and one that merely exists.

The evidence base for wildfires in australia and north america is broad but uneven, and the unevenness is informative. Where many independent studies agree, confidence is high; where a single model family supplies the estimate, it is not (IPCC, 2021). One figure illustrates the state of knowledge: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). The appropriate response to a strong signal with weak local detail is not to wait for precision but to design for the range. Within urban authorities in fire- and flood-prone regions, that means carrying uncertainty into the decision rather than resolving it beforehand. Plans that require certainty before acting are plans that act late.

Impacts do not follow directly from a change in the average; they follow from the interaction between a shifting hazard and a fixed exposure. A house built to a hundred-year flood standard meets a twenty-five-year event with alarming regularity once the distribution has moved (IPCC, 2022). Nothing about the house changed; the standard it was designed against did. The shift is quantifiable: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). As far as urban authorities in fire- and flood-prone regions is concerned, the lesson is that design standards have a shelf life and need a review date attached to them. An unrevised standard is a decision to accept a higher level of risk than the one originally debated.

An honest account of wildfires in australia and north america distinguishes three things: what has been measured, what has been modelled, and what has been assumed. Most public confusion comes from collapsing the three into one sentence (IPCC, 2021). The distinction is concrete: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). Numbers carry confidence intervals, and those intervals should travel with them into any decision. In the work of urban authorities in fire- and flood-prone regions, the discipline is to write the interval next to the estimate whenever the estimate is used. A disclosed range can be planned against; an undisclosed point estimate cannot.

Current reporting adds detail rather than a new direction: Spain's 2023 olive harvest halved after drought+heat, driving global olive oil prices up 112% (FAO, IOC). The value of such reports is that they date the change rather than explain it. For urban authorities in fire- and flood-prone regions, the report is a reminder that the response is being designed against a target that keeps moving.

What the section establishes is narrower than a prediction and firmer than an opinion. It establishes that the direction is known, that the costs of inaction are concentrated on those least able to bear them, and that the available measures are known well enough to be tested. For urban authorities in fire- and flood-prone regions, the question is which of these decisions can be taken before the next event rather than during it.

22.3 Floods in Southeast Asia and Urban Flooding

As Chuang Zhao (2017) argues, each degree of warming lowers staple yields by ~6%, with wheat most vulnerable to heat.

Zhao and colleagues combined field warming experiments with models to estimate yield responses per degree. Staples fall by roughly six per cent per degree of local warming, with wheat most sensitive. The estimate applies to present-day locations and practices. For floods in southeast asia and urban flooding, the practical consequence is to name the decision that would have to change.

The record on floods in southeast asia and urban flooding is now strong enough to be treated as a trend rather than an anomaly. The record is uneven — some regions and seasons move sharply, others barely — but the aggregate direction is consistent across methods (IPCC, 2023). The headline figure is blunt: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). What remains contested is attribution of individual events and the speed of future change, not whether the baseline has shifted. That distinction shapes how urban authorities in fire- and flood-prone regions should read the numbers: as a distribution to plan against, not a forecast to await. Where the evidence is thin, the honest response is a stated limitation rather than a confident sentence. Within urban authorities in fire- and flood-prone regions, the test is whether the arrangement survives contact with a bad week.

Between the physical change and the harm there is a sequence, and each step can be examined on its own. A shift in the mean moves the tail of the distribution first; the tail meets exposure; exposure meets capacity; capacity fails at thresholds rather than gradually (IPCC, 2022). That is why impacts arrive in jumps and why the same event produces different outcomes in neighbouring districts. The arithmetic of the shift is blunt: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). As far as urban authorities in fire- and flood-prone regions is concerned, the useful question is which threshold comes first and what happens on the day it is crossed. Thresholds are where a gradual problem becomes a sudden one.

Not all statements about floods in southeast asia and urban flooding carry the same warrant. Some rest on direct measurement, some on models, some on expert judgement, and the three should not be written in the same voice (IPCC, 2021). The numbers are often firmer than the uses to which they are put: sea level has risen ~20–25

cm since 1900 (IPCC, 2021). Misreading usually happens in translation — a global average applied to a locality, a scenario treated as a forecast. In the work of urban authorities in fire- and flood-prone regions, the safeguard is to record the source, period and assumptions behind each figure used. Traceability is not bureaucracy; it is what allows a claim to be checked later.

How a problem is framed decides what counts as a solution, and floods in southeast asia and urban flooding is a case in point. Framed as an environmental issue, it invites a ministry and a budget line; framed as a development issue, it invites land use, housing and finance at once (IPCC, 2022). The second framing is harder to administer precisely because it cannot be assigned to a single department. The scale involved rules out a narrow frame: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). For urban authorities in fire- and flood-prone regions, the practical consequence is that the frame has to be chosen before the plan, not after it. Frames are cheap to change on paper and expensive to change in an institution.

A recent marker points the same way: Bangladesh's Sidr-like Cyclone Sitrang (Oct 2022) inundated 10 million coastal residents (Bangladesh BMD, UN OCHA). It matters less as a record than as evidence that the baseline has already moved. Within urban authorities in fire- and flood-prone regions, what matters is not the record but the lead time it implies.

It is worth separating what would change the conclusion from what would merely add detail. A revision of the observed trend, or evidence that adaptation is failing faster than expected, would matter; another confirmation of the same direction would not. That test keeps attention on the claims that carry weight. Within urban authorities in fire- and flood-prone regions, the operational reading is to record which limit applies to each decision before the decision is taken.

22.4 Storms and Hurricanes in the Caribbean

As Ana Vicedo-Cabrera (2021) argues, over one-third of heat deaths are attributable to anthropogenic warming — a burden we can already count.

Vicedo-Cabrera and colleagues attributed a large share of warm-season heat deaths to anthropogenic warming using multi-country mortality records. The finding converts a global average into a body count. Attribution of this kind depends on the choice of baseline period. Applied to storms and hurricanes in the caribbean, the argument sets a test: does the measure still work when capacity is stretched?

The chain of causation is short enough to follow and long enough to intervene in. Physical change alters the frequency and intensity of events; exposure determines who meets them; capacity determines what happens next (IPCC, 2022). Because the links are separable, they can be addressed separately — and the cheapest link is usually exposure. The pattern is not hypothetical: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). As far as urban authorities in fire- and flood-prone regions is concerned, the lesson is to intervene where the leverage is greatest rather than where the damage is most visible. Response is necessary; prevention is cheaper.

The strength of the claim about storms and hurricanes in the caribbean varies, and that variation should be visible in the prose. Detection and attribution are well supported; regional projections carry wider bands; estimates of future damage depend on assumptions about emissions and adaptation (IPCC, 2021). A concrete example of the difference: sea level has risen ~20–25 cm since 1900 (IPCC, 2021). A central estimate without its range is not more precise, only less honest. In the work of urban authorities in fire- and flood-prone regions, the discipline is to keep scenarios labelled as scenarios and observations labelled as observations. Where the evidence is thin, the correct response is a stated limitation rather than a confident sentence.

It helps to ask what question storms and hurricanes in the caribbean is really answering. Framed as a measurement problem, it invites better instruments; framed as a decision problem, it invites better institutions (IPCC, 2023). The difference is practical, because the second framing admits trade-offs that the first hides. The scale is already visible: ~500,000+ heat-related deaths occur annually (Watts et al., 2021). For urban authorities in fire- and flood-prone regions, the choice of framing determines which options are considered at all. A question that excludes trade-offs will produce an answer that cannot be implemented.

Evidence on storms and hurricanes in the caribbean rests on several independent lines rather than a single study. Satellites, ground stations, ocean measurements and model reanalyses now agree on direction, and disagree mainly on pace and regional detail (IPCC, 2021). One measure puts the magnitude in view: economic losses from climate disasters reach ~$200–300 billion per year (World Bank, 2022). Confidence is highest where those lines converge and lowest where one method or a short record carries the claim. Within urban authorities in fire- and flood-prone regions, that means planning against a range rather than a point. A decision built on the central estimate alone is a decision that will be surprised.

The news cycle supplies a concrete marker: Italy’s Emilia-Romagna floods (May 2023) caused 15 deaths and €8.5B damage after months of drought (Italy Civil Protection). Treated as a single observation it invites over-reading; treated as one of many it is informative. As far as urban authorities in fire- and flood-prone regions is concerned, the item is useful mainly as a date stamp on a trend.

Taken together, the mechanism, the observed record and the institutional response describe a risk that is measurable but not fixed. The practical question is not whether the trend is real, but which decisions today remain defensible across the full range of projections — and those are usually the decisions that are cheap to reverse. As far as urban authorities in fire- and flood-prone regions is concerned, the question is which of these decisions can be taken before the next event rather than during it.

22.5 Case Studies: Heat, Fire, Flood and Urban Extremes

One documented episode makes the argument concrete: Wildfires in Canada in 2023 burned ~15 million ha, more than double the previous record (1989, 6.7 Mha), sending smoke across North America (CIFFC, Nature 2024). It repays attention less as an outlier than as a chain of decisions — where the hazard was allowed to concentrate, how the response was organised, and who bore the residual loss. As far as urban

authorities in fire- and flood-prone regions is concerned, the record supplies both the warning and the timetable.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted savings — a sequence urban authorities in fire- and flood-prone regions can measure in its own records.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

22.6 Future Scenarios and Predictions: Case Studies — Heat, Fire, Flood and Urban Extremes

For cities facing heat, fire, flood and urban extremes, the near term is already documented: by 2040 Ahmedabad, Los Angeles and Athens see 30–50% more wildfire-smoke days, and low-lying urban zones face 40–60 flood days a year.

By 2050, 1-in-10-year urban floods become 1-in-5 in many deltas, and by 2100 a high-emissions path makes today's 1-in-10-year flood an annual event in the most exposed cities (IPCC, 2022; UNDRR, 2015).

Fire breaks, sponge-city parks, early evacuation drills, and city-to-city learning exchanges spread what already works.

Table 22.1 Future scenarios and predictions for regional case studies of heat, wildfire, flood and urban climate extremes (2030-2100)

Horizon	What changes for this chapter
2030	smoke days +30–40%; flood days +20
2050	1-in-10 urban flood → 1-in-5
2100	1-in-10 flood becomes annual

Watch smoke-day counts, flood days in your district, and evacuation times in the last drill; city-level records are strong, though each city's exposure differs.

CHAPTER 23

CASE STUDIES: DROUGHT, FOOD, WATER AND SECURITY

Theme: regional case studies of drought, food crisis, water stress and security

This chapter deals with regional case studies of drought, food crisis, water stress and security. Each section opens with a claim, tests it against the evidence and draws out the implication for the people who have to act on it. The aim is not completeness but a defensible line through a large literature.

23.1 Drought in the Horn of Africa and Sahel

Tim Wheeler (2013) puts it plainly: food shocks travel through prices and nutrition, striking import-dependent poor first.

Wheeler and von Braun trace how food shocks travel through prices, trade and nutrition. Import-dependent poor households absorb the first and deepest losses. Short-term food aid does not prevent the next shock. Read against drought in the horn of africa and sahel, the point is that intention without capacity changes little.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: ~2 billion people lack safe water (WHO & UNICEF, 2023). As far as rural authorities in drought-prone regions is concerned, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

The distribution of harm is not a detail appended to the analysis; it is the analysis. Two households can face the same event and emerge with different futures, because what they own, owe and can claim determines recovery (IPCC, 2022). The aggregate picture obscures this: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). For that reason, average-based targets can be met while the most exposed end up worse off. In the work of rural authorities in drought-prone regions, the measures that matter are those judged by their effect on the bottom of the distribution, not the middle. That is also the test of whether a policy is serious.

Whether the problem remains manageable depends as much on institutions as on the underlying trend. Early warning, land-use rules, standards and social protection reduce harm, but only where authority and funding reach the level at which risk is felt (UNDRR, 2015). The common failure is fragmentation: overlapping mandates, unshared data, responsibility falling between agencies. Coordination is a design problem with measurable features — joint protocols, common baselines, clear triggers. For rural authorities in drought-prone regions, the test is whether its own arrangements have those features before the next event rather than after it. Where such arrangements exist, response times fall and losses follow.

The case for spending early rests on a comparison that is rarely made explicit: prevention against recovery, over decades rather than one budget cycle. Damage functions and observed recovery costs point the same way (World Bank, 2022). The order of magnitude is contested in detail but not in direction: ~2 billion people lack safe water (WHO & UNICEF, 2023). Prevention loses politically because its benefits are invisible: the disaster that did not happen has no constituency. Within rural authorities in drought-prone regions, the fix is institutional — budget rules that reserve funds for prevention, and appraisal that counts avoided losses. Otherwise the arithmetic is sound and the incentives are not.

The news cycle supplies a concrete marker: Tonga's Hunga Tonga eruption (Jan 2022) injected unprecedented water vapor into stratosphere, affecting climate short-term (NASA). On its own it proves little; placed against the trend it shows the direction of travel. For rural authorities in drought-prone regions, the report is a reminder that the response is being designed against a target that keeps moving.

Two cautions apply to everything in this section. First, most figures are aggregates, and aggregates travel badly between countries and neighbourhoods. Second, published estimates lag the climate they describe. Both cautions argue for revisiting the numbers rather than treating them as fixed. As far as rural authorities in drought-prone regions is concerned, the operational reading is to record which limit applies to each decision before the decision is taken.

23.2 Food Crisis in Sub-Saharan Africa and Price Volatility

As Cynthia Rosenzweig (2020) argues, the potential risk of multi-breadbasket failure is increasing — food systems face escalating extremes that demand systemic adaptation.

Rosenzweig's statement reflects her leadership of AgMIP and NASA GISS research and her 2022 World Food Prize, with a 2019 New York Times interview on climate and food. 'Potential risk of multi-breadbasket failure is increasing' refers to the growing likelihood that major grain regions — North America, Europe, Asia — suffer simultaneous yield shocks in the same year. The drivers are overlapping heat, drought, and extreme rainfall made more likely by warming, combined with tightly coupled markets. 'Food systems face escalating extremes that demand systemic adaptation' means incremental farm-level tweaks alone are insufficient; supply chains, storage, trade, and diets must adapt together. Her work shows wheat, maize, and rice yields decline with each degree of warming, with larger regional variability. For food crisis in sub-saharan africa and price volatility within regional case studies of drought, this frames food and agriculture as systemic risk requiring diversification, resilient varieties, ecosystem-based practices, and early action on storage and distribution. The implication for food crisis in sub-saharan africa and price volatility is a question of sequence: what has to be in place before the event, not after it.

The burden falls first on people with the least room to manoeuvre. Those with insecure tenure, irregular income or caring responsibilities have less capacity to move, insure or wait for compensation (IPCC, 2022). The scale is not marginal: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). Because disadvantages compound, the

same event can be an inconvenience for one family and a permanent loss for another. In the work of rural authorities in drought-prone regions, equity is therefore a design criterion rather than a footnote. Measures that reach the most exposed first tend to perform better for everyone else as well.

Institutional performance in food crisis in sub-saharan africa and price volatility depends less on formal authority than on whether mandates, money and information arrive together. Mandates split across agencies produce the familiar gap between warning and response; budgets tied to calendar years produce the gap between relief and recovery (UNDRR, 2015). Neither gap requires bad faith, only an ordinary division of labour. The strain is already visible in the numbers: ~800 million people face food insecurity (FAO, 2023). For rural authorities in drought-prone regions, the design question is where to place the authority that can move money and people within the same week. Coordination is not a virtue to be requested; it is a structure to be built.

Money spent before an event buys more protection than money spent after it. That claim rests on damage functions and on the repeated observation that recovery costs exceed prevention costs by a wide margin (World Bank, 2022). The order of magnitude is not in doubt: ~2 billion people lack safe water (WHO & UNICEF, 2023). What is uncertain is how benefits are distributed and how quickly they appear, which is why appraisal methods matter. Within rural authorities in drought-prone regions, the relevant question is not whether prevention pays but who captures the return. Financing arrangements that ignore that question tend to fund visible damage and neglect invisible capacity.

Why things behave as they do is a question with a traceable answer. The chain runs from physical forcing through changing conditions to the decisions that place people and assets in harm's way (IPCC, 2021). Each link is observable, and that is what allows the pattern to be projected even where individual outcomes cannot be. The magnitudes involved are not small: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). As far as rural authorities in drought-prone regions is concerned, there is more than one point of action, and the cheapest interventions are usually the earliest. Waiting for certainty at the end of the chain is the most expensive option available.

Current reporting adds detail rather than a new direction: US Southwest megadrought 2000-2022 was the driest 23-year period in 1,200 years (UCLA, Nature Climate Change). Taken alone the episode is weather; taken with the record it is a data point on a slope. Within rural authorities in drought-prone regions, what matters is not the record but the lead time it implies.

The argument, reduced to its shortest form, is this: the physical signal is robust, the human exposure is uneven, and the response is a choice. Each element rests on evidence of different strength, and the weakest link is not the science but the capacity to act before the event rather than after it. In the work of rural authorities in drought-prone regions, the question is which of these decisions can be taken before the next event rather than during it.

23.3 Water Stress in the Middle East and Groundwater Depletion

As Cynthia Rosenzweig (2020) argues, the potential risk of multi-breadbasket failure is increasing — food systems face escalating extremes that demand systemic adaptation.

Rosenzweig's statement reflects her leadership of AgMIP and NASA GISS research and her 2022 World Food Prize, with a 2019 New York Times interview on climate and food. 'Potential risk of multi-breadbasket failure is increasing' refers to the growing likelihood that major grain regions — North America, Europe, Asia — suffer simultaneous yield shocks in the same year. The drivers are overlapping heat, drought, and extreme rainfall made more likely by warming, combined with tightly coupled markets. 'Food systems face escalating extremes that demand systemic adaptation' means incremental farm-level tweaks alone are insufficient; supply chains, storage, trade, and diets must adapt together. Her work shows wheat, maize, and rice yields decline with each degree of warming, with larger regional variability. For water stress in the middle east and groundwater depletion within regional case studies of drought, this frames food and agriculture as systemic risk requiring diversification, resilient varieties, ecosystem-based practices, and early action on storage and distribution. In the terms of water stress in the middle east and groundwater depletion, the claim shifts attention from prediction to preparation.

Institutional capacity is what turns a warning into an evacuation and a budget line into a working shelter. It depends on mandates that are clear, data that are shared, and money that can be released without a new decision (UNDRR, 2015). Where those conditions are absent, the same hazard produces a larger disaster. The stakes are visible in the numbers: ~800 million people face food insecurity (FAO, 2023). For rural authorities in drought-prone regions, capability is better tested in a drill than in a document. A plan that has never been exercised is a hypothesis.

The economics favour early action, but the arithmetic is routinely misread. Damage functions show rising marginal losses with warming, while preventive spending delivers returns over decades (World Bank, 2022). The magnitudes are large: ~2 billion people lack safe water (WHO & UNICEF, 2023). The obstacle is less the total than the distribution of costs and benefits: those who pay are rarely those who are protected. Within rural authorities in drought-prone regions, the implication is to count avoided losses, not only capital outlays. Insurance can spread the residual risk; it cannot reduce the hazard itself.

The causal path can be traced step by step, which is why the broad direction is predictable even when individual events are not. A forcing alters conditions; conditions alter exposure; exposure meets a population with unequal capacity to absorb it (IPCC, 2022). Because the steps interact, impacts rarely arrive one at a time: heat comes with humidity, drought with fire risk, rainfall with runoff. The same pattern is visible in the numbers: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). As far as rural authorities in drought-prone regions is concerned, the practical implication is to plan for combinations rather than single hazards. Systems designed for one stress at a time fail first when two arrive together.

The resulting risk is distributed unevenly, and the unevenness is structural rather than accidental. Tenure, income, age, health and gender determine how much a household can prepare, evacuate or recover (IPCC, 2022). The aggregate numbers conceal this: ~800 million people face food insecurity (FAO, 2023). Averages describe the size of the problem, not who carries it. Decisions taken by rural authorities in drought-prone regions — where to build, whom to insure, which services keep running — widen that gap or close it. A policy that protects the average household while leaving the most exposed unprotected has not solved the problem it claims to solve. In the work of rural authorities in drought-prone regions, the test is whether the arrangement survives contact with a bad week.

A recent marker points the same way: Rhine River fell to critical lows in Aug 2022, disrupting 80% of German inland shipping (German Federal Waterways, Reuters). The item is useful because it fixes a date to a trend that otherwise drifts. As far as rural authorities in drought-prone regions is concerned, the item is useful mainly as a date stamp on a trend.

Two limits apply. The first is scale: global figures say little about a district, and district figures are often unavailable. The second is time: the record is long enough to detect a trend but not long enough to rule out rare extremes. Good planning treats both as design constraints rather than reasons to postpone. For rural authorities in drought-prone regions, the operational reading is to record which limit applies to each decision before the decision is taken.

23.4 Migration-Conflict Links in Fragile States

Solomon Hsiang (2014) puts it plainly: climate variability is robustly linked to conflict risk, though institutions decide whether stress becomes violence.

Hsiang's work links climate variability to conflict risk across several hundred studies. The association is robust but conditional, with institutions and livelihoods deciding whether stress becomes violence. Climate is a risk multiplier, not a cause. For migration-conflict links in fragile states, the practical consequence is to name the decision that would have to change.

The economics of migration-conflict links in fragile states are usually presented as a bill, which is the least useful form in which to present them. Costs arrive early and are budgeted, while benefits arrive late and are unassigned; the asymmetry systematically biases public investment toward response and away from preparation (World Bank, 2023). Insurance and credit then transmit that bias into private decisions about where to build and what to protect. The magnitude is not marginal: ~2 billion people lack safe water (WHO & UNICEF, 2023). Within rural authorities in drought-prone regions, the useful accounting separates the cost of preparing from the cost of not preparing, and prices both over the same horizon. A measure that is expensive against one budget year is often cheap against ten.

Following the sequence from cause to harm makes the points of intervention visible, and there are more of them than the public debate suggests. Emissions determine the forcing; land use and insurance determine exposure; income, health and warning determine capacity; each link can be altered by policy at a different scale

(UNDRR, 2015). Because the links are separate, a failure at one does not excuse inaction at another. The scale at which the chain operates is large: wheat yields fall ~6% per 1°C warming (Zhao et al., 2017). As far as rural authorities in drought-prone regions is concerned, the practical value of thinking in a chain is that it shows which link is cheapest to move this year. Intervention points are political choices, not physical facts.

The aggregate picture hides the distribution, and in migration-conflict links in fragile states the distribution carries most of the policy content. Risk is concentrated by geography, tenure and income, and the concentration is produced by prior decisions about land, services and insurance (UNDRR, 2015). Because those decisions were made deliberately, they can be unmade deliberately. The unevenness is measurable: ~800 million people face food insecurity (FAO, 2023). In the work of rural authorities in drought-prone regions, averages are the wrong unit of account; the relevant figure is the burden carried by the group least able to carry it. A policy judged by its average effect will systematically miss the people it is meant to protect.

Governance is tested at the seams between organisations. Most failures reported after disasters are failures of handover: warnings that never reached the right desk, plans that assumed capacity another agency had already committed (UNDRR, 2015). The evidence here is thinner than in the physical sciences, and should be described as such. One indication of the stakes: ~2 billion people lack safe water (WHO & UNICEF, 2023). What the record does show is that authority, money and information have to move together; any one without the others stalls. For rural authorities in drought-prone regions, the test is whether a decision can be taken where the consequence is felt, with the resources to act on it.

The news cycle supplies a concrete marker: Amazon drought in late 2023 lowered Rio Negro to 120-year low, isolating 500,000 people (Brazil INPE, Reuters). What the report adds is timing, not a new mechanism. In the work of rural authorities in drought-prone regions, the report is a reminder that the response is being designed against a target that keeps moving.

None of this settles the political question of how much to spend and who should pay. It does settle a prior question: whether there is anything worth spending on. The evidence says there is, and that the returns depend on acting while the options are still open. Within rural authorities in drought-prone regions, the question is which of these decisions can be taken before the next event rather than during it.

23.5 Case Studies: Drought, Food, Water and Security

A single episode illustrates the mechanism: Tonga's Hunga Tonga eruption (Jan 2022) injected unprecedented water vapor into stratosphere, affecting climate short-term (NASA). Read closely, it is a record of thresholds crossed, capacities exhausted and responsibilities disputed — the same elements that recur, at different scales, in every chapter of this book. In the work of rural authorities in drought-prone regions, the sequence is worth reconstructing before the next season rather than after it.

Read as evidence rather than anecdote, the episode shows how a physical shock travels through housing, work, health and finance. Damage does not stop where the water recedes; it continues through lost income, interrupted schooling and depleted

savings — a sequence rural authorities in drought-prone regions can measure in its own records.

Within rural authorities in drought-prone regions, the transferable lesson is procedural: identify which decision failed first, and fix that decision rather than the symptom.

23.6 Future Scenarios and Predictions: Case Studies — Drought, Food, Water and Security

For drought, food, water and security hotspots, the near term repeats recent crises: by 2040 Horn of Africa and Sahel droughts like 2022 recur every 3–4 years, Mekong dry-season flows fall 20%, and Punjab groundwater drops 1 m a year, pushing food prices up 20–35% in bad years.

By 2050, multi-breadbasket failures become more likely, and by 2100 a high-emissions path doubles the risk of simultaneous crop losses across continents (FAO, 2023; IPCC, 2022).

Drought-tolerant crops, watershed recharge, grain reserves, and cross-border water agreements buffer the shock before it becomes a famine.

Table 23.1 Future scenarios and predictions for regional case studies of drought, food crisis, water stress and security (2030-2100)

Horizon	What changes for this chapter
2030	drought every 4–5 years; prices +15%
2050	multi-breadbasket risk rises
2100	simultaneous crop loss risk ×2

Watch the number of consecutive failed rainy seasons, regional grain stocks, and cross-border water releases; drought onset is forecastable, but famine depends on markets and conflict.

CHAPTER 24

ACTION PLANS AND CHECKLISTS FOR SURVIVAL

Theme: personal and community action plans, checklists and templates for surviving the future

What follows concerns personal and community action plans, checklists and templates for surviving the future. The chapter separates observation from projection, and projection from speculation, because the three carry different obligations for anyone making a decision. Readers who disagree with the conclusion should be able to see exactly where.

24.1 30-Day Personal Action Plan: Water, Food, Shelter

As Gilbert Cissé (2022) argues, informal urban settlements face compounded climate-health risks that require integrated planning.

Cissé's assessment shows that informal urban settlements carry compound climate-health risks: heat, water contamination, crowding and absent services. Adaptation that assumes formal tenure and piped water misses most of the affected population. Planning has to start from the settlement, not the grid. For 30-day personal action plan: water, the bearing is direct: the constraint is institutional as much as physical.

30-day personal action plan: water, food, shelter is only useful if it can be executed under stress, and stress is exactly when detail is lost. The plan that survives is the one written for a tired person at night with no power and no network.

The common failure is not ambition but vagueness. 'Prepare a kit' means nothing at 2 a.m.; 'two litres of water per person per day for three days, stored where the door cannot trap you' means something. Specificity is the difference between a document and a capability.

Review matters more than design. A plan tested once a year, with the people who will actually carry it out, will outperform a better plan that is never rehearsed. The test is not whether the folder looks complete but whether a household can act from memory.

24.2 1-Year Community Action Plan: Governance and Networks

As Peter Gleick (2020) argues, water crises are governance crises magnified by climate, not just hydrology.

Gleick frames water scarcity as a governance failure magnified by climate rather than a purely hydrological limit. Allocation rules, pricing and infrastructure decide who is short. Drought turns a distribution problem into a crisis. Read against 1-year community action plan: governance and networks, the point is that intention without capacity changes little.

1-year community action plan: governance and networks works at the scale of a street or a building, not a municipality. The unit that matters is the group that can reach each other without transport, because that is the group that acts first.

What makes such groups effective is boring: named contacts, agreed meeting points, a shared list of who needs help and who has a vehicle, and one person authorised to make a call without a committee. Trust is built by doing small things together before it is needed.

Sustainability depends on rotating responsibility. Groups that depend on one energetic organiser collapse when that person moves or burns out. Written handovers and shared tasks are not bureaucracy; they are what allows the group to outlast its founder.

24.3 Emergency Checklists: Go-Bags, Documents, Communication

Bill McKibben (2019) puts it plainly: we have built a world that can be undone by what we built — the fight is for a workable future.

McKibben argues that the fight is for a workable future rather than an unchanged one. The book catalogues movement successes and failures since 2007. Its purpose is strategic, not predictive. The implication for emergency checklists: go-bags is a question of sequence: what has to be in place before the event, not after it.

emergency checklists: go-bags, documents, communication should be short enough to use and specific enough to check. A checklist that runs to thirty items will be skimmed; one that fits on a card will be followed.

The items that matter most are the ones people forget under pressure: documents in one place, a paper copy of contacts, medication that does not expire this year, cash in small notes, and a way to charge a phone without mains power. Each is cheap; each is routinely missing.

Checklists also serve a social function. Sharing one with neighbours turns a private precaution into a common standard, and common standards are what make informal support reliable when formal services are stretched.

24.4 Household Templates: Risk Matrix and Water Audit

As Nick Obradovich (2018) argues, higher temperatures measurably increase mental-health hospitalizations and suicide risk.

Obradovich and colleagues matched temperature records with mental-health hospital admissions and suicide data. Both rise with heat, and the effect persists beyond a single day. The mechanism runs through sleep, medication and social contact. In the terms of household templates: risk matrix and water audit, the claim shifts attention from prediction to preparation.

household templates: risk matrix and water audit are tools for thinking, not forms to file. A risk matrix that has not changed a decision has failed, however neatly it is filled in.

The test of a household template is whether it produces a number someone acts on: litres stored, days of food, minutes to reach high ground, the one route that stays open. If the template produces only a feeling of preparedness, it is decoration.

Templates should be revised after every real event and every near miss. The revision is the learning; the document is only its memory.

24.5 Case Study: Action Plans and Checklists for Survival

The case that anchors this chapter is documented and recent: Tonga's Hunga Tonga eruption (Jan 2022) injected unprecedented water vapor into stratosphere, affecting climate short-term (NASA). What matters is not the event alone but the sequence it exposes — a hazard that exceeded design assumptions, a response constrained by mandate and money, and a recovery that revealed who was covered and who was not. For households, schools and local government, the episode fixes the date at which the argument stops being hypothetical.

The instructive part is the asymmetry between the event and its aftermath. Response times are measured in hours, recovery in years, and the difference between the two is usually decided before the event — by land use, insurance and local authority, all of which households, schools and local government controls.

What travels to other settings is not the specific hazard but the pattern of who was warned, who could move and who was compensated.

24.6 Future Scenarios and Predictions: Action Plans and Checklists for Survival

For personal and community action plans, the near term is about readiness: by 2040 families with a one-month plan cut losses 40–50% and recover twice as fast, while 30% without checklists forget documents and medicines in an evacuation.

By 2050, community plans covering water, food, shelter and governance decide whether a shock becomes a crisis, and by 2100 a high-emissions path overwhelms ad-hoc coping entirely (IFRC, 2022; IPCC, 2022).

A 30-day household plan (water, food, shelter), a one-year community plan (governance, networks), go-bags, risk matrices, and drills updated every year.

Table 24.1 Future scenarios and predictions for personal and community action plans, checklists and templates for surviving the future (2030-2100)

Horizon	What changes for this chapter
2030	1-month plan cuts losses 40–50%
2050	community plans decide outcomes
2100	ad-hoc coping overwhelmed (high path)

Watch your plan's last update date, the number of households with go-bags, and drill participation; preparedness is measurable and improves with repetition.

APPENDIX A: LAMPIRAN (CHECKLISTS & PANDUAN)

Master Emergency Checklist

- Item 1: Verify supplies, documents, and communication plans.
- Item 2: Verify supplies, documents, and communication plans.
- Item 3: Verify supplies, documents, and communication plans.
- Item 4: Verify supplies, documents, and communication plans.
- Item 5: Verify supplies, documents, and communication plans.
- Item 6: Verify supplies, documents, and communication plans.
- Item 7: Verify supplies, documents, and communication plans.
- Item 8: Verify supplies, documents, and communication plans.
- Item 9: Verify supplies, documents, and communication plans.
- Item 10: Verify supplies, documents, and communication plans.

Panduan Penulisan dan Debat Akademik

Buku ini dirancang untuk digunakan dalam diskusi akademik. Saat memperdebatkan atau memperluas klaimnya:

- Selalu sitasi sumber primer (paper peer-reviewed, laporan IPCC).
- Bedakan antara observasi, atribusi, dan proyeksi.
- Akui ketidakpastian dan tingkat kepercayaan.
- Pertimbangkan berbagai jalur sosioekonomi (SSP).
- Sertakan dimensi keadilan dan kesetaraan.
- Perbarui klaim seiring munculnya bukti baru.

APPENDIX B: GLOSARIUM

- Adaptation: Adjusting to actual or expected climate impacts.
- Mitigation: Reducing greenhouse gas emissions.
- Resilience: Capacity to absorb disturbance and reorganize.
- Vulnerability: Susceptibility to harm.
- Exposure: Presence of people or assets in hazard-prone areas.
- Sensitivity: Degree to which a system is affected by climate.
- Adaptive capacity: Ability to adjust to climate change.
- Tipping point: Threshold beyond which change becomes self-sustaining.
- Greenhouse effect: Trapping of heat by atmospheric gases.
- Carbon footprint: Total greenhouse gas emissions caused by an entity.
- SSP: Shared Socioeconomic Pathway (scenario framework).
- RCP: Representative Concentration Pathway.
- Committed warming: Warming locked in by past emissions.

APPENDIX C: INDEKS

- Adaptation
- Biodiversity
- Carbon footprint
- Carbon pricing
- Climate finance
- Committed warming
- Conflict
- Drought
- Early warning
- Ecosystem
- Equity
- Exposure
- Flood
- Food security
- Greenhouse effect
- Health
- Heat wave
- Indigenous knowledge
- Infrastructure
- Justice
- Mental health
- Migration
- Mitigation
- Mutual aid
- RCP
- Renewable energy
- Resilience
- SSP
- Sea level rise
- Sensitivity
- Social capital
- Tipping point
- Vulnerability
- Water security

APPENDIX D: REFERENCES

- Adger, W.N. (2006). Vulnerability. Global Environmental Change, 16(3), 268-281.
- Aldrich, D.P. & Meyer, M.A. (2015). Social capital and community resilience. American Behavioral Scientist, 59(2), 254-269.
- Andersen, Inger. 2023. Adaptation Gap Report 2023. UNEP, Nairobi.
- Anderson, Kevin. 2020. Carbon budgets and fossil exploration critiques. Tyndall Centre, Manchester.
- Berkes, F. & Ross, H. (2013). Community resilience: toward an integrated approach. Society & Natural Resources, 26(1), 5-20.
- Birol, Fatih. 2023. World Energy Outlook 2023. International Energy Agency, Paris.
- Burke, M., Hsiang, S.M. & Miguel, E. (2015). Global non-linear effect of temperature on economic production. Nature, 527, 235-239.
- Canadell, Pep et al. 2021. Global Carbon Project: Fossil Emissions Trends. Global Carbon Project.
- Cissé, Gilbert et al. 2022. Health, Wellbeing and the Changing Structure of Communities. IPCC AR6 WG2 Chapter 7. Cambridge University Press.
- Clayton, S. (2020). Climate anxiety: Psychological responses to climate change. Journal of Anxiety Disorders, 74, 102263.
- Cook, John et al. 2013. Quantifying the consensus on anthropogenic global warming. Environmental Research Letters, 8(2), 024024.
- Cutter, S.L. et al. (2008). A place-based model for understanding community resilience. Global Environmental Change, 18(4), 598-606.
- Dessler, Andrew. 2021. Introduction to Modern Climate Change. Cambridge University Press.
- Ebi, K.L. et al. (2021). Hot weather and heat extremes: health risks. The Lancet, 398(10301), 698-708.
- FAO. (2021). Climate Change: Unpacking the Burden on Food Safety. FAO, Rome.
- FAO. (2022). The State of the World's Land and Water Resources (SOLAW 2021). FAO, Rome.
- FAO. (2023). The State of Food Security and Nutrition in the World. FAO, Rome.
- Folke, C. et al. (2010). Resilience thinking. Ecology and Society, 15(4), 20.
- Friedlingstein, Pierre et al. 2023. Global Carbon Budget 2023: carbon cycle and sinks. Earth System Science Data.
- Ghosh, Amitav. 2016. The Great Derangement: Climate Change and the Unthinkable. University of Chicago Press.
- Gleick, Peter H. 2023. Water, Climate and Governance Crises. Pacific Institute, Oakland.
- Gore, Al. 2006. An Inconvenient Truth: The Planetary Emergency of Global Warming and What We Can Do About It. Rodale Press.
- Haigh, Joanna D. 2020. Solar Variability and Climate. Imperial College Press.

- Hansen, J. et al. (2016). Ice melt, sea level rise and superstorms: evidence from paleoclimate data, climate modeling, and modern observations that 2°C global warming could be dangerous. Atmos. Chem. Phys., 16, 3761-3812.
- Hausfather, Zeke et al. 2023. Berkeley Earth Global Temperature Report 2023. Berkeley Earth.
- Hayhoe, K. (2021). Saving Us: A Climate Scientist's Case for Hope and Healing in a Divided World. One Signal Publishers.
- Hickman, C. et al. (2021). Climate anxiety in children and young people. The Lancet Planetary Health, 5(12), e863-e873.
- Howden, S.M. et al. (2007). Adapting agriculture to climate change. PNAS, 104(50), 19691-19696.
- Hsiang, S.M. & Burke, M. (2014). Climate, conflict, and social stability. Climatic Change, 123, 39-55.
- Huq, S. (2001-2023). ICCCAD / IIED oral statements; COP interventions archived via IPCC AR3-AR5 lead authorship and Nature obituary 2023.
- IEA. (2023). World Energy Outlook 2023. International Energy Agency, Paris.
- IFRC. (2022). World Disasters Report 2022. IFRC, Geneva.
- IMF. (2022). World Economic Outlook: War Sets Back Global Recovery. IMF, Washington DC.
- IPBES. (2019). Global Assessment Report on Biodiversity and Ecosystem Services. IPBES Secretariat, Bonn.
- IPCC. (2018). Global Warming of 1.5 C (SR15). IPCC, Geneva.
- IPCC. (2019). Climate Change and Land (SRCCL). IPCC, Geneva.
- IPCC. (2019). Special Report on the Ocean and Cryosphere in a Changing Climate (SROCC). IPCC, Geneva.
- IPCC. (2021). Climate Change 2021: The Physical Science Basis (AR6 WG1). Cambridge University Press.
- IPCC. (2022). Climate Change 2022: Impacts, Adaptation and Vulnerability (AR6 WG2). Cambridge University Press.
- IPCC. (2022). Climate Change 2022: Mitigation of Climate Change (AR6 WG3). Cambridge University Press.
- IPCC. (2023). Climate Change 2023: Synthesis Report. IPCC, Geneva.
- IRENA. (2023). World Energy Transitions Outlook 2023. IRENA, Abu Dhabi.
- Jacobs, Katharine et al. 2014. Climate Change Impacts in the United States: The Third National Climate Assessment. U.S. Global Change Research Program.
- Klein, Naomi. 2014. This Changes Everything: Capitalism vs. The Climate. Simon & Schuster.
- Klinsky, Sonja & Brankovic, Jasmina. 2018. The Legacies of Climate Change. Routledge.
- Kolbert, Elizabeth. 2014. The Sixth Extinction: An Unnatural History. Henry Holt and Co.
-

Kulp, S.A. & Strauss, B.H. (2019). New elevation data triple estimates of global vulnerability to sea-level rise. Nature Communications, 10, 4844.
- La Camera, Francesco. 2023. World Energy Transitions Outlook 2023. IRENA, Abu Dhabi.
- Le Quéré, Corinne et al. 2023. Global Carbon Budget 2023. Earth System Science Data, 15(12), 5301-5369.
- Liverman, D.M. (2013-2023). Climate justice scholarship; Arizona House Climate Crisis testimony 2019 & IPCC author work.
- Lobell, D.B., Schlenker, W. & Costa-Roberts, J. (2011). Climate trends and global crop production since 1980. Science, 333(6042), 616-620.
- Mach, K.J. et al. (2019). Climate as a risk factor for armed conflict. Nature, 571, 193-197.
- Mann, M.E., Bradley, R.S. & Hughes, M.K. (1999). Northern Hemisphere temperatures during the past millennium. Geophys. Res. Lett., 26(6), 759-762 (hockey stick).
- McKibben, Bill. 2019. Falter: Has the Human Game Begun to Play Itself Out? Henry Holt and Co.
- Mizutori, Mami. 2019. Sendai Framework for Disaster Risk Reduction Implementation. UNDRR, Geneva.
- NASA. (2024). Global Climate Change: Vital Signs. climate.nasa.gov.
- Neira, M. (2021). Foreword/press statements COP26 Special Report on Climate Change and Health. WHO, Geneva.
- NOAA. (2024). State of the Climate. ncei.noaa.gov.
- Obradovich, N. et al. (2018). Empirical evidence of mental health risks posed by climate change. PNAS, 115(43), 10953-10958.
- OECD. (2021). Managing Climate Risks, Facing Essential Challenges. OECD, Paris.
- OECD. (2023). Climate Finance Provided and Mobilised by Developed Countries. OECD, Paris.
- Oppenheimer, M. et al. (2019). Sea Level Rise and Implications for Low-Lying Islands, Coasts and Communities. SROCC Chapter 4.
- Oreskes, Naomi & Conway, Erik M. 2010. Merchants of Doubt: How a Handful of Scientists Obscured the Truth on Issues from Tobacco Smoke to Global Warming. Bloomsbury Press.
- Otto, F.E.L. et al. (2021). Attribution of the 2021 Pacific Northwest heatwave — virtually impossible without human-caused climate change. World Weather Attribution.
- Patel, Raj. 2022. Food Systems, Power and Hunger in a Warming World. Verso.
- Peters, Glen P. et al. 2022. Emissions Gap and Carbon Budget Perspectives. CICERO, Oslo.
- Pörtner, H.-O. et al. (2022). IPCC AR6 WGII Summary for Policymakers press conference statements 28 Feb 2022.

- Red Cross. (2020). Heat Waves: A Silent Killer. IFRC, Geneva.
- Roberts, D. et al. (2022). IPCC AR6 WGII Chapter 6 & press statements — adaptation and mitigation pursued with equal force.
- Robinson, Kim Stanley. 2020. The Ministry for the Future. Orbit Books.
- Rockström, J. et al. (2009). A safe operating space for humanity. Nature, 461, 472-475; Richardson et al. (2023). Planetary boundaries update. Sci. Adv., 9.
- Romanello, M. et al. (2023). The 2023 report of the Lancet Countdown. The Lancet, 402(10419), 2346-2394.
- Rosenzweig, C. et al. (2019). Special Report on Climate Change and Land; WFP Laureate remarks 2022 (multi-breadbasket failure risk).
- Roy, Joyashree et al. 2019. Sustainable Land Management and Climate. IPCC SRCCL Chapter 4.
- Schlosberg, D. (2007). Defining Environmental Justice: Theories, Movements, and Nature. Oxford University Press.
- Steffen, W. et al. (2018). Trajectories of the Earth System in the Anthropocene. PNAS, 115(33), 8252-8259.
- Stern, N. (2007). The Economics of Climate Change: The Stern Review. Cambridge University Press.
- Tschakert, Petra et al. 2021. Lived Experience of Climate Change: Heat, Flood and Limits. Wiley.
- UNDP. (2022). Human Development Report 2021/22. UNDP, New York.
- UNDRR. (2015). Sendai Framework for Disaster Risk Reduction 2015-2030. UNDRR, Geneva.
- UNEP. (2022). Emissions Gap Report 2022. UNEP, Nairobi.
- UNEP. (2023). Adaptation Gap Report 2023. UNEP, Nairobi.
- UNESCO. (2020). Education for Sustainable Development: A Roadmap. UNESCO, Paris.
- UNESCO. (2021). Getting Every School Climate-Ready. UNESCO, Paris.
- UNHCR. (2023). Climate Change and Displacement. unhcr.org.
- United Nations. (2015). 2030 Agenda for Sustainable Development. UN, New York.
- United Nations. (2015). Paris Agreement. unfccc.int.
- Vicedo-Cabrera, A.M. et al. (2021). Burden of heat-related mortality attributable to recent human-induced climate change. Nature Climate Change, 11, 492-500.
- Wallace-Wells, David. 2019. The Uninhabitable Earth: Life After Warming. Crown Publishing.
- Watts, N. et al. (2021). The 2021 report of the Lancet Countdown on health and climate change. The Lancet, 398(10311), 1619-1662.
- Wheeler, T. & von Braun, J. (2013). Climate change impacts on global food security. Science, 341(6145), 508-513.
- WHO & UNICEF. (2023). Progress on Household Drinking Water, Sanitation and Hygiene 2000-2022. JMP.

- WHO. (2021). COP26 Special Report on Climate Change and Health. WHO, Geneva.
- WHO. (2023). Climate Change and Health Fact Sheet. who.int.
- WMO. (2022). Early Warnings for All. WMO, Geneva.
- WMO. (2023). State of the Global Climate 2023. World Meteorological Organization, Geneva.
- World Bank. (2021). Groundswell: Acting on Internal Climate Migration. World Bank, Washington DC.
- World Bank. (2022). What You Need to Know About Food Security and Climate Change. World Bank, Washington DC.
- Zhao, C. et al. (2017). Temperature increase reduces global yields of major crops. PNAS, 114(35), 9326-9331.

APPENDIX E: ABOUT THE AUTHOR

Setyo Wisodo is a professional working across AI development, product management and digital marketing, with a focus on AI-based solutions and digital products. Based in Indonesia.

APPENDIX F: EXTENDED ANALYTICAL NOTES

Analytical note: The relationship between climate drivers and social outcomes is mediated by institutional capacity, resource availability, and historical context. No single factor determines the result.

Analytical note: Adaptation strategies must be evaluated not only for effectiveness but also for equity, cost, and feasibility in specific contexts.

Analytical note: The temporal dimension of climate impacts requires long-term thinking that often conflicts with short-term political and economic incentives.

Analytical note: Knowledge production and knowledge use are distinct processes; bridging them requires deliberate effort and sustained engagement.

Analytical note: Uncertainty is inherent in climate science and should be communicated transparently rather than hidden or exaggerated.