



프로그램 실행



Q & A





학생 선생 강의실 정보 관리

학원 내 독서실

정보 저장

학원 내 정보 관리 프로그램



이승민

SON JONATHAN SEBASTIAN






제안서 작성 Model part 구현 View part 구현 Controller part 구현 발표 자료


팀원 구성 및 역할 분담



시스템 구조도



Model



File

FileIO

public:

- LoadLectureFile(string filename)
- SaveLectureFile(List<Lecture> lectureList)
- LoadTeacherFile(string filename, List<Lecture> lectureList)
- SaveTeacherFile(List<Teacher> teacherList)
- LoadStudentFile(string filename, List<Lecture> lectureList)
- SaveStudentFile(List<Student> studentList)

Controller

K

 α

Controller

public:

- · Library Library;
- · List < Student > Students;
- · List < Teacher > Teachers;
- · List < Lecture > Lecture;
- FindOnlyStudent(string)
- FindStudents(string, int)
- FindOnlyTeacher(string)
- FindTeachers(string, int)
- FindOnlyLecture(string)
- FindLectures(string, int)
- AddStudent(string, string, string, string, string)
- AddTeacher(string, string, string, string, string)
- DeleteInfo(string, int)
- Lecture FindInsertLecture(string[])
- GetListForm(ListForm)
- · GetViews()
- GetYearComboboxItems()
- GetMonthComboBoxItems()
- GetDayComboBoxItems(int, int)
- GetGradeComboBoxItems()
- SetLectureInsertForm(InsertLectur)
- SetLectureTeaTextBox()
- AddLecture(Lecture)
- lectureRoomRedundancyCheck(int[], string, string, string, string)
- · lecturePersonRedundancyCheck(Lecture, Student)
- lecturePersonRedundancyCheck(Lecture, Teacher)
- lecturePersonRedundancyCheck(string, string, int[], Teacher)
- GetRoomTimeSchedule(string)
- GetNewStudentID(string, string)
- GetNewLectureID(string)

- ListForm listForm;
- · InsertLecture insert;
- string basicRoute;
- int[] IDCnt;
- int IDCntIndex;
- lectureTimeConvertIndex(string);
- getLectureTimeArray(int, int)
- getAllLectureTimeArray(int, int, bool[][], int[])
- getValidLecture(bool[], bool[])
- getAllRoomTimeArray(int, int, int[][], int[], int)

Controller

검색 ● 학생, 선생님, 강의 검색 기능

삽입 ● 학생, 선생님 삽입 기능

삭제 ● ID를 기준으로 학생, 선생님, 강의 삭제 기능

연도 ● 윤년, 평년을 기준으로 월, 일을 설정

검사 ● 학생, 선생님에 강의를 추가 및 수정 또는 강의 추가 및 수정 시 중복 검사

ID ● 학생, 강의 추가시 ID 부여

View

Form1 public: Form1(); ~Form1(); Controller cont; · LoginForm loginForm; private: const bool boolForStudent; const bool boolForTeacher; string basicRoute; startStudentButton_Click(object, EventArgs); startTeacherButton_Click(object, EventArgs); buttonSet() startLectureButton_Click(object, EventArgs); LoginForm public: LoginForm(); • ~LoginForm(); Controller cont; Student loginStudent; StudentForm studentForm: Teacher loginTeacher; TeacherForm teacherForm; bool authority; SetAuthority(Controller, bool); private: idLoginCompleteButton_Click(object, EventArgs); idLoginCancelButton_Click(object, EventArgs); secondIdLoginTextBox_TextChanged(object, EventArgs);

LectureForm

public:

- LectureForm();
- ~LectureForm();
- Controller cont;
- · List < Lecture > lectures;
- string[] stdRoom;
- int[][] roomTimeArray;

private:

- const int rowCount;
- const int columnCount;
- · const int cellWidth;
- · const int cellHeight;
- SetBasicState();
- · GetLectureView();
- roomSchedule_CellDoubleClick(object, DataGridViewCellEventArgs);
- roomSelectCombo_SelectedIndexChanged(object, EventArgs);
- lectureViewSelectButton_Click(object, EventArgs);
- SetSchedule(string);
- void SetRoomComboBox();

NoticeForm

public:

Controller cont;

private:

- NoticeForm();
- · Post post;
- · List < Post > posts;
- GetNoticeView();
- SetTextBoxTool();
- SetTextBox();
- noticeView_CellDoubleClick(object sender, DataGrideView e)
- InsertOKButton_Click(object sender, EventArgs e)
- InsertNoButton_Click(object sender, EventArgs e)
- InsertButton(object sender, EventArgs e)
- DeleteButton_Click(object, EventArgs)

StudentForm

public:

- StudentForm();
- ~StudentForm();
- Controller cont;
- Student loginStudent;
- · int useDeskNum;
- Button[] desk;
- MakeDeskButton()
- GetOneStudentLectureView()

- List<Lecture> lectures;
- btn_Click(object, EventArgs);

View

TeacherForn

public:

- TeacherForm();
- ~TeacherForm();
- Controller cont;
- Teacher loginTeacher;
- ListForm listForm:
- List<Lecture> lectures:
- bool teacherInfoModifiyState;

private:

- string basicRoute;
- SetOriginTeacherValue(bool);
- SetComboBoxes();
- GetLectureView();
- UnvalidBoxes();
- ValidBoxes();
- ModificationTeacherInformation();
- teacherInfoModifiyButton_Click(object, EventArgs);
- allInformationButton_Click(object, EventArgs);
- teacherSetYearCombo_SelectedIndexChanged(object, EventArgs);
- $\bullet teacher Set Month Combo_Selected Index Changed (object,\ Event Args);\\$
- $\bullet teacher Set First Phone Number Text Box_Text Changed (object, \ Event Args);\\$
- teacherSetSecondPhoneNumberTextBox_TextChanged(object, EventArgs);
- teacherSetThirdPhoneNumberTextBox_TextChanged(object, EventArgs);
- imageRegisterButton_Click(object, EventArgs);

ListForm

public:

- ListForm();
- ~ListForm();
- int index;
- int searchIndex;
- string searchText;
- · List < Student > students;
- List<Teacher> teachers;
- List < Lecture > lectures;
- Student selectedStudent;
- Teacher selectedTeacher;
- Lecture selectedLecture;
- bool updateState;
- GetInfoListView();

- string basicRoute;
- Controller cont;
- Teacher tmpTea;
- List<Lecture> tmpLec;SetStuTeaBoxTool();
- SetDateComboBox();
- SetLectureTimeComboBox();
- SetLectureBoxTool();
- SetChooseGroupBox();
- GetGroupDataTable();
- SelectButton_Click(object, EventArgs);
- ChooseGroupBox_SelectedIndexChanged(object, EventArgs);
- ChooseAttributeBox_SelectedIndexChanged(object, EventArgs);
- SetChooseAttributeBox():
- InsertButton Click(object, EventArgs);
- DeleteButton_Click(object, EventArgs);
- GroupDataTable_CellMouseDoubleClick(object, DataGridViewCellMouseEventArgs);
- SelectTextBox_TextChanged(object, EventArgs);
- InfoListView_CellContentClick(object, DataGridViewCellEventArgs);
- SetLectureBox();
- SetStuTeaBox();
- · SetImageBox();
- SchoolComboBox_SelectedIndexChanged(object, EventArgs);
- ImageButton_Click(object, EventArgs);
- UpdateButton_Click(object, EventArgs);
- $\bullet Lecture Update OK Button_Click (object, \ Event Args);\\$
- LectureUpdateNoButton_Click(object, EventArgs);
- TeacherChangeButton_Click(object, EventArgs);
- $\bullet month Combo Box_Selected Index Changed (object,\ Event Args);$
- StuTeaUpdateOKButton_Click(object, EventArgs);
- StuTeaUpdateNoButton_Click(object, EventArgs);
- $\bullet year Combo Box_Selected Index Changed (objec, Event Args);\\$
- myLecture_CheckedChanged(object, EventArgs);
- $\bullet Phone Text Box 1_Text Changed (object, \ Event Args);\\$
- PhoneTextBox2_TextChanged(object, EventArgs);
- $\bullet \ Phone Text Box 3_Text Changed (object, \ Event Args);$
- ParentPhone1_TextChanged(object, EventArgs);
- ParentPhone2_TextChanged(object, EventArgs);
- ParentPhone3_TextChanged(object, EventArgs);

View

InsertForm public: · InsertForm(); · ~InsertForm(); · Controller cont; ChangeTeacherForm · int schoolIndex; int index; public: comboBox1_SelectedIndexChanged(object, EventArgs) GetLectureView(); · ChangeTeacherForm(); YesButton_Click(object, EventArgs); ~ChangeTeacherForm(); private: GetTeachersView(); string basicRoute; List<Lecture> lectures; GetSelectedTeacherView(); Student newStudent; · Teacher newTeacher; private: SetTool(); NoButton_Click(object, EventArgs); · Controller cont; ImageInsertButton_Click(object, EventArgs); LectureView_CellDoubleClick(object, DataGridViewCellEventArgs); · Lecture lecture; monthComboBox_SelectedIndexChanged(object, EventArgs); Teacher selectedTea; yearComboBox_SelectedIndexChanged(object, EventArgs); PhoneTxtBox1_TextChanged(object, EventArgs); PhoneTxtBox2_TextChanged(object, EventArgs); List<Teacher> teachers; int index; PhoneTxtBox3_TextChanged(object, EventArgs); ChangeButton_Click(object, EventArgs); parentTextBox1_TextChanged(object, EventArgs); parentTextBox2_TextChanged(object, EventArgs); OKButton_Click(object, EventArgs); parentTextBox3_TextChanged(object, EventArgs); public:

- InsertLecture();
- ~InsertLecture();
- · Controller cont;
- Lecture newLecture;
- int index;
- comboBox1_SelectedIndexChanged(object, EventArgs)
- · GetLectureView();
- YesButton_Click(object, EventArgs);
- SetLectureTeaTextBox();

- SetComboBoxItems();
- LectureUpdateOKButton_Click(object, EventArgs);
- LectureUpdateNoButton_Click(object, EventArgs);
- TeacherChangeButton_Click(object, EventArgs);



FORM1

K| ≪



버튼 클릭에 따른 새로운 폼 화면에 출력

LectureForm

전체 강의실 정보 출력




전체 시간표 보기	강의실1 🗸		강의실	<u></u> 1			
	월요일	화요일	수요일	목요일	금요일	토요일	^
16:00 ~ 16:30			현대문학기초				
16:30 ~ 17:00			현대문학기초				
17:00 ~ 17:30			현대문학기초				
17:30 ~ 18:00			현대문학기초				
18:00 ~ 18:30	현대문학심화		현대문학기초		현대문학심화		
18:30 ~ 19:00	현대문학심화		비문학분석기초		현대문학심화		
19:00 ~ 19:30	현대문학심화		비문학분석기초		현대문학심화		
19:30 ~ 20:00	현대문학심화		비문학분석기초		현대문학심화		
20:00 ~ 20:30	고전문학		국어문법심화		비문학분석심화		~

선택 강의실 정보 시간표로 출력

LoginForm

학생 ID 입력



선생님 ID 입력


LoginForm		_			×
ID :	te				
		완료	1	취소	=

StudentForm

KI

 ∞

학생 정보 출력



좌석 확인

里인





TeacherForm

선생님 정보 출력

이름

: te1


: 이승민

: 신입


과목: 국어 ~

수정완료


TeacherForm




선생님 정보 수정




전체 학생 정보



전체 선생님 정보




전체 강의 정보



KH

 ∞

삽입 수정





강의 더블 클릭

삭제



강의 더블 클릭

강의번 호	강의명		담당선 생	강의실	월	화	수	목	금	토	시작시 간
1	비문학	분석기초	이승민	강의실1			0				18:30
14	4	} 2	이미연	강의실3		0					18:00
18	기하와	수강 취4	수강 취소 × 해당 강의의 수강을 취소하시겠습니까?							0	14:30
4	국어문										20:00
6	비문학	해당 강의							0		20:00
<	•	강의명 : 담당선생 강의실 : 요일 : 화 시작시간 종료시간	: 이미연 강의실3 : : 18:00				i				>
			예ଫ	아니요	(<u>N</u>)						


강의 중복 검사



ListForm



강의 시간 중복 삽입




강의 중복 삽입 오류

NoticeForm

NoticeForm 삭제 공지 날짜 작성자 공지 제목 gewfgwf 제목 작성 년월일시간분초 작성자 작성자 qwfqew 작성일자 2019-06-16 오후 5:49:16 qwefqewf gwefgwef qwef 2019-06-16 오후 5:49:06 공지내용 2019-06-16 오章 5:49:16 gewfgwf feqwffewfqwfqwfqwefw

전체 공지사항 리스트 및 선택한 공지사항 정보

등록 버튼 클릭 시 텍스트 박스 입력 가능




추가사항

● 공지사항

● 강의별 총 인원 수, 현재 인원 수

● 강의별 인원 수에 따른 수강 제한





프로그램 실행 전 유의 사항

● Team8ProjectForder 폴더를 통째로 C드라이브로 옮겨주시

고 실행주시면 감사하겠습니다.

- 파일 보여주실 수 <u>있나요?</u>
 - -> 보여드렸습니다.
- 사용자와의 인터렉션은 뷰에서만 발생하나요?
 - -> 그렇습니다.
- 모델에서 정보를 가져오나요?
 - -> 그렇습니다. 컨트롤러에서 모델의 객체를 리스트형식으로 가지고 있습니다.
- 삭제 시에 컨트롤러에서 모델에 바로 반영하나요?
 - -> 컨트롤러에서 전체 주요 객체들(학생, 선생, 강의)의 리스트를 가지고 있어 즉시 반영합니다.
- 삭제 시에 파일에도 바로 반영하나요?
 - -> 아닙니다. 파일은 프로그램을 실행 시킬 때 Load하고 종료할 때 한 번에 Save됩니다.

프로젝트에 대한 개인 의견

- 이승민(컴퓨터공학과, 15011034): 이번에는 프로젝트를 2명이서 진행했는 데, 인원이 많은 것에 비해 각자 해야할 분량은 많았지만, 그래도 팀원과 서로 신뢰가 쌓여 있는 관계이고, 서로 담당한 부분 및 서로에게 요청한 부분은 약속한 시기에 맞게 처리해서 일이 많은 것에 비해 수월하게 프로젝트를 끝마쳤다고 생각이 들고, 팀원의 중요성을 다시 한 번 느끼게 됐습니다. 언어적으로는 C#은 C++에 비해 메소드를 생성하고 관리하는 데 더 편리하다고 느꼈고, 더 수월함을 느낄 수 있었습니다. 한 학기 동안 수고한 조나단 팀원에게 고맙고, 한 학기 동안 잘 가르쳐 주신 교수님께 감사합니다.
- SON JONATHAN SEBASTIAN(컴퓨터공학과, 17011468): 프로젝트를 2명이서 진행하였는데, 다음에는 더 많은 사람들과 협동하는 것도 좋은 경험이 될 것이라고 생각합니다. 아는 분과 함께 해서 인원이 많았을 때 보다 수월한 느낌이 들었고, 끝까지 마찰 한 번 없이 진행되어서 개인적으로는 양이 많아서 힘들었지만 수월한 부분이 더 많았습니다. 수고해주신 형에게 감사하고, 질문에 친절히 답도 해주시고 저희가 호응이 적지만 수업 시간에 열심히 강의해 주신 교수님꼐 항상 감사드립니다.