

IPS Allergies and Intolerances

Created by HeidiKoikkalainen, last updated on Sep 29, 2026 • 20 minute read

HL7 FHIR IPS IG - Allergies and Intolerances

This section documents the relevant allergies or intolerances for a patient, describing the kind of reaction (e.g., rash, anaphylaxis); preferably the agents that cause it; and optionally the criticality and the certainty of the allergy.

At a minimum, it should list currently active and any relevant historical allergies and adverse reactions. If no information about allergies is available, or if no allergies are known, this should be documented in the section through the use of emptyReason (at Composition.section) or a referenced resource (at Composition.section.entry).

- **Resource Profile AllergyIntolerance (IPS):** <https://build.fhir.org/ig/HL7/fhir-ips/en/StructureDefinition-AllergyIntolerance-uv-ips.html>
- **Resource AllergyIntolerance:** <https://hl7.org/fhir/R4/allergyintolerance.html>

openEHR CKM

- **IPS Allergies and Intolerances Template:** <https://ckm.openehr.org/ckm/templates/1013.26.1365>
- **Archetypes:**
 - Adverse reaction risk: <https://ckm.openehr.org/ckm/archetypes/1013.1.7022>
 - Adverse reaction event: <https://ckm.openehr.org/ckm/archetypes/1013.1.5795>
 - Exclusion - global: <https://ckm.openehr.org/ckm/archetypes/1013.1.2733>
 - Absence of information: <https://ckm.openehr.org/ckm/archetypes/1013.1.4213>
 - Ad hoc heading: <https://ckm.openehr.org/ckm/archetypes/1013.1.631>

Mappings

- **Concept Map Equivalence Code System:** <https://build.fhir.org/ig/HL7/fhir-extensions/CodeSystem-concept-map-equivalence.html>
- Items marked as 'Not mapped' are technical artifacts (normally handled by openEHR Reference Model attributes) that are out of scope for the clinical mapping process.
- openEHR IPS Allergies and Intolerances Template → FHIR AllergyIntolerance (IPS) Profile Mapping
- FHIR AllergyIntolerance (IPS) Profile → openEHR IPS Allergies and Intolerances Template Mapping

openEHR IPS Allergies and Intolerances Template → AllergyIntolerance (IPS) Profile Mapping

openEHR					FHIR				Map Equivalence	Comment
Archetype	Data Element(s)	Occ.	Type	Description	Name	Card.	Type	Description & Constraints		
Ad hoc heading (Renamed to 'Allergies and Intolerances' in the template)		1..1	SECTION archetype	A generic section header which should be renamed in a template to suit a specific clinical context.	Composition.section: sectionAllergies	1..1	BackboneElement	Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance.		
Exclusion - global		0..1	EVALUATION archetype	An overall statement of exclusion about all Problems/diagnoses, Family history, Medications, Procedures, Adverse reactions or other clinical items that are either not currently present, or have not been present in the past.						
Exclusion - global	Global exclusion of adverse reactions • No known allergies • No known medication allergies • No known environmental allergies • No known food allergies	1..1	DV_TEXT	An overall statement of exclusion about all Problems/diagnoses, Family history, Medications, Procedures, Adverse reactions or other clinical items. For example: 'No previous diagnoses', 'No known family history', 'No known history of adverse reactions', 'Never taken any medications' or 'No known operations or significant procedures'.	Composition.section: sectionAllergies.emptyReason	0..1	CodeableConcept	nilknown notasked withheld unavailable notstarted closed If the section is empty, why the list is empty. An empty section typically has some text explaining the empty reason. The code 'nilknown' SHOULD be taken from ListEmptyReasons: If a section is empty, why it is empty. • nilknown: Clinical judgment that there are no known items for this list after reasonable investigation. Note that this a positive statement by a clinical user, and not a default position asserted by a computer system in the lack of other information. Example uses: "For diagnoses, problems and procedures: the patient or patient's agent/guardian has asserted that there is no known event to record."	narrower	In openEHR, the reason why a problem list is empty can be handled by two separate archetypes (Exclusion - global and Absence of information), whereas in FHIR the reasons are combined in a single valueset. The openEHR values are more specific than 'nilknown' in FHIR.
Absence of information		0..1	EVALUATION archetype	Statement that specified health information is not available for inclusion in the health record or extract at the time of recording.						
Absence of information	Absence statement • No information about allergies	1..1	DV_TEXT	Positive statement that no information is available. For example: "No information available about adverse reactions"; "No information available about problems or diagnoses"; "No information available about previous procedures performed"; or "No information available about medications used".						
Absence of information	Reason for absence	0..1	DV_TEXT • Not asked • Information withheld • Unavailable • Not started • Closed	Description of the reason why there is no information available. For example: patient is unconscious or refuses to provide information. Coding the reason with a terminology is desirable, if possible.	Composition.section: sectionAllergies.emptyReason	0..1	CodeableConcept	nilknown notasked withheld unavailable notstarted closed If the section is empty, why the list is empty. An empty section typically has some text explaining the empty reason. The codes SHOULD be taken from ListEmptyReasons: If a section is empty, why it is empty. • notasked: The investigation to find out whether there are items for this list has not occurred. • withheld: The content of the list was not provided due to privacy or confidentiality concerns. Note that it should not be assumed that this means that the particular information in question was withheld due to its contents - it can also be a policy decision. • unavailable: Information to populate this list cannot be obtained; e.g. unconscious patient. • notstarted: The work to populate this list has not yet begun. • closed: This list has now closed or has ceased to be relevant or useful.	narrower	In openEHR, the reason why a problem list is empty can be handled by two separate archetypes (Exclusion - global and Absence of information), whereas in FHIR the reasons are combined in a single valueset. FHIR valueset (excluding 'nilknown') added to the template.

Adverse reaction risk		0..*	EVALUATION archetype	Clinical assessment of the propensity for an individual to experience a harmful or undesirable physiological response if exposed, or re-exposed, to a substance. Substances include, but are not limited to: a therapeutic substance administered correctly at an appropriate dosage for the individual; food; material derived from plants or animals; or venom from insect stings.	AllergyIntolerance (IPS)	0..*	AllergyIntolerance	Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance. Substances include, but are not limited to: a therapeutic substance administered correctly at an appropriate dosage for the individual; food; material derived from plants or animals; or venom from insect stings.	equal	The openEHR archetype and FHIR profile are conceptually equal.
Adverse reaction risk	Substance	1..1	DV_CODED_TEXT Binding: Allergies & Intolerances - IPS	Identification of a substance, or substance class, that is considered to put the individual at risk of an adverse reaction event. Both an individual substance and a substance class are valid entries in 'Substance'. A substance may be a compound of simpler substances, for example a medicinal product. It is strongly recommended that the 'Substance' is coded with a terminology capable of triggering decision support, where possible. For example: Snomed CT, DM+D, RxNorm, NDFRT, ATC, New Zealand Universal List of Medicines and Australian Medicines Terminology. Free text entry should only be used if there is no appropriate terminology available.	AllergyIntolerance.code	1..1	CodeableConceptIPS	Code that identifies the allergy or intolerance Binding: Allergies & Intolerances - IPS (preferred); Type of the substance/product, allergy or intolerance condition or a code for absent/unknown allergy.	wider	The FHIR profile can be used for modelling allergy or intolerance conditions (e.g. 'Allergy to penicillin' or 'Intolerance to milk'), but in openEHR the Problem/Diagnosis archetype is used instead. The FHIR valueset used here also includes 'all descendants or self of 716186003 [No known allergy (situation)]', but in openEHR this is modelled using the Exclusion - global archetype (see above).
Adverse reaction risk	Active/inactive status Active: The subject is currently experiencing, or is at risk of, a reaction to the identified substance. Inactive: The subject is no longer at risk of a reaction to the identified substance.	0..1	DV_CODED_TEXT / DV_TEXT	Status about whether the adverse reaction risk statement is active or inactive.	AllergyIntolerance.clinicalStatus	0..1	CodeableConceptIPS	active inactive resolved Binding: AllergyIntoleranceClinicalStatusCodes (required); The clinical status of the allergy or intolerance.	wider	The openEHR valueset does not include 'resolved'.
Adverse reaction risk	Verification status Unconfirmed: The propensity for a reaction to the identified 'Substance' has not been objectively verified. Confirmed: The propensity for a reaction to the identified 'Substance' has been objectively verified. This may include clinical evidence by testing, re-challenge or observation. Refuted: A propensity for a reaction to the identified 'Substance' has been disputed or disproven with a sufficient level of clinical certainty to justify invalidating the assertion. This may include clinical evidence by testing, re-challenge or observation.	0..1	DV_CODED_TEXT / DV_TEXT	Assertion about the certainty of the propensity, or potential future risk, of the identified 'Substance' to cause a reaction. Decision support would typically raise alerts for 'Unconfirmed' and 'Confirmed', and ignore a 'Refuted' reaction. Clinical systems may choose not to display Adverse reaction entries with a 'Refuted' status in the Adverse Reaction List. However, 'Refuted' may be useful for reconciliation of the adverse reaction list or when communicating between systems. Some implementations may choose to make this field mandatory. The free text data type will allow for local variation by enabling other value sets to be applied to this data element in a template - in this situation it is recommended that values should be coded using a terminology.	AllergyIntolerance.verificationStatus	0..1	CodeableConcept	unconfirmed confirmed refuted entered-in-error Binding: AllergyIntoleranceVerificationStatusCodes (required); Assertion about certainty associated with a propensity, or potential risk, of a reaction to the identified substance.	equal	
Adverse reaction risk	Criticality Low: Exposure to substance unlikely to result in critical system organ damage or life threatening consequence. Future exposure to the identified 'Substance' should be considered a relative contra-indication in normal clinical circumstances. High: Exposure to substance may result in critical organ system damage or life threatening consequence. Future exposure to the identified 'Substance' should be considered an absolute contra-indication in normal clinical circumstances. Indeterminate: Unable to assess with information available.	0..1	DV_CODED_TEXT / DV_TEXT	An indication of the potential for critical system organ damage or life threatening consequence. This can be regarded as a predictive judgement of a 'worst case scenario'. In most contexts 'Low' would be regarded as the default value.	AllergyIntolerance.criticality	0..1	code	low high unable-to-assess Binding: AllergyIntoleranceCriticality (required); Estimate of the potential clinical harm, or seriousness, of a reaction to an identified substance.	equal	

Adverse reaction risk	Category • Food: Any substance consumed to provide nutritional support for the body, such as peanut or egg. • Medication: Any substance administered to achieve a physiological effect. • Other: Any other substance encountered including venom, latex and other environmental substances.	0..1	DV_TEXT • Food • Medication • Environment • Biologic	Category of the identified 'Substance'. This data element has been included because it is currently being captured in some clinical systems. This data can be derived from the Substance where coding systems are used, and is effectively redundant in that situation.	AllergyIntolerance.category	0..*	code	food medication environment biologic Binding: AllergyIntoleranceCategory (required); Category of an identified substance associated with allergies or intolerances.	equal	The openEHR valueset has been replaced in the template to match the FHIR valueset. The occurrences differ.
Adverse reaction risk	Onset of last reaction	0..1	DV_DATE_TIME	The date and/or time of the onset of the last known occurrence of a reaction event. For example: the actual date and/or time of onset; the interval of time during which the onset occurred; the age of the individual at the time of the onset; or the duration of time since the onset occurred. A partial date is valid, using the DV_DATE_TIME data type, to record only a year.	AllergyIntolerance.lastOccurrence	0..1	dateTime	Date(time) of last known occurrence of a reaction	equal	
Adverse reaction risk	Onset of first reaction	0..1	DV_DATE_TIME	The onset of the first known occurrence of a reaction event. For example: the actual date and/or time of onset; the interval of time during which the onset occurred; the age of the individual at the time of the onset; or the duration of time since the onset occurred. A partial date is valid, using the DV_DATE_TIME data type, to record only a year.	AllergyIntolerance.onset[x].onsetDateTime	0..1	dateTime	When allergy or intolerance was identified	equal	
Adverse reaction risk	Onset of first reaction		DV_DURATION		AllergyIntolerance.onset[x].onsetAge		Age		equal	
Adverse reaction risk	Onset of first reaction		DV_INTERVAL (Date Time)		AllergyIntolerance.onset[x].onsetPeriod		Period		equal	
Adverse reaction risk	Onset of first reaction		DV_INTERVAL (Duration)		AllergyIntolerance.onset[x].onsetRange		Range		equal	Range could be wider but there are no examples of the different options.
Adverse reaction risk	Onset of first reaction		DV_TEXT		AllergyIntolerance.onset[x].onsetString		string		equal	
Adverse reaction risk	Reaction mechanism • Immune mediated: Immune mediated reaction, including allergic reactions and hypersensitivities. • Non-immune mediated: A non-immune mediated reaction, which can include pseudo-allergic reactions, side effects, intolerances, drug toxicities (for example, to Gentamicin). • Indeterminate: The physiological mechanism could not be determined.	0..1	DV_TEXT • Allergy • Intolerance	Identification of the underlying physiological mechanism for the adverse reaction. Immune-mediated responses have been traditionally regarded as an indicator for escalation of significant future risk. Contemporary knowledge suggests that some reactions previously thought to be immune are actually non-immune and still carry life threatening risk. Immunological testing may provide supporting evidence for the mechanism and causative substance , but no tests are 100% sensitive or specific for a sensitivity. It is acknowledged that most clinicians will NOT be able to distinguish the mechanism of any specific reaction. However this data element is included because many legacy systems have captured this attribute.	AllergyIntolerance.type	0..1	code	allergy intolerance - Underlying mechanism (if known) Binding: AllergyIntoleranceType (required); Identification of the underlying physiological mechanism for a Reaction Risk.	equal	The openEHR valueset has been replaced in the template to match the FHIR valueset.
Adverse reaction risk	Reaction event summary → Adverse reaction event	0..*	Slot	Summary details about each adverse reaction event linked to exposure to the identified 'Substance'.						
Adverse reaction event		0..*	CLUSTER archetype	Information about a specific adverse reaction event caused by exposure to a specific substance.	AllergyIntolerance.reaction	0..*	BackboneElement	Adverse Reaction Events linked to exposure to substance	equal	Conceptually equal.
Adverse reaction event	Specific substance	0..1	DV_TEXT	The substance considered to be responsible for the specific adverse reaction event. For example: 'Amoxycillin'. Only an individual substance is a valid entry in 'Specific substance'. A substance may be a compound of simpler substances, for example a medicinal product. If the 'Substance' recorded in the archetype in which this archetype is nested is an individual substance	AllergyIntolerance.reaction.substance	0..1	CodeableConcept	Specific substance or pharmaceutical product considered to be responsible for event Binding: SubstanceCode (example); Codes defining the type of the substance (including pharmaceutical products).	equal	

				and not a substance class, then it may be duplicated in this data element, or this element may be redundant. It is strongly recommended that 'Specific substance' be coded with a terminology, for example: RxNorm, SNOMED CT, DM+D, NDFRT, ICD-9, ICD-10, UNI, ATC or CPT.						
Adverse reaction event	Manifestation	1..*	DV_CODED_TEXT Binding: Allergy Reaction - IPS	Clinical symptoms and/or signs that are observed or associated with the adverse reaction. Manifestation can be expressed as a single word, phrase or brief description. For example: nausea, rash. 'No reaction' may be appropriate where a previous reaction has been noted but the reaction did not re-occur after further exposure. It is preferable that 'Manifestation' should be coded with a terminology, where possible. The values entered here may be used to display on an application screen as part of a list of adverse reactions.	AllergyIntolerance.reaction.manifestation	1..*	CodeableConceptIPS	Clinical symptoms/signs associated with the Event Binding: Allergy Reaction - IPS (preferred): Code for the allergy or intolerance reaction manifestation from SNOMED CT.	equal	
Adverse reaction event	Reaction description	0..1	DV_TEXT	Narrative description about the adverse reaction as a whole, including details of the manifestation if required.	AllergyIntolerance.reaction.description	0..1	string	Description of the event as a whole	equal	
Adverse reaction event	Onset of reaction	0..1	DV_DATE_TIME	The date and/or time of the onset of the reaction.	AllergyIntolerance.reaction.onset	0..1	dateTime	Date(time) when manifestations showed	equal	
Adverse reaction event	Severity of reaction • Mild: Causes mild physiological effects. • Moderate: Causes moderate physiological effects. • Severe: Causes severe physiological effects.	0..1	DV_CODED_TEXT / DV_TEXT	Clinical assessment of the severity of the reaction event as a whole, potentially considering multiple different manifestations. It is acknowledged that this assessment is very subjective. There may be some specific practice domains where objective scales have been applied. Objective scales can be included in this model using the 'Reaction details' Cluster.	AllergyIntolerance.reaction.severity	0..1	code	mild moderate severe (of event as a whole) Binding: AllergyIntoleranceSeverity (required): Clinical assessment of the severity of a reaction event as a whole, potentially considering multiple different manifestations.	equal	
Adverse reaction event	Route of exposure	0..1	DV_TEXT	The route by which the subject was exposed to the identified 'Specific substance'. Coding of the Route of Exposure with a terminology should be used wherever possible.	AllergyIntolerance.reaction.exposureRoute	0..1	CodeableConcept	How the subject was exposed to the substance Binding: SNOMEDCTRouteCodes (example): A coded concept describing the route or physiological path of administration of a therapeutic agent into or onto the body of a subject.	equal	
Adverse reaction event	Comment	0..1	DV_TEXT	Additional narrative about the adverse reaction event not captured in other fields.	AllergyIntolerance.reaction.note	0..*	Annotation	Text about event not captured in other fields	wider	Semantic intent is equal but the occurrences differ.
Adverse reaction risk	Comment	0..1	DV_TEXT	Additional narrative about the propensity for the adverse reaction, not captured in other fields. For example: including reason for flagging a 'Criticality' of 'High risk'; and instructions related to future exposure or administration of the Substance, such as administration within an Intensive Care Unit or under corticosteroid cover.	AllergyIntolerance.note	0..*	Annotation	Text about event not captured in other fields	wider	Semantic intent is equal but the occurrences differ.

FHIR AllergyIntolerance (IPS) Profile → openEHR IPS Allergies and Intolerances Template Mapping

FHIR				openEHR					Map Equivalence	Comment
Name	Card.	Type	Description & Constraints	Archetype	Data Element(s)	Occ.	Type	Description		
AllergyIntolerance (IPS)	0..*	AllergyIntolerance	Risk of harmful or undesirable, physiological response which is unique to an individual and associated with exposure to a substance. Substances include, but are not limited to: a therapeutic substance administered correctly at an appropriate dosage for the individual; food; material derived from plants or animals; or venom from insect stings.	Adverse reaction risk		0..*	EVALUATION archetype	Clinical assessment of the propensity for an individual to experience a harmful or undesirable physiological response if exposed, or re-exposed, to a substance. Substances include, but are not limited to: a therapeutic substance administered correctly at an appropriate dosage for the individual; food; material derived from plants or animals; or venom from insect stings.	equal	The openEHR archetype and FHIR profile are conceptually equal.
AllergyIntolerance.id	0..1	id	Logical id of this artifact						Not mapped	
AllergyIntolerance.meta	0..1	Meta	Metadata about the resource						Not mapped	
AllergyIntolerance.implicitRules	0..1	uri	A set of rules under which this content was created						Not mapped	

AllergyIntolerance.language	0..1	code	Language of the resource content Binding: CommonLanguages (preferred) : A human language.						Not mapped	
AllergyIntolerance.text	0..1	Narrative	Text summary of the resource, for human interpretation						Not mapped	
AllergyIntolerance.contained	0..*	Resource	Contained, inline Resources						Not mapped	
AllergyIntolerance.extension	0..*	Extension	Extension						Not mapped	
AllergyIntolerance.extension:abatement	0..1	dateTime, Age, Period, Range, string	When the allergy or intolerance resolved						unmatched	
AllergyIntolerance.modifierExtension	0..*	Extension	Extensions that cannot be ignored						Not mapped	
AllergyIntolerance.identifier	0..*	Identifier	External ids for this item						Not mapped	
AllergyIntolerance.clinicalStatus	0..1	CodeableConceptIPS	active inactive resolved Binding: AllergyIntoleranceClinicalStatusCodes (required) : The clinical status of the allergy or intolerance.	Adverse reaction risk	Active/inactive status Active: The subject is currently experiencing, or is at risk of, a reaction to the identified substance. Inactive: The subject is no longer at risk of a reaction to the identified substance.	0..1	DV_CODED_TEXT / DV_TEXT	Status about whether the adverse reaction risk statement is active or inactive.	narrower	The openEHR valueset does not include 'resolved'.
AllergyIntolerance.verificationStatus	0..1	CodeableConcept	unconfirmed confirmed refuted entered-in-error Binding: AllergyIntoleranceVerificationStatusCodes (required) : Assertion about certainty associated with a propensity, or potential risk, of a reaction to the identified substance.	Adverse reaction risk	Verification status Unconfirmed: The propensity for a reaction to the identified 'Substance' has not been objectively verified. Confirmed: The propensity for a reaction to the identified 'Substance' has been objectively verified. This may include clinical evidence by testing, re-challenge or observation. Refuted: A propensity for a reaction to the identified 'Substance' has been disputed or disproven with a sufficient level of clinical certainty to justify invalidating the assertion. This may include clinical evidence by testing, re-challenge or observation.	0..1	DV_CODED_TEXT / DV_TEXT	Assertion about the certainty of the propensity, or potential future risk, of the identified 'Substance' to cause a reaction. Decision support would typically raise alerts for 'Unconfirmed' and 'Confirmed', and ignore a 'Refuted' reaction. Clinical systems may choose not to display Adverse reaction entries with a 'Refuted' status in the Adverse Reaction List. However, 'Refuted' may be useful for reconciliation of the adverse reaction list or when communicating between systems. Some implementations may choose to make this field mandatory. The free text data type will allow for local variation by enabling other value sets to be applied to this data element in a template - in this situation it is recommended that values should be coded using a terminology.	equal	
AllergyIntolerance.type	0..1	code	allergy intolerance - Underlying mechanism (if known) Binding: AllergyIntoleranceType (required) : Identification of the underlying physiological mechanism for a Reaction Risk.	Adverse reaction risk	Reaction mechanism Immune mediated: Immune mediated reaction, including allergic reactions and hypersensitivities. Non-immune mediated: A non-immune mediated reaction, which can include pseudo-allergic reactions, side effects, intolerances, drug toxicities (for example, to Gentamicin). Indeterminate: The physiological mechanism could not be determined.	0..1	DV_TEXT	Identification of the underlying physiological mechanism for the adverse reaction. Immune-mediated responses have been traditionally regarded as an indicator for escalation of significant future risk. Contemporary knowledge suggests that some reactions previously thought to be immune are actually non-immune and still carry life threatening risk. Immunological testing may provide supporting evidence for the mechanism and causative substance , but no tests are 100% sensitive or specific for a sensitivity. It is acknowledged that most clinicians will NOT be able to distinguish the mechanism of any specific reaction. However this data element is included because many legacy systems have captured this attribute.	equal	The openEHR valueset has been replaced in the template to match the FHIR valueset.
AllergyIntolerance.category	0..*	code	food medication environment biologic Binding: AllergyIntoleranceCategory (required) : Category of an identified substance associated with allergies or intolerances.	Adverse reaction risk	Category Food: Any substance consumed to provide nutritional support for the body, such as peanut or egg. Medication: Any substance administered to achieve a physiological effect. Other: Any other	0..1	DV_TEXT	Category of the identified 'Substance'. This data element has been included because it is currently being captured in some clinical systems. This data can be derived from the Substance where coding systems are used, and is effectively redundant in that situation.	equal	The openEHR valueset has been replaced in the template to match the FHIR valueset.

					substance encountered including venom, latex and other environmental substances.					
AllergyIntolerance.criticality	0..1	code	low high unable-to-assess Binding: AllergyIntoleranceCriticality (required): Estimate of the potential clinical harm, or seriousness, of a reaction to an identified substance.	Adverse reaction risk	Criticality • Low: Exposure to substance unlikely to result in critical system organ damage or life threatening consequence. Future exposure to the identified 'Substance' should be considered a relative contra-indication in normal clinical circumstances. • High: Exposure to substance may result in critical organ system damage or life threatening consequence. Future exposure to the identified 'Substance' should be considered an absolute contra-indication in normal clinical circumstances. • Indeterminate: Unable to assess with information available.	0..1	DV_CODED_TEXT / DV_TEXT	Low / High / Indeterminate	equal	
AllergyIntolerance.code	1..1	CodeableConceptIPS	Code that identifies the allergy or intolerance Binding: Allergies & Intolerances - IPS (preferred): Type of the substance/product, allergy or intolerance condition or a code for absent/unknown allergy.	Adverse reaction risk	Substance Binding: Allergies & Intolerances - IPS	1..1	DV_CODED_TEXT	An indication of the potential for critical system organ damage or life threatening consequence. This can be regarded as a predictive judgement of a 'worst case scenario'. In most contexts 'Low' would be regarded as the default value.	narrower	The FHIR profile can be used for modelling allergy or intolerance conditions (e.g. 'Allergy to penicillin' or 'Intolerance to milk'), but in openEHR the Problem/Diagnosis archetype is used instead. The FHIR valueset used here also includes 'all descendants or self of 716186003 (No known allergy (situation))', but in openEHR this is modelled using the Exclusion - global archetype (see above).
AllergyIntolerance.patient	1..1	Reference(Patient (IPS))	Who the sensitivity is for						Not mapped	
AllergyIntolerance.patient.id	0..1	string	Unique id for inter-element referencing						Not mapped	
AllergyIntolerance.patient.extension	0..*	Extension	Additional content defined by implementations						Not mapped	
AllergyIntolerance.patient.reference	1..1	string	Literal reference, Relative, internal or absolute URL						Not mapped	
AllergyIntolerance.patient.type	0..1	uri	Type the reference refers to (e.g. "Patient") Binding: ResourceType(extendable): Aa resource (or, for logical models, the URI of the logical model).						Not mapped	
AllergyIntolerance.patient.identifier	0..1	Identifier	Logical reference, when literal reference is not known						Not mapped	
AllergyIntolerance.patient.display	0..1	string	Text alternative for the resource						Not mapped	
AllergyIntolerance.encounter	0..1	Reference(Encounter)	Encounter when the allergy or intolerance was asserted						Not mapped	
AllergyIntolerance.onset[x]	0..1	Choice of: dateTime, Age, Period, Range, string	When allergy or intolerance was identified							
AllergyIntolerance.onset[x].onsetDateTime	0..1	dateTime		Adverse reaction risk	Onset of first reaction	0..1	DV_DATE_TIME	The onset of the first known occurrence of a reaction event. For example: the actual date and/or time of onset; the interval of time during which the onset occurred; the age of the individual at the time of the onset; or the duration of time since the onset occurred. A partial date is valid, using the DV_DATE_TIME data type, to record only a year.	equal	
AllergyIntolerance.onset[x].onsetAge				Adverse reaction risk	Onset of first reaction		DV_DURATION		equal	
AllergyIntolerance.onset[x].onsetPeriod				Adverse reaction risk	Onset of first reaction		DV_INTERVAL (Date Time)		equal	
AllergyIntolerance.onset[x].onsetRange				Adverse reaction risk	Onset of first reaction		DV_INTERVAL (Duration)		equal	
AllergyIntolerance.onset[x].onsetString				Adverse reaction risk	Onset of first reaction		DV_TEXT		equal	
AllergyIntolerance.recordedDate	0..1	dateTime	Date first version of the resource instance was recorded						Not mapped	
AllergyIntolerance.recorder	0..1	Reference (Practitioner PractitionerRole Patient RelatedPerson)	Who recorded the sensitivity						Not mapped	
AllergyIntolerance.asserter	0..1	Reference (Patient RelatedPerson Practitioner PractitionerRole)	Source of the information about the allergy						Not mapped	

AllergyIntolerance. lastOccurrence	0..1	dateTime	Date/(time) of last known occurrence of a reaction		Onset of last reaction	0..1	DV_DATE_TIME	The date and/or time of the onset of the last known occurrence of a reaction event. For example: the actual date and/or time of onset; the interval of time during which the onset occurred; the age of the individual at the time of the onset; or the duration of time since the onset occurred. A partial date is valid, using the DV_DATE_TIME data type, to record only a year.	equal	
AllergyIntolerance.note	0..*	Annotation	Additional text not captured in other fields	Adverse reaction risk	Comment	0..1	DV_TEXT	Additional narrative about the propensity for the adverse reaction, not captured in other fields. For example: including reason for flagging a 'Criticality' of 'High risk'; and instructions related to future exposure or administration of the Substance, such as administration within an Intensive Care Unit or under corticosteroid cover.	wider	Semantic intent is equal but the occurrences differ.
AllergyIntolerance. reaction	0..*	BackboneElement	Adverse Reaction Events linked to exposure to substance	Adverse reaction event		0..*	CLUSTER archetype	Information about a specific adverse reaction event caused by exposure to a specific substance.	equal	Conceptually equal.
AllergyIntolerance. reaction.id	0..1	string	Unique id for inter-element referencing						Not mapped	
AllergyIntolerance. reaction.extension	0..*	Extension	Additional content defined by implementations						Not mapped	
AllergyIntolerance. reaction.modifierExtension	0..*	Extension	Extensions that cannot be ignored even if unrecognized						Not mapped	
AllergyIntolerance. reaction.substance	0..1	CodeableConcept	Specific substance or pharmaceutical product considered to be responsible for event Binding: SubstanceCode (example): Codes defining the type of the substance (including pharmaceutical products).	Adverse reaction event	Specific substance	0..1	DV_TEXT	The substance considered to be responsible for the specific adverse reaction event. For example: 'Amoxycillin'. Only an individual substance is a valid entry in 'Specific substance'. A substance may be a compound of simpler substances, for example a medicinal product. If the 'Substance' recorded in the archetype in which this archetype is nested is an individual substance and not a substance class, then it may be duplicated in this data element, or this element may be redundant. It is strongly recommended that 'Specific substance' be coded with a terminology, for example: RxNorm, SNOMED CT, DM+D, NDFRT, ICD-9, ICD-10, UNI, ATC or CPT.	equal	
AllergyIntolerance. reaction.manifestation	1..*	CodeableConceptIPS	Clinical symptoms/signs associated with the Event Binding: Allergy Reaction - IPS (preferred): Code for the allergy or intolerance reaction manifestation from SNOMED CT.	Adverse reaction event	Manifestation Binding: Allergy Reaction - IPS	1..*	DV_CODED_TEXT	Clinical symptoms and/or signs that are observed or associated with the adverse reaction. Manifestation can be expressed as a single word, phrase or brief description. For example: nausea, rash. 'No reaction' may be appropriate where a previous reaction has been noted but the reaction did not re-occur after further exposure. It is preferable that 'Manifestation' should be coded with a terminology, where possible. The values entered here may be used to display on an application screen as part of a list of adverse reactions.	equal	
AllergyIntolerance. reaction.description	0..1	string	Description of the event as a whole	Adverse reaction event	Reaction description	0..1	DV_TEXT	Narrative description about the adverse reaction as a whole, including details of the manifestation if required.	equal	
AllergyIntolerance. reaction.onset	0..1	dateTime	Date/(time) when manifestations showed		Onset of reaction	0..1	DV_DATE_TIME	The date and/or time of the onset of the reaction.	equal	
AllergyIntolerance. reaction.severity	0..1	code	mild moderate severe (of event as a whole) Binding: AllergyIntoleranceSeverity (required): Clinical assessment of the severity of a reaction event as a whole, potentially considering multiple different		Severity of reaction • Mild: Causes mild physiological effects. • Moderate: Causes moderate	0..1	DV_CODED_TEXT / DV_TEXT	Clinical assessment of the severity of the reaction event as a whole, potentially considering multiple different	equal	

			manifestations.		physiological effects. • Severe: Causes severe physiological effects.		manifestations. It is acknowledged that this assessment is very subjective. There may be some specific practice domains where objective scales have been applied. Objective scales can be included in this model using the 'Reaction details' Cluster.			
AllergyIntolerance.reaction.exposureRoute	0..1	CodeableConcept	How the subject was exposed to the substance Binding: SNOMEDCTRouteCodes (example): A coded concept describing the route or physiological path of administration of a therapeutic agent into or onto the body of a subject.		Route of exposure	0..1	DV_TEXT	The route by which the subject was exposed to the identified 'Specific substance'. Coding of the Route of Exposure with a terminology should be used wherever possible.	equal	
AllergyIntolerance.reaction.note	0..*	Annotation	Text about event not captured in other fields		Comment	0..1	DV_TEXT	Additional narrative about the adverse reaction event not captured in other fields.	wider	Semantic intent is equal but the occurrences differ.

No labels