

Resource Management

Official User Guide

Product	Backend Operation — Resource Management
App version	1.0.34
Audience	Internal operations team (marketing / monitoring of WhatsApp & Telegram groups)
Platform	Windows / macOS / Linux desktop installers
UI languages	English / 中文 (Settings → Language)

Table of contents

- 1. [Table of contents](#)
- 2. [1. Overview](#)
- 3. [2. Getting started](#)
- 4. [3. Navigation and layout](#)
- 5. [4. Account tab — account monitoring](#)
- 6. [5. Issues on Account — types and remediation](#)
- 7. [6. Group matrix — join/admin \(Account header\)](#)
- 8. [7. Operations — Job Queue](#)
- 9. [8. Settings](#)
- 10. [9. Data synchronization \(realtime\)](#)
- 11. [10. Recommended daily workflows](#)
- 12. [11. Glossary](#)
- 13. [12. FAQ](#)
- 14. [Appendix — Quick feature map](#)

This document is the **official guide to every feature** in the current application. For architecture and IT release notes, see [PROJECT.md](#).

v1.0.34: Telegram Job Queue **Set admin / Leave / Delete** works on **basic groups** (Super Group = No), not only Super Groups/channels. Telegram **AuthKeyDuplicated** (portable session used on another PC/IP) → session dead — **log in again with QR**. Group matrix **Super Group** column filterable Yes/No (same as account columns). Job Queue join/leave/delete more resilient (transport retry, mid-batch outcomes, safer cancel). Daily scrape stores **is_owner**. Sync↔Job still block each other; scrape reads only groups still on the account; partial Job Queue batch → **Failed**.

Table of contents

- 1. [Overview](#)
 - 2. [Getting started](#)
 - 3. [Navigation and layout](#)
 - 4. [Account tab — account monitoring](#)
 - 5. [Issues on Account — types and remediation](#)
 - 6. [Group matrix — join/admin \(Account header\)](#)
 - 7. [Operations — Job Queue](#)
 - 8. [Settings](#)
 - 9. [Data synchronization \(realtime\)](#)
 - 10. [Recommended daily workflows](#)
 - 11. [Glossary](#)
 - 12. [FAQ](#)
 - 13. [Appendix — Quick feature map](#)
-

1. Overview

1.1 What does this application do?

Resource Management helps your team:

Capability	Description
Multi-account registry	Register many WhatsApp and Telegram accounts per brand (e.g. SBMY)
Session health	Check whether accounts are still logged in on phone/PC (session)
Group alignment	Compare groups on device vs brand standard (master list)
Scraper	Run a full read of groups from the device and save to the database
Issues	See gaps on Account (junk / missing / not admin, duplicates) — computed in memory
Job Queue	Automate join, create group, set admin, exit/delete, set photo
Export	Export filtered data to Excel for field operations

1.2 Two types of “login”

Do not confuse these — they serve different purposes.

Type	Purpose	How
Dashboard login	Access the application	Username + Password (from IT, users table)
Platform login	Link WA/TG to a marketing account	Sync (🔄) → QR or phone-number modal

The dashboard password is **not** your Telegram or WhatsApp password.

1.3 What is ****not**** an issue?

Changes to **session login/logout** in the **Session** column do **not** create issues. Issues only cover **group and admin** problems relative to the brand standard.

1.4 Who should read which sections?

Role	Primary sections
Field / marketing ops	§2–§5, §7, §10
Team lead	§4–§5 KPIs, Job Queue, export
IT / support	§8, §9, §12 FAQ

2. Getting started

2.1 Install (once per PC)

1. Run **Resource Management Setup x.x.x.exe** provided by IT.
2. Complete the installer wizard → **Install**.
3. Open the app from the **desktop shortcut**.
4. **No manual .env setup** is required — organization settings are bundled in the installer.

For detailed Windows steps, see [INSTALL-WINDOWS.md](#).

2.2 Dashboard login

Step	Action
1	Enter Username and Password
2	Click Login
3	On failure

Login screen labels (UI): Username, Password, **Login**, tagline *Telegram & WhatsApp Operations*.

Common errors:

Message	Meaning	Action
Invalid username or password	Wrong credentials	Verify with IT
Database is not configured	Supabase missing on this PC	IT: reinstall or open configuration folder
App configuration is incomplete	Org env not baked into installer	IT: rebuild installer with org settings

2.3 After login

You land on **Group Monitoring** (main workspace) with the **Account** tab selected by default.

3. Navigation and layout

3.1 Sidebar (left)

Icon / menu	Function
Logo	Backend Operation — Resource Management
Group Monitoring	Main page — Account + Operations
Settings	Preferences, auto scrape, worker policy (/settings)
Logout (power)	Exit dashboard only — does not auto-logout WA/TG on phone

Tip: Collapse the sidebar to icon-only mode — use **Toggle sidebar** in the header.

Older bookmarks to **Admin** (/admin) redirect to **Settings**.

3.2 Header (top)

Element	Function
Page title	Active module (e.g. Group Monitoring, Settings)
Welcome + user name	Currently signed-in user
Logout	Exit dashboard

3.3 Sub-header (Group Monitoring only)

Tab	Function
Account	Brand cards, WA/TG rows, issue badges, stock chips + Group matrix (card header)
Operations	Job Queue only (join / create / set admin / exit-delete / set photo)

There is **no** Reporting tab and **no** Operations Overview. Open the join/admin matrix from the **group count badge** on the Account brand card header. Stock chips live on the same header.

Switching tabs updates KPI cards and the filter toolbar below.

3.4 KPI cards (Account tab)

Numbers refresh when you change tab or when data updates from the database.

KPI	Meaning
Brands	Number of brand cards visible
Accounts	Filled account rows
Online	Accounts with Active status (session valid)
Aligned	Accounts matching brand standard for their platform
Not Aligned / Issue	Accounts not aligned
Open issues	Rollup of open group/admin gaps

4. Account tab — account monitoring

4.1 Toolbar — filters and tools (slicer bar)

Tool	Location	Function
Search box	Left	Search account name or phone number
Search button	Beside box	Run search (Enter key also works)
Filter Brand	Right	One brand or All brands
Filter Platform	Right	WhatsApp / Telegram / All
Filter Status	Right	Active / Logout / All
Card view / Table view	Right	Per-brand cards vs single combined table
Export (download icon)	Right	Excel export of accounts matching current filters

Placeholder text: *Search account name / phone number...*

4.2 Brand card (Card view)

Each brand (e.g. **Brand : SBMY**) has one card.

Brand header

Element	Function
Arrow	Collapse / expand account table
Brand title	Brand name
Account count badge	e.g. <i>12 accounts</i>
WA x Group / TG x Group	Clickable — opens Group matrix for that platform
Stock chips	Account/stock summary on the header (not an Operations bookmark)
All aligned / N accounts not aligned	Health summary for this brand
+Add	Add new account (choose WA or TG)

X (Dismiss)	Remove brand from database (confirmation modal)
-------------	---

Add account (+Add)

Step	Action
1	Click +Add
2	Select WhatsApp or Telegram
3	Enter Account name (team label, e.g. marketing name)
4	Enter Account phone number (recommended; @username allowed for TG)
5	Click Save

Empty account slot: Row labeled *Empty account slot* → **Add account** fills the slot without adding extra rows outside defined slots.

4.3 Account table columns

Column	Meaning	How to read
Account	Platform + name + phone	WA/TG icon, name, number below
Role	Master / GCS	Create group needs Master
Location	Device location label	Not the brand card name
Session	Active / Logout	Logout → Sync + QR; X on hover when Active = Clear Session
On device	Number	Total groups on phone (click if > 0 → On Device list)
Junk	Gap count	Outside master (click → list + Leave)
Missing	Gap count	Not yet joined (click → list + Join missing)
Not admin	Gap count	Joined but not admin (click → list + Set admin)
Last update	Timestamp / progress	Full scrape status — read-only (no Run button)
Remark	Aligned / Not Aligned	Or Cancel scrape while scraping

4.4 Row controls

Control	Function
☺ (Sync)	Platform login or live session check + Scrape now / Later gate
X (hover, right of name)	Remove from slot — delete account row + rebuild brand master (confirmation)
X (hover, Session column, Active only)	Clear Session — log out on this PC + database; next Sync opens clean QR
Click gap number	Opens group list (On Device / Not in Master / Missing / Not admin) — no Group link button

Tooltip: **Sync account**.

4.5 Sync (☺) flow — critical

Sync behavior depends on **Session** column value.

Session = **Logout**

Step	What happens
1	Click 🔄
2	Platform login modal opens (QR default, or phone login)
3	Scan QR on marketing phone (WA: Linked devices; TG: Link Desktop Device)
4	On success: Session Active ; app may prompt Scrape now / Later

Session = ****Active****

Step	What happens
1	Click 🔄
2	App checks WA/TG still active on this PC
3	If OK: may offer Scrape now / Later
4	If failed: prompted to log in again

Notes:

- Platform login runs only in the **desktop app** (not browser-only).
- If QR does not appear within ~10 seconds: close modal, wait a few seconds, **Sync** again.
- Long sync (>3 min) on Telegram with many groups: retry or restart app.

4.6 Last update column (full scrape via Sync)

Condition	Display	Action
Session Logout	<i>Use Sync (🔄) to log in first</i>	Sync first
Standby	Last update timestamp	Full scrape via Sync → Scrape now when needed
Running	<i>Reading groups...</i> / progress + Cancel scrape in Remark	Wait (can take minutes for large group lists)

Term	Meaning
Scrape now	Full scrape — only groups still on the account written to database (modal after Sync)
Sync	Session check + scrape gate — not always a full scrape

There is **no separate Run button** in the grid. **Last update** is read-only.

After login, you may see a prompt to save the full group list → choose **Scrape now** or **Later**.

Later = session stays Active in UI + DB only — **no** scrape. **Cancel scrape** stops the running scrape entirely.

4.7 Group lists from Account columns

Open by **clicking the column number** (not a Group link button):

List	How to open
On Device	Click On device (when > 0)
Not in Master	Click Junk (when > 0)
Missing	Click Missing (when > 0)
Not admin	Click Not admin (when > 0)

From gap lists: **Join missing** / **Set admin** / **Leave** open Job Queue SETUP. Empty? **Sync** → **Scrape now** first.

4.8 Remove account from slot

Step	Action
1	Hover account row → X icon
2	Confirm Remove from slot? → Remove
3	Effect

Use before swapping test accounts for production marketing accounts — or let IT delete from database (see §8).

4.9 Add brand card

At end of card list: **Add Card View** → enter brand name → **Create card**.

4.10 Table view

All brands in **one table** with the same columns. Filters and export in the toolbar still apply.

4.11 Platform login modal (reference)

Mode	WhatsApp	Telegram
QR	Linked devices → Link a device	Settings → Devices → Link Desktop Device
Phone	Pairing code on phone	SMS code / 2FA password

Modal actions: close, switch QR ↔ phone, verify code/password, **OK** when connected.

Problem	UI hint	Fix
QR timeout (10s)	<i>QR code did not appear within 10 seconds...</i>	Close, wait, Sync again
Telegram QR timeout	<i>Telegram QR timed out...</i>	Restart app; IT checks API keys in .env
WhatsApp QR timeout	<i>WhatsApp QR timed out...</i>	Restart; ensure WhatsApp Web reachable on PC

4.12 Parallelism (desktop)

Pool	Limit	Notes
User execute (Sync / Scrape now / Job Queue)	Up to 10 slots per platform	WA and TG pools are separate
Automatic account scrape	Max 6 brands per platform	Separate auto lane — does not take user execute slots

5. Issues on Account — types and remediation

5.1 Where do issues appear?

There is **no Ticket tab**, **no Process modal**, and **no** `ticket_issue_handles` / In Progress workflow.

After scrape/sync data exists, the app compares **device groups (daily)** vs **brand master in memory**. Gaps show on the **Account** tab as **Not Aligned** Remark and **Junk / Missing / Not admin** counts.

5.2 Issue types (exactly five)

Type (internal)	UI meaning	Typical remediation
daily_junk_group	Junk — on device, not in brand master	Operations → Leave / exit (Job Queue SETUP)

missing_group	Missing / Need to join — in master, not on account	Operations → Join missing (SETUP)
not_admin	Not admin — joined but not admin	Operations → Set admin (SETUP)
duplicate_group_id	Same group ID, conflicting names	Audit master data (IT)
duplicate_group_name	Same name, different IDs	Audit master data (IT)

There is **no** group_count_mismatch (aggregate Y≠X) ticket type. Session login/logout does **not** create issues.

5.3 How to remediate

Step	Action
1	On Account, find not aligned rows and read Junk / Missing / Not admin counts
2	Open Operations → Job Queue → brand → SETUP for Join / Set admin / Exit as needed
3	After jobs finish: Sync → Scrape now on the account so daily data refreshes
4	Badges shrink when daily aligns with master (realtime after DB update)

If gaps remain after phone/automation fix: run **Sync** → **Scrape now** again so the latest device data reaches the database.

6. Group matrix — join/admin (Account header)

The Reporting shell tab was **removed**. Join/admin matrix opens from the Account brand card **group count badge** — read-only.

Control	Purpose
Entry	Account → brand card header → WA/TG Group badge
Full Group / Full Admin	Join or admin Yes/No vs master (all accounts on that brand+platform)
Search / Status	Filter by name / stock status
Column filter (account)	Yes / No / All on account headers
Super Group filter	Yes / No / All (Telegram: -100... id heuristic)

Updates automatically after scrape or Supabase changes. UI shows the latest matrix without relying on a separate Reporting page.

7. Operations — Job Queue

Operations is **Job Queue only** — there is no Overview tab. Stock summary is on the Account brand header chips (\$4.2).

Area	Function
Brand cards	Expand brand → queue tables per action type
Join missing	Enqueue joins using invite links from brand master
Create group	Create groups on device + export invite link
Set admin	Promote target account where owner is admin
Exit / delete	Leave junk (and delete when enabled in Settings → Worker)
Set photo	Brand group photo jobs (Telegram)
SETUP modals	Pick accounts/groups, then queue — uses live device data

Session must be **Active** to open Job Queue setup for that account. Worker delays and leave/delete guards are configured under **Settings** (§8).

8. Settings

Open from sidebar: **Settings** (/settings).

Subtitle: *Application preferences*

8.1 System status

Card	Meaning
Supabase	Connected = database reachable
Active sessions	Count of active messaging sessions for your user
Platform	Desktop / Web
Session tables	Count of active RM session tables

8.2 IT tools (desktop only)

Button	Function	Typical user
Open configuration folder (.env)	AppData folder (.env, wa-sessions)	IT
Check for app updates	Manual GitHub update check	IT / power users

Operational users normally **do not** need the config folder if IT installed the correct build.

Auto-update: Updates download from GitHub automatically. **Restart** when prompted — no reinstall.

8.3 Preferences — Automatic account scrape

Replaces the old “Automatic account sync” + interval (minutes) controls.

Control	Function
On Scheduled	Default On — once per day at the scheduled local time (app must be open)
Daily run at	Default 12:00 PM (local)
Scrape Now	Default Off — one-shot auto scrape; when On , brand checkboxes start all unchecked ; Status shows standby until Execute
Brand checklist	Max 6 brands per platform (WA and TG separate)
Default brands (Scheduled)	FWSG, JMMY, M24SG, SBMY, STMY, WBSG

Mode	Primary buttons
On Scheduled (Scrape Now Off)	Save / Cancel
Scrape Now On	Execute / Discard

After **Execute** finishes, settings **reset to defaults**: On Scheduled **On**, Scrape Now **Off**, **12:00 PM**, the six default brands.

Auto scrape uses its own lane (max **6** brands/platform) and does **not** consume the user execute pool (up to **10**).

8.4 Language

Choice	Effect
English	UI labels, modals, KPIs in English
中文	UI in Simplified Chinese

Change applies immediately across dashboard captions.

8.5 Worker settings (WhatsApp / Telegram)

Expand cards for human delays, create-group defaults, invite-by-link throttle, set-admin delays, and leave/delete guards. Values are applied when you **enqueue** Job Queue tasks (frozen into the job payload).

9. Data synchronization (realtime)

9.1 Database changes → open apps

When IT or automation changes **Supabase** (accounts, master groups, daily scrape, session flags):

Behavior	Detail
Live refresh	Open apps update within seconds to minutes
No reinstall	Data-only changes need no new installer

Example: IT deletes a test account → row disappears on every user’s dashboard.

After a scrape commits daily + master, Account badges and the Group matrix reload from the latest database (not a stale Ticket cache).

9.2 Code / UI changes → app update

Requires a **new app version** (auto-update + **Restart**). See [PROJECT.md §4.4](#).

Change type	Delivery
Data in Supabase	Realtime
New buttons, layout, logic	New .exe version

9.3 PC vs cloud storage

Location	Contents
Cloud (Supabase)	Brands, accounts, groups, session flags
PC (AppData)	WhatsApp auth per account (only on the PC that scanned QR), auto-scrape preference, language, worker settings

WhatsApp multi-PC: Session does not move between PCs. Hand off → **Clear Session** on the old PC (optional) → new operator **Sync** + scan QR on their PC.

Telegram multi-PC: Session string is in the cloud — another PC can **Sync** / scrape while Session is **Active**. Hand off → **Clear Session** (required) so the new operator scans QR on their PC.

10. Recommended daily workflows

10.1 Onboard a new marketing account (after test data cleanup)

#	Step
---	------

1	Dashboard Login
2	Open target brand (or Add Card View)
3	+Add → WA or TG → name + phone → Save
4	↻ Sync → scan QR on marketing phone
5	If prompted → Scrape now
6	Review Account badges (Junk / Missing / Not admin)
7	Operations Job Queue SETUP to remediate → scrape again after jobs
8	Repeat per account

10.2 Routine health check

#	Step
1	Account tab — set brand/platform filters
2	Review N accounts not aligned on brand headers
3	Sync rows with Logout session
4	Sync → Scrape now where counts are stale or not aligned
5	Remediate via Operations Job Queue, then scrape again

10.3 Replace test accounts with production accounts

Option A (recommended): Remove from slot for each test account in app → IT cleans database

Option B: IT deletes rows in Supabase → dashboard clears in realtime → team **+Add** and platform login for new accounts

10.4 End of shift

Task	Action
Leave sessions linked	OK — dashboard logout does not unlink phone
Hand off open gaps	Note not-aligned accounts / Job Queue status for next shift
Export for next shift	Account Export with filters applied

10.5 Overnight / batch scrape

Task	Action
Scheduled	Settings → Automatic account scrape → On Scheduled On + time (default 12:00 PM) → Save (app must stay open)
One-shot	Turn Scrape Now On → select up to 6 brands → Execute → wait → settings reset to defaults

11. Glossary

Term	Definition
Brand	Operations unit (e.g. SBMY) with a master group list per WA/TG
Account / slot	One WA or TG row under a brand

Master / std	Brand standard group list (groups_master)
Daily	Today's device group snapshot
Aligned	Device groups match brand standard for that platform
Session Active	Connected session on this PC (UI label; not "Valid")
Sync	↺ button — login or live device verification
Scrape now	Full read of groups from phone → database (via Sync prompt)
Issue / gap	In-memory mismatch (junk / missing / not admin / duplicates) on Account
Job Queue	Operations automation (join, create, set admin, exit, photo)
Stock chips	Account header summary — not Operations Overview
Group matrix	Read-only join/admin matrix from brand header badge
Slicer	Filter & tool bar above cards/table
Group Monitoring	Main module for Account and Operations
Settings	Preferences page at /settings
Backend Operation	Product family name shown in sidebar

12. FAQ

Do I need to reinstall when the app updates?

No. **Restart** after the update notification (if IT published to GitHub).

Does deleting data in Supabase remove the installer?

No. Only dashboard data changes.

Why is Session Active but scrape still asks for login?

This PC may have lost the device session — click **Sync** to verify.

What does Groups 12/21 mean?

12 groups detected on device; 21 = brand standard for that platform (WA and TG counted separately).

Can one PC host many WhatsApp accounts?

Yes — hundreds are supported, but each account needs its own QR scan. User execute concurrency is up to **10** per platform; auto scrape is max **6** brands per platform.

Gaps remain after I fixed groups on the phone?

Use **Sync** → **Scrape now** so fresh device data reaches the database, then check Account badges again.

Where did the Ticket tab go?

Removed. Issues show on **Account**; fix via **Operations** → **Job Queue**.

Is there a group_count_mismatch issue type?

No. Only five types: junk, missing, not admin, duplicate ID, duplicate name.

Dashboard login fails?

Contact IT — account required in `users` table.

Telegram QR or login errors?

Contact IT — verify Telegram API credentials and database migration `023`.

What is the difference between Card view and Table view?

Same data; Card view groups by brand, Table view is one flat list.

Does Dismiss (X on brand card) delete the brand?

Yes — after confirmation it removes the brand and related data from the database.

Why QR error "still starting from previous attempt"?

Stuck WA session on this PC — wait a few seconds, or use **Clear Session** (X on Session when Active) then Sync again.

Can another operator Sync an account I logged in on my PC?

For WhatsApp, no — auth stays on your PC until they **Clear Session** (or you do) and they scan QR on their PC.
For Telegram, another PC can use the account while Session is **Active** (session string is in the cloud). Hand off to a new operator with **Clear Session** so they scan QR on their PC.

Where is UI language changed?

Settings → **Language** → English or 中文.

Where is automatic scrape configured?

Settings → **Automatic account scrape** (On Scheduled / Scrape Now) — not an interval-in-minutes sync.

Appendix — Quick feature map

```
Login (Username / Password)
└─ Group Monitoring
    │   └─ [Tab Account]
    │       │   └─ KPI: Brands, Accounts, Online, Aligned, Issue, Open issues
    │       │   └─ Slicer: Search, Brand, Platform, Status, Card|Table, Export
    │       │   └─ Per Brand Card
    │       │       │   └─ Header: stock chips + WA/TG Group badge → Group matrix modal
    │       │       │   └─ +Add account (WhatsApp / Telegram)
    │       │       │   └─ Row: Sync ∅ | Remove X | Clear Session X | click gap columns
    │       │       │   └─ Last update (read-only) – scrape via Sync → Scrape now
    │       │       └─ Issues: Junk / Missing / Not admin (5 types, in-memory)
    └─ [Tab Operations] – Job Queue only
        │   └─ Join missing | Create group | Set admin | Exit/delete | Set photo
        └─ SETUP → enqueue (live device / master data)
└─ Settings (/settings)
    │   └─ System status (Supabase, Platform, ...)
    │   └─ Open configuration folder / Check for app updates (IT)
    │   └─ Automatic account scrape (On Scheduled / Scrape Now)
    │   └─ Language (EN / 中文)
    └─ Worker settings (WA / TG)
```

Appendix B — Issue type → remediation

Type	Account badge	Typical Job Queue action
daily_junk_group	Junk	Leave / exit
missing_group	Missing	Join missing
not_admin	Not admin	Set admin
duplicate_group_id	(audit)	Master data fix
duplicate_group_name	(audit)	Master data fix

Appendix C — Related documents

Document	Purpose
PROJECT.md	Architecture, releases, IT

INSTALL-WINDOWS.md	Windows install steps
HANDBOOK.md	Bahasa Indonesia edition (same structure)
HANDBOOK-zh.md	简体中文用户手册

*This guide matches application version **1.0.34**. Update PDF/Word after each release via `npm run build:handbook-docs` .*

Internal use only — Resource Management v1.0.34