

Resource Management

Official User Guide

Table of contents

- 1. [Table of contents](#)
- 2. [1. Overview](#)
- 3. [2. Getting started](#)
- 4. [3. Navigation and layout](#)
- 5. [4. Account tab — account monitoring](#)
- 6. [5. Ticket tab — issues and remediation](#)
- 7. [6. Admin page](#)
- 8. [7. Data synchronization \(realtime\)](#)
- 9. [8. Recommended daily workflows](#)
- 10. [9. Glossary](#)
- 11. [10. FAQ](#)
- 12. [Appendix — Quick feature map](#)

Resource Management — Official User Guide (English)

Product	Backend Operation — Resource Management
App version	0.1.1
Audience	Internal operations team (marketing / monitoring of WhatsApp & Telegram groups)
Platform	Windows desktop (.exe)
UI languages	English / 中文 (Admin → Language)

This document is the **official guide to every feature** in the current application. For architecture and IT release notes, see [PROJECT.md](#).

Table of contents

- 1. [Overview](#)
- 2. [Getting started](#)
- 3. [Navigation and layout](#)
- 4. [Account tab — account monitoring](#)
- 5. [Ticket tab — issues and remediation](#)
- 6. [Admin page](#)
- 7. [Data synchronization \(realtime\)](#)
- 8. [Recommended daily workflows](#)
- 9. [Glossary](#)
- 10. [FAQ](#)
- 11. [Appendix — Quick feature map](#)

1. Overview

1.1 What does this application do?

Resource Management helps your team:

Capability	Description
Multi-account registry	Register many WhatsApp and Telegram accounts per brand (e.g. SBMY)
Session health	Check whether accounts are still logged in on phone/PC (session)
Group alignment	Compare groups on device vs brand standard (master list)
Scraper	Run a full read of groups from the device and save to the database
Tickets / issues	See remediation tasks (missing groups, not admin, duplicates, junk groups, etc.)
Export	Export filtered data to Excel for field operations

1.2 Two types of “login”

Do not confuse these — they serve different purposes.

Type	Purpose	How
Dashboard login	Access the application	Username + Password (from IT, users table)
Platform login	Link WA/TG to a marketing account	Sync (🔄) → QR or phone-number modal

The dashboard password is **not** your Telegram or WhatsApp password.

1.3 What is ****not**** a ticket?

Changes to **session login/logout** in the **Session** column do **not** create tickets. Tickets only cover **group and admin** problems relative to the brand standard.

1.4 Who should read which sections?

Role	Primary sections
Field / marketing ops	\$2–\$5, \$8
Team lead	\$4–\$5 KPIs, bookmarks, export
IT / support	\$6, \$7, \$10 FAQ

2. Getting started

2.1 Install (once per PC)

1. Run **Resource Management Setup x.x.x.exe** provided by IT.
2. Complete the installer wizard → **Install**.
3. Open the app from the **desktop shortcut**.
4. **No manual .env setup** is required — organization settings are bundled in the installer.

For detailed Windows steps, see [INSTALL-WINDOWS.md](#).

2.2 Dashboard login

Step	Action
1	Enter Username and Password
2	Click Login
3	On failure

Login screen labels (UI): Username, Password, **Login**, tagline *Telegram & WhatsApp Operations*.

Common errors:

Message	Meaning	Action
Invalid username or password	Wrong credentials	Verify with IT
Database is not configured	Supabase missing on this PC	IT: reinstall or open configuration folder
App configuration is incomplete	Org env not baked into installer	IT: rebuild installer with org settings

2.3 After login

You land on **Group Monitoring** (main workspace) with the **Account** tab selected by default.

3. Navigation and layout

3.1 Sidebar (left)

Icon / menu	Function
Logo	Backend Operation — Resource Management
Group Monitoring	Main page — accounts & tickets
Admin	System status & preferences
Logout (power)	Exit dashboard only — does not auto-logout WA/TG on phone

Tip: Collapse the sidebar to icon-only mode — use **Toggle sidebar** in the header.

3.2 Header (top)

Element	Function
Page title	Active module (e.g. Group Monitoring, Admin)
Welcome + user name	Currently signed-in user
Logout	Exit dashboard

3.3 Sub-header (Group Monitoring only)

Tab	Function
Account	Brand cards & WA/TG account rows
Ticket	Open issues to remediate (badge = open issue count)

Switching tabs updates KPI cards and the filter toolbar below.

3.4 KPI cards (summary numbers)

Numbers refresh when you change tab or when data updates from the database.

Account tab KPIs

KPI	Meaning
Brands	Number of brand cards visible

Accounts	Filled account rows
Online	Accounts with Active status (session valid)
Aligned	Accounts matching brand standard for their platform
Issue	Accounts not aligned
Open issues	Count of open ticket issues (rollup)

Ticket tab KPIs

KPI	Meaning
Open issues	Issue cards shown
Missing groups	Issues of type <i>Missing group</i>
Not admin	Issues of type <i>Not admin</i>
Groups to handle	Total group rows across all issues
Accounts involved	Distinct accounts in filtered issues
Brands involved	Distinct brands in filtered issues

4. Account tab — account monitoring

4.1 Toolbar — filters and tools (slicer bar)

Tool	Location	Function
Search box	Left	Search account name or phone number
Search button	Beside box	Run search (Enter key also works)
Filter Brand	Right	One brand or All brands
Filter Platform	Right	WhatsApp / Telegram / All
Filter Status	Right	Active / Logout / All
Card view / Table view	Right	Per-brand cards vs single combined table
Export (download icon)	Right	Excel export of accounts matching current filters

Placeholder text: *Search account name / phone number...*

4.2 Brand card (Card view)

Each brand (e.g. **Brand : SBMY**) has one card.

Brand header

Element	Function
Arrow	Collapse / expand account table
Brand title	Brand name
Account count badge	e.g. <i>12 accounts</i>
WA x std / TG x std	Standard (master) group count per platform

All aligned / N accounts not aligned	Health summary for this brand
+Add	Add new account (choose WA or TG)
X (Dismiss)	Hide card for this session only — does not delete database data

Add account (+Add)

Step	Action
1	Click +Add
2	Select WhatsApp or Telegram
3	Enter Account name (team label, e.g. marketing name)
4	Enter Account phone number (recommended; @username allowed for TG)
5	Click Save

Empty account slot: Row labeled *Empty account slot* → **Add account** fills the slot without adding extra rows outside defined slots.

4.3 Account table columns

Column	Meaning	How to read
Account	Platform + name + phone	WA/TG icon, name, number below
Brand	Brand name	Same for all rows in the card
Status	Active = valid session; Logout = invalid	Green / red indicator
Session	Valid / Invalid	Invalid → platform login required first
Groups	Y/X	Y = groups on device today; X = brand standard for same platform
Admin	Bar + a/X	How many groups you are admin of vs standard
Scraper	Run + time / progress	Full group read into database
Action	Group link	Open group list + invite links

Important: WhatsApp and Telegram totals are **separate** — do not compare Y/X across platforms on one row.

4.4 Row controls

Control	Function
↻ (Sync)	Primary flow: platform login or live session check + count update
X (hover, right of name)	Remove from slot — detach account from slot (confirmation modal)
Group link	Modal: group name, ID, invite link, admin flag — needs scrape data

Tooltip: **Sync account**.

4.5 Sync (↻) flow — critical

Sync behavior depends on **Session** column value.

Session = **Invalid**

Step	What happens
------	--------------

1	Click ☰
2	Platform login modal opens (QR default, or phone login)
3	Scan QR on marketing phone (WA: Linked devices; TG: Link Desktop Device)
4	On success: session saved, group counts refresh
5	App may prompt Run scraper to save full group list to DB

Session = **Valid**

Step	What happens
1	Click ☰
2	App checks WA/TG still active on this PC
3	If OK: Groups / Admin numbers update
4	If failed: prompted to log in again

Notes:

- Platform login runs only in the **desktop app** (not browser-only).
- If QR does not appear within ~10 seconds: close modal, wait a few seconds, **Sync** again.
- Long sync (>3 min) on Telegram with many groups: retry or restart app.

4.6 Scraper column — ****Run**** button

Condition	Display	Action
Session invalid	<i>Use Sync (☰) to log in first</i>	Sync first
Already aligned	Last update time only	Run usually not needed
Not aligned	Run + timestamp	Click Run → read all groups from phone → save DB → tickets refresh
Running	<i>Reading groups...</i> / progress	Wait (can take minutes for large group lists)

Term	Meaning
Run	Full scrape — all groups written to database
Sync	Session check + summary counts — not always a full scrape

After login, you may see: *Login OK. Device group & admin counts are updated. Save the full group list to the database now?* → choose **Run scraper** or **Later**.

4.7 Group link modal

Open via **Action** → **Group link**.

Feature	Function
Table	Group name, Group ID, Invite link, Admin (Yes/No)
Admin filter	All / admin only / non-admin
Pagination	Previous / Next when many groups
Scroll	Scroll inside table (viewport hint for large pages)

Empty list? Run **Run** scraper first. Message: *No links. Run scraper first.*

4.8 Remove account from slot

Step	Action
1	Hover account row → X icon
2	Confirm Remove from slot? → Remove
3	Effect

Use before swapping test accounts for production marketing accounts — or let IT delete from database (see §7).

4.9 Add brand card

At end of card list: **Add Card View** → enter brand name → **Create card**.

4.10 Table view

All brands in **one table** with the same columns. Filters and export in the toolbar still apply.

4.11 Platform login modal (reference)

Mode	WhatsApp	Telegram
QR	Linked devices → Link a device	Settings → Devices → Link Desktop Device
Phone	Pairing code on phone	SMS code / 2FA password

Modal actions: close, switch QR ↔ phone, verify code/password, **OK** when connected.

Problem	UI hint	Fix
QR timeout (10s)	<i>QR code did not appear within 10 seconds...</i>	Close, wait, Sync again
Telegram QR timeout	<i>Telegram QR timed out...</i>	Restart app; IT checks API keys in .env
WhatsApp QR timeout	<i>WhatsApp QR timed out...</i>	Restart; ensure WhatsApp Web reachable on PC

5. Ticket tab — issues and remediation

5.1 When do tickets appear?

After an account has scrape/sync data, the system compares **device groups (daily snapshot)** vs **brand master**. Mismatches create tickets automatically.

5.2 Issue types (filter: All ticket types)

Type (UI)	Short meaning	Typical field action
Missing group	In brand master but not on this account	Join group (use export invite links)
Not admin	In group but not admin	Request admin rights
Group count mismatch	Device count ≠ brand standard	Audit and align
Duplicate group ID	Same ID, conflicting names	Audit master data
Duplicate group name	Same name, different IDs in master	Audit master data
Device junk group	On phone but not in master	Leave/clean junk groups on phone

Session login/logout does **not** create tickets.

5.3 Ticket toolbar

Tool	Function
Search	<i>Search account / group...</i>
Filter Brand / Platform / Type	Narrow issue list
Bookmark: In Progress	Issues marked <i>In Progress</i>
Bookmark: Completed	Issues marked <i>Complete</i>
Export	Excel for all issues matching filters

Issue workflow views: In Progress · Completed

5.4 Issue card

Each card = **one issue** per: account + brand + issue type.

Section	Content
Title	Account name
Badge	Issue type (color-coded)
Platform	WA / TG
Meta	Phone · brand
Description	Summary (group counts, headlines)
Process / New / status caption	Workflow — click to open handle form
Double-click card	Full detail table (all group rows)

Hint on card: *Double-click for full detail table*

5.5 Process modal (workflow)

Field	Function
Task status	To Do → In Progress → Complete / Interrupted
Due dates / remarks	Stored in database (ticket_issue_handles)
Save	Persist and close
Export	Excel for this issue only

Bookmarks **In Progress** / **Completed** follow the saved task status.

5.6 Detail modal (double-click)

Feature	Function
Full table	All groups involved in the issue
Export	Field remediation reference for this issue
Close	Esc or click outside — Close button

5.7 Ticket ↔ Account relationship

Step	Action
1	Fix groups on phone (join, admin, remove junk)
2	On affected account: Sync or Run again
3	Tickets close or shrink when data aligns (realtime after DB update)

If tickets remain after phone fix: **Run** scraper to push latest device data.

6. Admin page

Open from sidebar: **Admin**.

Subtitle: *System status and application preferences*

6.1 System status

Card	Meaning
Supabase	Connected = database reachable
Active sessions	Placeholder (not a live session count)
Platform	Desktop / Web
Session tables	Count of active RM session tables

6.2 IT tools (desktop only)

Button	Function	Typical user
Open configuration folder (.env)	AppData folder (.env, wa-sessions)	IT
Check for app updates	Manual GitHub update check	IT / power users

Operational users normally **do not** need the config folder if IT installed the correct build.

Auto-update: Updates download from GitHub automatically. **Restart** when prompted — no reinstall.

6.3 Preferences

Automatic account sync

Option	Function
Enabled	Background checks while app is open (same logic as per-account Sync)
Interval (minutes)	How often to run (default often 60 minutes)

Logs activity to the database with timestamps. Does **not** replace a full **Run** scrape when no scrape data exists yet.

Summary on Admin card: *On · N min* or *Off*.

Language

Choice	Effect
English	UI labels, modals, KPIs in English
中文	UI in Simplified Chinese

Change applies immediately across dashboard captions.

7. Data synchronization (realtime)

7.1 Database changes → open apps

When IT or automation changes **Supabase** (accounts, tickets, master groups, session flags):

Behavior	Detail
Live refresh	Open apps update within seconds to minutes
No reinstall	Data-only changes need no new installer

Example: IT deletes a test account → row disappears on every user's dashboard.

7.2 Code / UI changes → app update

Requires a **new app version** (auto-update + **Restart**). See [PROJECT.md §4.4](#).

Change type	Delivery
Data in Supabase	Realtime
New buttons, layout, logic	New .exe version

7.3 PC vs cloud storage

Location	Contents
Cloud (Supabase)	Brands, accounts, groups, tickets, session flags
PC (AppData)	WhatsApp auth per account, auto-sync preference, language

8. Recommended daily workflows

8.1 Onboard a new marketing account (after test data cleanup)

#	Step
1	Dashboard Login
2	Open target brand (or Add Card View)
3	+Add → WA or TG → name + phone → Save
4	🔄 Sync → scan QR on marketing phone
5	If prompted → Run scraper
6	Ticket tab → handle issues → Export if needed
7	Repeat per account

8.2 Routine health check

#	Step
1	Account tab — set brand/platform filters
2	Review N accounts not aligned on brand headers
3	Sync rows with Invalid session

4	Run where counts are stale or not aligned
5	Ticket tab — bookmark In Progress → remediate → mark Complete

8.3 Replace test accounts with production accounts

- Option A (recommended):** Remove from slot for each test account in app → IT cleans database
- Option B:** IT deletes rows in Supabase → dashboard clears in realtime → team **+Add** and platform login for new accounts

8.4 End of shift

Task	Action
Leave sessions linked	OK — dashboard logout does not unlink phone
Hand off open tickets	Set In Progress + remarks in Process modal
Export for next shift	Ticket or Account Export with filters applied

9. Glossary

Term	Definition
Brand	Operations unit (e.g. SBMY) with a master group list per WA/TG
Account / slot	One WA or TG row under a brand
Master / std	Brand standard group list (groups_master)
Daily	Today’s device group snapshot
Aligned	Device groups match brand standard for that platform
Session Valid	Active session record in DB (may still need device check today)
Sync	↻ button — login or live device verification
Run / Scraper	Full read of groups from phone → database
Ticket / Issue	Remediation task for group data
Bookmark	Ticket filters: In Progress / Completed
Slicer	Filter & tool bar above cards/table
Group Monitoring	Main module for accounts and tickets
Backend Operation	Product family name shown in sidebar

10. FAQ

- Do I need to reinstall when the app updates?**
No. **Restart** after the update notification (if IT published to GitHub).
- Does deleting data in Supabase remove the installer?**
No. Only dashboard data changes.
- Why is Session Valid but Run still asks for login?**
This PC may have lost the device session — click **Sync** to verify.

What does Groups 12/21 mean?

12 groups detected on device; 21 = brand standard for that platform (WA and TG counted separately).

Can one PC host many WhatsApp accounts?

Yes — hundreds are supported, but each account needs its own QR scan; Chrome processes are limited (~4 concurrent).

Tickets remain after I fixed groups on the phone?

Click **Run** or **Sync** so fresh device data reaches the database.

Dashboard login fails?

Contact IT — account required in `users` table.

Telegram QR or login errors?

Contact IT — verify Telegram API credentials and database migration `023` .

What is the difference between Card view and Table view?

Same data; Card view groups by brand, Table view is one flat list.

Does Dismiss (X on brand card) delete the brand?

No — it only hides the card until you reload or refilter.

Where is UI language changed?

Admin → **Preferences** → **Language** → English or 中文.

Appendix — Quick feature map

Login (Username / Password)

- └ Group Monitoring
 - └ [Tab Account]
 - └ KPI: Brands, Accounts, Online, Aligned, Issue, Open issues
 - └ Slicer: Search, Brand, Platform, Status, Card|Table, Export
 - └ Per Brand Card
 - └ +Add account (WhatsApp / Telegram)
 - └ Row: Sync ↺ | Remove X | Group link
 - └ Scraper: Run
 - └ [Tab Ticket]
 - └ KPI: Open, Missing, Not admin, Groups to handle, ...
 - └ Slicer: Search, filters, In Progress | Completed, Export
 - └ 6 issue types
 - └ Issue card → Process modal | Double-click Detail
- └ Admin
 - └ System status (Supabase, Platform, ...)
 - └ Open configuration folder / Check for app updates (IT)
 - └ Automatic account sync + Language (EN / 中文)

Appendix B — Issue type → export columns (detail export)

Typical Excel columns: Issue ID, #, Account, Brand, Platform, Phone, Issue type, Group name, Group ID, Invite link, Note.

Appendix C — Related documents

Document	Purpose
PROJECT.md	Architecture, releases, IT
INSTALL-WINDOWS.md	Windows install steps
HANDBOOK.md	Bahasa Indonesia edition (same structure)
HANDBOOK-zh.md	简体中文用户手册

*This guide matches application version **0.1.1**. Update this document when new features ship.*

Internal use only — Resource Management v0.1.1