Presentación:

Nombre:
Algelis Severino

Tema:
Introducción a la Programación y Diagrama de flujo.

Tecnico:
Ciberseguridad Semipresencial

Facilitador:
Kevin Feliz Henriquez

Centro:
Diapiato Pro salud

Descripción:
En este documento .pdf adjunto capturas del reto 11 de 30 days of code de HackerRank.

Link GitHub:
https://github.com/SeverinoCyber/30-days-of-code/tree/main/Hackerrank/day19

C#:


HackerRank
Prepare > Tutorials > 30 Days of Code > Day 19: Interfaces
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today, we're learning about Interfaces. Check out the Tutorial tab for learning materials and an instructional video!
Task
The AdvancedArithmetic interface and the method declaration for the abstract divisorSum(n) method are provided for you in the editor below.
Complete the implementation of Calculator class, which implements the AdvancedArithmetic interface. The implementation for the divisorSum(n) method must return the sum of all divisors of n.
Example
n = 25
The divisors of 25 are 1, 5, 25. Their sum is 31.
n = 20
The divisors of 20 are 1, 2, 4, 5, 10, 20 and their sum is 42.
Input Format
A single line with an integer, n.
Constraints
• 1 ≤ n ≤ 1000
Output Format
You are not responsible for printing anything to stdout. The locked template code in the editor below will call your code and print the necessary output.
Sample Input
6
Sample Output
I implemented: AdvancedArithmetic
12
Change Theme
Language
C#
using System;
public interface AdvancedArithmetic{
    int divisorSum(int n);
}

public class Calculator : AdvancedArithmetic
{
    public int divisorSum(int n)
    {
        int suma = Enumerable.Range(1, n).Where(i => n % i == 0).Sum();
        return suma;
    }
}

class Solution{
    static void Main(string[] args){
        int n = Int32.Parse(Console.ReadLine());
        AdvancedArithmetic myCalculator = new Calculator();
        int sum = myCalculator.divisorSum(n);
        Console.WriteLine("I implemented: AdvancedArithmetic\n" + sum);
    }
}
Line: 12 Col: 6
Upload Code as File
Test against custom input
Run Code
Submit Code


HackerRank
Prepare > Tutorials > 30 Days of Code > Day 19: Interfaces
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today, we're learning about Interfaces. Check out the Tutorial tab for learning materials and an instructional video!
Task
The AdvancedArithmetic interface and the method declaration for the abstract divisorSum(n) method are provided for you in the editor below.
Complete the implementation of Calculator class, which implements the AdvancedArithmetic interface. The implementation for the divisorSum(n) method must return the sum of all divisors of n.
Example
n = 25
The divisors of 25 are 1, 5, 25. Their sum is 31.
n = 20
The divisors of 20 are 1, 2, 4, 5, 10, 20 and their sum is 42.
Input Format
A single line with an integer, n.
Constraints
• 1 ≤ n ≤ 1000
Output Format
You are not responsible for printing anything to stdout. The locked template code in the editor below will call your code and print the necessary output.
Sample Input
6
Sample Output
I implemented: AdvancedArithmetic
12
Line: 12 Col: 6
Upload Code as File
Test against custom input
Run Code
Submit Code
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
6
Expected Output
Download
I implemented: AdvancedArithmetic
12

Python3:



HackerRank
Prepare > Tutorials > 30 Days of Code > Day 19: Interfaces
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today, we're learning about Interfaces. Check out the Tutorial tab for learning materials and an instructional video!
Task
The AdvancedArithmetic interface and the method declaration for the abstract divisorSum(n) method are provided for you in the editor below.
Complete the implementation of Calculator class, which implements the AdvancedArithmetic interface. The implementation for the divisorSum(n) method must return the sum of all divisors of n.
Example
n = 25
The divisors of 25 are 1, 5, 25. Their sum is 31.
n = 20
The divisors of 20 are 1, 2, 4, 5, 10, 20 and their sum is 42.
Input Format
A single line with an integer, n.
Constraints
• 1 ≤ n ≤ 1000
Output Format
You are not responsible for printing anything to stdout. The locked template code in the editor below will call your code and print the necessary output.
Sample Input
6
Sample Output
I implemented: AdvancedArithmetic
12
Change Theme
Language
Python 3
class AdvancedArithmetic(object):...
class Calculator(AdvancedArithmetic):
    def divisorSum(self, n):
        return sum(i for i in range(1, n + 1) if n % i == 0)
n = int(input())
my_calculator = Calculator()
s = my_calculator.divisorSum(n)
print("I implemented: " + type(my_calculator).__bases__[0].__name__)
print(s)
Line: 10 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code



HackerRank
Prepare > Tutorials > 30 Days of Code > Day 19: Interfaces
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today, we're learning about Interfaces. Check out the Tutorial tab for learning materials and an instructional video!
Task
The AdvancedArithmetic interface and the method declaration for the abstract divisorSum(n) method are provided for you in the editor below.
Complete the implementation of Calculator class, which implements the AdvancedArithmetic interface. The implementation for the divisorSum(n) method must return the sum of all divisors of n.
Example
n = 25
The divisors of 25 are 1, 5, 25. Their sum is 31.
n = 20
The divisors of 20 are 1, 2, 4, 5, 10, 20 and their sum is 42.
Input Format
A single line with an integer, n.
Constraints
• 1 ≤ n ≤ 1000
Output Format
You are not responsible for printing anything to stdout. The locked template code in the editor below will call your code and print the necessary output.
Sample Input
6
Sample Output
I implemented: AdvancedArithmetic
12
Line: 10 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
6
Expected Output
Download
I implemented: AdvancedArithmetic
12