Presentación:

Nombre:
Algelis Severino

Tema:
Introducción a la Programación y Diagrama de flujo.

Tecnico:
Ciberseguridad Semipresencial

Facilitador:
Kevin Feliz Henriquez

Centro:
Diapiato Pro salud

Descripción:
En este documento .pdf adjunto capturas del reto 11 de 30 days of code de HackerRank.

Link GitHub:
https://github.com/SeverinoCyber/30-days-of-code/tree/main/Hackerrank/day15

Python3:


HackerRank
Prepare > Tutorials > 30 Days of Code > Day 15: Linked List
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today we will work with a Linked List. Check out the Tutorial tab for learning materials and an instructional video.
A Node class is provided for you in the editor. A Node object has an integer data field, data, and a Node instance pointer, next, pointing to another node (i.e.: the next node in the list).
A Node insert function is also declared in your editor. It has two parameters: a pointer, head, pointing to the first node of a linked list, and an integer, data, that must be added to the end of the list as a new Node object.
Task
Complete the insert function in your editor so that it creates a new Node (pass data as the Node constructor argument) and inserts it at the tail of the linked list referenced by the head parameter. Once the new node is added, return the reference to the head node.
Note: The head argument is null for an empty list.
Input Format
The first line contains T, the number of elements to insert.
Each of the next T lines contains an integer to insert at the end of the list.
Output Format
Return a reference to the head node of the linked list.
Sample Input
STDIN Function
----- --------
4 T = 4
2 first data = 2
3
4
1 fourth data = 1
Sample Output
2 3 4 1
Change Theme
Language
Python 3
class Node: ···
def insert(self,head,data):
#Complete this method
nuevo_nodo = Node(data)
if head is None:
return nuevo_nodo;
current = head
while current.next:
current = current.next
current.next = nuevo_nodo
return head
mylist= Solution() ···
Line: 11 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code


HackerRank
Prepare > Tutorials > 30 Days of Code > Day 15: Linked List
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today we will work with a Linked List. Check out the Tutorial tab for learning materials and an instructional video.
A Node class is provided for you in the editor. A Node object has an integer data field, data, and a Node instance pointer, next, pointing to another node (i.e.: the next node in the list).
A Node insert function is also declared in your editor. It has two parameters: a pointer, head, pointing to the first node of a linked list, and an integer, data, that must be added to the end of the list as a new Node object.
Task
Complete the insert function in your editor so that it creates a new Node (pass data as the Node constructor argument) and inserts it at the tail of the linked list referenced by the head parameter. Once the new node is added, return the reference to the head node.
Note: The head argument is null for an empty list.
Input Format
The first line contains T, the number of elements to insert.
Each of the next T lines contains an integer to insert at the end of the list.
Output Format
Return a reference to the head node of the linked list.
Sample Input
STDIN Function
----- --------
4 T = 4
2 first data = 2
3
4
1 fourth data = 1
Sample Output
2 3 4 1
Line: 11 Col: 1
Upload Code as File
Test against custom input
Run Code
Submit Code
Congratulations
You solved this challenge. Would you like to challenge your friends?
The next challenge in this tutorial will unlock in 09:06:00
Go to Dashboard
Try a Random Challenge
Test case 0
Test case 1
Test case 2
Compiler Message
Success
Input (stdin)
Download
4
2
3
4
1
Expected Output
Download
2 3 4 1

C#:


HackerRank
Prepare > Tutorials > 30 Days of Code > Day 15: Linked List
Exit Full Screen View
Problem
Submissions
Leaderboard
Discussions
Editorial
Objective
Today we will work with a Linked List. Check out the Tutorial tab for learning materials and an instructional video.
A Node class is provided for you in the editor. A Node object has an integer data field, data, and a Node instance pointer, next, pointing to another node (i.e.: the next node in the list).
A Node insert function is also declared in your editor. It has two parameters: a pointer, head, pointing to the first node of a linked list, and an integer, data, that must be added to the end of the list as a new Node object.
Task
Complete the insert function in your editor so that it creates a new Node (pass data as the Node constructor argument) and inserts it at the tail of the linked list referenced by the head parameter. Once the new node is added, return the reference to the head node.
Note: The head argument is null for an empty list.
Input Format
The first line contains T, the number of elements to insert.
Each of the next T lines contains an integer to insert at the end of the list.
Output Format
Return a reference to the head node of the linked list.
Sample Input
STDIN Function
4 T = 4
2 first data = 2
3
4
1 fourth data = 1
Sample Output
2 3 4 1
Change Theme
Language
C#
using System;
public static Node insert(Node head,int data)
{
//Complete this method
Node newNode = new Node(data);
if (head == null)
{
return newNode;
}
Node current = head;
while (current.next != null)
{
current = current.next;
}
current.next = newNode;
return head;
}
public static void display(Node head)
Line: 31 Col: 5
Upload Code as File
Test against custom input
Run Code
Submit Code


HackerRank
Prepare > Tutorials > 30 Days of Code > Day 15: Linked List
Exit Full Screen View
Line: 31 Col: 5
Upload Code as File
Test against custom input
Run Code
Submit Code
Congratulations
You solved this challenge. Would you like to challenge your friends?
The next challenge in this tutorial will unlock in 09:03:50
Go to Dashboard
Try a Random Challenge
Test case 0
Test case 1
Test case 2
Compiler Message
Success
Input (stdin)
Download
4
2
3
4
1
Expected Output
Download
2 3 4 1

JavaScripts: