

Presentación:

Nombre:

Algelis Severino

Tema:

Introducción a la Programación y Diagrama de flujo.

Tecnico:

Ciberseguridad Semipresencial

Facilitador:

Kevin Feliz Henriquez

Centro:

Diapiato Pro salud

Descripción:

En este documento .pdf adjunto capturas del reto 7 de 30 days of code de HackerRank.

Link GitHub:

<https://github.com/SeverinoCyber/30-days-of-code/tree/main/Hackerrank/day7>

Python3:

Problem

Submissions

Leaderboard

Discussions

Editorial

Objective

Task

Example

Input Format

Constraints

Output Format

Sample Input

Sample Output

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

#!/bin/python3

import math

import os

import random

import re

import sys

if __name__ == '__main__':

n = int(input().strip())

arr = list(map(int, input().rstrip().split()))

print(*reversed(arr))

Line: 16 Col: 26

Upload Code as File

Test against custom input

Run Code

Submit Code

Objective

Task

Example

Input Format

Constraints

Output Format

Sample Input

Sample Output

4

1 4 3 2

2 3 4 1

Congratulations

You solved this challenge. Would you like to challenge your friends?

Facebook

Twitter

LinkedIn

Next Challenge

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Test case 7

Test case 8

Compiler Message

Success

Input (stdin)

Download

Expected Output

Download

JavaScript(Node js):

Problem

Submissions

Leaderboard

Discussions

Editorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 7: Arrays

Objective
Today, we will learn about the Array data structure. Check out the Tutorial tab for learning materials and an instructional video.

Task
Given an array, A , of N integers, print A 's elements in reverse order as a single line of space-separated numbers.

Example
 $A = [1, 2, 3, 4]$
Print 4 3 2 1. Each integer is separated by one space.

Input Format
The first line contains an integer, N (the size of our array).
The second line contains N space-separated integers that describe array A 's elements.

Constraints
Constraints

- $1 \leq N \leq 1000$
- $1 \leq A[i] \leq 10000$, where $A[i]$ is the i^{th} integer in the array.

Output Format
Print the elements of array A in reverse order as a single line of space-separated numbers.

Sample Input
4
1 4 3 2

Sample Output
2 3 4 1

Change Theme

Language

JavaScript (Node.js)

Exit Full Screen View

```
1 'use strict';
2
3 process.stdin.resume();
4 process.stdin.setEncoding('utf-8');
5
6 let inputString = '';
7 let currentLine = 0;
8
9 process.stdin.on('data', function(inputStdin) {
10     inputString += inputStdin;
11 });
12
13 process.stdin.on('end', function() {
14     inputString = inputString.split('\n');
15
16     main();
17 });
18
19 function readLine() {
20     return inputString[currentLine++];
21 }
22
23
24
25 function main() {
26     const n = parseInt(readLine().trim(), 10);
27
28     const arr = readLine().replace(/\s+$/g, '').split(' ').map(arrTemp => parseInt(arrTemp, 10));
29
30     console.log(...arr.reverse());
31 }
32
```

Line: 30 Col: 35

Upload Code as File

Test against custom input

Run Code

Submit Code

Problem

Submissions

Leaderboard

Discussions

Editorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 7: Arrays

Objective
Today, we will learn about the Array data structure. Check out the Tutorial tab for learning materials and an instructional video.

Task
Given an array, A , of N integers, print A 's elements in reverse order as a single line of space-separated numbers.

Example
 $A = [1, 2, 3, 4]$
Print 4 3 2 1. Each integer is separated by one space.

Input Format
The first line contains an integer, N (the size of our array).
The second line contains N space-separated integers that describe array A 's elements.

Constraints
Constraints

- $1 \leq N \leq 1000$
- $1 \leq A[i] \leq 10000$, where $A[i]$ is the i^{th} integer in the array.

Output Format
Print the elements of array A in reverse order as a single line of space-separated numbers.

Sample Input
4
1 4 3 2

Sample Output
2 3 4 1

Exit Full Screen View

Line: 30 Col: 35

Upload Code as File

Test against custom input

Run Code

Submit Code

Congratulations
You solved this challenge. Would you like to challenge your friends? [f](#) [t](#) [in](#) [Next Challenge](#)

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Test case 7

Test case 8

Compiler Message

Success

Input (stdin)
4
1 4 3 2
Download

Expected Output
2 3 4 1
Download

C#:

Problem

Submissions

Leaderboard

Discussions

Editorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 7: Arrays

Objective

Today, we will learn about the Array data structure. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an array, A , of N integers, print A 's elements in reverse order as a single line of space-separated numbers.

Example

$A = [1, 2, 3, 4]$
Print 4 3 2 1. Each integer is separated by one space.

Input Format

The first line contains an integer, N (the size of our array).
The second line contains N space-separated integers that describe array A 's elements.

Constraints

Constraints

- $1 \leq N \leq 1000$
- $1 \leq A[i] \leq 10000$, where $A[i]$ is the i^{th} integer in the array.

Output Format

Print the elements of array A in reverse order as a single line of space-separated numbers.

Sample Input

4
1 4 3 2

Sample Output

2 3 4 1

Change Theme

Language C#

Exit Full Screen View

```
1 using System.CodeDom.Compiler;
2 using System.Collections.Generic;
3 using System.Collections;
4 using System.ComponentModel;
5 using System.Diagnostics.CodeAnalysis;
6 using System.Globalization;
7 using System.IO;
8 using System.Linq;
9 using System.Reflection;
10 using System.Runtime.Serialization;
11 using System.Text.RegularExpressions;
12 using System.Text;
13 using System;
14
15
16
17 class Solution
18 {
19     public static void Main(string[] args)
20     {
21
22         int n = Convert.ToInt32(Console.ReadLine().Trim());
23
24         List<int> arr = Console.ReadLine().TrimEnd().Split(' ').ToList().Select(arrTemp => Convert.ToInt32(arrTemp)).ToList();
25
26         arr.Reverse();
27         Console.WriteLine(string.Join(" ", arr));
28     }
29 }
```

Line: 29 Col: 1

Upload Code as File

Test against custom input

Run Code

Submit Code

Problem

Submissions

Leaderboard

Discussions

Editorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 7: Arrays

Objective

Today, we will learn about the Array data structure. Check out the [Tutorial](#) tab for learning materials and an instructional video.

Task

Given an array, A , of N integers, print A 's elements in reverse order as a single line of space-separated numbers.

Example

$A = [1, 2, 3, 4]$
Print 4 3 2 1. Each integer is separated by one space.

Input Format

The first line contains an integer, N (the size of our array).
The second line contains N space-separated integers that describe array A 's elements.

Constraints

Constraints

- $1 \leq N \leq 1000$
- $1 \leq A[i] \leq 10000$, where $A[i]$ is the i^{th} integer in the array.

Output Format

Print the elements of array A in reverse order as a single line of space-separated numbers.

Sample Input

4
1 4 3 2

Sample Output

2 3 4 1

Line: 29 Col: 1

Upload Code as File

Test against custom input

Run Code

Submit Code

Congratulations

You solved this challenge. Would you like to challenge your friends?

[f](#) [t](#) [in](#)

Next Challenge

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Test case 7

Test case 8

Compiler Message

Success

Input (stdin)

Download

Expected Output

Download

Java7:

Problem

Submissions

Leaderboard

Discussions

Editorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 7: Arrays

Objective

Today, we will learn about the Array data structure. Check out the Tutorial tab for learning materials and an instructional video.

Task

Given an array, A , of N integers, print A 's elements in reverse order as a single line of space-separated numbers.

Example

$A = [1, 2, 3, 4]$
Print 4 3 2 1. Each integer is separated by one space.

Input Format

The first line contains an integer, N (the size of our array).
The second line contains N space-separated integers that describe array A 's elements.

Constraints

- $1 \leq N \leq 1000$
- $1 \leq A[i] \leq 10000$, where $A[i]$ is the i^{th} integer in the array.

Output Format

Print the elements of array A in reverse order as a single line of space-separated numbers.

Sample Input

4
1 4 3 2

Sample Output

2 3 4 1

Change Theme Language Java 7

```
1 import java.io.*;
2 import java.math.*;
3 import java.security.*;
4 import java.text.*;
5 import java.util.*;
6 import java.util.concurrent.*;
7 import java.util.regex.*;
8
9
10
11 public class Solution {
12     public static void main(String[] args) throws IOException {
13         BufferedReader bufferedReader = new BufferedReader(new InputStreamReader(System.in));
14
15         int n = Integer.parseInt(bufferedReader.readLine().trim());
16
17         String[] arrTemp = bufferedReader.readLine().replaceAll("\\s+", "").split(" ");
18
19         List<Integer> arr = new ArrayList<>();
20
21         for (int i = 0; i < n; i++) {
22             int arritem = Integer.parseInt(arrTemp[n - 1 - i]);
23             arr.add(arritem);
24             System.out.print(arritem + (i < n - 1 ? " " : ""));
25         }
26
27         bufferedReader.close();
28     }
29 }
30
```

Line: 22 Col: 68

Upload Codes as File Test against custom input Run Code Submit Code

Problem

Submissions

Leaderboard

Discussions

Editorial

HackerRank

Prepare > Tutorials > 30 Days of Code > Day 7: Arrays

Objective

Today, we will learn about the Array data structure. Check out the Tutorial tab for learning materials and an instructional video.

Task

Given an array, A , of N integers, print A 's elements in reverse order as a single line of space-separated numbers.

Example

$A = [1, 2, 3, 4]$
Print 4 3 2 1. Each integer is separated by one space.

Input Format

The first line contains an integer, N (the size of our array).
The second line contains N space-separated integers that describe array A 's elements.

Constraints

- $1 \leq N \leq 1000$
- $1 \leq A[i] \leq 10000$, where $A[i]$ is the i^{th} integer in the array.

Output Format

Print the elements of array A in reverse order as a single line of space-separated numbers.

Sample Input

4
1 4 3 2

Sample Output

2 3 4 1

Line: 22 Col: 68

Upload Codes as File Test against custom input Run Code Submit Code

Congratulations

You solved this challenge. Would you like to challenge your friends?

[f](#) [t](#) [in](#)

Next Challenge

Test case 2

Test case 3

Test case 4

Test case 5

Test case 6

Test case 7

Test case 8

Compiler Message

Success

Input (stdin)

Download

1 4
2 1 4 3 2

Expected Output

Download

1 2 3 4 1